

Jens F Dahlerup

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3155627/jens-f-dahlerup-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

909
citations

18
h-index

28
g-index

66
ext. papers

1,252
ext. citations

4.2
avg, IF

4.29
L-index

#	Paper	IF	Citations
58	Fecal Microbiota Transplantation Is Superior to Fidaxomicin for Treatment of Recurrent <i>Clostridium difficile</i> Infection. <i>Gastroenterology</i> , 2019 , 156, 1324-1332.e3	13.3	118
57	Effects of Arabinoxylan and Resistant Starch on Intestinal Microbiota and Short-Chain Fatty Acids in Subjects with Metabolic Syndrome: A Randomised Crossover Study. <i>PLoS ONE</i> , 2016 , 11, e0159223	3.7	94
56	Drug-specific hypophosphatemia and hypersensitivity reactions following different intravenous iron infusions. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1118-1125	3.8	49
55	Mortality and causes of death in patients with monoclonal gammopathy of undetermined significance. <i>British Journal of Haematology</i> , 2001 , 112, 353-7	4.5	48
54	Cancer risk in patients with monoclonal gammopathy of undetermined significance. <i>American Journal of Hematology</i> , 2000 , 63, 1-6	7.1	33
53	Faecal microbiota transplantation for recurrent infection: An updated systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2020 , 29-30, 100642	11.3	31
52	Health-care costs of inflammatory bowel disease in a pan-European, community-based, inception cohort during 5 years of follow-up: a population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 454-464	18.8	31
51	The risk of bacteremia in patients with monoclonal gammopathy of undetermined significance. <i>European Journal of Haematology</i> , 1998 , 61, 140-4	3.8	29
50	Current, experimental, and future treatments in inflammatory bowel disease: a clinical review. <i>Immunopharmacology and Immunotoxicology</i> , 2018 , 40, 446-460	3.2	25
49	Faecal microbiota transplantation: establishment of a clinical application framework. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, e36-e45	2.2	25
48	High-dose fast infusion of parenteral iron isomaltoside is efficacious in inflammatory bowel disease patients with iron-deficiency anaemia without profound changes in phosphate or fibroblast growth factor 23. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1332-8	2.4	24
47	Diagnosis and treatment of unexplained anemia with iron deficiency without overt bleeding. <i>Danish Medical Journal</i> , 2015 , 62, C5072	3.8	24
46	Adherence and quality of care in IBD. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1326-31	2.4	21
45	Vitamin D deficiency in a European inflammatory bowel disease inception cohort: an Epi-IBD study. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1297-1303	2.2	21
44	Diagnosis of <i>Helicobacter Pylori</i> Infection is Associated with Lower Prevalence and Subsequent Incidence of Crohn's Disease. <i>Journal of Crohns and Colitis</i> , 2016 , 10, 443-8	1.5	20
43	Occurrence of Anaemia in the First Year of Inflammatory Bowel Disease in a European Population-based Inception Cohort-An ECCO-EpiCom Study. <i>Journal of Crohns and Colitis</i> , 2017 , 11, 1213-1222	1.5	18
42	Recruitment of feces donors among blood donors: Results from an observational cohort study. <i>Gut Microbes</i> , 2018 , 9, 540-550	8.8	18

41	Biological therapy increases the health-related quality of life in patients with inflammatory bowel disease in a clinical setting. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 706-11	2.4	18
40	Vitamin D increases programmed death receptor-1 expression in Crohn's disease. <i>Oncotarget</i> , 2017 , 8, 24177-24186	3.3	17
39	Diagnosis and treatment of Helicobacter pylori infection. <i>Danish Medical Bulletin</i> , 2011 , 58, C4271		17
38	Faecal Microbiota Transplantation Eradicated Extended-Spectrum Beta-Lactamase-Producing from a Renal Transplant Recipient with Recurrent Urinary Tract Infections. <i>Case Reports in Nephrology and Dialysis</i> , 2019 , 9, 102-107	1.3	16
37	A Proposal for a Study on Treatment Selection and Lifestyle Recommendations in Chronic Inflammatory Diseases: A Danish Multidisciplinary Collaboration on Prognostic Factors and Personalised Medicine. <i>Nutrients</i> , 2017 , 9,	6.7	16
36	Casein glycomacropeptide for active distal ulcerative colitis: a randomized pilot study. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 555-63	4.6	16
35	How fatigue is experienced and handled by female outpatients with inflammatory bowel disease. <i>Gastroenterology Research and Practice</i> , 2013 , 2013, 153818	2	13
34	Cost savings following faecal microbiota transplantation for recurrent infection. <i>Therapeutic Advances in Gastroenterology</i> , 2019 , 12, 1756284819843002	4.7	12
33	Low-dose oral iron absorption test in anaemic patients with and without iron deficiency determined by bone marrow iron content. <i>European Journal of Haematology</i> , 1999 , 63, 103-11	3.8	12
32	Gastrointestinal and liver disease in Adult Life After Childhood Cancer in Scandinavia: A population-based cohort study. <i>International Journal of Cancer</i> , 2016 , 139, 1501-11	7.5	12
31	Pirfenidone inhibits the proliferation of fibroblasts from patients with active Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1321-5	2.4	12
30	Immune responses and parasitological observations induced during probiotic treatment with medicinal <i>Trichuris suis</i> ova in a healthy volunteer. <i>Immunology Letters</i> , 2017 , 188, 32-37	4.1	11
29	First-time urea breath tests performed at home by 36,629 patients: a study of Helicobacter pylori prevalence in primary care. <i>Helicobacter</i> , 2011 , 16, 468-74	4.9	11
28	Impact of red and processed meat and fibre intake on treatment outcomes among patients with chronic inflammatory diseases: protocol for a prospective cohort study of prognostic factors and personalised medicine. <i>BMJ Open</i> , 2018 , 8, e018166	3	11
27	Banking feces: a new frontier for public blood banks?. <i>Transfusion</i> , 2019 , 59, 2776-2782	2.9	10
26	Detection of <i>Pneumocystis jirovecii</i> in oral wash from immunosuppressed patients as a diagnostic tool. <i>PLoS ONE</i> , 2017 , 12, e0174012	3.7	9
25	The lectin pathway of the complement system is downregulated in Crohn's disease patients who respond to anti-TNF- α therapy. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 521-8	1.5	8
24	Faecal microbiota transplantation as a home therapy to frail older people. <i>Age and Ageing</i> , 2020 , 49, 1093-1096	3	6

23	Obeticholic acid for severe bile acid diarrhea with intestinal failure: A case report and review of the literature. <i>World Journal of Gastroenterology</i> , 2018 , 24, 2320-2326	5.6	6
22	The use of 5-aminosalicylate for patients with Crohn's disease in a prospective European inception cohort with 5 years follow-up - an Epi-IBD study. <i>United European Gastroenterology Journal</i> , 2020 , 8, 949-960	5.3	5
21	Population-based normative data for the inflammatory bowel disease fatigue scale - IBD-F. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 1274-1279	2.4	5
20	The use of Faecal Microbiota Transplantation (FMT) in Europe: A Europe-wide survey. <i>Lancet Regional Health - Europe, The</i> , 2021 , 9, 100181		5
19	Patient characteristics and clinical outcomes in a specialised intestinal failure unit: An observational cohort study. <i>Clinical Nutrition ESPEN</i> , 2020 , 38, 253-262	1.3	4
18	Faecal microbiota transplantation for eradication of co-infection with and extensively drug-resistant KPC-producing. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 626-630	2.4	3
17	Seven Weeks of High-Dose Vitamin D Treatment Reduces the Need for Infliximab Dose-Escalation and Decreases Inflammatory Markers in Crohn's Disease during One-Year Follow-Up. <i>Nutrients</i> , 2021 , 13,	6.7	3
16	Randomised clinical trial: high-dose oral thiamine versus placebo for chronic fatigue in patients with quiescent inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 53, 79-86	6.1	2
15	Decrease in Mucosal IL17A, IFN γ and IL10 Expressions in Active Crohn's Disease Patients Treated with High-Dose Vitamin Alone or Combined with Infliximab. <i>Nutrients</i> , 2020 , 12,	6.7	2
14	Danish national guideline for the treatment of infection and use of faecal microbiota transplantation (FMT). <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 1056-1077	2.4	2
13	A positive <i>Helicobacter pylori</i> test is associated with low spondylarthritis incidence in a Danish historical cohort study. <i>Rheumatology International</i> , 2020 , 40, 359-366	3.6	1
12	Hypophosphatemia in a Specialized Intestinal Failure Unit: An Observational Cohort Study. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021 , 45, 1259-1267	4.2	1
11	A Single Urine Sodium Measurement May Validly Estimate 24-hour Urine Sodium Excretion in Patients With an Ileostomy. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020 , 44, 246-255	4.2	1
10	Casein glycomacropeptide is well tolerated in healthy adults and changes neither high-sensitive C-reactive protein, gut microbiota nor faecal butyrate: a restricted randomised trial. <i>British Journal of Nutrition</i> , 2021 , 125, 1374-1385	3.6	1
9	Effects of Anti-TNF Treatment on Mucosal Expression of IL-17A, IL-21, and IL-22 and Cytokine-Producing T Cell Subsets in Crohn's Disease. <i>Mediators of Inflammation</i> , 2018 , 2018, 3279607	4.3	1
8	Systematic review with meta-analysis: encapsulated faecal microbiota transplantation - evidence for clinical efficacy. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211041004	4.7	1
7	An iso-osmolar oral supplement increases natriuresis and does not increase stomal output in patients with an ileostomy: A randomised, double-blinded, active comparator, crossover intervention study. <i>Clinical Nutrition</i> , 2019 , 38, 2079-2086	5.9	0
6	Long-term maintenance treatment with 300 mg thiamine for fatigue in patients with inflammatory bowel disease: results from an open-label extension of the TARIF study. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 1-7	2.4	0

- 5 Health-related quality of life in patients with recurrent infections.. *Therapeutic Advances in Gastroenterology*, **2022**, 15, 17562848221078441 4.7 ○
- 4 *Helicobacter pylori* infection is associated with reduced prevalence of colonic diverticular disease. *Helicobacter*, **2017**, 22, e12384 4.9
- 3 Letter: post-infective bile acid malabsorption and diarrhoea. AuthorsVreply. *Alimentary Pharmacology and Therapeutics*, **2019**, 50, 110-111 6.1
- 2 Deep hyperammonemic hepatic encephalopathy precipitated by fecal microbiota transplantation for fulminant infection.. *Gastroenterology Report*, **2022**, 10, goab043 3.3
- 1 Letter: long-term treatment of severe bile acid diarrhoea-obeticholic acid can normalise SeHCA retention. AuthorsVreply. *Alimentary Pharmacology and Therapeutics*, **2018**, 48, 1034-1035 6.1