## Jens F Dahlerup

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3155627/jens-f-dahlerup-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58	909	18	<b>2</b> 8
papers	citations	h-index	g-index
66 ext. papers	1,252 ext. citations	<b>4.2</b> avg, IF	4.29 L-index

#	Paper	IF	Citations
58	Deep hyperammonemic hepatic encephalopathy precipitated by fecal microbiota transplantation for fulminant infection <i>Gastroenterology Report</i> , <b>2022</b> , 10, goab043	3.3	
57	Health-related quality of life in patients with recurrent infections <i>Therapeutic Advances in Gastroenterology</i> , <b>2022</b> , 15, 17562848221078441	4.7	0
56	Randomised clinical trial: high-dose oral thiamine versus placebo for chronic fatigue in patients with quiescent inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 53, 79-86	6.1	2
55	Hypophosphatemia in a Specialized Intestinal Failure Unit: An Observational Cohort Study. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2021</b> , 45, 1259-1267	4.2	1
54	Seven Weeks of High-Dose Vitamin D Treatment Reduces the Need for Infliximab Dose-Escalation and Decreases Inflammatory Markers in Crohn's Disease during One-Year Follow-Up. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
53	Danish national guideline for the treatment of infection and use of faecal microbiota transplantation (FMT). <i>Scandinavian Journal of Gastroenterology</i> , <b>2021</b> , 56, 1056-1077	2.4	2
52	Casein glycomacropeptide is well tolerated in healthy adults and changes neither high-sensitive C-reactive protein, gut microbiota nor faecal butyrate: a restricted randomised trial. <i>British Journal of Nutrition</i> , <b>2021</b> , 125, 1374-1385	3.6	1
51	The use of Faecal Microbiota Transplantation (FMT) in Europe: A Europe-wide survey. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 9, 100181		5
50	Long-term maintenance treatment with 300 mg thiamine for fatigue in patients with inflammatory bowel disease: results from an open-label extension of the TARIF study. <i>Scandinavian Journal of Gastroenterology</i> , <b>2021</b> , 1-7	2.4	O
49	Systematic review with meta-analysis: encapsulated faecal microbiota transplantation - evidence for clinical efficacy. <i>Therapeutic Advances in Gastroenterology</i> , <b>2021</b> , 14, 17562848211041004	4.7	1
48	Faecal microbiota transplantation for recurrent infection: An updated systematic review and meta-analysis. <i>EClinicalMedicine</i> , <b>2020</b> , 29-30, 100642	11.3	31
47	Faecal microbiota transplantation as a home therapy to frail older people. <i>Age and Ageing</i> , <b>2020</b> , 49, 1093-1096	3	6
46	Patient characteristics and clinical outcomes in a specialised intestinal failure unit: An observational cohort study. <i>Clinical Nutrition ESPEN</i> , <b>2020</b> , 38, 253-262	1.3	4
45	Health-care costs of inflammatory bowel disease in a pan-European, community-based, inception cohort during 5 years of follow-up: a population-based study. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2020</b> , 5, 454-464	18.8	31
44	Faecal microbiota transplantation for eradication of co-infection with and extensively drug-resistant KPC-producing. <i>Scandinavian Journal of Gastroenterology</i> , <b>2020</b> , 55, 626-630	2.4	3
43	A positive Helicobacter pylori test is associated with low spondylarthritis incidence in a Danish historical cohort study. <i>Rheumatology International</i> , <b>2020</b> , 40, 359-366	3.6	1
42	The use of 5-aminosalicylate for patients with Crohn's disease in a prospective European inception cohort with 5 years follow-up - an Epi-IBD study. <i>United European Gastroenterology Journal</i> , <b>2020</b> , 8, 949	- <del>5</del> ∙60	5

41	Decrease in Mucosal IL17A, IFNIand IL10 Expressions in Active Crohn's Disease Patients Treated with High-Dose Vitamin Alone or Combined with Infliximab. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	2
40	A Single Urine Sodium Measurement May Validly Estimate 24-hour Urine Sodium Excretion in Patients With an Ileostomy. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2020</b> , 44, 246-255	4.2	1
39	Faecal Microbiota Transplantation Eradicated Extended-Spectrum Beta-Lactamase-Producing from a Renal Transplant Recipient with Recurrent Urinary Tract Infections. <i>Case Reports in Nephrology and Dialysis</i> , <b>2019</b> , 9, 102-107	1.3	16
38	Cost savings following faecal microbiota transplantation for recurrent infection. <i>Therapeutic Advances in Gastroenterology</i> , <b>2019</b> , 12, 1756284819843002	4.7	12
37	Banking feces: a new frontier for public blood banks?. <i>Transfusion</i> , <b>2019</b> , 59, 2776-2782	2.9	10
36	Letter: post-infective bile acid malabsorption and diarrhoea. Authors Vreply. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 50, 110-111	6.1	
35	Fecal Microbiota Transplantation Is Superior to Fidaxomicin for Treatment of Recurrent Clostridium difficile Infection. <i>Gastroenterology</i> , <b>2019</b> , 156, 1324-1332.e3	13.3	118
34	An iso-osmolar oral supplement increases natriuresis and does not increase stomal output in patients with an ileostomy: A randomised, double-blinded, active comparator, crossover intervention study. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2079-2086	5.9	О
33	Recruitment of feces donors among blood donors: Results from an observational cohort study. <i>Gut Microbes</i> , <b>2018</b> , 9, 540-550	8.8	18
32	Current, experimental, and future treatments in inflammatory bowel disease: a clinical review. <i>Immunopharmacology and Immunotoxicology</i> , <b>2018</b> , 40, 446-460	3.2	25
31	Obeticholic acid for severe bile acid diarrhea with intestinal failure: A case report and review of the literature. <i>World Journal of Gastroenterology</i> , <b>2018</b> , 24, 2320-2326	5.6	6
30	Impact of red and processed meat and fibre intake on treatment outcomes among patients with chronic inflammatory diseases: protocol for a prospective cohort study of prognostic factors and personalised medicine. <i>BMJ Open</i> , <b>2018</b> , 8, e018166	3	11
29	Letter: long-term treatment of severe bile acid diarrhoea-obeticholic acid can normalise SeHCAT retention. Authors Vreply. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2018</b> , 48, 1034-1035	6.1	
28	Population-based normative data for the inflammatory bowel disease fatigue scale - IBD-F. <i>Scandinavian Journal of Gastroenterology</i> , <b>2018</b> , 53, 1274-1279	2.4	5
27	Vitamin D deficiency in a European inflammatory bowel disease inception cohort: an Epi-IBD study. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2018</b> , 30, 1297-1303	2.2	21
26	Effects of Anti-TNF Treatment on Mucosal Expression of IL-17A, IL-21, and IL-22 and Cytokine-Producing T Cell Subsets in Crohn Disease. <i>Mediators of Inflammation</i> , <b>2018</b> , 2018, 3279607	4.3	1
25	Occurrence of Anaemia in the First Year of Inflammatory Bowel Disease in a European Population-based Inception Cohort-An ECCO-EpiCom Study. <i>Journal of Crohns and Colitis</i> , <b>2017</b> , 11, 121	13-∓22	2 <sup>18</sup>
24	Immune responses and parasitological observations induced during probiotic treatment with medicinal Trichuris suis ova in a healthy volunteer. <i>Immunology Letters</i> , <b>2017</b> , 188, 32-37	4.1	11

23	Helicobacter pylori infection is associated with reduced prevalence of colonic diverticular disease. <i>Helicobacter</i> , <b>2017</b> , 22, e12384	4.9	
22	Faecal microbiota transplantation: establishment of a clinical application framework. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, e36-e45	2.2	25
21	Drug-specific hypophosphatemia and hypersensitivity reactions following different intravenous iron infusions. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 1118-1125	3.8	49
20	A Proposal for a Study on Treatment Selection and Lifestyle Recommendations in Chronic Inflammatory Diseases: A Danish Multidisciplinary Collaboration on Prognostic Factors and Personalised Medicine. <i>Nutrients</i> , <b>2017</b> , 9,	6.7	16
19	Detection of Pneumocystis jirovecii in oral wash from immunosuppressed patients as a diagnostic tool. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174012	3.7	9
18	Vitamin D increases programmed death receptor-1 expression in Crohn's disease. <i>Oncotarget</i> , <b>2017</b> , 8, 24177-24186	3.3	17
17	Diagnosis of Helicobacter Pylori Infection is Associated with Lower Prevalence and Subsequent Incidence of Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , <b>2016</b> , 10, 443-8	1.5	20
16	High-dose fast infusion of parenteral iron isomaltoside is efficacious in inflammatory bowel disease patients with iron-deficiency anaemia without profound changes in phosphate or fibroblast growth factor 23. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 1332-8	2.4	24
15	Biological therapy increases the health-related quality of life in patients with inflammatory bowel disease in a clinical setting. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 706-11	2.4	18
14	Effects of Arabinoxylan and Resistant Starch on Intestinal Microbiota and Short-Chain Fatty Acids in Subjects with Metabolic Syndrome: A Randomised Crossover Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0159223	3.7	94
13	Adherence and quality of care in IBD. Scandinavian Journal of Gastroenterology, 2016, 51, 1326-31	2.4	21
12	Gastrointestinal and liver disease in Adult Life After Childhood Cancer in Scandinavia: A population-based cohort study. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1501-11	7.5	12
11	Pirfenidone inhibits the proliferation of fibroblasts from patients with active Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 1321-5	2.4	12
10	Casein glycomacropeptide for active distal ulcerative colitis: a randomized pilot study. <i>European Journal of Clinical Investigation</i> , <b>2016</b> , 46, 555-63	4.6	16
9	Diagnosis and treatment of unexplained anemia with iron deficiency without overt bleeding. <i>Danish Medical Journal</i> , <b>2015</b> , 62, C5072	3.8	24
8	The lectin pathway of the complement system is downregulated in Crohn's disease patients who respond to anti-TNF-Itherapy. <i>Journal of Crohn's and Colitis</i> , <b>2014</b> , 8, 521-8	1.5	8
7	How fatigue is experienced and handled by female outpatients with inflammatory bowel disease. <i>Gastroenterology Research and Practice</i> , <b>2013</b> , 2013, 153818	2	13
6	First-time urea breath tests performed at home by 36,629 patients: a study of Helicobacter pylori prevalence in primary care. <i>Helicobacter</i> , <b>2011</b> , 16, 468-74	4.9	11

## LIST OF PUBLICATIONS

5	Diagnosis and treatment of Helicobacter pylori infection. <i>Danish Medical Bulletin</i> , <b>2011</b> , 58, C4271		17	
4	Mortality and causes of death in patients with monoclonal gammopathy of undetermined significance. <i>British Journal of Haematology</i> , <b>2001</b> , 112, 353-7	4.5	48	
3	Cancer risk in patients with monoclonal gammopathy of undetermined significance. <i>American Journal of Hematology</i> , <b>2000</b> , 63, 1-6	7.1	33	
2	Low-dose oral iron absorption test in anaemic patients with and without iron deficiency determined by bone marrow iron content. <i>European Journal of Haematology</i> , <b>1999</b> , 63, 103-11	3.8	12	
1	The risk of bacteremia in patients with monoclonal gammopathy of undetermined significance. <i>European Journal of Haematology</i> , <b>1998</b> , 61, 140-4	3.8	29	