

Mariana Emilia Ghica

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3156707/mariana-emilia-ghica-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57 papers	2,816 citations	31 h-index	52 g-index
58 ext. papers	3,119 ext. citations	5.2 avg, IF	5.56 L-index

#	Paper	IF	Citations
57	Electrochemical sensors and biosensors based on redox polymer/carbon nanotube modified electrodes: a review. <i>Analytica Chimica Acta</i> , 2015 , 881, 1-23	6.6	254
56	Electrochemical Oxidation of Quercetin. <i>Electroanalysis</i> , 2003 , 15, 1745-1750	3	205
55	A strategy for enzyme immobilization on layer-by-layer dendrimer-gold nanoparticle electrocatalytic membrane incorporating redox mediator. <i>Electrochemistry Communications</i> , 2006 , 8, 1665-1670	5.1	168
54	Electrochemical impedance studies of chitosan-modified electrodes for application in electrochemical sensors and biosensors. <i>Electrochimica Acta</i> , 2010 , 55, 6239-6247	6.7	143
53	Electrochemical sensor based on multiwalled carbon nanotube and gold nanoparticle modified electrode for the sensitive detection of bisphenol A. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 513-522	8.5	133
52	Application of functionalised carbon nanotubes immobilised into chitosan films in amperometric enzyme biosensors. <i>Sensors and Actuators B: Chemical</i> , 2009 , 142, 308-315	8.5	110
51	Electrochemical Oxidation of Rutin. <i>Electroanalysis</i> , 2005 , 17, 313-318	3	106
50	Phenazines and Polyphenazines in Electrochemical Sensors and Biosensors. <i>Analytical Letters</i> , 2010 , 43, 1588-1608	2.2	93
49	Comparative study of different cross-linking agents for the immobilization of functionalized carbon nanotubes within a chitosan film supported on a graphite-epoxy composite electrode. <i>Analytical Chemistry</i> , 2009 , 81, 5364-72	7.8	83
48	Development of Novel Glucose and Pyruvate Biosensors at Poly(Neutral Red) Modified Carbon Film Electrodes. Application to Natural Samples. <i>Electroanalysis</i> , 2006 , 18, 748-756	3	80
47	A glucose biosensor using methyl viologen redox mediator on carbon film electrodes. <i>Analytica Chimica Acta</i> , 2005 , 532, 145-151	6.6	79
46	Direct electron transfer of glucose oxidase at glassy carbon electrode modified with functionalized carbon nanotubes within a dihexadecylphosphate film. <i>Sensors and Actuators B: Chemical</i> , 2011 , 158, 411-417	8.5	78
45	Characterisation of poly(neutral red) modified carbon film electrodes; application as a redox mediator for biosensors. <i>Journal of Solid State Electrochemistry</i> , 2007 , 11, 899-908	2.6	72
44	Glucose oxidase inhibition in poly(neutral red) mediated enzyme biosensors for heavy metal determination. <i>Mikrochimica Acta</i> , 2008 , 163, 185-193	5.8	63
43	Glucose oxidase enzyme inhibition sensors for heavy metals at carbon film electrodes modified with cobalt or copper hexacyanoferrate. <i>Sensors and Actuators B: Chemical</i> , 2013 , 178, 270-278	8.5	61
42	Poly(brilliant cresyl blue) modified glassy carbon electrodes: Electrosynthesis, characterisation and application in biosensors. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 629, 35-42	4.1	56
41	An improved biosensor for acetaldehyde determination using a bienzymatic strategy at poly(neutral red) modified carbon film electrodes. <i>Analytica Chimica Acta</i> , 2007 , 591, 80-6	6.6	54

40	Enzyme immobilisation on electroactive nanostructured membranes (ENM): optimised architectures for biosensing. <i>Talanta</i> , 2008 , 76, 922-8	6.2	48
39	A novel sensitive amperometric choline biosensor based on multiwalled carbon nanotubes and gold nanoparticles. <i>Talanta</i> , 2017 , 167, 462-469	6.2	46
38	Simple and Efficient Epinephrine Sensor Based on Carbon Nanotube Modified Carbon Film Electrodes. <i>Analytical Letters</i> , 2013 , 46, 1379-1393	2.2	46
37	A novel amperometric sensor for ascorbic acid based on poly(Nile blue A) and functionalised multi-walled carbon nanotube modified electrodes. <i>Talanta</i> , 2013 , 111, 76-84	6.2	46
36	A new, improved sensor for ascorbate determination at copper hexacyanoferrate modified carbon film electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 381, 972-8	4.4	42
35	Flavonoids electrochemical detection in fruit extracts and total antioxidant capacity evaluation. <i>Talanta</i> , 2016 , 154, 284-91	6.2	42
34	Poly(neutral red) based hydrogen peroxide biosensor for chromium determination by inhibition measurements. <i>Journal of Hazardous Materials</i> , 2014 , 279, 348-55	12.8	38
33	Poly(brilliant green) and poly(thionine) modified carbon nanotube coated carbon film electrodes for glucose and uric acid biosensors. <i>Talanta</i> , 2014 , 130, 198-206	6.2	35
32	Development of a Carbon Film Electrode Ferrocene-Mediated Glucose Biosensor. <i>Analytical Letters</i> , 2005 , 38, 907-920	2.2	35
31	Design of a new hypoxanthine biosensor: xanthine oxidase modified carbon film and multi-walled carbon nanotube/carbon film electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3813-22	4.4	33
30	Preparation and characterisation of poly(3,4-ethylenedioxythiophene) and poly(3,4-ethylenedioxythiophene)/poly(neutral red) modified carbon film electrodes, and application as sensors for hydrogen peroxide. <i>Electrochimica Acta</i> , 2011 , 56, 3685-3692	6.7	33
29	Tyrosinase based amperometric biosensor for determination of tyramine in fermented food and beverages with gold nanoparticle doped poly(8-anilino-1-naphthalene sulphonic acid) modified electrode. <i>Food Chemistry</i> , 2019 , 282, 18-26	8.5	33
28	Catalase based hydrogen peroxide biosensor for mercury determination by inhibition measurements. <i>Journal of Hazardous Materials</i> , 2017 , 340, 344-350	12.8	32
27	Development and Applications of a Biezymatic Amperometric Glycerol Biosensor Based on a Poly(Neutral Red) Modified Carbon Film Electrode. <i>Analytical Letters</i> , 2006 , 39, 1527-1542	2.2	32
26	Electrochemical impedance study of self-assembled layer-by-layer iron(II) tetrakis(pentafluorophenyl)phosphine/poly(ethylenimine) modified electrodes. <i>Electrochimica Acta</i> , 2011 , 56, 7940-7945	6.7	30
25	Carbon film electrodes for oxidase-based enzyme sensors in food analysis. <i>Talanta</i> , 2005 , 68, 171-8	6.2	29
24	Electroactive Nanostructured Membranes (ENM): Synthesis and Electrochemical Properties of Redox Mediator-Modified Gold Nanoparticles Using a Dendrimer Layer-by-Layer Approach. <i>Electroanalysis</i> , 2007 , 19, 805-812	3	28
23	Choline oxidase inhibition biosensor based on poly(brilliant cresyl blue) / deep eutectic solvent / carbon nanotube modified electrode for dichlorvos organophosphorus pesticide. <i>Sensors and Actuators B: Chemical</i> , 2019 , 298, 126862	8.5	27

22	Novel nanocomposite film modified electrode based on poly(brilliant cresyl blue)-deep eutectic solvent/carbon nanotubes and its biosensing applications. <i>Electrochimica Acta</i> , 2019 , 317, 766-777	6.7	25
21	Poly(thionine)-carbon nanotube modified carbon film electrodes and application to the simultaneous determination of acetaminophen and dipyrone. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 2869-2881	2.6	25
20	Electrochemical Sensor Based on Multi-walled Carbon Nanotube/Gold Nanoparticle Modified Glassy Carbon Electrode for Detection of Estradiol in Environmental Samples. <i>Electroanalysis</i> , 2019 , 31, 1925-1933	3	23
19	Gold nanoparticle decorated multiwalled carbon nanotube modified electrodes for the electrochemical determination of theophylline. <i>Analytical Methods</i> , 2018 , 10, 5634-5642	3.2	23
18	Biotoxic trace metal ion detection by enzymatic inhibition of a glucose biosensor based on a poly(brilliant green)-deep eutectic solvent/carbon nanotube modified electrode. <i>Talanta</i> , 2020 , 208, 120427	6.2	21
17	An overview on alumina-silica-based aerogels. <i>Advances in Colloid and Interface Science</i> , 2020 , 282, 102189	4.3	20
16	Impedimetric sensor for tyramine based on gold nanoparticle doped-poly(8-anilino-1-naphthalene sulphonic acid) modified gold electrodes. <i>Talanta</i> , 2019 , 195, 604-612	6.2	20
15	Graphite-epoxy electrodes modified with functionalised carbon nanotubes and chitosan for the rapid electrochemical determination of dipyrone. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2010 , 13, 590-8	1.3	19
14	Synthesis, characterization and application of meso-substituted fluorinated boron dipyrromethenes (BODIPYs) with different styryl groups in organic photovoltaic cells. <i>Dyes and Pigments</i> , 2019 , 168, 103-110	4.6	18
13	The influence of carbon nanotubes and polyazine redox mediators on the performance of amperometric enzyme biosensors. <i>Mikrochimica Acta</i> , 2010 , 170, 257-265	5.8	18
12	A novel amperometric enzyme inhibition biosensor based on xanthine oxidase immobilised onto glassy carbon electrodes for bisphenol A determination. <i>Talanta</i> , 2018 , 184, 388-393	6.2	17
11	Synthesis, characterization and influence of poly(brilliant green) on the performance of different electrode architectures based on carbon nanotubes and poly(3,4-ethylenedioxythiophene). <i>Electrochimica Acta</i> , 2013 , 98, 199-207	6.7	17
10	Poly(brilliant green)/carbon nanotube-modified carbon film electrodes and application as sensors. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 1571-1580	2.6	16
9	A biocompatible redox MRI probe based on a Mn(ii)/Mn(iii) porphyrin. <i>Dalton Transactions</i> , 2019 , 48, 3242-3262	4.5	14
8	Highly Sensitive Choline Oxidase Enzyme Inhibition Biosensor for Lead Ions Based on Multiwalled Carbon Nanotube Modified Glassy Carbon Electrodes. <i>Electroanalysis</i> , 2017 , 29, 1741-1748	3	12
7	Carbon-Based Electrodes for Sensitive Electroanalytical Determination of Aminonaphthalenes. <i>Electroanalysis</i> , 2015 , 27, 1556-1564	3	11
6	Poly(Neutral Red)/Cholesterol Oxidase Modified Carbon Film Electrode for Cholesterol Biosensing. <i>Electroanalysis</i> , 2012 , 24, 1547-1553	3	10
5	Comparison of Cobalt Hexacyanoferrate and Poly(Neutral Red) Modified Carbon Film Electrodes for the Amperometric Detection of Heavy Metals Based on Glucose Oxidase Enzyme Inhibition. <i>Analytical Letters</i> , 2015 , 48, 659-671	2.2	6

4	Silica-based aerogel composites reinforced with different aramid fibres for thermal insulation in Space environments. <i>Journal of Materials Science</i> , 2021 , 56, 13604-13619	4.3	5
3	Optimization of Polyamide Pulp-Reinforced Silica Aerogel Composites for Thermal Protection Systems. <i>Polymers</i> , 2020 , 12,	4.5	3
2	Novel Kevlar® pulp-reinforced alumina-silica aerogel composites for thermal insulation at high temperature. <i>Journal of Sol-Gel Science and Technology</i> , 2022 , 101, 87-102	2.3	0
1	Reinforcement Strategies of Silica Aerogels for Thermal Insulation Applications. <i>Proceedings (mdpi)</i> , 2020 , 57, 2	0.3	