

# Dorota Darmochwal-Kolarz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3156866/publications.pdf>

Version: 2024-02-01

43  
papers

1,261  
citations

471371

17  
h-index

360920

35  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1455  
citing authors

#	ARTICLE	IF	CITATIONS
1	Laparoscopic in-bag morcellation – a comparison of two tissue extraction systems. <i>Ginekologia Polska</i> , 2022, , .	0.3	0
2	Magnetic resonance elastography of a uterine fibroid with massive lymphocytic infiltration – an extremely rare finding. <i>Ginekologia Polska</i> , 2020, 91, 174-174.	0.3	0
3	Uterine leiomyomas: correlation between histologic composition and stiffness via magnetic resonance elastography – a Pilot Study. <i>Ginekologia Polska</i> , 2020, 91, 373-378.	0.3	3
4	Umbilical Cord SFRP5 Levels of Term Newborns in Relation to Normal and Excessive Gestational Weight Gain. <i>International Journal of Molecular Sciences</i> , 2019, 20, 595.	1.8	10
5	The adaptation of Polish version of the Readiness for Hospital Discharge Scale (RHDS) for postpartum mothers. <i>Ginekologia Polska</i> , 2019, 90, 376-380.	0.3	4
6	Treatment of congenital nephrogenic diabetes insipidus in pregnancy. <i>Ginekologia Polska</i> , 2018, 89, 112-113.	0.3	0
7	Assessment of Th17 lymphocytes and cytokine IL-17A in epithelial ovarian tumors. <i>Oncology Reports</i> , 2017, 37, 3107-3115.	1.2	10
8	The Role of Interleukin-17, Interleukin-23, and Transforming Growth Factor- $\beta$ in Pregnancy Complicated by Placental Insufficiency. <i>BioMed Research International</i> , 2017, 2017, 1-5.	0.9	41
9	A Prevention of Pre-eclampsia with the Use of Acetylsalicylic Acid and Low-molecular Weight Heparin – Molecular Mechanisms. <i>Current Pharmaceutical Biotechnology</i> , 2016, 17, 624-628.	0.9	8
10	Intra-uterine Growth Retardation as a Risk Factor of Postnatal Metabolic Disorders. <i>Current Pharmaceutical Biotechnology</i> , 2016, 17, 587-596.	0.9	28
11	Regulatory T lymphocytes and transforming growth factor beta in epithelial ovarian tumors-prognostic significance. <i>Journal of Ovarian Research</i> , 2015, 8, 39.	1.3	17
12	The Impact of Substance P on the Pathogenesis of Insulin Resistance Leading to Gestational Diabetes. <i>Current Pharmaceutical Biotechnology</i> , 2014, 15, 32-37.	0.9	7
13	T CD3+CD8+Lymphocytes Are More Susceptible for Apoptosis in the First Trimester of Normal Human Pregnancy. <i>Journal of Immunology Research</i> , 2014, 2014, 1-9.	0.9	4
14	Antiphospholipid antibodies during 6-month treatment with infliximab: A preliminary report. <i>Medical Science Monitor</i> , 2014, 20, 1227-1231.	0.5	7
15	The expression of B7-H1 and B7-H4 co-stimulatory molecules on myeloid and plasmacytoid dendritic cells in pre-eclampsia and normal pregnancy. <i>Journal of Reproductive Immunology</i> , 2013, 99, 33-38.	0.8	22
16	The Expressions of Co-stimulatory Molecules are Altered on Putative Antigen-Presenting Cells in Cord Blood. <i>American Journal of Reproductive Immunology</i> , 2013, 69, 180-187.	1.2	4
17	Apoptosis Signaling Is Altered in CD4+CD25+FoxP3+ T Regulatory Lymphocytes in Pre-Eclampsia. <i>International Journal of Molecular Sciences</i> , 2012, 13, 6548-6560.	1.8	26
18	The Expressions of CD200 and CD200R Molecules on Myeloid and Lymphoid Dendritic Cells in Pre-Eclampsia and Normal Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2012, 67, 474-481.	1.2	17

#	ARTICLE	IF	CITATIONS
19	The predominance of Th17 lymphocytes and decreased number and function of Treg cells in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2012, 93, 75-81.	0.8	199
20	The concentrations of soluble HLA-G protein are elevated during mid-gestation and decreased in pre-eclampsia. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 286-291.	0.6	31
21	Antibodies against cyclic citrullinated peptide donâ€™t decrease after 6 months of infliximab treatment in refractory rheumatoid arthritis. <i>Rheumatology International</i> , 2011, 31, 1439-1443.	1.5	2
22	The expression of B7-H1 and B7-H4 molecules on immature myeloid and lymphoid dendritic cells in cord blood of healthy neonates.. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 48, 658-62.	0.6	2
23	Th17 Cells: The Role in Immunity. <i>Current Immunology Reviews</i> , 2010, 6, 16-22.	1.2	2
24	Apoptosis of HeLa and CaSki cell lines incubated with All-trans retinoid acid.. <i>Folia Histochemica Et Cytobiologica</i> , 2010, 47, 599-603.	0.6	2
25	The expression and concentration of CD40 ligand in normal pregnancy and pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2009, 79, 215-219.	0.8	12
26	Proportion of peripheral blood and decidual CD4+â€¦CD25bright regulatory T cells in pre-eclampsia. <i>Clinical and Experimental Immunology</i> , 2007, 149, 139-145.	1.1	299
27	Activated T Lymphocytes in Pre-Eclampsia. <i>American Journal of Reproductive Immunology</i> , 2007, 58, 39-45.	1.2	92
28	Sense of coherence (SOC) and styles of coping with stress in women after premature delivery. <i>Medical Science Monitor</i> , 2007, 13, CR125-30.	0.5	2
29	Apoptosis of HeLa cell lines incubated with retinol. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 119, 119-122.	0.5	7
30	Pre-Eclampsia: Immunological Aspects - A Role of Adhesion Molecules, Cytokines, Dendritic Cells, MHC Antigens and Auto-Antibodies. <i>Current Women's Health Reviews</i> , 2005, 1, 237-242.	0.1	1
31	CD1c+ immature myeloid dendritic cells are predominant in cord blood of healthy neonates. <i>Immunology Letters</i> , 2004, 91, 71-74.	1.1	17
32	The immunological profile of infertile women after repeated IVF failure (Preliminary study). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 192-196.	0.5	22
33	Pregnancy with systemic lupus erythematosus and four IVF failures treated with intravenous gamma globulin infusions. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 85, 54-55.	1.0	2
34	Blood myeloid and lymphoid dendritic cells are stable during the menstrual cycle but deficient during mid-gestation. <i>Journal of Reproductive Immunology</i> , 2003, 59, 193-203.	0.8	21
35	Myeloid and lymphoid dendritic cells in normal pregnancy and pre-eclampsia. <i>Clinical and Experimental Immunology</i> , 2003, 132, 339-344.	1.1	40
36	The immunophenotype of patients with recurrent pregnancy loss. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 103, 53-57.	0.5	26

#	ARTICLE	IF	CITATIONS
37	The Expressions of Intracellular Cytokines in the Lymphocytes of Preeclamptic Patients. American Journal of Reproductive Immunology, 2002, 48, 381-386.	1.2	80
38	The concentrations of osteocalcin and degradation products of type I collagen in pregnant women with pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 98, 23-27.	0.5	9
39	Pre-eclampsia affects the immunophenotype of neonates. Immunology Letters, 2001, 77, 67-71.	1.1	15
40	The expression and concentrations of Fas/APO-1 (CD95) antigen in patients with severe pre-eclampsia. Journal of Reproductive Immunology, 2001, 49, 153-164.	0.8	25
41	Alterations in the Immune System of Patients with Imminent Preterm Labour. Gynecologic and Obstetric Investigation, 2000, 49, 110-113.	0.7	10
42	Fas Antigen Expression on the Decidual Lymphocytes of Pre-Eclamptic Patients. American Journal of Reproductive Immunology, 2000, 43, 197-201.	1.2	16
43	T helper 1- and T helper 2-type cytokine imbalance in pregnant women with pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1999, 86, 165-170.	0.5	115