

Silvana Galderisi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3157976/silvana-galderisi-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226

papers

8,667

citations

48

h-index

89

g-index

256

ext. papers

10,760

ext. citations

5.1

avg. IF

5.94

L-index

#	Paper	IF	Citations
226	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008 , 371, 1085-97	40	823
225	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry, the</i> , 2020 , 7, 813-824	23.3	542
224	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014 , 13, 275-87	14.4	258
223	Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009 , 166, 675-82 ⁹	11.9	249
222	The current conceptualization of negative symptoms in schizophrenia. <i>World Psychiatry</i> , 2017 , 16, 14-24	14.4	224
221	EEG microstate duration and syntax in acute, medication-naive, first-episode schizophrenia: a multi-center study. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 141-56	2.9	212
220	The status of spectral EEG abnormality as a diagnostic test for schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 225-37	3.6	210
219	Oxytocin receptor polymorphisms and adult attachment style in patients with depression. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1506-14	5	197
218	Toward a new definition of mental health. <i>World Psychiatry</i> , 2015 , 14, 231-3	14.4	189
217	Sources of cortical rhythms in adults during physiological aging: a multicentric EEG study. <i>Human Brain Mapping</i> , 2006 , 27, 162-72	5.9	184
216	The cortical generators of P3a and P3b: a LORETA study. <i>Brain Research Bulletin</i> , 2007 , 73, 220-30	3.9	177
215	Deconstructing vulnerability for psychosis: Meta-analysis of environmental risk factors for psychosis in subjects at ultra high-risk. <i>European Psychiatry</i> , 2017 , 40, 65-75	6	172
214	Negative symptoms of schizophrenia: new developments and unanswered research questions. <i>Lancet Psychiatry, the</i> , 2018 , 5, 664-677	23.3	159
213	Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: A WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993 , 8, 123-135	2.7	146
212	Prevention of Psychosis: Advances in Detection, Prognosis, and Intervention. <i>JAMA Psychiatry</i> , 2020 , 77, 755-765	14.5	143
211	Deficit schizophrenia: an update. <i>World Psychiatry</i> , 2008 , 7, 143-7	14.4	135
210	Categorical and dimensional approaches to negative symptoms of schizophrenia: focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013 , 147, 157-162	3.6	115

209	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia: A Network Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 396-404	14.5	114
208	Historical, psychopathological, neurological, and neuropsychological aspects of deficit schizophrenia: a multicenter study. <i>American Journal of Psychiatry</i> , 2002 , 159, 983-90	11.9	112
207	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018 , 5, 797-807	23.3	100
206	Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204	1.2	99
205	Schizophrenia--time to commit to policy change. <i>Schizophrenia Bulletin</i> , 2014 , 40 Suppl 3, S165-94	1.3	99
204	Effectiveness of antipsychotics in first-episode schizophrenia and schizophreniform disorder on response and remission: an open randomized clinical trial (EUFEST). <i>Schizophrenia Research</i> , 2009 , 115, 97-103	3.6	92
203	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015 , 45, 1765-78	6.9	84
202	Inhibition of auditory cortical responses to ipsilateral stimuli during dichotic listening: evidence from magnetoencephalography. <i>European Journal of Neuroscience</i> , 2004 , 19, 2329-36	3.5	80
201	Correlates of cognitive impairment in first episode schizophrenia: the EUFEST study. <i>Schizophrenia Research</i> , 2009 , 115, 104-14	3.6	79
200	Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: a WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993 , 8, 123-35	2.7	75
199	Patterns of structural MRI abnormalities in deficit and nondéficit schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 393-401	1.3	73
198	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017 , 186, 19-28	3.6	72
197	Brain hemispheric organization, anxiety, and psychoses. <i>CNS Spectrums</i> , 2000 , 5, 58-69	1.8	72
196	Neuropsychological slowness in obsessive-compulsive patients. Is it confined to tests involving the fronto-subcortical systems?. <i>British Journal of Psychiatry</i> , 1995 , 167, 394-8	5.4	72
195	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015 , 30, 641-7	6	71
194	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 305-314	1.3	70
193	Magnetic resonance imaging and the prediction of outcome in first-episode schizophrenia: a review of current evidence and directions for future research. <i>Schizophrenia Bulletin</i> , 2015 , 41, 574-83	1.3	68
192	Evidence-based medicine and electrophysiology in schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2009 , 40, 62-77	2.3	68

191	Evaluation of two new neuropsychological tests designed to minimize cultural bias in the assessment of HIV-1 seropositive persons: A WHO study. <i>Archives of Clinical Neuropsychology</i> , 1993 , 8, 123-135	2.7	68
190	Deficit schizophrenia: an overview of clinical, biological and treatment aspects. <i>European Psychiatry</i> , 2009 , 24, 493-500	6	66
189	Ventricle-to-brain ratio in schizophrenia: a controlled follow-up study. <i>Biological Psychiatry</i> , 1989 , 26, 756-9	7.9	62
188	Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1033-1041	1.3	61
187	Alexithymia and cognitive dysfunctions in patients with panic disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 182-8	9.4	59
186	Neurobiological background of negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 543-58	5.1	57
185	Primary, Enduring Negative Symptoms: An Update on Research. <i>Schizophrenia Bulletin</i> , 2017 , 43, 730-736	6.3	55
184	Frequency and clinical correlates of adult separation anxiety in a sample of 508 outpatients with mood and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 40-6	6.5	50
183	Double dissociation of N1 and P3 abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2007 , 92, 252-61	3.6	50
182	CEEG mapping in drug-free schizophrenics. Differences from healthy subjects and changes induced by haloperidol treatment. <i>Schizophrenia Research</i> , 1991 , 6, 15-23	3.6	49
181	Clinical, biological, and neuropsychological features associated with lateral ventricular enlargement in DSM-III schizophrenic disorder. <i>Psychiatry Research</i> , 1987 , 21, 137-49	9.9	49
180	The efficacy of cariprazine in negative symptoms of schizophrenia: Post hoc analyses of PANSS individual items and PANSS-derived factors. <i>European Psychiatry</i> , 2019 , 58, 1-9	6	48
179	Ala147Thr substitution in translocator protein is associated with adult separation anxiety in patients with depression. <i>Psychiatric Genetics</i> , 2009 , 19, 110-1	2.9	48
178	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016 , 175, 154-160	3.6	46
177	Neurocognitive functioning in subjects with eating disorders: the influence of neuroactive steroids. <i>Biological Psychiatry</i> , 2003 , 53, 921-7	7.9	46
176	Catechol-O-methyltransferase Val158Met polymorphism in schizophrenia: associations with cognitive and motor impairment. <i>Neuropsychobiology</i> , 2005 , 52, 83-9	4	46
175	Clinical and neuropsychological correlates of cerebral ventricular enlargement in schizophrenia. <i>Journal of Psychiatric Research</i> , 1985 , 19, 587-96	5.2	46
174	The Specific Level of Functioning Scale: construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014 , 159, 144-50	3.6	44

173	Pharmaco-EEG in psychiatry. <i>Clinical EEG and Neuroscience</i> , 2006 , 37, 81-98	2.3	44
172	Stereotaxy-based regional brain volumetry applied to segmented MRI: validation and results in deficit and nondeficit schizophrenia. <i>NeuroImage</i> , 2002 , 17, 373-84	7.9	44
171	QEEG alpha 1 changes after a single dose of high-potency neuroleptics as a predictor of short-term response to treatment in schizophrenic patients. <i>Biological Psychiatry</i> , 1994 , 35, 367-74	7.9	44
170	No gender differences in social outcome in patients suffering from schizophrenia. <i>European Psychiatry</i> , 2012 , 27, 406-8	6	43
169	The "Insight Paradox" in Schizophrenia: Magnitude, Moderators and Mediators of the Association Between Insight and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1225-33	1.3	43
168	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33	14.4	43
167	Executive hypercontrol in obsessive-compulsive disorder: electrophysiological and neuropsychological indices. <i>Clinical Neurophysiology</i> , 2004 , 115, 1340-8	4.3	42
166	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016 , 46, 2717-29	6.9	42
165	COMT Val(158)Met and BDNF C(270)T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005 , 73, 27-30	3.6	40
164	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020 , 19, 81-91	14.4	37
163	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019 , 29, 947-959	1.2	36
162	Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013 , 147, 132-139	3.6	36
161	Social skills and neurocognitive individualized training in schizophrenia: comparison with structured leisure activities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 305-15	5.1	35
160	Hemispheric asymmetry and psychopathological dimensions in drug-free patients with schizophrenia. <i>International Journal of Psychophysiology</i> , 1999 , 34, 293-301	2.9	35
159	Transcranial direct current stimulation for hyperactivity and noncompliance in autistic disorder. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 361-6	3.8	34
158	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018 , 201, 105-112	3.6	34
157	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017 , 256, 359-364	9.9	34
156	Induced gamma activity and event-related coherence in schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2007 , 38, 96-104	2.3	34

155	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
154	Neurocognitive indices of executive hypercontrol in obsessive-compulsive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 380-7	6.5	31
153	Computerized EEG topography findings in schizophrenic patients before and after haloperidol treatment. <i>International Journal of Psychophysiology</i> , 1992 , 13, 283-90	2.9	31
152	Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 37, 264-9	5.5	29
151	The complex relationship between self-reported personal recovery and clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 192, 108-112	3.6	28
150	Reward anticipation and trait anhedonia: An electrophysiological investigation in subjects with schizophrenia. <i>Clinical Neurophysiology</i> , 2016 , 127, 2149-60	4.3	28
149	Relationship between CSF noradrenaline levels, C-EEG indicators of activation and psychosis ratings in drug-free schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 1985 , 71, 19-24	6.5	28
148	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e236		28
147	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 253-266	6.5	27
146	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 285-294	5.1	27
145	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021 , 78, 550-559	14.5	27
144	Electrophysiological aberrations associated with negative symptoms in schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014 , 21, 129-56	3.4	26
143	Neurocognitive functioning in bulimia nervosa: the role of neuroendocrine, personality and clinical aspects. <i>Psychological Medicine</i> , 2011 , 41, 839-48	6.9	24
142	Shall we really say goodbye to first rank symptoms?. <i>European Psychiatry</i> , 2016 , 37, 8-13	6	23
141	Transcranial direct current stimulation for autistic disorder. <i>Biological Psychiatry</i> , 2014 , 76, e5-6	7.9	23
140	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1311 ^{1,2}		22
139	NRG1 and BDNF genes in schizophrenia: an association study in an Italian case-control sample. <i>Psychiatry Research</i> , 2010 , 176, 82-4	9.9	22
138	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e21	6	22

137	Dissecting negative symptoms of schizophrenia: History, assessment, pathophysiological mechanisms and treatment. <i>Schizophrenia Research</i> , 2017 , 186, 1-2	3.6	21
136	Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012 , 42, 1461-73	6.9	21
135	Cerebral connectivity and psychotic personality traits. A diffusion tensor imaging study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 292-9	5.1	21
134	Categorizing and assessing negative symptoms. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 201-208	4.9	20
133	Investigation of endocannabinoid system genes suggests association between peroxisome proliferator activator receptor- α gene (PPARA) and schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, 749-59	1.2	20
132	Multilead quantitative EEG profile of clozapine in resting and vigilance-controlled conditions. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 67, 113-22	2.9	20
131	Neurophysiological correlates of Avolition-apathy in schizophrenia: A resting-EEG microstates study. <i>NeuroImage: Clinical</i> , 2018 , 20, 627-636	5.3	20
130	Pharmac-EEG: A history of progress and a missed opportunity. <i>Clinical EEG and Neuroscience</i> , 2006 , 37, 61-5	2.3	19
129	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018 , 48, 1359-1366	6.9	18
128	Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016 , 174, 172-176	3.6	18
127	Neurocognitive individualized training versus social skills individualized training: a randomized trial in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 69-75	3.6	18
126	Conditional associative learning in drug-free schizophrenic patients. <i>Neuropsychobiology</i> , 1987 , 17, 30-44	4	18
125	Value of schizophrenia treatment I: The patient journey. <i>European Psychiatry</i> , 2018 , 53, 107-115	6	17
124	Decrease of functional coupling between left and right auditory cortices during dichotic listening: an electroencephalography study. <i>Neuroscience</i> , 2005 , 136, 323-32	3.9	17
123	Qualitative MRI findings in patients with schizophrenia: a controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2000 , 98, 117-26	2.9	17
122	Avolition-Apathy and White Matter Connectivity in Schizophrenia: Reduced Fractional Anisotropy Between Amygdala and Insular Cortex. <i>Clinical EEG and Neuroscience</i> , 2018 , 49, 55-65	2.3	17
121	Factors associated with increased noradrenaline levels in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990 , 14, 49-59	5.5	16
120	Lateralization patterns of verbal stimuli processing assessed by reaction time and event-related potentials in schizophrenic patients. <i>International Journal of Psychophysiology</i> , 1988 , 6, 167-76	2.9	16

119	The reliability and clinical utility of ICD-11 schizoaffective disorder: A field trial. <i>Schizophrenia Research</i> , 2019 , 208, 235-241	3.6	14
118	Functional connectivity of the ventral tegmental area and avolition in subjects with schizophrenia: a resting state functional MRI study. <i>European Neuropsychopharmacology</i> , 2018 , 28, 589-602	1.2	14
117	Hemispheric lateralization patterns and psychotic experiences in healthy subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 139, 141-54	2.9	14
116	C-EEG brain mapping in DSM-III schizophrenics after acute and chronic haloperidol treatment. <i>European Neuropsychopharmacology</i> , 1990 , 1, 51-4	1.2	14
115	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020 , 34, 76-86	1.2	14
114	The interrelation of needs and quality of life in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 207-16	5.1	13
113	Disorganization and cognitive impairment in schizophrenia: New insights from electrophysiological findings. <i>International Journal of Psychophysiology</i> , 2019 , 145, 99-108	2.9	12
112	Cognitive-enhancing effects of aripiprazole: a case report. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008 , 4, 24	3.2	12
111	Emotions, brain development, and psychopathologic vulnerability. <i>CNS Spectrums</i> , 2000 , 5, 44-8	1.8	12
110	Brain electrical microstates in subjects with panic disorder. <i>Brain Research Bulletin</i> , 2001 , 54, 427-35	3.9	12
109	Lateralization patterns of event-related potential and performance indices in schizophrenia: relationship to clinical state and neuroleptic treatment. <i>International Journal of Psychophysiology</i> , 1991 , 10, 225-30	2.9	12
108	Acute Effects of Music Therapy in Subjects With Psychosis During Inpatient Treatment. <i>Psychiatry (New York)</i> , 2018 , 81, 218-227	1	12
107	Attitudes of patients with schizophrenia and depression to psychiatric research: a study in seven European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 159-65	4.5	11
106	A proposed new definition of mental health. <i>Psychiatria Polska</i> , 2017 , 51, 407-411	1.3	11
105	SoCIAL - training cognition in schizophrenia: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1947-1956	3.1	10
104	Physiological correlates of positive symptoms in schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014 , 21, 103-28	3.4	10
103	The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. <i>European Psychiatry</i> , 2020 , 63, 1-21	6	10
102	Simple schizophrenia: A controlled MRI and clinical/neuropsychological study. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 91, 175-84	2.9	9

101	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 126-136	3.8	9
100	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020 , 63, e98	6	8
99	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
98	A functional comparison of patients with schizophrenia between the North and South of Europe. <i>European Psychiatry</i> , 2012 , 27, 442-4	6	7
97	Impulsiveness in patients with bulimia nervosa: electrophysiological evidence of reduced inhibitory control. <i>Neuropsychobiology</i> , 2013 , 68, 116-23	4	6
96	Can IQ moderate the response to cognitive remediation in people with schizophrenia?. <i>Journal of Psychiatric Research</i> , 2021 , 133, 38-45	5.2	6
95	Exploring the role of age as a moderator of cognitive remediation for people with schizophrenia. <i>Schizophrenia Research</i> , 2021 , 228, 29-35	3.6	6
94	Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110250	5.5	6
93	The UN Convention on the Rights of Persons with Disabilities: great opportunities and dangerous interpretations. <i>World Psychiatry</i> , 2019 , 18, 47-48	14.4	5
92	Negative Symptoms of Schizophrenia and Dopaminergic Transmission: Translational Models and Perspectives Opened by iPSC Techniques. <i>Frontiers in Neuroscience</i> , 2020 , 14, 632	5.1	5
91	Value of schizophrenia treatment II: Decision modelling for developing early detection and early intervention services in the Czech Republic. <i>European Psychiatry</i> , 2018 , 53, 116-122	6	5
90	Beyond the Transnosographic Emphasis on Psychosis: Nosological Perspectives on Schizophrenia and Its Prevention. <i>Frontiers in Psychiatry</i> , 2019 , 10, 666	5	5
89	Familial sinistrality and handedness in patients with first episode schizophrenia: the EUFEST study. <i>Laterality</i> , 2012 , 17, 217-24	2	5
88	Motion standstill leads to activation of inferior parietal lobe. <i>Human Brain Mapping</i> , 2006 , 27, 340-9	5.9	5
87	Factors associated with decreased platelet MAO activity in chronic schizophrenics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1987 , 11, 79-86	5.5	5
86	Physiologic Basis of the EEG Signal 2011 , 7-12		4
85	Psychophysiology in psychiatry: new perspectives in the study of mental disorders. <i>World Psychiatry</i> , 2002 , 1, 166-8	14.4	4
84	Accuracy of self-assessment of real-life functioning in schizophrenia. <i>NPJ Schizophrenia</i> , 2021 , 7, 11	5.5	4

83	EEG in Psychoses, Mood Disorders and Catatonia 2011 , 113-132		3
82	Modified nutritional counselling to increase motivation to treatment in anorexia nervosa. <i>European Psychiatry</i> , 2005 , 20, 186-7	6	3
81	Gross reversal of brain parieto-occipital asymmetry in a case of DSM IV simple schizophrenia. <i>Schizophrenia Research</i> , 1995 , 14, 265-6	3.6	3
80	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 826465	5	3
79	A randomized, double-blind, multicenter, noninferiority study comparing paliperidone palmitate 6-month versus the 3-month long-acting injectable in patients with schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2021 ,	5.8	3
78	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021 , 64, e7	6	3
77	Impact of Reward and Loss Anticipation on Cognitive Control: An Event-Related Potential Study in Subjects With Schizophrenia and Healthy Controls. <i>Clinical EEG and Neuroscience</i> , 2018 , 49, 46-54	2.3	3
76	Clinical applications of pharmaco-EEG in psychiatry: the prediction of response to treatment with antipsychotics. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2002 , 24 Suppl C, 85-9		3
75	Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 789179	5	3
74	Abnormal bodily experiences detected by Abnormal Bodily Phenomena questionnaire are more frequent and severe in schizophrenia than in bipolar disorder with psychotic features. <i>European Psychiatry</i> , 2020 , 63, e49	6	2
73	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia - data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020 , 289, 112970	9.9	2
72	The added value of including cognitive impairment in the diagnostic criteria for schizophrenia. <i>World Psychiatry</i> , 2008 , 7, 36-7	14.4	2
71	Placebo controls in clinical trials: concerns about use in relapse prevention studies in schizophrenia. <i>BMJ, The</i> , 2016 , 354, i4728	5.9	2
70	Autism Rating Scale: A New Tool for Characterizing the Schizophrenia Phenotype. <i>Frontiers in Psychiatry</i> , 2021 , 12, 622359	5	2
69	Untangling the Factors Contributing to Functional Outcome in Schizophrenia-Reply. <i>JAMA Psychiatry</i> , 2018 , 75, 754-755	14.5	2
68	We are not ready to abandon the current schizophrenia construct, but should be prepared to do so.. <i>Schizophrenia Research</i> , 2021 ,	3.6	2
67	Neuroimaging and Psychopathological Domains 2019 , 57-155		1
66	Toward Clinical Translation of Neuroimaging Research in Schizophrenia and Other Primary Psychotic Disorders 2019 , 327-345		1

65	Schizophrenia and "unmet needs": From diagnosis to care in Italy. <i>European Psychiatry</i> , 2020 , 63, e26	6	1
64	Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. <i>European Journal of Public Health</i> , 2017 , 27,	2.1	1
63	Historical Review of Electroencephalography in Psychiatry 2011 , 1-6		1
62	The Role of EEG in the Diagnostic Work up in Psychiatry: Nonconvulsive Status Epilepticus, Frontal Lobe Seizures, Non-Epileptic Seizures 2011 , 77-89		1
61	EEG Recording and Analysis 2011 , 13-31		1
60	Normal EEG Patterns and Waveforms 2011 , 33-57		1
59	EEG in Delirium and Dementia 2011 , 147-162		1
58	Standard EEG in Personality and Anxiety Disorders 2011 , 133-146		1
57	Social skills vs. Neurocognitive training in psychotic patients. <i>European Psychiatry</i> , 2011 , 26, 1475-1475	6	1
56	Effects of antipsychotics on cognitive functions: an ERP study in healthy controls. <i>European Psychiatry</i> , 2011 , 26, 1267-1267	6	1
55	Quantitative EEG reactivity to neuroleptic challenge in first-episode and chronic schizophrenics. <i>Biological Psychiatry</i> , 1997 , 42, 64S	7.9	1
54	Neurophysiological Research in Psychiatry 125-180		1
53	Joint structural-functional magnetic resonance imaging features are associated with diagnosis and real-world functioning in patients with schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 240, 193-203	3.6	1
52	Transitions in Mental Health Care: the European Psychiatric Association contribution to reform in Bulgaria. <i>European Psychiatry</i> , 2020 , 1-13	6	1
51	A systematic review on shared biological mechanisms of depression and anxiety in comorbidity with psoriasis, atopic dermatitis, and hidradenitis suppurativa. <i>European Psychiatry</i> , 2021 , 64, e71	6	1
50	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 82-89	2.4	1
49	Neuroimaging: Diagnostic Boundaries and Biomarkers 2019 , 1-56		1
48	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9	3.8	1

47	Neurophysiological correlates of negative symptom domains: an auditory oddball study in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016 , 26, S506-S507	1.2	1
46	Relationships between neurocognition, social cognition and functional outcome in schizophrenia. <i>European Psychiatry</i> , 2016 , 33, S67-S67	6	1
45	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 444-455	1.3	1
44	ITALian partnership for psychosis prevention (ITAPP): Improving the mental health of young people. <i>European Psychiatry</i> , 2021 , 64, e62	6	1
43	Tracing Links Between Early Auditory Information Processing and Negative Symptoms in Schizophrenia: An ERP Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 790745	5	1
42	The second-generation assessment scales: Brief negative symptom scale and clinical assessment interview for negative symptoms. <i>European Psychiatry</i> , 2016 , 33, S70-S70	6	0
41	Facial emotion recognition impairment is related to disorganisation in multi-episode schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2014 , 1, 122-125	2.8	0
40	DEFICIT SCHIZOPHRENIA: A VALID CATEGORICAL SUBTYPE OF SCHIZOPHRENIA?. <i>Schizophrenia Research</i> , 2008 , 102, 45	3.6	0
39	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 241, 161-170	3.6	0
38	Die "Präzisionspsychiatrie" muss Teil der "personalisierten Psychiatrie" werden. <i>Fortschritte Der Neurologie Psychiatrie</i> , 2020 , 88, 767-772	0.5	0
37	The Efficacy, Feasibility And Acceptability Of A Remotely Accessible Use Of CIRCUITS, A Computerized Cognitive Remediation Therapy Program For Schizophrenia: A Pilot Study. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 3103-3113	3.1	0
36	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study.. <i>Psychological Medicine</i> , 2022 , 1-9	6.9	0
35	Social Cognition Individualized Activities Lab for Social Cognition Training and Narrative Enhancement in Patients With Schizophrenia: A Randomized Controlled Study to Assess Efficacy and Generalization to Real-Life Functioning (Prot. n. NCT05130853).. <i>Frontiers in Psychiatry</i> , 2022 , 13, 833550	5	0
34	Improving Knowledge on Pathways to Functional Outcome in Schizophrenia: Main Results From the Italian Network for Research on Psychoses.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 791117	5	0
33	White matter structural connectivity abnormalities in subjects with deficit schizophrenia: A diffusion tensor imaging study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S110	1.2	
32	Academic and social functioning in early life epochs in schizophrenia patients and first-degree unaffected relatives. <i>European Neuropsychopharmacology</i> , 2019 , 29, S336	1.2	
31	Relation between EEG source functional connectivity and the negative symptom severity in schizophrenia: a preliminary report from a multicentre study. <i>European Psychiatry</i> , 2016 , 33, s246-s246	6	
30	Effects of chronic antipsychotic treatment on neurophysiological correlates of the auditory oddball task in schizophrenia: A preliminary report from a multicentre study. <i>European Psychiatry</i> , 2017 , 41, S192-S192	6	

- 29 Functional connectivity of the ventral tegmental area and avolition in schizophrenia: A resting state functional MRI study. *European Psychiatry*, **2017**, 41, S196-S196 6
- 28 Electrophysiological Correlates of Negative Symptom Domains in Schizophrenia. *European Psychiatry*, **2017**, 41, S96-S97 6
- 27 Disorganization in Schizophrenia: A Resting EEG Study. *European Psychiatry*, **2017**, 41, S100-S100 6
- 26 Primary and enduring negative symptoms in first episode and chronic patients with schizophrenia. *European Psychiatry*, **2011**, 26, 2068-2068 6
- 25 Perception of body shape in bulimia nervosa: An ERP study. *European Psychiatry*, **2011**, 26, 741-741 6
- 24 Abnormal Patterns **2011**, 59-76
- 23 EEG in Childhood Psychiatric Disorders **2011**, 91-111
- 22 Certification and Training in EEG and Clinical Neurophysiology **2011**, 173-177
- 21 Effects of Psychotropic Drugs on EEG **2011**, 163-171
- 20 CS06-03 - Relationship between cognition and psychopathology. *European Psychiatry*, **2011**, 26, 1788-1788
- 19 Which Outcome Indices Would Clinicians Like to See in Schizophrenia Clinical Trials?. *European Psychiatry*, **2011**, 26, 2204-2204 6
- 18 Quantitative EEG in Psychiatry: From Research to Clinical Applications. *European Psychiatry*, **1997**, 12, 105s-105s 6
- 17 Psychophysiology of Mood Disorders 777-790
- 16 S21.02 Cognitive dysfunctions in psychotic patients: Relationship with symptoms and antipsychotic treatment. *European Psychiatry*, **2000**, 15, 252s-252s 6
- 15 EEG mapping before and after antipsychotic treatment in chronic and first-episode schizophrenics. *European Psychiatry*, **1998**, 13, 197S-197S 6
- 14 Selected E-INSR 2004 Conference Presentation Abstracts. *Journal of Neurotherapy*, **2005**, 9, 103-108
- 13 Haloperidol-Induced Changes of Computerized Electroencephalogram Topography in Drug-Free Schizophrenic Patients **1993**, 245-250
- 12 P.778 Electrophysiological indices and expressive deficit domain of negative symptoms in subjects with schizophrenia. *European Neuropsychopharmacology*, **2020**, 40, S442 1.2

11	P.307 Resting state MRI functional connectivity and negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2021 , 44, S44-S45	1.2
10	Negative symptoms domains: pathways to functional outcome in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016 , 26, S123	1.2
9	Electrophysiological mechanisms underlying ERP amplitude reduction in patients with schizophrenia: A time-frequency analysis. <i>European Psychiatry</i> , 2016 , 33, S104-S104	6
8	The social cognition individualized activities lab: Implementation of a new remediation intervention for social cognition. <i>European Psychiatry</i> , 2016 , 33, S567-S567	6
7	A comprehensive systematic screening protocol for assessment of medical comorbidities in schizophrenia. <i>European Psychiatry</i> , 2016 , 33, S574-S574	6
6	Questionnaire on Attitude towards Research and Care (QuARC): a survey of patients with psychosis. <i>Journal of Mental Health</i> , 2020 , 29, 590-596	2.7
5	Predicting response to antipsychotics by electrophysiological indices. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2002 , 24 Suppl D, 79	
4	P.0589 Resting-state functional connectivity of the ventral tegmental area and negative symptoms in subjects with schizophrenia: a resting-state functional MRI study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S431-S432	1.2
3	P.0592 Investigating the relationships of N100-P3b with symptom dimensions and cognitive impairments in subjects with chronic schizophrenia. <i>European Neuropsychopharmacology</i> , 2021 , 53, S432-S433	1.2
2	Neglected Vulnerabilities in Mental Health: Where Do We Need to Do More? 2022 , 335-369	
1	Determinants of Clinical Recovery in Schizophrenia. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 23-43	0.7