Silvana Galderisi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3157976/silvana-galderisi-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 226
 8,667
 48
 89

 papers
 citations
 h-index
 g-index

 256
 10,760
 5.1
 5.94

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
226	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study <i>Frontiers in Psychiatry</i> , 2022 , 13, 826465	5	3
225	Joint structural-functional magnetic resonance imaging features are associated with diagnosis and real-world functioning in patients with schizophrenia <i>Schizophrenia Research</i> , 2022 , 240, 193-203	3.6	1
224	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia <i>Schizophrenia Research</i> , 2022 , 241, 161-170	3.6	O
223	Negative symptoms in First-Episode Schizophrenia related to morphometric alterations in orbitofrontal and superior temporal cortex: the OPTiMiSE study <i>Psychological Medicine</i> , 2022 , 1-9	6.9	O
222	Social Cognition Individualized Activities Lab for Social Cognition Training and Narrative Enhancement in Patients With Schizophrenia: A Randomized Controlled Study to Assess Efficacy and Generalization to Real-Life Functioning (Prot. ntl NCT05130853) Frontiers in Psychiatry, 2022,	5	O
221	Neglected Vulnerabilities in Mental Health: Where Do We Need to Do More? 2022, 335-369		
220	Determinants of Clinical Recovery in Schizophrenia. Comprehensive Approach To Psychiatry, 2022, 23-43	0.7	
219	A systematic review on shared biological mechanisms of depression and anxiety in comorbidity with psoriasis, atopic dermatitis, and hidradenitis suppurativa. <i>European Psychiatry</i> , 2021 , 64, e71	6	1
218	A randomized, double-blind, multicenter, noninferiority study comparing paliperidone palmitate 6-month versus the 3-month long-acting injectable in patients with schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2021 ,	5.8	3
217	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 82-89	2.4	1
216	P.307 Resting state MRI functional connectivity and negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2021 , 44, S44-S45	1.2	
215	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021 , 78, 550-559	14.5	27
214	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9	3.8	1
213	Can IQ moderate the response to cognitive remediation in people with schizophrenia?. <i>Journal of Psychiatric Research</i> , 2021 , 133, 38-45	5.2	6
212	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 444-455	1.3	1
211	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021 , 64, e7	6	3
210	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021 , 64, e21	6	22

209	Autism Rating Scale: A New Tool for Characterizing the Schizophrenia Phenotype. <i>Frontiers in Psychiatry</i> , 2021 , 12, 622359	5	2
208	Exploring the role of age as a moderator of cognitive remediation for people with schizophrenia. <i>Schizophrenia Research</i> , 2021 , 228, 29-35	3.6	6
207	Accuracy of self-assessment of real-life functioning in schizophrenia. NPJ Schizophrenia, 2021, 7, 11	5.5	4
206	Prevalence of antipsychotic-induced extrapyramidal symptoms and their association with neurocognition and social cognition in outpatients with schizophrenia in the "real-life". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110250	5.5	6
205	ITAlian partnership for psychosis prevention (ITAPP): Improving the mental health of young people. <i>European Psychiatry</i> , 2021 , 64, e62	6	1
204	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021 , 294, 957-970	6.6	8
203	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33	14.4	43
202	EPA guidance on assessment of negative symptoms in schizophrenia. European Psychiatry, 2021, 64, e2	236	28
201	We are not ready to abandon the current schizophrenia construct, but should be prepared to do so <i>Schizophrenia Research</i> , 2021 ,	3.6	2
200	Tracing Links Between Early Auditory Information Processing and Negative Symptoms in Schizophrenia: An ERP Study <i>Frontiers in Psychiatry</i> , 2021 , 12, 790745	5	1
199	P.0589 Resting-state functional connectivity of the ventral tegmental area and negative symptoms in subjects with schizophrenia: a resting-state functional MRI study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S431-S432	1.2	
198	Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review <i>Frontiers in Psychiatry</i> , 2021 , 12, 789179	5	3
197	P.0592 Investigating the relationships of N100-P3b with symptom dimensions and cognitive impairments in subjects with chronic schizophrenia. <i>European Neuropsychopharmacology</i> , 2021 , 53, S43	32 ⁻¹ 5 ² 433	3
196	Improving Knowledge on Pathways to Functional Outcome in Schizophrenia: Main Results From the Italian Network for Research on Psychoses <i>Frontiers in Psychiatry</i> , 2021 , 12, 791117	5	O
195	Abnormal bodily experiences detected by Abnormal Bodily Phenomena questionnaire are more frequent and severe in schizophrenia than in bipolar disorder with psychotic features. <i>European Psychiatry</i> , 2020 , 63, e49	6	2
194	Rasch analysis of the PANSS negative subscale and exploration of negative symptom trajectories in first-episode schizophrenia - data from the OPTiMiSE trial. <i>Psychiatry Research</i> , 2020 , 289, 112970	9.9	2
193	Negative Symptoms of Schizophrenia and Dopaminergic Transmission: Translational Models and Perspectives Opened by iPSC Techniques. <i>Frontiers in Neuroscience</i> , 2020 , 14, 632	5.1	5

191	Schizophrenia and "unmet needs": From diagnosis to care in Italy. European Psychiatry, 2020, 63, e26	6	1
190	Transitions in Mental Health Care: the European Psychiatric Association contribution to reform in Bulgaria. <i>European Psychiatry</i> , 2020 , 1-13	6	1
189	The interplay among psychopathology, personal resources, context-related factors and real-life functioning in schizophrenia: stability in relationships after 4 years and differences in network structure between recovered and non-recovered patients. <i>World Psychiatry</i> , 2020 , 19, 81-91	14.4	37
188	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry,the</i> , 2020 , 7, 813-824	23.3	542
187	The association between insight and depressive symptoms in schizophrenia: Undirected and Bayesian network analyses. <i>European Psychiatry</i> , 2020 , 63, 1-21	6	10
186	P.778 Electrophysiological indices and expressive deficit domain of negative symptoms in subjects with schizophrenia. <i>European Neuropsychopharmacology</i> , 2020 , 40, S442	1.2	
185	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020 , 63, e98	6	8
184	Die "Pr团isionspsychiatrie" muss Teil der "personalisierten Psychiatrie" werden. <i>Fortschritte Der Neurologie Psychiatrie</i> , 2020 , 88, 767-772	0.5	O
183	Questionnaire on Attitude towards Research and Care (QuARC): a survey of patients with psychosis. <i>Journal of Mental Health</i> , 2020 , 29, 590-596	2.7	
182	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
181	Persistent negative symptoms in recent-onset psychosis: Relationship to treatment response and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2020 , 34, 76-86	1.2	14
180	The UN Convention on the Rights of Persons with Disabilities: great opportunities and dangerous interpretations. <i>World Psychiatry</i> , 2019 , 18, 47-48	14.4	5
179	Neuroimaging and Psychopathological Domains 2019 , 57-155		1
178	White matter structural connectivity abnormalities in subjects with deficit schizophrenia: A diffusion tensor imaging study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S110	1.2	
177	Academic and social functioning in early life epochs in schizophrenia patients and first-degree unaffected relatives. <i>European Neuropsychopharmacology</i> , 2019 , 29, S336	1.2	
176	Disorganization and cognitive impairment in schizophrenia: New insights from electrophysiological findings. <i>International Journal of Psychophysiology</i> , 2019 , 145, 99-108	2.9	12
175	Toward Clinical Translation of Neuroimaging Research in Schizophrenia and Other Primary Psychotic Disorders 2019 , 327-345		1
174	The reliability and clinical utility of ICD-11 schizoaffective disorder: A field trial. <i>Schizophrenia Research</i> , 2019 , 208, 235-241	3.6	14

173	The efficacy of cariprazine in negative symptoms of schizophrenia: Post hoc analyses of PANSS individual items and PANSS-derived factors. <i>European Psychiatry</i> , 2019 , 58, 1-9	6	48
172	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019 , 29, 947-959	1.2	36
171	Beyond the Transnosographic Emphasis on Psychosis: Nosological Perspectives on Schizophrenia and Its Prevention. <i>Frontiers in Psychiatry</i> , 2019 , 10, 666	5	5
170	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019 , 29, 1301-1	3 1 :7	22
169	Neuroimaging: Diagnostic Boundaries and Biomarkers 2019 , 1-56		1
168	The Efficacy, Feasibility And Acceptability Of A Remotely Accessible Use Of CIRCuiTS, A Computerized Cognitive Remediation Therapy Program For Schizophrenia: A Pilot Study. <i>Neuropsychiatric Disease and Treatment</i> , 2019 , 15, 3103-3113	3.1	O
167	Network Analysis Reveals the Latent Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1033-1041	1.3	61
166	Assessment of de novo copy-number variations in Italian patients with schizophrenia: Detection of putative mutations involving regulatory enhancer elements. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 126-136	3.8	9
165	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 305-314	1.3	70
164	Functional connectivity of the ventral tegmental area and avolition in subjects with schizophrenia: a resting state functional MRI study. <i>European Neuropsychopharmacology</i> , 2018 , 28, 589-602	1.2	14
163	Interplay Among Psychopathologic Variables, Personal Resources, Context-Related Factors, and Real-life Functioning in Individuals With Schizophrenia: A Network Analysis. <i>JAMA Psychiatry</i> , 2018 , 75, 396-404	14.5	114
162	Negative symptoms of schizophrenia: new developments and unanswered research questions. Lancet Psychiatry,the, 2018 , 5, 664-677	23.3	159
161	The complex relationship between self-reported Ppersonal recovery Rand clinical recovery in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 192, 108-112	3.6	28
160	Familial aggregation of MATRICS Consensus Cognitive Battery scores in a large sample of outpatients with schizophrenia and their unaffected relatives. <i>Psychological Medicine</i> , 2018 , 48, 1359-1	366	18
159	Value of schizophrenia treatment I: The patient journey. European Psychiatry, 2018, 53, 107-115	6	17
158	Value of schizophrenia treatment II: Decision modelling for developing early detection and early intervention services in the Czech Republic. <i>European Psychiatry</i> , 2018 , 53, 116-122	6	5
157	Premorbid academic and social functioning in patients with schizophrenia and its associations with negative symptoms and cognition. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 253-266	6.5	27
156	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry,the</i> , 2018 , 5, 797-807	23.3	100

155	Disorganization and real-world functioning in schizophrenia: Results from the multicenter study of the Italian Network for Research on Psychoses. <i>Schizophrenia Research</i> , 2018 , 201, 105-112	3.6	34
154	Avolition-Apathy and White Matter Connectivity in Schizophrenia: Reduced Fractional Anisotropy Between Amygdala and Insular Cortex. <i>Clinical EEG and Neuroscience</i> , 2018 , 49, 55-65	2.3	17
153	Impact of Reward and Loss Anticipation on Cognitive Control: An Event-Related Potential Study in Subjects With Schizophrenia and Healthy Controls. <i>Clinical EEG and Neuroscience</i> , 2018 , 49, 46-54	2.3	3
152	Acute Effects of Music Therapy in Subjects With Psychosis During Inpatient Treatment. <i>Psychiatry</i> (New York), 2018 , 81, 218-227	1	12
151	Neurophysiological correlates of Avolition-apathy in schizophrenia: A resting-EEG microstates study. <i>NeuroImage: Clinical</i> , 2018 , 20, 627-636	5.3	20
150	Untangling the Factors Contributing to Functional Outcome in Schizophrenia-Reply. <i>JAMA Psychiatry</i> , 2018 , 75, 754-755	14.5	2
149	Primary and persistent negative symptoms: Concepts, assessments and neurobiological bases. <i>Schizophrenia Research</i> , 2017 , 186, 19-28	3.6	72
148	Dissecting negative symptoms of schizophrenia: History, assessment, pathophysiological mechanisms and treatment. <i>Schizophrenia Research</i> , 2017 , 186, 1-2	3.6	21
147	The current conceptualization of negative symptoms in schizophrenia. World Psychiatry, 2017, 16, 14-24	4 14.4	224
146	Primary, Enduring Negative Symptoms: An Update on Research. Schizophrenia Bulletin, 2017 , 43, 730-73	36 .3	55
145	Categorizing and assessing negative symptoms. Current Opinion in Psychiatry, 2017, 30, 201-208	4.9	20
144	Deconstructing vulnerability for psychosis: Meta-analysis of environmental risk factors for psychosis in subjects at ultra high-risk. <i>European Psychiatry</i> , 2017 , 40, 65-75	6	172
143	SoCIAL - training cognition in schizophrenia: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1947-1956	3.1	10
142	Effects of chronic antipsychotic treatment on neurophysiological correlates of the auditory oddball task in schizophrenia: A preliminary report from a multicentre study. <i>European Psychiatry</i> , 2017 , 41, S19	2 ⁶ S192	2
141	Functional connectivity of the ventral tegmental area and avolition in schizophrenia: A resting state functional MRI study. <i>European Psychiatry</i> , 2017 , 41, S196-S196	6	
140	Electrophysiological Correlates of Negative Symptom Domains in Schizophrenia. <i>European Psychiatry</i> , 2017 , 41, S96-S97	6	
139	Disorganization in Schizophrenia: A Resting EEG Study. European Psychiatry, 2017, 41, S100-S100	6	
138	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017 , 256, 359-364	9.9	34

(2016-2017)

137	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 285-294	5.1	27
136	Resilience in people with schizophrenia. Results from the Italian Network for Research on Psychoses. <i>European Journal of Public Health</i> , 2017 , 27,	2.1	1
135	A proposed new definition of mental health. <i>Psychiatria Polska</i> , 2017 , 51, 407-411	1.3	11
134	Shall we really say goodbye to first rank symptoms?. European Psychiatry, 2016 , 37, 8-13	6	23
133	Pathways to functional outcome in subjects with schizophrenia living in the community and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2016 , 175, 154-160	3.6	46
132	Relation between EEG source functional connectivity and the negative symptom severity in schizophrenia: a preliminary report from a multicentre study. <i>European Psychiatry</i> , 2016 , 33, s246-s246	6	
131	The second-generation assessment scales: Brief negative symptom scale and clinical assessment interview for negative symptoms. <i>European Psychiatry</i> , 2016 , 33, S70-S70	6	О
130	Reward anticipation and trait anhedonia: An electrophysiological investigation in subjects with schizophrenia. <i>Clinical Neurophysiology</i> , 2016 , 127, 2149-60	4.3	28
129	Characterization of premorbid functioning during childhood in patients with deficit vs. non-deficit schizophrenia and in their healthy siblings. <i>Schizophrenia Research</i> , 2016 , 174, 172-176	3.6	18
128	Negative symptoms domains: pathways to functional outcome in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016 , 26, S123	1.2	
127	Neurophysiological correlates of negative symptom domains: an auditory oddball study in schizophrenia. <i>European Neuropsychopharmacology</i> , 2016 , 26, S506-S507	1.2	1
126	Electrophysiological mechanisms underlying ERP amplitude reduction in patients with schizophrenia: A time-frequency analysis. <i>European Psychiatry</i> , 2016 , 33, S104-S104	6	
125	The social cognition individualized activities lab: Implementation of a new remediation intervention for social cognition. <i>European Psychiatry</i> , 2016 , 33, S567-S567	6	
124	The "Insight Paradox" in Schizophrenia: Magnitude, Moderators and Mediators of the Association Between Insight and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1225-33	1.3	43
123	A comprehensive systematic screening protocol for assessment of medical comorbidities in schizophrenia. <i>European Psychiatry</i> , 2016 , 33, S574-S574	6	
122	Placebo controls in clinical trials: concerns about use in relapse prevention studies in schizophrenia. <i>BMJ, The</i> , 2016 , 354, i4728	5.9	2
121	Relationships between neurocognition, social cognition and functional outcome in schizophrenia. <i>European Psychiatry</i> , 2016 , 33, S67-S67	6	1
120	Social cognition in people with schizophrenia: a cluster-analytic approach. <i>Psychological Medicine</i> , 2016 , 46, 2717-29	6.9	42

119	Transcranial direct current stimulation for hyperactivity and noncompliance in autistic disorder. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 361-6	3.8	34
118	Magnetic resonance imaging and the prediction of outcome in first-episode schizophrenia: a review of current evidence and directions for future research. <i>Schizophrenia Bulletin</i> , 2015 , 41, 574-83	1.3	68
117	Neurobiological background of negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 543-58	5.1	57
116	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015 , 30, 641-7	6	71
115	Toward a new definition of mental health. World Psychiatry, 2015, 14, 231-3	14.4	189
114	Is avolition in schizophrenia associated with a deficit of dorsal caudate activity? A functional magnetic resonance imaging study during reward anticipation and feedback. <i>Psychological Medicine</i> , 2015, 45, 1765-78	6.9	84
113	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014 , 13, 275-87	14.4	258
112	The Specific Level of Functioning Scale: construct validity, internal consistency and factor structure in a large Italian sample of people with schizophrenia living in the community. <i>Schizophrenia Research</i> , 2014 , 159, 144-50	3.6	44
111	Electrophysiological aberrations associated with negative symptoms in schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014 , 21, 129-56	3.4	26
110	Physiological correlates of positive symptoms in schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2014 , 21, 103-28	3.4	10
109	Transcranial direct current stimulation for autistic disorder. <i>Biological Psychiatry</i> , 2014 , 76, e5-6	7.9	23
108	Facial emotion recognition impairment is related to disorganisation in multi-episode schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2014 , 1, 122-125	2.8	O
107	Schizophreniatime to commit to policy change. Schizophrenia Bulletin, 2014, 40 Suppl 3, S165-94	1.3	99
106	Neurocognitive individualized training versus social skills individualized training: a randomized trial in patients with schizophrenia. <i>Schizophrenia Research</i> , 2013 , 150, 69-75	3.6	18
105	Categorical and dimensional approaches to negative symptoms of schizophrenia: focus on long-term stability and functional outcome. <i>Schizophrenia Research</i> , 2013 , 147, 157-162	3.6	115
104	Persistent negative symptoms in first episode patients with schizophrenia: results from the European First Episode Schizophrenia Trial. <i>European Neuropsychopharmacology</i> , 2013 , 23, 196-204	1.2	99
103	Comorbid substance abuse in first-episode schizophrenia: effects on cognition and psychopathology in the EUFEST study. <i>Schizophrenia Research</i> , 2013 , 147, 132-139	3.6	36
102	Investigation of endocannabinoid system genes suggests association between peroxisome proliferator activator receptor-ligene (PPARA) and schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, 749-59	1.2	20

(2011-2013)

101	Impulsiveness in patients with bulimia nervosa: electrophysiological evidence of reduced inhibitory control. <i>Neuropsychobiology</i> , 2013 , 68, 116-23	4	6
100	No gender differences in social outcome in patients suffering from schizophrenia. <i>European Psychiatry</i> , 2012 , 27, 406-8	6	43
99	A functional comparison of patients with schizophrenia between the North and South of Europe. <i>European Psychiatry</i> , 2012 , 27, 442-4	6	7
98	Familial sinistrality and handedness in patients with first episode schizophrenia: the EUFEST study. <i>Laterality</i> , 2012 , 17, 217-24	2	5
97	Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 37, 264-9	5.5	29
96	The interrelation of needs and quality of life in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 207-16	5.1	13
95	Unmet needs in patients with first-episode schizophrenia: a longitudinal perspective. <i>Psychological Medicine</i> , 2012 , 42, 1461-73	6.9	21
94	Primary and enduring negative symptoms in first episode and chronic patients with schizophrenia. <i>European Psychiatry</i> , 2011 , 26, 2068-2068	6	
93	Perception of body shape in bulimia nervosa: An ERP study. European Psychiatry, 2011, 26, 741-741	6	
92	Historical Review of Electroencephalography in Psychiatry 2011 , 1-6		1
91	The Role of EEG in the Diagnostic Work up in Psychiatry: Nonconvulsive Status Epilepticus, Frontal Lobe Seizures, Non-Epileptic Seizures 2011 , 77-89		1
90	Abnormal Patterns 2011 , 59-76		
89	EEG Recording and Analysis 2011 , 13-31		1
88	Physiologic Basis of the EEG Signal 2011 , 7-12		4
87	Normal EEG Patterns and Waveforms 2011 , 33-57		1
86	EEG in Childhood Psychiatric Disorders 2011 , 91-111		
85	Certification and Training in EEG and Clinical Neurophysiology 2011 , 173-177		
84	EEG in Delirium and Dementia 2011 , 147-162		1

1

83 Standard EEG in Personality and Anxiety Disorders **2011**, 133-146

82	Effects of Psychotropic Drugs on EEG 2011 , 163-171		
81	EEG in Psychoses, Mood Disorders and Catatonia 2011 , 113-132		3
80	Social skills vs. Neurocognitive training in psychotic patients. <i>European Psychiatry</i> , 2011 , 26, 1475-1475	6	1
79	Attitudes of patients with schizophrenia and depression to psychiatric research: a study in seven European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 159-65	4.5	11
78	CS06-03 - Relationship between cognition and psychopathology. European Psychiatry, 2011 , 26, 1788-17	'& 8	
77	Effects of antipsychotics on cognitive functions: an ERP study in healthy controls. <i>European Psychiatry</i> , 2011 , 26, 1267-1267	6	1
76	Which Outcome Indices Would Clinicians Like to See in Schizophrenia Clinical Trials?. <i>European Psychiatry</i> , 2011 , 26, 2204-2204	6	
75	Neurocognitive functioning in bulimia nervosa: the role of neuroendocrine, personality and clinical aspects. <i>Psychological Medicine</i> , 2011 , 41, 839-48	6.9	24
74	NRG1 and BDNF genes in schizophrenia: an association study in an Italian case-control sample. <i>Psychiatry Research</i> , 2010 , 176, 82-4	9.9	22
73	Frequency and clinical correlates of adult separation anxiety in a sample of 508 outpatients with mood and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 40-6	6.5	50
72	Social skills and neurocognitive individualized training in schizophrenia: comparison with structured leisure activities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 305-15	5.1	35
71	Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009 , 166, 675	- 82 :9	249
70	Evidence-based medicine and electrophysiology in schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2009 , 40, 62-77	2.3	68
69	Oxytocin receptor polymorphisms and adult attachment style in patients with depression. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1506-14	5	197
68	Effectiveness of antipsychotics in first-episode schizophrenia and schizophreniform disorder on response and remission: an open randomized clinical trial (EUFEST). <i>Schizophrenia Research</i> , 2009 , 115, 97-103	3.6	92
67	Correlates of cognitive impairment in first episode schizophrenia: the EUFEST study. <i>Schizophrenia Research</i> , 2009 , 115, 104-14	3.6	79
66	Deficit schizophrenia: an overview of clinical, biological and treatment aspects. <i>European Psychiatry</i> , 2009 , 24, 493-500	6	66

(2006-2009)

65	Ala147Thr substitution in translocator protein is associated with adult separation anxiety in patients with depression. <i>Psychiatric Genetics</i> , 2009 , 19, 110-1	2.9	48
64	Alexithymia and cognitive dysfunctions in patients with panic disorder. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 182-8	9.4	59
63	The status of spectral EEG abnormality as a diagnostic test for schizophrenia. <i>Schizophrenia Research</i> , 2008 , 99, 225-37	3.6	210
62	DEFICIT SCHIZOPHRENIA: A VALID CATEGORICAL SUBTYPE OF SCHIZOPHRENIA?. <i>Schizophrenia Research</i> , 2008 , 102, 45	3.6	O
61	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008 , 371, 1085-97	40	823
60	The added value of including cognitive impairment in the diagnostic criteria for schizophrenia. World Psychiatry, 2008, 7, 36-7	14.4	2
59	Deficit schizophrenia: an update. World Psychiatry, 2008, 7, 143-7	14.4	135
58	Cognitive-enhancing effects of aripiprazole: a case report. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008 , 4, 24	3.2	12
57	Cerebral connectivity and psychotic personality traits. A diffusion tensor imaging study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 292-9	5.1	21
56	Patterns of structural MRI abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 393-401	1.3	73
55	Double dissociation of N1 and P3 abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Research</i> , 2007 , 92, 252-61	3.6	50
54	Neurocognitive indices of executive hypercontrol in obsessive-compulsive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 380-7	6.5	31
53	Induced gamma activity and event-related coherence in schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2007 , 38, 96-104	2.3	34
52	The cortical generators of P3a and P3b: a LORETA study. <i>Brain Research Bulletin</i> , 2007 , 73, 220-30	3.9	177
51	Sources of cortical rhythms in adults during physiological aging: a multicentric EEG study. <i>Human Brain Mapping</i> , 2006 , 27, 162-72	5.9	184
50	Motion standstill leads to activation of inferior parietal lobe. Human Brain Mapping, 2006 , 27, 340-9	5.9	5
49	Pharmaco-EEG: A history of progress and a missed opportunity. <i>Clinical EEG and Neuroscience</i> , 2006 , 37, 61-5	2.3	19
48	Pharmaco-EEG in psychiatry. <i>Clinical EEG and Neuroscience</i> , 2006 , 37, 81-98	2.3	44

47	Modified nutritional counselling to increase motivation to treatment in anorexia nervosa. <i>European Psychiatry</i> , 2005 , 20, 186-7	6	3
46	Decrease of functional coupling between left and right auditory cortices during dichotic listening: an electroencephalography study. <i>Neuroscience</i> , 2005 , 136, 323-32	3.9	17
45	COMT Val(158)Met and BDNF C(270)T polymorphisms in schizophrenia: a case-control study. <i>Schizophrenia Research</i> , 2005 , 73, 27-30	3.6	40
44	Hemispheric lateralization patterns and psychotic experiences in healthy subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 139, 141-54	2.9	14
43	EEG microstate duration and syntax in acute, medication-naive, first-episode schizophrenia: a multi-center study. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 141-56	2.9	212
42	Catechol-O-methyltransferase Val158Met polymorphism in schizophrenia: associations with cognitive and motor impairment. <i>Neuropsychobiology</i> , 2005 , 52, 83-9	4	46
41	Selected E-ISNR 2004 Conference Presentation Abstracts. <i>Journal of Neurotherapy</i> , 2005 , 9, 103-108		
40	Inhibition of auditory cortical responses to ipsilateral stimuli during dichotic listening: evidence from magnetoencephalography. <i>European Journal of Neuroscience</i> , 2004 , 19, 2329-36	3.5	80
39	Executive hypercontrol in obsessive-compulsive disorder: electrophysiological and neuropsychological indices. <i>Clinical Neurophysiology</i> , 2004 , 115, 1340-8	4.3	42
38	Neurocognitive functioning in subjects with eating disorders: the influence of neuroactive steroids. <i>Biological Psychiatry</i> , 2003 , 53, 921-7	7.9	46
37	Historical, psychopathological, neurological, and neuropsychological aspects of deficit schizophrenia: a multicenter study. <i>American Journal of Psychiatry</i> , 2002 , 159, 983-90	11.9	112
36	Stereotaxy-based regional brain volumetry applied to segmented MRI: validation and results in deficit and nondeficit schizophrenia. <i>NeuroImage</i> , 2002 , 17, 373-84	7.9	44
35	Psychophysiology in psychiatry: new perspectives in the study of mental disorders. <i>World Psychiatry</i> , 2002 , 1, 166-8	14.4	4
34	Clinical applications of pharmaco-EEG in psychiatry: the prediction of response to treatment with antipsychotics. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2002 , 24 Suppl C, 85-9		3
33	Predicting response to antipsychotics by electrophysiological indices. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2002 , 24 Suppl D, 79		
32	Brain electrical microstates in subjects with panic disorder. Brain Research Bulletin, 2001, 54, 427-35	3.9	12
31	Brain hemispheric organization, anxiety, and psychoses. CNS Spectrums, 2000, 5, 58-69	1.8	72
30	Emotions, brain development, and psychopathologic vulnerability. CNS Spectrums, 2000, 5, 44-8	1.8	12

(1991-2000)

6	
2.9	9
2.9	35
6	
6	
7.9	1
2.9	20
3.6	3
5.4	72
7.9	44
2.7	68
2.7	146
2.7	75
2.9	31
2.9	12
3.6	49
	2.9 6 6 7.9 2.9 3.6 7.9 2.7 2.7

11	C-EEG brain mapping in DSM-III schizophrenics after acute and chronic haloperidol treatment. <i>European Neuropsychopharmacology</i> , 1990 , 1, 51-4	1.2	14
10	Factors associated with increased noradrenaline levels in schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1990 , 14, 49-59	5.5	16
9	Ventricle-to-brain ratio in schizophrenia: a controlled follow-up study. <i>Biological Psychiatry</i> , 1989 , 26, 756-9	7.9	62
8	Lateralization patterns of verbal stimuli processing assessed by reaction time and event-related potentials in schizophrenic patients. <i>International Journal of Psychophysiology</i> , 1988 , 6, 167-76	2.9	16
7	Clinical, biological, and neuropsychological features associated with lateral ventricular enlargement in DSM-III schizophrenic disorder. <i>Psychiatry Research</i> , 1987 , 21, 137-49	9.9	49
6	Factors associated with decreased platelet MAO activity in chronic schizophrenics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1987 , 11, 79-86	5.5	5
5	Conditional associative learning in drug-free schizophrenic patients. <i>Neuropsychobiology</i> , 1987 , 17, 30-4	4	18
4	Relationship between CSF noradrenaline levels, C-EEG indicators of activation and psychosis ratings in drug-free schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 1985 , 71, 19-24	6.5	28
3	Clinical and neuropsychological correlates of cerebral ventricular enlargement in schizophrenia. Journal of Psychiatric Research, 1985 , 19, 587-96	5.2	46
2	Psychophysiology of Mood Disorders777-790		
1	Neurophysiological Research in Psychiatry125-180		1