

Umit Tural

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3158199/umit-tural-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

664
citations

14
h-index

24
g-index

59
ext. papers

869
ext. citations

3.5
avg, IF

4.09
L-index

#	Paper	IF	Citations
44	Separate pathways to violent behavior in schizophrenia and in the general population.. <i>Journal of Psychiatric Research</i> , 2022 , 151, 235-241	5.2	0
43	A systematic review and network meta-analysis of carbon dioxide provocation in psychiatric disorders. <i>Journal of Psychiatric Research</i> , 2021 , 143, 508-515	5.2	0
42	Correlation between S100B and severity of depression in MDD: A meta-analysis. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-11	3.8	2
41	The Importance of Conduct Disorder in the Treatment of Violence in Schizophrenia: Efficacy of Clozapine Compared With Olanzapine and Haloperidol. <i>American Journal of Psychiatry</i> , 2021 , 178, 266-274	11.9	11
40	Effect of Impairment on the Prevalence and Comorbidities of Attention Deficit Hyperactivity Disorder in a National Survey: Nation-Wide Prevalence and Comorbidities of ADHD. <i>Journal of Attention Disorders</i> , 2021 , 10870547211017985	3.7	0
39	Plasma Neuronal and Glial Markers and Anterior Cingulate Metabolite Levels in Major Depressive Disorder: A Pilot Study. <i>Neuropsychobiology</i> , 2020 , 79, 214-221	4	9
38	Proton magnetic resonance spectroscopic analysis of changes in brain metabolites following electroconvulsive therapy in patients with major depressive disorder. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020 , 24, 96-101	2.4	9
37	Neuropeptide Y in PTSD, MDD, and chronic stress: A systematic review and meta-analysis. <i>Journal of Neuroscience Research</i> , 2020 , 98, 950-963	4.4	14
36	The prevalence of childhood psychopathology in Turkey: a cross-sectional multicenter nationwide study (EPICPAT-T). <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 132-140	2.3	33
35	Double Blind Controlled Study of Adding Folic Acid to Fluoxetine in the Treatment of OCD. <i>Psychiatria Danubina</i> , 2019 , 31, 69-77	1.8	6
34	The Prevalence of Internet Addiction in Turkish Adolescents with Psychiatric Disorders. <i>Noropsikiyatri Arsivi</i> , 2019 , 56, 200-204	0.6	3
33	The Prevalence of Mitral Valve Prolapse in Panic Disorder: A Meta-Analysis. <i>Psychosomatics</i> , 2019 , 60, 393-401	2.6	2
32	Neurotrophic factors and hippocampal activity in PTSD. <i>PLoS ONE</i> , 2018 , 13, e0197889	3.7	12
31	Development of Social Functioning Assessment Scale for People with Schizophrenia: validity and reliability study. <i>Anadolu Psikiyatri Dergisi</i> , 2018 , 29	0.9	2
30	Psychiatric comorbidity and childhood trauma in fibromyalgia syndrome. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2018 , 64, 91-99	1.1	7
29	Development and validation of the Subjective Recovery Assessment Scale for patients with schizophrenia. <i>Journal of Theoretical Social Psychology</i> , 2018 , 28, 163-169	1.2	6
28	Supporting patients with body dissatisfaction: A survey of the experiences and training needs of european multi-disciplinary healthcare professionals. <i>NursingPlus Open</i> , 2018 , 4, 8-13		8

27	F241. DEVELOPMENT AND VALIDATION OF THE SOCIAL FUNCTIONING ASSESSMENT SCALE (SFAS) FOR PEOPLE WITH SCHIZOPHRENIA IN TURKEY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S316-S317	1.3	78
26	Prevalence of Childhood Affective disorders in Turkey: An epidemiological study. <i>Journal of Affective Disorders</i> , 2018 , 238, 513-521	6.6	4
25	9th International Congress on Psychopharmacology & 5th International Symposium on Child and Adolescent Psychopharmacology. <i>Journal of Theoretical Social Psychology</i> , 2017 , 27, 85-180	1.2	0
24	Agomelatine versus Sertraline: An Observational, Open-labeled and 12 Weeks Follow-up Study on Efficacy and Tolerability. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016 , 14, 351-356	3.4	4
23	Use of N-acetylcysteine in Obsessive-Compulsive and Related Disorders. <i>Journal of Microbiology and Biotechnology</i> , 2015 , 25, 193-206	3.3	1
22	Treatment Approach to Sleep Terror: Two Case Reports. <i>Noropsikiyatri Arsivi</i> , 2015 , 52, 204-206	0.4	1
21	Stigma: a core factor on predicting functionality in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2012 , 53, 484-9	7.3	58
20	Effect of depression on recovery from PTSD. <i>Community Mental Health Journal</i> , 2012 , 48, 161-6	2.1	21
19	Treatment-induced manic switch in the course of unipolar depression can predict bipolarity: cluster analysis based evidence. <i>Journal of Affective Disorders</i> , 2011 , 134, 91-101	6.6	21
18	Comparison of alprazolam versus captopril in high blood pressure: a randomized controlled trial. <i>Blood Pressure</i> , 2011 , 20, 239-43	1.7	18
17	İzofrenide Bilişsel Davler Nüus ve Klinik Özelliklerden Etkilenir mi?. <i>Journal of Microbiology and Biotechnology</i> , 2011 , 21, 131-138	3.3	1
16	Sosyal Fobinin Yaygınlığı Bir Gözden Geçirme. <i>Noropsikiyatri Arsivi</i> , 2011 , 48, 1-1	0.4	
15	Clinical and pharmacologic risk factors for neuroleptic malignant syndrome and their association with death. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 79-87	6.2	30
14	History of suffocation, state-trait anxiety, and anxiety sensitivity in predicting 35% carbon dioxide-induced panic. <i>Psychiatry Research</i> , 2010 , 179, 194-7	9.9	12
13	Does gabapentin lead to early symptom improvement in obsessive-compulsive disorder?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 319-23	5.1	22
12	Panic disorder subtypes: further clinical differences. <i>Depression and Anxiety</i> , 2007 , 24, 479-86	8.4	24
11	Basilar artery blood flow velocity changes in patients with panic disorder following 35% carbon dioxide challenge. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 115-22	5.5	12
10	Reboxetine may cause amenorrhea in female patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 223-5	2.4	1

9	A comparative study of fluoxetine, moclobemide, and tianeptine in the treatment of posttraumatic stress disorder following an earthquake. <i>European Psychiatry</i> , 2006 , 21, 174-9	6	32
8	Prevalence of psychiatric disorders three years after the 1999 earthquake in Turkey: Marmara Earthquake Survey (MES). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 868-74	4.5	71
7	Psychological consequences of the 1999 earthquake in Turkey. <i>Journal of Traumatic Stress</i> , 2004 , 17, 451-9	3.8	55
6	Panic Disorder Severity Scale: reliability and validity of the Turkish version. <i>Depression and Anxiety</i> , 2004 , 20, 8-16	8.4	28
5	Subthreshold post traumatic stress disorder in the survivors of Marmara earthquake. <i>Primary Care and Community Psychiatry</i> , 2004 , 9, 137-144		3
4	Fluoxetine once every third day in the treatment of major depressive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003 , 253, 307-12	5.1	2
3	Faster response in depressive patients treated with fluoxetine alone than in combination with buspirone. <i>Journal of Affective Disorders</i> , 2003 , 76, 223-7	6.6	14
2	Assessing the severity of panic disorder and agoraphobia: validity, reliability and objectivity of the Turkish translation of the Panic and Agoraphobia Scale (P&A). <i>Journal of Anxiety Disorders</i> , 2002 , 16, 331-40 ¹⁰⁹		9
1	Technetium-99m DTPA inhalation scintigraphy in patients treated with fluoxetine and maprotiline: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 1402-4		10