

Moo-Yong Rhee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3159233/publications.pdf>

Version: 2024-02-01

65
papers

1,067
citations

471371

17
h-index

477173

29
g-index

67
all docs

67
docs citations

67
times ranked

1694
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Sacubitril/Valsartan (LCZ696) on Natriuresis, Diuresis, Blood Pressures, and NT-proBNP in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2017, 69, 32-41.	1.3	98
2	Acute Effects of Cigarette Smoking on Arterial Stiffness and Blood Pressure in Male Smokers With Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 637-641.	1.0	93
3	Novel genetic variations associated with salt sensitivity in the Korean population. <i>Hypertension Research</i> , 2011, 34, 606-611.	1.5	59
4	Estimation of 24-Hour Urinary Sodium Excretion Using Spot Urine Samples. <i>Nutrients</i> , 2014, 6, 2360-2375.	1.7	55
5	Effect of Korean Red Ginseng on Arterial Stiffness in Subjects with Hypertension. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 45-49.	2.1	51
6	Effect of fixed-dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRS-ROZE (Multicenter Randomized Study of ROSuvastatin and eZEtimibe). <i>Cardiovascular Therapeutics</i> , 2016, 34, 371-382.	1.1	45
7	Clinical features of familial hypercholesterolemia in Korea: Predictors of pathogenic mutations and coronary artery disease – A study supported by the Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 243, 53-58.	0.4	42
8	Intima-media Thickness and Arterial Stiffness of Carotid Artery in Korean Patients with Behçet's Disease. <i>Journal of Korean Medical Science</i> , 2007, 22, 387.	1.1	37
9	A Phase III, Multicenter, Randomized, Double-blind, Active Comparator Clinical Trial to Compare the Efficacy and Safety of Combination Therapy With Ezetimibe and Rosuvastatin Versus Rosuvastatin Monotherapy in Patients With Hypercholesterolemia: I-ROSETTE (Ildong Rosuvastatin & Ezetimibe) Tj ETQq1 1 ¹ 0.784314 ³⁷ rgBT /Ove	1.1	37
10	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e021038.	0.8	33
11	High Sodium Intake in Women with Metabolic Syndrome. <i>Korean Circulation Journal</i> , 2014, 44, 30.	0.7	24
12	Blood Pressure Lowering Effect of Korea Ginseng Derived GINSEOL K-g1. <i>The American Journal of Chinese Medicine</i> , 2014, 42, 605-618.	1.5	24
13	Genetic Testing of Korean Familial Hypercholesterolemia Using Whole-Exome Sequencing. <i>PLoS ONE</i> , 2015, 10, e0126706.	1.1	24
14	Brachial-ankle pulse wave velocity for the prediction of the presence and severity of coronary artery disease. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 404-409.	0.5	23
15	Comparison of Optimal Diagnostic Thresholds of Hypertension With Home Blood Pressure Monitoring and 24-Hour Ambulatory Blood Pressure Monitoring. <i>American Journal of Hypertension</i> , 2017, 30, 1170-1176.	1.0	21
16	Efficacy and Safety of Fixed-dose Combination Therapy With Telmisartan and Rosuvastatin in Korean Patients With Hypertension and Dyslipidemia: TELSTA-YU (TELMisartan-rosuvaSTAtin from YUhan), a Multicenter, Randomized, 4-arm, Double-blind, Placebo-controlled, Phase III Study. <i>Clinical Therapeutics</i> , 2018, 40, 676-691.e1.	1.1	21
17	The Effects of Chronic Exposure to Aircraft Noise on the Prevalence of Hypertension. <i>Hypertension Research</i> , 2008, 31, 641-647.	1.5	18
18	Characteristics of Sodium Sensitivity in Korean Populations. <i>Journal of Korean Medical Science</i> , 2011, 26, 1061.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Effect of sodium intake on renin level: Analysis of general population and meta-analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2016, 215, 120-126.	0.8	17
20	Efficacy and Safety of Ezetimibe and Rosuvastatin Combination Therapy Versus Those of Rosuvastatin Monotherapy in Patients With Primary Hypercholesterolemia. <i>Clinical Therapeutics</i> , 2018, 40, 993-1013.	1.1	17
21	A Randomized, Multicenter, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and the Tolerability of a Triple Combination of Amlodipine/Losartan/Rosuvastatin in Patients With Comorbid Essential Hypertension and Hyperlipidemia. <i>Clinical Therapeutics</i> , 2017, 39, 2366-2379.	1.1	15
22	Low-Dose Triple Antihypertensive Combination Therapy in Patients with Hypertension: A Randomized, Double-Blind, Phase II Study. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5735-5746.	2.0	15
23	A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2015, 37, 2581-2596.e3.	1.1	13
24	The effect of Vaccinium uliginosum extract on tablet computer-induced asthenopia: randomized placebo-controlled study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 296.	3.7	13
25	Prevalence of Masked Hypertension: a Population-Based Survey in a Large City by Using 24-Hour Ambulatory Blood Pressure Monitoring. <i>Korean Circulation Journal</i> , 2016, 46, 681.	0.7	12
26	Estimating 24-Hour Urine Sodium From Multiple Spot Urine Samples. <i>Journal of Clinical Hypertension</i> , 2017, 19, 431-438.	1.0	12
27	Dose-response association of 24-hour urine sodium and sodium to potassium ratio with nighttime blood pressure at older ages. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 952-960.	0.8	12
28	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2847.	2.0	11
29	High Sodium Intake: Review of Recent Issues on Its Association with Cardiovascular Events and Measurement Methods. <i>Korean Circulation Journal</i> , 2015, 45, 175.	0.7	10
30	Evaluation of polygenic cause in Korean patients with familial hypercholesterolemia – A study supported by Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 8-12.	0.4	10
31	A Randomized, Double-blind, Multicenter, Phase III Study to Evaluate the Efficacy and Safety of Fimasartan/Amlodipine Combined Therapy Versus Fimasartan Monotherapy in Patients With Essential Hypertension Unresponsive to Fimasartan Monotherapy. <i>Clinical Therapeutics</i> , 2016, 38, 2159-2170.	1.1	10
32	Target achievement with maximal statin-based lipid-lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. <i>Clinical Cardiology</i> , 2017, 40, 1291-1296.	0.7	10
33	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 2.	1.0	9
34	GENetic characteristics and REsponse to lipid-lowering therapy in familial hypercholesterolemia: GENRE-FH study. <i>Scientific Reports</i> , 2020, 10, 19336.	1.6	9
35	Elevation of heart-femoral pulse wave velocity by short-term low sodium diet followed by high sodium diet in hypertensive patients with sodium sensitivity. <i>Nutrition Research and Practice</i> , 2016, 10, 288.	0.7	8
36	Optimal schedule of home blood-pressure measurements for the diagnosis of hypertension. <i>Hypertension Research</i> , 2018, 41, 738-747.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Prevalence and characteristics of isolated nocturnal hypertension in the general population. Korean Journal of Internal Medicine, 2021, 36, 1126-1133.	0.7	8
38	Sodium Intake, Blood Pressure and Cardiovascular Disease. Korean Circulation Journal, 2020, 50, 555.	0.7	8
39	Relationship between 24-h urine sodium/potassium ratio and central aortic systolic blood pressure in hypertensive patients. Hypertension Research, 2017, 40, 405-410.	1.5	7
40	Difference in 24-hour urine sodium excretion between controlled and uncontrolled patients on antihypertensive drug treatment. Journal of Clinical Hypertension, 2019, 21, 1057-1062.	1.0	7
41	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. Clinical Therapeutics, 2019, 41, 2571-2592.	1.1	7
42	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. Journal of Clinical Hypertension, 2020, 22, 1835-1845.	1.0	7
43	Effects of Fixed-dose Combination of Low-intensity Rosuvastatin and Ezetimibe Versus Moderate-intensity Rosuvastatin Monotherapy on Lipid Profiles in Patients With Hypercholesterolemia: A Randomized, Double-blind, Multicenter, Phase III Study. Clinical Therapeutics, 2021, 43, 1573-1589.	1.1	7
44	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in Korea. Journal of Clinical Hypertension, 2021, 23, 879-887.	1.0	7
45	Estimation model for habitual 24-hour urinary-sodium excretion using simple questionnaires from normotensive Koreans. PLoS ONE, 2018, 13, e0192588.	1.1	7
46	The fruit of <i>Acanthopanax senticosus</i> Harms improves arterial stiffness and blood pressure: a randomized, placebo-controlled trial. Nutrition Research and Practice, 2020, 14, 322.	0.7	7
47	Association of periodontitis, missing teeth, and oral hygiene behaviors with the incidence of hypertension in middle-aged and older adults in Korea: A 10-year follow-up study. Journal of Periodontology, 2022, 93, 1283-1293.	1.7	7
48	The unique response of renin and aldosterone to dietary sodium intervention in sodium sensitivity. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2014, 15, 117-123.	1.0	5
49	Office blood pressure threshold of 130/80 mmHg better predicts uncontrolled out-of-office blood pressure in apparent treatment-resistant hypertension. Journal of Clinical Hypertension, 2021, 23, 595-605.	1.0	5
50	Impact of Hospital Volume of Percutaneous Coronary Intervention (PCI) on In-Hospital Outcomes in Patients with Acute Myocardial Infarction: Based on the 2014 Cohort of the Korean Percutaneous Coronary Intervention (K-PCI) Registry. Korean Circulation Journal, 2020, 50, 1026.	0.7	5
51	Elevation of Morning Blood Pressure in Sodium Resistant Subjects by High Sodium Diet. Journal of Korean Medical Science, 2013, 28, 555.	1.1	4
52	Association between Brachial-Ankle Pulse Wave Velocity and Microalbuminuria and to Predict the Risk for the Development of Microalbuminuria Using Brachial-Ankle Pulse Wave Velocity Measurement in Type 2 Diabetes Mellitus Patients. Healthcare (Switzerland), 2019, 7, 111.	1.0	4
53	Efficacy and Tolerability of Telmisartan/Amlodipine and Rosuvastatin Coadministration in Hypertensive Patients with Hyperlipidemia: A Phase III, Multicenter, Randomized, Double-blind Study. Clinical Therapeutics, 2019, 41, 728-741.	1.1	4
54	Characteristics of Individuals with Disagreement between Home and Ambulatory Blood Pressure Measurements for the Diagnosis of Hypertension. Healthcare (Switzerland), 2020, 8, 457.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Determination of candesartan or olmesartan in hypertensive patient plasma using UPLC-MS/MS. <i>Translational and Clinical Pharmacology</i> , 2021, 29, 226.	0.3	4
56	Aorta-to-arm pulse wave transit time ratio: Better prediction of coronary artery disease and stroke than pulse wave velocity. <i>International Journal of Cardiology</i> , 2016, 204, 1-3.	0.8	3
57	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 389.	0.7	3
58	Impact of 2018 ESC/ESH and 2017 ACC/AHA Hypertension Guidelines: Difference in Prevalence of White-Coat and Masked Hypertension. <i>Healthcare (Switzerland)</i> , 2020, 8, 122.	1.0	3
59	Sodium Intake Reduction in Real World. <i>Korean Circulation Journal</i> , 2020, 50, 441.	0.7	3
60	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739.	1.1	2
61	Efficacy and Safety of Nebivolol and Rosuvastatin Combination Treatment in Patients with Concomitant Hypertension and Hyperlipidemia. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5005-5017.	2.0	2
62	Algorithm for diagnosing hypertension using out-of-office blood pressure measurements. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1965-1974.	1.0	2
63	The Effects of Macrophage on Neointimal Formation after Balloon or Stent Injury in Hypercholesterolemic Rabbits. <i>Korean Circulation Journal</i> , 2005, 35, 801.	0.7	1
64	Effect of nutrition education in reducing sodium intake and increasing potassium intake in hypertensive adults. <i>Nutrition Research and Practice</i> , 2020, 14, 540.	0.7	1
65	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	1.1	0