

Moo-Yong Rhee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3159233/publications.pdf>

Version: 2024-02-01

65
papers

1,067
citations

471371

17
h-index

477173

29
g-index

67
all docs

67
docs citations

67
times ranked

1694
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of periodontitis, missing teeth, and oral hygiene behaviors with the incidence of hypertension in middle-aged and older adults in Korea: A 10-year follow-up study. <i>Journal of Periodontology</i> , 2022, 93, 1283-1293.	1.7	7
2	Office blood pressure threshold of 130/80 mmHg better predicts uncontrolled out-of-office blood pressure in apparent treatment-resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2021, 23, 595-605.	1.0	5
3	Effects of Fixed-dose Combination of Low-intensity Rosuvastatin and Ezetimibe Versus Moderate-intensity Rosuvastatin Monotherapy on Lipid Profiles in Patients With Hypercholesterolemia: A Randomized, Double-blind, Multicenter, Phase III Study. <i>Clinical Therapeutics</i> , 2021, 43, 1573-1589.	1.1	7
4	A Randomized, Double-blind, Active-controlled, Two Parallel-Group, Optional Titration, Multicenter, Phase IIIb Study to Evaluate the Efficacy and Safety of Fimasartan Versus Perindopril Monotherapy With and Without a Diuretic Combination in Elderly Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2021, 43, 1746-1756.	1.1	0
5	Prevalence and characteristics of isolated nocturnal hypertension in the general population. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1126-1133.	0.7	8
6	Effect of angiotensin receptor blockers on the development of cancer: A nationwide cohort study in Korea. <i>Journal of Clinical Hypertension</i> , 2021, 23, 879-887.	1.0	7
7	Algorithm for diagnosing hypertension using out-of-office blood pressure measurements. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1965-1974.	1.0	2
8	Determination of candesartan or olmesartan in hypertensive patient plasma using UPLC-MS/MS. <i>Translational and Clinical Pharmacology</i> , 2021, 29, 226.	0.3	4
9	Efficacy and Safety of Nebivolol and Rosuvastatin Combination Treatment in Patients with Concomitant Hypertension and Hyperlipidemia. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5005-5017.	2.0	2
10	GENetic characteristics and REsponse to lipid-lowering therapy in familial hypercholesterolemia: GENRE-FH study. <i>Scientific Reports</i> , 2020, 10, 19336.	1.6	9
11	Characteristics of Individuals with Disagreement between Home and Ambulatory Blood Pressure Measurements for the Diagnosis of Hypertension. <i>Healthcare (Switzerland)</i> , 2020, 8, 457.	1.0	4
12	Efficacy and safety of co-administered telmisartan/amlodipine and rosuvastatin in subjects with hypertension and dyslipidemia. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1835-1845.	1.0	7
13	Impact of 2018 ESC/ESH and 2017 ACC/AHA Hypertension Guidelines: Difference in Prevalence of White-Coat and Masked Hypertension. <i>Healthcare (Switzerland)</i> , 2020, 8, 122.	1.0	3
14	Low-Dose Triple Antihypertensive Combination Therapy in Patients with Hypertension: A Randomized, Double-Blind, Phase II Study. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5735-5746.	2.0	15
15	Sodium Intake, Blood Pressure and Cardiovascular Disease. <i>Korean Circulation Journal</i> , 2020, 50, 555.	0.7	8
16	Sodium Intake Reduction in Real World. <i>Korean Circulation Journal</i> , 2020, 50, 441.	0.7	3
17	Effect of nutrition education in reducing sodium intake and increasing potassium intake in hypertensive adults. <i>Nutrition Research and Practice</i> , 2020, 14, 540.	0.7	1
18	Impact of Hospital Volume of Percutaneous Coronary Intervention (PCI) on In-Hospital Outcomes in Patients with Acute Myocardial Infarction: Based on the 2014 Cohort of the Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2020, 50, 1026.	0.7	5

#	ARTICLE	IF	CITATIONS
19	The fruit of <i>Acanthopanax senticosus</i> Harms improves arterial stiffness and blood pressure: a randomized, placebo-controlled trial. <i>Nutrition Research and Practice</i> , 2020, 14, 322.	0.7	7
20	Difference in 24-hour urine sodium excretion between controlled and uncontrolled patients on antihypertensive drug treatment. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1057-1062.	1.0	7
21	Fimasartan versus perindopril with and without diuretics in the treatment of elderly patients with essential hypertension (Fimasartan in the Senior Subjects (FITNESS)): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 389.	0.7	3
22	Association between Brachial-Ankle Pulse Wave Velocity and Microalbuminuria and to Predict the Risk for the Development of Microalbuminuria Using Brachial-Ankle Pulse Wave Velocity Measurement in Type 2 Diabetes Mellitus Patients. <i>Healthcare (Switzerland)</i> , 2019, 7, 111.	1.0	4
23	Efficacy and Tolerability of Telmisartan/Amlodipine and Rosuvastatin Coadministration in Hypertensive Patients with Hyperlipidemia: A Phase III, Multicenter, Randomized, Double-blind Study. <i>Clinical Therapeutics</i> , 2019, 41, 728-741.	1.1	4
24	Ezetimibe and Rosuvastatin Combination Treatment Can Reduce the Dose of Rosuvastatin Without Compromising Its Lipid-lowering Efficacy. <i>Clinical Therapeutics</i> , 2019, 41, 2571-2592.	1.1	7
25	Dose-response association of 24-hour urine sodium and sodium to potassium ratio with nighttime blood pressure at older ages. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 952-960.	0.8	12
26	Efficacy and Safety of Fixed-dose Combination Therapy With Telmisartan and Rosuvastatin in Korean Patients With Hypertension and Dyslipidemia: TELSTA-YU (TELMisartan-rosuvaSTAtin from YUhan), a Multicenter, Randomized, 4-arm, Double-blind, Placebo-controlled, Phase III Study. <i>Clinical Therapeutics</i> , 2018, 40, 676-691.e1.	1.1	21
27	A Phase III, Multicenter, Randomized, Double-blind, Active Comparator Clinical Trial to Compare the Efficacy and Safety of Combination Therapy With Ezetimibe and Rosuvastatin Versus Rosuvastatin Monotherapy in Patients With Hypercholesterolemia: I-ROSETTE (Ildong Rosuvastatin & Ezetimibe) Tj ETQq1 1 ¹ 0.784314 ³⁷ rgBT /O	1.1	17
28	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e021038.	0.8	33
29	Efficacy and Safety of Ezetimibe and Rosuvastatin Combination Therapy Versus Those of Rosuvastatin Monotherapy in Patients With Primary Hypercholesterolemia. <i>Clinical Therapeutics</i> , 2018, 40, 993-1013.	1.1	17
30	Optimal schedule of home blood-pressure measurements for the diagnosis of hypertension. <i>Hypertension Research</i> , 2018, 41, 738-747.	1.5	8
31	Estimation model for habitual 24-hour urinary-sodium excretion using simple questionnaires from normotensive Koreans. <i>PLoS ONE</i> , 2018, 13, e0192588.	1.1	7
32	The efficacy and safety of co-administration of fimasartan and rosuvastatin to patients with hypertension and dyslipidemia. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 2.	1.0	9
33	Estimating 24-hour Urine Sodium From Multiple Spot Urine Samples. <i>Journal of Clinical Hypertension</i> , 2017, 19, 431-438.	1.0	12
34	Relationship between 24-h urine sodium/potassium ratio and central aortic systolic blood pressure in hypertensive patients. <i>Hypertension Research</i> , 2017, 40, 405-410.	1.5	7
35	Target achievement with maximal statin-based lipid-lowering therapy in Korean patients with familial hypercholesterolemia: A study supported by the Korean Society of Lipid and Atherosclerosis. <i>Clinical Cardiology</i> , 2017, 40, 1291-1296.	0.7	10
36	A Randomized, Multicenter, Double-blind, Placebo-controlled Study to Evaluate the Efficacy and the Tolerability of a Triple Combination of Amlodipine/Losartan/Rosuvastatin in Patients With Comorbid Essential Hypertension and Hyperlipidemia. <i>Clinical Therapeutics</i> , 2017, 39, 2366-2379.	1.1	15

#	ARTICLE	IF	CITATIONS
37	Comparison of Optimal Diagnostic Thresholds of Hypertension With Home Blood Pressure Monitoring and 24-Hour Ambulatory Blood Pressure Monitoring. <i>American Journal of Hypertension</i> , 2017, 30, 1170-1176.	1.0	21
38	Effects of Sacubitril/Valsartan (LCZ696) on Natriuresis, Diuresis, Blood Pressures, and NT-proBNP in Salt-Sensitive Hypertension. <i>Hypertension</i> , 2017, 69, 32-41.	1.3	98
39	Prevalence of Masked Hypertension: a Population-Based Survey in a Large City by Using 24-Hour Ambulatory Blood Pressure Monitoring. <i>Korean Circulation Journal</i> , 2016, 46, 681.	0.7	12
40	Elevation of heart-femoral pulse wave velocity by short-term low sodium diet followed by high sodium diet in hypertensive patients with sodium sensitivity. <i>Nutrition Research and Practice</i> , 2016, 10, 288.	0.7	8
41	The effect of <i>Vaccinium uliginosum</i> extract on tablet computer-induced asthenopia: randomized placebo-controlled study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 296.	3.7	13
42	Effect of sodium intake on renin level: Analysis of general population and meta-analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2016, 215, 120-126.	0.8	17
43	Effect of fixed-dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: MRS-ROZE (Multicenter Randomized Study of ROsuvastatin and eZetimibe). <i>Cardiovascular Therapeutics</i> , 2016, 34, 371-382.	1.1	45
44	A Randomized, Double-blind, Multicenter, Phase III Study to Evaluate the Efficacy and Safety of Fimasartan/Amlodipine Combined Therapy Versus Fimasartan Monotherapy in Patients With Essential Hypertension Unresponsive to Fimasartan Monotherapy. <i>Clinical Therapeutics</i> , 2016, 38, 2159-2170.	1.1	10
45	Aorta-to-arm pulse wave transit time ratio: Better prediction of coronary artery disease and stroke than pulse wave velocity. <i>International Journal of Cardiology</i> , 2016, 204, 1-3.	0.8	3
46	High Sodium Intake: Review of Recent Issues on Its Association with Cardiovascular Events and Measurement Methods. <i>Korean Circulation Journal</i> , 2015, 45, 175.	0.7	10
47	Efficacy of fimasartan/hydrochlorothiazide combination in hypertensive patients inadequately controlled by fimasartan monotherapy. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2847.	2.0	11
48	Genetic Testing of Korean Familial Hypercholesterolemia Using Whole-Exome Sequencing. <i>PLoS ONE</i> , 2015, 10, e0126706.	1.1	24
49	Evaluation of polygenic cause in Korean patients with familial hypercholesterolemia – A study supported by Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 242, 8-12.	0.4	10
50	A Randomized, Multicenter, Double-blind, Placebo-controlled, 3 × 3 Factorial Design, Phase II Study to Evaluate the Efficacy and Safety of the Combination of Fimasartan/Amlodipine in Patients With Essential Hypertension. <i>Clinical Therapeutics</i> , 2015, 37, 2581-2596.e3.	1.1	13
51	Evaluation of the Efficacy and Safety of the Lercanidipine/Valsartan Combination in Korean Patients With Essential Hypertension Not Adequately Controlled With Lercanidipine Monotherapy: A Randomized, Multicenter, Parallel Design, Phase III Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, 1726-1739.	1.1	2
52	Clinical features of familial hypercholesterolemia in Korea: Predictors of pathogenic mutations and coronary artery disease – A study supported by the Korean Society of Lipidology and Atherosclerosis. <i>Atherosclerosis</i> , 2015, 243, 53-58.	0.4	42
53	Estimation of 24-Hour Urinary Sodium Excretion Using Spot Urine Samples. <i>Nutrients</i> , 2014, 6, 2360-2375.	1.7	55
54	High Sodium Intake in Women with Metabolic Syndrome. <i>Korean Circulation Journal</i> , 2014, 44, 30.	0.7	24

#	ARTICLE	IF	CITATIONS
55	Blood Pressure Lowering Effect of Korea Ginseng Derived Genseol K-g1. The American Journal of Chinese Medicine, 2014, 42, 605-618.	1.5	24
56	Brachial-ankle pulse wave velocity for the prediction of the presence and severity of coronary artery disease. Clinical and Experimental Hypertension, 2014, 36, 404-409.	0.5	23
57	The unique response of renin and aldosterone to dietary sodium intervention in sodium sensitivity. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2014, 15, 117-123.	1.0	5
58	Elevation of Morning Blood Pressure in Sodium Resistant Subjects by High Sodium Diet. Journal of Korean Medical Science, 2013, 28, 555.	1.1	4
59	Novel genetic variations associated with salt sensitivity in the Korean population. Hypertension Research, 2011, 34, 606-611.	1.5	59
60	Effect of Korean Red Ginseng on Arterial Stiffness in Subjects with Hypertension. Journal of Alternative and Complementary Medicine, 2011, 17, 45-49.	2.1	51
61	Characteristics of Sodium Sensitivity in Korean Populations. Journal of Korean Medical Science, 2011, 26, 1061.	1.1	17
62	The Effects of Chronic Exposure to Aircraft Noise on the Prevalence of Hypertension. Hypertension Research, 2008, 31, 641-647.	1.5	18
63	Acute Effects of Cigarette Smoking on Arterial Stiffness and Blood Pressure in Male Smokers With Hypertension. American Journal of Hypertension, 2007, 20, 637-641.	1.0	93
64	Intima-media Thickness and Arterial Stiffness of Carotid Artery in Korean Patients with Behçet's Disease. Journal of Korean Medical Science, 2007, 22, 387.	1.1	37
65	The Effects of Macrophage on Neointimal Formation after Balloon or Stent Injury in Hypercholesterolemic Rabbits. Korean Circulation Journal, 2005, 35, 801.	0.7	1