Mary A Sewell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3159454/publications.pdf

Version: 2024-02-01

91872 136940 5,190 96 32 citations h-index papers

g-index 96 96 96 6062 docs citations times ranked citing authors all docs

69

#	Article	IF	CITATIONS
1	Contributing to marine pollution by washing your face: Microplastics in facial cleansers. Marine Pollution Bulletin, 2009, 58, 1225-1228.	5.0	1,052
2	Can we predict ectotherm responses to climate change using thermal performance curves and body temperatures?. Ecology Letters, 2016, 19, 1372-1385.	6.4	587
3	The Effect of Ocean Acidification on Calcifying Organisms in Marine Ecosystems: An Organism-to-Ecosystem Perspective. Annual Review of Ecology, Evolution, and Systematics, 2010, 41, 127-147.	8.3	434
4	How Distribution and Abundance Influence Fertilization Success in the Sea Urchin Strongylocentotus Franciscanus. Ecology, 1992, 73, 248-254.	3.2	320
5	Ocean acidification alters skeletogenesis and gene expression in larval sea urchins. Marine Ecology - Progress Series, 2010, 398, 157-171.	1.9	178
6	Kinetics of Fertilization in the Sea Urchin Strongylocentrotus franciscanus: Interaction of Gamete Dilution, Age, and Contact Time. Biological Bulletin, 1991, 181, 371-378.	1.8	173
7	A laboratoryâ€based, experimental system for the study of ocean acidification effects on marine invertebrate larvae. Limnology and Oceanography: Methods, 2010, 8, 441-452.	2.0	89
8	Utilization of lipids during early development of the sea urchin Evechinus chloroticus. Marine Ecology - Progress Series, 2005, 304, 133-142.	1.9	86
9	Nutritional ecology of sea urchin larvae: influence of endogenous and exogenous nutrition on echinopluteal growth and phenotypic plasticity in <i>Tripneustes gratilla</i> . Functional Ecology, 2008, 22, 643-648.	3.6	82
10	Effects of temperature on fecundity in vitro, egg hatching and reproductive development of Benedenia seriolae and Zeuxapta seriolae (Monogenea) parasitic on yellowtail kingfish Seriola lalandi. International Journal for Parasitology, 2005, 35, 315-327.	3.1	74
11	Mice Lacking the Neuropeptide α-Calcitonin Gene-Related Peptide Are Protected Against Diet-Induced Obesity. Endocrinology, 2010, 151, 4257-4269.	2.8	74
12	Simultaneous Spawning of Six Species of Echinoderms in Barkley Sound, British Columbia. International Journal of Invertebrate Reproduction and Development, 1988, 14, 279-288.	0.7	73
13	Temperature limits to fertilization and early development in the tropical sea urchin Echinometra lucunter. Journal of Experimental Marine Biology and Ecology, 1999, 236, 291-305.	1.5	72
14	Rapid adaptation to food availability by a dopamine-mediated morphogenetic response. Nature Communications, 2011, 2, 592.	12.8	71
15	Fuels for development: evolution of maternal provisioning in asterinid sea stars. Marine Biology, 2008, 153, 337-349.	1.5	67
16	Maternal provisioning for larvae and larval provisioning for juveniles in the toxopneustid sea urchin Tripneustes gratilla. Marine Biology, 2008, 155, 473-482.	1.5	65
17	Developmental plasticity in larval development in the echinometrid sea urchin Evechinus chloroticus with varying food ration. Journal of Experimental Marine Biology and Ecology, 2004, 309, 219-237.	1.5	59
18	Using DNA barcoding and phylogenetics to identify Antarctic invertebrate larvae: Lessons from a large scale study. Marine Genomics, 2010, 3, 165-177.	1.1	54

#	Article	IF	CITATIONS
19	Are Echinoderm Egg Size Distributions Bimodal?. Biological Bulletin, 1997, 193, 297-305.	1.8	52
20	Organically selective movement and deposit-feeding in juvenile sea cucumber, Australostichopus mollis determined in situ and in the laboratory. Journal of Experimental Marine Biology and Ecology, 2011, 409, 315-323.	1.5	52
21	A New Biologically Active Malyngamide from a New Zealand Collection of the Sea HareBursatella leachii. Journal of Natural Products, 2002, 65, 630-631.	3.0	49
22	Effect of manufactured diets on the yield, biochemical composition and sensory quality of Evechinus chloroticus sea urchin gonads. Aquaculture, 2010, 308, 49-59.	3.5	45
23	Antarctic echinoids and climate change: a major impact on the brooding forms. Global Change Biology, 2011, 17, 734-744.	9.5	45
24	Multi-locus DNA metabarcoding of zooplankton communities and scat reveal trophic interactions of a generalist predator. Scientific Reports, 2019, 9, 281.	3.3	42
25	Title is missing!. Biodiversity and Conservation, 1997, 6, 1507-1522.	2.6	41
26	Development Under Elevated <i>p</i> CO ₂ Conditions Does Not Affect Lipid Utilization and Protein Content in Early Life-History Stages of the Purple Sea Urchin, <i>Strongylocentrotus purpuratus</i> . Biological Bulletin, 2012, 223, 312-327.	1.8	40
27	Small Size, Brooding, and Protandry in the Apodid Sea Cucumber Leptosynapta clarki. Biological Bulletin, 1994, 187, 112-123.	1.8	38
28	Aspects of the ecology of <i>Stichopus mollis</i> (Echinodermata: Holothuroidea) in northâ€eastern New Zealand. New Zealand Journal of Marine and Freshwater Research, 1990, 24, 97-103.	2.0	37
29	Variability in the reproductive cycle ofStichopus mollis(Echinodermata: Holothuroidea). Invertebrate Reproduction and Development, 1990, 17, 1-7.	0.8	36
30	Rapid declines in metabolism explain extended coral larval longevity. Coral Reefs, 2013, 32, 539-549.	2.2	35
31	Reproduction of the temperate aspidochirote (i>Stichopus mollis (i>(Echinodermata: Holothuroidea) in New Zealand. Ophelia, 1992, 35, 103-121.	0.3	34
32	Ocean Acidification and Fertilization in the Antarctic Sea Urchin <i>Sterechinus neumayeri</i> Importance of Polyspermy. Environmental Science & Eamp; Technology, 2014, 48, 713-722.	10.0	34
33	Temperature and salinity: two climate change stressors affecting early development of the New Zealand sea urchin Evechinus chloroticus. Marine Biology, 2014, 161, 1999-2009.	1.5	34
34	Growth Attenuation with Developmental Schedule Progression in Embryos and Early Larvae of Sterechinus neumayeri Raised under Elevated CO2. PLoS ONE, 2013, 8, e52448.	2.5	33
35	Low coverage sequencing of three echinoderm genomes: the brittle star Ophionereis fasciata, the sea star Patiriella regularis, and the sea cucumber Australostichopus mollis. GigaScience, 2016, 5, 20.	6.4	33
36	Temperature and salinity tolerances of Stage 1 zoeae predict possible range expansion of an introduced portunid crab, Charybdis japonica, in New Zealand. Biological Invasions, 2011, 13, 691-699.	2.4	32

#	Article	IF	CITATIONS
37	Avian eggshell pigments are not consistently correlated with colour measurements or egg constituents in two <i>Turdus</i> thrushes. Journal of Avian Biology, 2012, 43, 503-512.	1.2	32
38	Pelagic propagule duration and developmental mode: reassessment of a fading link. Global Ecology and Biogeography, 2013, 22, 517-530.	5.8	31
39	Detection of the impact of predation by migratory shorebirds:an experimental test in the Fraser River estuary, British Columbia (Canada). Marine Ecology - Progress Series, 1996, 144, 23-40.	1.9	30
40	Effects of warm acclimation on physiology and gonad development in the sea urchin Evechinus chloroticus. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2016, 198, 33-40.	1.8	28
41	Lipid and protein utilisation during early development of yellowtail kingfish (Seriola lalandi). Marine Biology, 2008, 154, 855-865.	1.5	27
42	Ocean acidification in New Zealand waters: trends and impacts. New Zealand Journal of Marine and Freshwater Research, 2018, 52, 155-195.	2.0	27
43	Reproduction of the intraovarian brooding apodid Leptosynapta clarki (Echinodermata:) Tj ETQq1 1 0.784314 rg	gBT/Overlo	ock 10 Tf 50
44	Mechanical Resistance to Shear Stress: The Role of Echinoderm Egg Extracellular Layers. Biological Bulletin, 1999, 197, 7-10.	1.8	26
45	Sex and reproductive cycle affect lipid and fatty acid profiles of gonads of Arbacia dufresnii (Echinodermata: Echinoidea). Marine Ecology - Progress Series, 2016, 551, 185-199.	1.9	25
46	A "source―for asteroid larvae?: recruitment of Pisaster ochraceus, Pycnopodia helianthoides and Dermasterias imbricata in Nootka Sound, British Columbia. Marine Biology, 1993, 117, 387-398.	1.5	25
47	Sensory and volatile analysis of sea urchin roe from different geographical regions in New Zealand. LWT - Food Science and Technology, 2010, 43, 202-213.	5.2	24
48	Rotavirus NSP4 is secreted from infected cells as an oligomeric lipoprotein and binds to glycosaminoglycans on the surface of non-infected cells. Virology Journal, 2011, 8, 551.	3.4	24
49	Examination of the meroplankton community in the south-western Ross Sea, Antarctica, using a collapsible plankton net. Polar Biology, 2005, 28, 119-131.	1.2	23
50	Maternal Provisioning in <i>Ophionereis fasciata</i> and <i>O. schayeri:</i> Brittle Stars With Contrasting Modes of Development. Biological Bulletin, 2006, 211, 204-207.	1.8	23
51	Molecular Species Identification of Astrotoma agassizii from Planktonic Embryos: Further Evidence for a Cryptic Species Complex. Journal of Heredity, 2010, 101, 775-779.	2.4	23
52	Uncoupling temperature-dependent mortality from lipid depletion for scleractinian coral larvae. Coral Reefs, 2017, 36, 97-104.	2.2	23
53	Ovarian Development in the Class Holothuroidea: a Reassessment of the "Tubule Recruitment Model". Biological Bulletin, 1997, 192, 17-26.	1.8	21
54	Temperature limits to early development of the New Zealand sea urchin Evechinus chloroticus (Valenciennes, 1846). Journal of Thermal Biology, 2013, 38, 218-224.	2.5	21

#	Article	IF	CITATIONS
55	Realâ€time 2 <scp>D</scp> visualization of metabolic activities in zebrafish embryos using a microfluidic technology. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2015, 87, 446-450.	1.5	21
56	Hybridization in the sea: gametic and developmental constraints on fertilization in sympatric species of Pseudechinus (Echinodermata: Echinoidea). Journal of Experimental Marine Biology and Ecology, 2003, 284, 51-70.	1.5	20
57	Revisiting the larval dispersal black box in the Anthropocene. ICES Journal of Marine Science, 2018, 75, 1841-1848.	2.5	20
58	Evolution of maternal provisioning in ophiuroid echinoderms: characterisation of egg composition in planktotrophic and lecithotrophic developers. Marine Ecology - Progress Series, 2015, 525, 1-13.	1.9	20
59	Seasonal patterns in diversity and abundance of the High Antarctic meroplankton: Plankton sampling using a Ross Sea desalination plant. Limnology and Oceanography, 2011, 56, 1667-1681.	3.1	19
60	The reproductive ecology of the invasive ascidian, Styela clava, in Auckland Harbour, New Zealand. Marine Biology, 2011, 158, 2775-2785.	1.5	17
61	Differences in population connectivity of a benthic marine invertebrate Evechinus chloroticus (Echinodermata: Echinoidea) across large and small spatial scales. Conservation Genetics, 2015, 16, 965-978.	1.5	16
62	The first mitochondrial genomes of endosymbiotic rhabdocoels illustrate evolutionary relaxation of atp8 and genome plasticity in flatworms. International Journal of Biological Macromolecules, 2020, 162, 454-469.	7.5	16
63	The meroplankton community of the oceanic Ross Sea during late summer. Antarctic Science, 2014, 26, 345-360.	0.9	15
64	Dwarf brooder versus giant broadcaster: combining genetic and reproductive data to unravel cryptic diversity in an Antarctic brittle star. Heredity, 2019, 123, 622-633.	2.6	15
65	The role of the hyaline spheres in sea cucumber metamorphosis: lipid storage via transport cells in the blastocoel. EvoDevo, 2019, 10, 8.	3.2	15
66	Three-stage lipid dynamics during development of planktotrophic echinoderm larvae. Marine Ecology - Progress Series, 2017, 583, 149-161.	1.9	15
67	Seasonal changes in the biochemical composition of <i>Evechinus chloroticus</i> gonads (Echinodermata: Echinoidea). New Zealand Journal of Marine and Freshwater Research, 2012, 46, 399-410.	2.0	14
68	Does a complex life cycle affect adaptation to environmental change? Genome-informed insights for characterizing selection across complex life cycle. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20212122.	2.6	14
69	On the need to consider multiphasic sensitivity of marine organisms to climate change: a case study of the Antarctic acorn barnacle. Journal of Biogeography, 2017, 44, 2165-2175.	3.0	12
70	Lipid and fatty acid profiles of gametes and spawned gonads of Arbacia dufresnii (Echinodermata:) Tj ETQq0 0 0	O rgBT/Ove	erlock 10 Tf 50
71	The Larval Apical Organ in the Holothuroid <i>Chiridota gigas</i> (Apodida): Inferences on Evolution of the Ambulacrarian Larval Nervous System. Biological Bulletin, 2006, 211, 95-100.	1.8	11
72	Identification of protein components from the mature ovary of the sea urchin <i>Evechinus chloroticus</i> (Echinodermata: Echinoidea). Proteomics, 2008, 8, 2531-2542.	2.2	11

#	Article	IF	CITATIONS
73	Reproduction, larval development and settlement of the intertidal serpulid polychaete <i>Spirobranchus cariniferus</i> Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1249-1256.	0.8	11
74	The meroplankton community of the northern Ross Sea: a preliminary comparison with the McMurdo Sound region. Antarctic Science, 2006, 18, 595-602.	0.9	10
75	A comparison of egg yolk lipid constituents between parasitic Common Cuckoos and their hosts. Auk, 2015, 132, 817-825.	1.4	10
76	Mortality of Pentactulae During Intraovarian Brooding in the Apodid Sea Cucumber Leptosynapta clarki. Biological Bulletin, 1996, 190, 188-194.	1.8	8
77	Loved to pieces: Toward the sustainable management of the WaitematĕHarbour and Hauraki Gulf. Regional Studies in Marine Science, 2016, 8, 220-233.	0.7	8
78	Maternal investment and nutrient utilization during early larval development of the sea cucumber Australostichopus mollis. Marine Biology, 2017, 164, 1.	1.5	8
79	Effect of acclimation on thermal limits and hsp70 gene expression of the New Zealand sea urchin Evechinus chloroticus. Comparative Biochemistry and Physiology Part A, Molecular & Ditegrative Physiology, 2020, 250, 110806.	1.8	8
80	Desalination plants as plankton sampling devices in temporal studies: proofâ€ofâ€oncept and suggestions for the future. Limnology and Oceanography: Methods, 2009, 7, 363-370.	2.0	6
81	The reproductive ecology of the invasive Asian paddle crab, <i>Charybdis japonica</i> (Brachyura:) Tj ETQq1 1 0.7	'84314 rg	BT ₆ /Overlock
82	The meroplankton communities from the coastal Ross Sea: a latitudinal study. Hydrobiologia, 2015, 761, 195-209.	2.0	6
83	Genotype-by-environment interactions during early development of the sea urchin Evechinus chloroticus. Marine Biology, 2016, 163, 1.	1.5	6
84	A redescription of <i>Leptosynapta clarki </i> Heding (Echinodermata: Holothuroidea) from the northeast Pacific, with notes on changes in spicule form and size with age. Canadian Journal of Zoology, 1995, 73, 469-485.	1.0	5
85	Evidence for matrotrophy in the viviparous sea cucumberLeptosynapta clarki: A role for the genital haemal sinus?. Invertebrate Reproduction and Development, 2006, 49, 225-236.	0.8	5
86	Chromosome number and chromosome variation in embryos of <i>Evechinus chloroticus </i> (Echinoidea: Echinometridae): Is there conservation of chromosome number in the Phylum Echinodermata? New findings and a brief review. Invertebrate Reproduction and Development, 2007, 50, 219-231.	0.8	4
87	Sequencing one sex or the other has to be justified: Gender genomics and equality. Heredity, 2008, 101, 395-395.	2.6	4
88	The population genetics and origin of invasion of the invasive Asian paddle crab, Charybdis japonica (A.) Tj ETQq0	0 0 rgBT / 1.5	Overlock 10 4
89	Near-future oceanic CO2 delays development and growth in early-stage larvae of the endemic New Zealand sea urchin, Evechinus chloroticus. Marine Biology, 2021, 168, 1.	1.5	4
90	The cryopelagic meroplankton community in the shallow waters of Gerlache Inlet, Terra Nova Bay, Antarctica. Antarctic Science, 2008, 20, 53-60.	0.9	3

#	Article	IF	CITATIONS
91	Repeated measurement of Mo2 in small aquatic organisms: a manual intermittent flow respirometer using off-the-shelf components. Journal of Applied Physiology, 2018, 124, 741-749.	2.5	3
92	Comparative ultrastructure of spermatozoa from two regular and two irregular New Zealand echinoids. Invertebrate Biology, 2015, 134, 341-351.	0.9	2
93	Maternal Lipid Provisioning Mirrors Evolution of Reproductive Strategies in Direct-Developing Whelks. Biological Bulletin, 2016, 230, 188-196.	1.8	2
94	Lab-on-a-chip technology for a non-invasive and real-time visualisation of metabolic activities in larval vertebrates. , 2015 , , .		1
95	Description and ecophysiology of a new species of Syndesmis Silliman, 1881 (Rhabdocoela: Umagillidae) from the sea urchin Evechinus chloroticus (Valenciennes, 1846) Mortensen, 1943 in New Zealand. International Journal for Parasitology: Parasites and Wildlife, 2019, 10, 71-82.	1.5	1
96	Year-round maturity of the chaetognath Aidanosagitta regularis in the Hauraki Gulf, New Zealand. Marine and Freshwater Research, 2015, 66, 852.	1.3	1