

Maria K Angelopoulou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3159748/publications.pdf>

Version: 2024-02-01

88
papers

1,567
citations

304368

22
h-index

344852

36
g-index

88
all docs

88
docs citations

88
times ranked

2114
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Induction chemotherapy strategies for primary mediastinal large B-cell lymphoma with sclerosis: a retrospective multinational study on 426 previously untreated patients. <i>Haematologica</i> , 2002, 87, 1258-64. | 1.7 | 141 |
| 2 | Rituximab, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone with or Without Radiotherapy in Primary Mediastinal Large B-Cell Lymphoma: The Emerging Standard of Care. <i>Oncologist</i> , 2012, 17, 239-249. | 1.9 | 105 |
| 3 | Frequent NFKBIE deletions are associated with poor outcome in primary mediastinal B-cell lymphoma. <i>Blood</i> , 2016, 128, 2666-2670. | 0.6 | 82 |
| 4 | Treatment of Splenic Marginal Zone Lymphoma With Rituximab Monotherapy: Progress Report and Comparison With Splenectomy. <i>Oncologist</i> , 2013, 18, 190-197. | 1.9 | 77 |
| 5 | Development and validation of a clinical prediction rule for bone marrow involvement in patients with Hodgkin lymphoma. <i>Blood</i> , 2005, 105, 1875-1880. | 0.6 | 61 |
| 6 | Carbapenemase-producing <i>Klebsiella pneumoniae</i> bloodstream infections in neutropenic patients with haematological malignancies or aplastic anaemia: Analysis of 50 cases. <i>International Journal of Antimicrobial Agents</i> , 2016, 47, 335-339. | 1.1 | 61 |
| 7 | Re-evaluation of prognostic markers including staging, serum free light chains or their ratio and serum lactate dehydrogenase in multiple myeloma patients receiving novel agents. <i>Hematological Oncology</i> , 2013, 31, 96-102. | 0.8 | 55 |
| 8 | The splenic form of mantle cell lymphoma. <i>European Journal of Haematology</i> , 2002, 68, 12-21. | 1.1 | 45 |
| 9 | Rituximab monotherapy in splenic marginal zone lymphoma: prolonged responses and potential benefit from maintenance. <i>Blood</i> , 2018, 132, 666-670. | 0.6 | 44 |
| 10 | Poor Neutralizing Antibody Responses in 132 Patients with CLL, NHL and HL after Vaccination against SARS-CoV-2: A Prospective Study. <i>Cancers</i> , 2021, 13, 4480. | 1.7 | 44 |
| 11 | Treatment of splenic marginal zone lymphoma: should splenectomy be abandoned?. <i>Leukemia and Lymphoma</i> , 2014, 55, 1463-1470. | 0.6 | 37 |
| 12 | Prognostic factors in Hodgkin lymphoma. <i>Seminars in Hematology</i> , 2016, 53, 155-164. | 1.8 | 37 |
| 13 | Effective treatment of disease-related anaemia in B-chronic lymphocytic leukaemia patients with recombinant human erythropoietin. <i>British Journal of Haematology</i> , 1995, 89, 627-629. | 1.2 | 36 |
| 14 | The prognostic significance of beta(2)-microglobulin in patients with Hodgkin's lymphoma. <i>Haematologica</i> , 2002, 87, 701-8; discussion 708. | 1.7 | 34 |
| 15 | Primary Non-Hodgkin's Lymphoma of the Gall Bladder. <i>Leukemia and Lymphoma</i> , 2000, 40, 123-131. | 0.6 | 32 |
| 16 | Non-gastric extra-nodal marginal zone lymphomas—a single centre experience on 76 patients. <i>Leukemia and Lymphoma</i> , 2008, 49, 2308-2315. | 0.6 | 32 |
| 17 | Immunotherapy in Hodgkin Lymphoma: Present Status and Future Strategies. <i>Cancers</i> , 2019, 11, 1071. | 1.7 | 32 |
| 18 | Isolated central nervous system relapses in primary mediastinal large B-cell lymphoma after CHOP-like chemotherapy with or without Rituximab. <i>Hematological Oncology</i> , 2013, 31, 10-17. | 0.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Normalization of the serum angiopoietin-1 to angiopoietin-2 ratio reflects response in refractory/resistant multiple myeloma patients treated with bortezomib. <i>Haematologica</i> , 2008, 93, 451-454. | 1.7 | 27 |
| 20 | Advanced and Relapsed/Refractory Hodgkin Lymphoma: What Has Been Achieved During the Last 50 Years. <i>Seminars in Hematology</i> , 2013, 50, 4-14. | 1.8 | 25 |
| 21 | Real-life experience with the combination of polatuzumab vedotin, rituximab, and bendamustine in aggressive B-cell lymphomas. <i>Hematological Oncology</i> , 2021, 39, 336-348. | 0.8 | 25 |
| 22 | Prognostic Implication of the Absolute Lymphocyte to Absolute Monocyte Count Ratio in Patients With Classical Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine or Equivalent Regimens. <i>Oncologist</i> , 2016, 21, 343-353. | 1.9 | 24 |
| 23 | Correction of Disease Related Anaemia of B-Chronic Lymphoproliferative Disorders by Recombinant Human Erythropoietin: Maintenance is Necessary to Sustain Response. <i>Leukemia and Lymphoma</i> , 2000, 40, 141-147. | 0.6 | 23 |
| 24 | Treatment of splenic marginal zone lymphoma. <i>Best Practice and Research in Clinical Haematology</i> , 2017, 30, 139-148. | 0.7 | 23 |
| 25 | Optimizing outcomes in relapsed/refractory Hodgkin lymphoma: a review of current and forthcoming therapeutic strategies. <i>Therapeutic Advances in Hematology</i> , 2020, 11, 204062072090291. | 1.1 | 21 |
| 26 | Nodal marginal zone lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 1240-1250. | 0.6 | 20 |
| 27 | New Insights in the Mobilization of Hematopoietic Stem Cells in Lymphoma and Multiple Myeloma Patients. <i>BioMed Research International</i> , 2014, 2014, 1-11. | 0.9 | 19 |
| 28 | Immunohistochemical Analysis of IL-6, IL-8/CXCR2 Axis, and SOCS-3 in Lymph Nodes from Patients with Chronic Lymphocytic Leukemia: Correlation between Microvascular Characteristics and Prognostic Significance. <i>BioMed Research International</i> , 2014, 2014, 1-13. | 0.9 | 17 |
| 29 | New Insights into Monoclonal B-Cell Lymphocytosis. <i>BioMed Research International</i> , 2014, 2014, 1-11. | 0.9 | 17 |
| 30 | Clinical Aspects of Malt Lymphomas. <i>Current Hematologic Malignancy Reports</i> , 2014, 9, 262-272. | 1.2 | 17 |
| 31 | EBVD Combination Chemotherapy Plus Low Dose Involved Field Radiation is a Highly Effective Treatment Modality for Early Stage Hodgkin's Disease. <i>Leukemia and Lymphoma</i> , 2000, 37, 131-143. | 0.6 | 16 |
| 32 | Validation of the simplified prognostic score for splenic marginal zone lymphoma of the Splenic Marginal Zone Lymphoma Working Group. <i>Leukemia and Lymphoma</i> , 2014, 55, 2640-2642. | 0.6 | 16 |
| 33 | Brentuximab vedotin in relapsed/refractory Hodgkin lymphoma. The Hellenic experience. <i>Hematological Oncology</i> , 2018, 36, 174-181. | 0.8 | 15 |
| 34 | Identification of Very Low-Risk Subgroups of Patients with Primary Mediastinal Large B-Cell Lymphoma Treated with R-CHOP. <i>Oncologist</i> , 2021, 26, 597-609. | 1.9 | 15 |
| 35 | Early-stage Gastric MALT Lymphoma: Is It a Truly Localized Disease?. <i>Oncologist</i> , 2009, 14, 148-154. | 1.9 | 13 |
| 36 | Natural killer cell cytotoxicity is a predictor of outcome for patients with high risk myelodysplastic syndrome and oligoblastic acute myeloid leukemia treated with azacytidine. <i>Leukemia and Lymphoma</i> , 2019, 60, 2457-2463. | 0.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | The Significance of PET/CT in the Initial Staging of Hodgkin Lymphoma: Experience Outside Clinical Trials. , 2017, 37, 5727-5736. | | 13 |
| 38 | Expression of the novel tumour suppressor sterile alpha motif and HD domain-containing protein 1 is an independent adverse prognostic factor in classical Hodgkin lymphoma. British Journal of Haematology, 2021, 193, 488-496. | 1.2 | 12 |
| 39 | The presence of CD55- and/or CD59-deficient erythrocytic populations in patients with rheumatic diseases reflects an immune-mediated bone-marrow derived phenomenon. Medical Science Monitor, 2014, 20, 123-139. | 0.5 | 12 |
| 40 | Should rituximab replace splenectomy in the management of splenic marginal zone lymphoma?. Best Practice and Research in Clinical Haematology, 2018, 31, 65-72. | 0.7 | 11 |
| 41 | Diagnostic role of cytology in serous effusions of patients with hematologic malignancies. Diagnostic Cytopathology, 2019, 47, 404-411. | 0.5 | 11 |
| 42 | Mutation analysis of IgVH genes in splenic marginal zone lymphomas: correlation with clinical characteristics and outcome. Anticancer Research, 2009, 29, 1811-6. | 0.5 | 11 |
| 43 | Detection of L265P <i>MYDX</i> mutation in a series of clonal B&#eell lymphocytosis of marginal zone origin (CBL&#MZ). Hematological Oncology, 2017, 35, 542-547. | 0.8 | 10 |
| 44 | Positron emission tomography after response to rituximab-CHOP in primary mediastinal large B-cell lymphoma: impact on outcomes and radiotherapy strategies. Annals of Hematology, 2021, 100, 2279-2292. | 0.8 | 10 |
| 45 | Bone marrow PARP1 mRNA levels predict response to treatment with 5-azacytidine in patients with myelodysplastic syndrome. Annals of Hematology, 2019, 98, 1383-1392. | 0.8 | 9 |
| 46 | Hodgkin's lymphoma in first relapse following chemotherapy or combined modality therapy: analysis of outcome and prognostic factors after conventional salvage therapy. European Journal of Haematology, 2002, 68, 289-298. | 1.1 | 8 |
| 47 | Prognostic significance of signal transducer and activator of transcription 5 and 5b expression in Epstein&#Barr virus&#epositive patients with chronic lymphocytic leukemia. Cancer Medicine, 2016, 5, 2240-2248. | 1.3 | 8 |
| 48 | Ibrutinib-related atrial fibrillation: Therapeutic challenges. Journal of Oncology Pharmacy Practice, 2019, 25, 1258-1260. | 0.5 | 7 |
| 49 | Low Grade Non-Hodgkin's Lymphomas: Disease Control with Mitoxanthrone Monotherapy in Patients Refractory to Conventional Therapy. Leukemia and Lymphoma, 1994, 12, 253-257. | 0.6 | 6 |
| 50 | Role of FDG-PET/CT in staging and first-line treatment of Hodgkin and aggressive B-cell lymphomas. Memo - Magazine of European Medical Oncology, 2015, 8, 105-114. | 0.3 | 6 |
| 51 | Potential role of AKT/mTOR signalling proteins in hairy cell leukaemia: association with BRAF/ERK activation and clinical outcome. Scientific Reports, 2016, 6, 21252. | 1.6 | 6 |
| 52 | Positive impact of brentuximab vedotin on overall survival of patients with classical Hodgkin lymphoma who relapse or progress after autologous stem cell transplantation: A nationwide analysis. Hematological Oncology, 2018, 36, 645-650. | 0.8 | 6 |
| 53 | Gastric involvement in patients with primary mediastinal large B-cell lymphoma. Anticancer Research, 2014, 34, 6717-23. | 0.5 | 6 |
| 54 | No evidence of splenic disease in patients with splenic marginal zone lymphoma undergoing splenectomy for autoimmune hemolytic anemia after monotherapy with rituximab. Leukemia and Lymphoma, 2016, 57, 2705-2708. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Recurrent acute myopericarditis without effusion during ATRA induction and ATO salvage of APL: a variant form of the differentiation syndrome?. <i>Leukemia and Lymphoma</i> , 2017, 58, 1743-1746. | 0.6 | 5 |
| 56 | Effectiveness and Safety of Micafungin in Managing Invasive Fungal Infections among Patients in Greece with Hematologic Disorders: The ASPIRE Study. <i>Infectious Diseases and Therapy</i> , 2019, 8, 255-268. | 1.8 | 5 |
| 57 | Serum ferritin levels in previously untreated classical Hodgkin lymphoma: correlations and prognostic significance. <i>Leukemia and Lymphoma</i> , 2022, 63, 799-812. | 0.6 | 5 |
| 58 | Comment on "Rituximab maintenance for patients with aggressive B-cell lymphoma in first remission: results of the randomized NHL13 trial". <i>Haematologica</i> , 2015, 100, e480-e481. | 1.7 | 4 |
| 59 | Thioredoxin-1, chemokine (C-X-C motif) ligand-9 and interferon- γ expression in the neoplastic cells and macrophages of Hodgkin lymphoma: clinicopathologic correlations and potential prognostic implications. <i>Leukemia and Lymphoma</i> , 2017, 58, 2227-2239. | 0.6 | 4 |
| 60 | A Unique Case of Primary Extranodal Marginal Zone Lymphoma of the Anal Canal. <i>Acta Haematologica</i> , 2019, 142, 87-91. | 0.7 | 4 |
| 61 | Central nervous system involvement in primary bone marrow or splenic marginal zone lymphoma: Report of two cases and review of the literature. <i>Hematological Oncology</i> , 2019, 37, 219-222. | 0.8 | 4 |
| 62 | Validation of the simplified International Prognostic Score3 in a Hellenic cohort of patients with advanced-stage Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2020, 190, e335-e339. | 1.2 | 4 |
| 63 | Excellent Outcome with Rituximab-CHOP (R-CHOP) Combined with Radiotherapy (RT) in Primary Mediastinal Large B-Cell Lymphoma (PMLBCL). <i>Blood</i> , 2005, 106, 935-935. | 0.6 | 4 |
| 64 | Transformed Nodal Marginal Zone Lymphoma versus Diffuse Large B Cell Lymphoma: The MicroRNA Aspect. <i>Acta Haematologica</i> , 2015, 133, 212-213. | 0.7 | 3 |
| 65 | Expression, prognostic significance and mutational analysis of protein tyrosine phosphatase SHP-1 in chronic myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2016, 57, 1182-1188. | 0.6 | 3 |
| 66 | Bone metabolism markers and angiogenic cytokines as regulators of human hematopoietic stem cell mobilization. <i>Journal of Bone and Mineral Metabolism</i> , 2018, 36, 399-409. | 1.3 | 3 |
| 67 | Non-Inherited Maternal Antigens Identify Acceptable HLA Mismatches: A New Policy for the Hellenic Cord Blood Bank. <i>Bioengineering</i> , 2018, 5, 77. | 1.6 | 3 |
| 68 | Development of Classic Hodgkin Lymphoma after successful treatment of primary mediastinal large b-cell lymphoma: results from a well-defined database. <i>Leukemia Research</i> , 2021, 100, 106479. | 0.4 | 3 |
| 69 | Successful salvage of primary progressive Hodgkin lymphoma with the combination of post-transplant brentuximab vedotin and radiotherapy: Combining novelty and tradition. <i>Hematological Oncology</i> , 2021, 39, 258-262. | 0.8 | 3 |
| 70 | Subdiaphragmatic extranodal localizations at diagnosis of primary mediastinal large B-cell lymphoma: an impressive, rare presentation with no independent effect on prognosis. <i>Leukemia Research</i> , 2021, 107, 106595. | 0.4 | 3 |
| 71 | Survivin Messenger RNA Levels in Epstein-Barr Virus-Positive Patients With Leukemic Low-Grade B-Cell Lymphomas Expressing the Latent Membrane Protein 1: Evidence of Apoptotic Function?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, 56-60. | 0.2 | 2 |
| 72 | Small Lymphocytic Lymphoma: Analysis of Two Cohorts Including Patients in Clinical Trials of the German Chronic Lymphocytic Leukemia Study Group (GCLLSG) or in "Real-Life" Outside of Clinical Trials. <i>Anticancer Research</i> , 2019, 39, 2591-2598. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Gerstmann syndrome as a disconnection syndrome, evidence from DTI tractography: A case report. <i>Journal of Neurolinguistics</i> , 2021, 57, 100955. | 0.5 | 2 |
| 74 | Tumor Protein 53 Gene Mutations Without 17p13 Deletion Have No Significant Clinical Implications in Chronic Lymphocytic Leukemia. Detection of a New Mutation. <i>Anticancer Research</i> , 2017, 37, 2387-2391. | 0.5 | 2 |
| 75 | Very Early Onset of Therapy-Related Acute Myeloid Leukemia with 11q23 Rearrangement Presenting with Unusual PET Findings after R-DA-EPOCH for Primary Mediastinal Large B-Cell Lymphoma. <i>Medicina (Lithuania)</i> , 2022, 58, 48. | 0.8 | 2 |
| 76 | Real-life Experience With Rituximab-CHOP Every 21 or 14 Days in Primary Mediastinal Large B-cell Lymphoma. <i>In Vivo</i> , 2022, 36, 1302-1315. | 0.6 | 2 |
| 77 | Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) with concurrent high grade component at diagnosis: clinico-pathologic features and treatment strategy. <i>Leukemia and Lymphoma</i> , 2015, 56, 3230-3232. | 0.6 | 1 |
| 78 | Current and emerging treatment approaches for splenic marginal zone lymphoma. <i>Expert Opinion on Orphan Drugs</i> , 2016, 4, 897-905. | 0.5 | 1 |
| 79 | Study of bone metabolism and angiogenesis in patients undergoing high-dose chemotherapy/autologous hematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2018, 100, 131-139. | 1.1 | 1 |
| 80 | Curative surgery in highly selected patients with heavily pretreated, relapsed/refractory classical Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2021, 62, 722-726. | 0.6 | 1 |
| 81 | Pancytopenia, eosinophilia and coagulation disorders in a patient with acute lymphoblastic leukemia in prolonged remission. <i>American Journal of Hematology</i> , 2021, 96, 632-637. | 2.0 | 1 |
| 82 | Progressive Multifocal Leukoencephalopathy Following Treatment With Obinutuzumab in a Patient With Non-Hodgkin Follicular Lymphoma: A Case Report. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e601-e605. | 0.2 | 1 |
| 83 | Primary Bone Non-Hodgkin's Lymphoma: A Specific Clinical Entity with Aggressive Clinical Course and High Cure Rate - Retrospective Analysis of 102 Patients from Greece. <i>Blood</i> , 2019, 134, 5340-5340. | 0.6 | 1 |
| 84 | B-Chronic Lymphocytic Leukemia (B-CLL), Small Lymphocytic Lymphoma (SLL) and Waldenstrom's Macroglobulinemia (MW): A Comparative Fish Analysis.. <i>Blood</i> , 2004, 104, 4801-4801. | 0.6 | 0 |
| 85 | The Activity of Combined Topoisomerase Inhibitors Is Augmented by Octreotide in the Treatment of Lymphoid Leukemias.. <i>Blood</i> , 2005, 106, 2475-2475. | 0.6 | 0 |
| 86 | Complex Patterns of Monoclonal Ig Diversification in B-CLL Cells from Different Tissue Compartments.. <i>Blood</i> , 2005, 106, 5021-5021. | 0.6 | 0 |
| 87 | Serum Free Light Chain Ratio (FLCR) at Diagnosis Constitute a Powerful Prognostic Factor of Survival in Multiple Myeloma (MM).. <i>Blood</i> , 2006, 108, 3522-3522. | 0.6 | 0 |
| 88 | Evaluation Of Immunoglobulin Variations (Clonal Changes) In Symptomatic Multiple Myeloma (MM) Patients' Course. <i>Blood</i> , 2013, 122, 3173-3173. | 0.6 | 0 |