

Frank G Schaap

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3160321/frank-g-schaap-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

4,705
citations

37
h-index

67
g-index

109
ext. papers

5,566
ext. citations

6.4
avg, IF

5.36
L-index

#	Paper	IF	Citations
98	Differential Effects of One Meal per Day in the Evening on Metabolic Health and Physical Performance in Lean Individuals.. <i>Frontiers in Physiology</i> , 2021 , 12, 771944	4.6	0
97	Hepatic Steatosis Contributes to the Development of Muscle Atrophy Inter-Organ Crosstalk. <i>Frontiers in Endocrinology</i> , 2021 , 12, 733625	5.7	
96	Bile Salt and FGF19 Signaling in the Early Phase of Human Liver Regeneration. <i>Hepatology Communications</i> , 2021 , 5, 1400-1411	6	2
95	Parenteral nutrition impairs plasma bile acid and gut hormone responses to mixed meal testing in lean healthy men. <i>Clinical Nutrition</i> , 2021 , 40, 1013-1021	5.9	2
94	Unaltered Liver Regeneration in Post-Cholestatic Rats Treated with the FXR Agonist Obeticholic Acid. <i>Biomolecules</i> , 2021 , 11,	5.9	2
93	Chyme Reinfusion Restores the Regulatory Bile Salt-FGF19 Axis in Patients With Intestinal Failure. <i>Hepatology</i> , 2021 , 74, 2670-2683	11.2	0
92	Gut Microbes Take It to the Next Level? First Insights Into Farnesoid X Receptor Agonists of Microbial Origin. <i>Hepatology</i> , 2020 , 72, 1483-1485	11.2	1
91	Non-canonical Wnt signalling regulates scarring in biliary disease via the planar cell polarity receptors. <i>Nature Communications</i> , 2020 , 11, 445	17.4	15
90	Effect of wheat bran derived prebiotic supplementation on gastrointestinal transit, gut microbiota, and metabolic health: a randomized controlled trial in healthy adults with a slow gut transit. <i>Gut Microbes</i> , 2020 , 12, 1704141	8.8	18
89	The Role of Brown Adipose Tissue in the Development and Treatment of Nonalcoholic Steatohepatitis: An Exploratory Gene Expression Study in Mice. <i>Hormone and Metabolic Research</i> , 2020 , 52, 869-876	3.1	1
88	Bile acids drive the newborn's gut microbiota maturation. <i>Nature Communications</i> , 2020 , 11, 3692	17.4	42
87	Duodenal-jejunal lining increases postprandial unconjugated bile acid responses and disrupts the bile acid-FXR-FGF19 axis in humans. <i>Metabolism: Clinical and Experimental</i> , 2019 , 93, 25-32	12.7	5
86	Low circulating concentrations of citrulline and FGF19 predict chronic cholestasis and poor survival in adult patients with chronic intestinal failure: development of a Model for End-Stage Intestinal Failure (MESIF risk score). <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1620-1629	7	5
85	The cholic acid extension study in Zellweger spectrum disorders: Results and implications for therapy. <i>Journal of Inherited Metabolic Disease</i> , 2019 , 42, 303-312	5.4	11
84	Gallbladder Dyskinesia Is Associated With an Impaired Postprandial Fibroblast Growth Factor 19 Response in Critically Ill Patients. <i>Hepatology</i> , 2019 , 70, 308-318	11.2	3
83	Differential effects of a 40-hour fast and bile acid supplementation on human GLP-1 and FGF19 responses. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 317, E494-E502	6	4
82	Effect of Plasmapheresis on Cholestatic Pruritus and Autotaxin Activity During Pregnancy. <i>Hepatology</i> , 2019 , 69, 2707-2710	11.2	2

81	The role of macrophages in the development of biliary injury in a lipopolysaccharide-aggravated hepatic ischaemia-reperfusion model. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1284-1292	6.9	4
80	Chronic elevation of plasma fibroblast growth factor 19 in long-term farnesoid X receptor agonist therapy, a happy marriage or cause for oncological concern?. <i>Hepatology</i> , 2018 , 67, 782-784	11.2	2
79	Ophthalmic acid as a read-out for hepatic glutathione metabolism in humans. <i>Journal of Clinical and Translational Research</i> , 2018 , 3, 366-374	1.1	
78	FXR agonism protects against liver injury in a rat model of intestinal failure-associated liver disease. <i>Journal of Clinical and Translational Research</i> , 2018 , 3, 318-327	1.1	3
77	FXR agonist obeticholic acid induces liver growth but exacerbates biliary injury in rats with obstructive cholestasis. <i>Scientific Reports</i> , 2018 , 8, 16529	4.9	13
76	Cross-Species Molecular Imaging of Bile Salts and Lipids in Liver: Identification of Molecular Structural Markers in Health and Disease. <i>Analytical Chemistry</i> , 2018 , 90, 11835-11846	7.8	15
75	The cholic acid extension study in Zellweger spectrum disorders: results and implications for therapy. <i>Journal of Inherited Metabolic Disease</i> , 2018 ,	5.4	2
74	Effect of obeticholic acid on liver regeneration following portal vein embolization in an experimental model. <i>British Journal of Surgery</i> , 2017 , 104, 590-599	5.3	8
73	Novel serum and bile protein markers predict primary sclerosing cholangitis disease severity and prognosis. <i>Journal of Hepatology</i> , 2017 , 66, 1214-1222	13.4	34
72	Cathepsin D regulates lipid metabolism in murine steatohepatitis. <i>Scientific Reports</i> , 2017 , 7, 3494	4.9	29
71	Systematic review of the influence of chemotherapy-associated liver injury on outcome after partial hepatectomy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2017 , 104, 990-1002	5.3	62
70	The ascending pathophysiology of cholestatic liver disease. <i>Hepatology</i> , 2017 , 65, 722-738	11.2	141
69	Improvement of Insulin Sensitivity after Lean Donor Feces in Metabolic Syndrome Is Driven by Baseline Intestinal Microbiota Composition. <i>Cell Metabolism</i> , 2017 , 26, 611-619.e6	24.6	440
68	Distinct fecal and oral microbiota composition in human type 1 diabetes, an observational study. <i>PLoS ONE</i> , 2017 , 12, e0188475	3.7	96
67	Interactions between bile salts, gut microbiota, and hepatic innate immunity. <i>Immunological Reviews</i> , 2017 , 279, 23-35	11.3	40
66	Validation of gene expression profiles from cholestatic hepatotoxicants in vitro against human in vivo cholestasis. <i>Toxicology in Vitro</i> , 2017 , 44, 322-329	3.6	7
65	Effects of acute dietary weight loss on postprandial plasma bile acid responses in obese insulin resistant subjects. <i>Clinical Nutrition</i> , 2017 , 36, 1615-1620	5.9	9
64	Parenteral nutrition dysregulates bile salt homeostasis in a rat model of parenteral nutrition-associated liver disease. <i>Clinical Nutrition</i> , 2017 , 36, 1403-1410	5.9	10

63	Prolonged fibroblast growth factor 19 response in patients with primary sclerosing cholangitis after an oral chenodeoxycholic acid challenge. <i>Hepatology International</i> , 2017 , 11, 132-140	8.8	10
62	Low-Dose Lipopolysaccharide Causes Biliary Injury by Blood Biliary Barrier Impairment in a Rat Hepatic Ischemia/Reperfusion Model. <i>Liver Transplantation</i> , 2017 , 23, 194-206	4.5	4
61	Cholic acid therapy in Zellweger spectrum disorders. <i>Journal of Inherited Metabolic Disease</i> , 2016 , 39, 859-868	5.4	33
60	Integrative "-Omics" Analysis in Primary Human Hepatocytes Unravels Persistent Mechanisms of Cyclosporine A-Induced Cholestasis. <i>Chemical Research in Toxicology</i> , 2016 , 29, 2164-2174	4	14
59	The influence of chemotherapy-associated sinusoidal dilatation on short-term outcome after partial hepatectomy for colorectal liver metastases: A systematic review with meta-analysis. <i>Surgical Oncology</i> , 2016 , 25, 298-307	2.5	7
58	Liver resection for cancer: New developments in prediction, prevention and management of postresectional liver failure. <i>Journal of Hepatology</i> , 2016 , 65, 1217-1231	13.4	56
57	Serum Autotaxin Activity Correlates With Pruritus in Pediatric Cholestatic Disorders. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 62, 530-5	2.8	21
56	Elevated interleukin-8 in bile of patients with primary sclerosing cholangitis. <i>Liver International</i> , 2016 , 36, 1370-7	7.9	27
55	The portal-drained viscera release fibroblast growth factor 19 in humans. <i>Physiological Reports</i> , 2016 , 4, e13037	2.6	7
54	The role of bile salts in liver regeneration. <i>Hepatology International</i> , 2016 , 10, 733-40	8.8	22
53	Validation of the peak bilirubin criterion for outcome after partial hepatectomy. <i>Hpb</i> , 2016 , 18, 806-812	3.8	3
52	Sodium taurocholate cotransporting polypeptide (SLC10A1) deficiency: conjugated hypercholanemia without a clear clinical phenotype. <i>Hepatology</i> , 2015 , 61, 260-7	11.2	130
51	Inhibition of mutant IDH1 decreases D-2-HG levels without affecting tumorigenic properties of chondrosarcoma cell lines. <i>Oncotarget</i> , 2015 , 6, 12505-19	3.3	65
50	Calorie restriction and Roux-en-Y gastric bypass have opposing effects on circulating FGF21 in morbidly obese subjects. <i>Clinical Endocrinology</i> , 2014 , 81, 862-70	3.4	45
49	Impact of global Fxr deficiency on experimental acute pancreatitis and genetic variation in the FXR locus in human acute pancreatitis. <i>PLoS ONE</i> , 2014 , 9, e114393	3.7	7
48	Yin Yang 1 and farnesoid X receptor: a balancing act in non-alcoholic fatty liver disease?. <i>Gut</i> , 2014 , 63, 1-2	19.2	9
47	Bile acid receptors as targets for drug development. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014 , 11, 55-67	24.2	423
46	Prevention and reversal of hepatic steatosis with a high-protein diet in mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 685-95	6.9	36

45	Accuracy of prediction scores and novel biomarkers for predicting nonalcoholic fatty liver disease in obese children. <i>Obesity</i> , 2013 , 21, 583-90	8	45
44	Prometheus little helper, a novel role for fibroblast growth factor 15 in compensatory liver growth. <i>Journal of Hepatology</i> , 2013 , 59, 1121-3	13.4	7
43	Fibroblast growth factor 21 is induced by endoplasmic reticulum stress. <i>Biochimie</i> , 2013 , 95, 692-9	4.6	122
42	Apolipoprotein A5 deficiency aggravates high-fat diet-induced obesity due to impaired central regulation of food intake. <i>FASEB Journal</i> , 2013 , 27, 3354-62	0.9	8
41	The gut-liver axis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013 , 16, 576-81	3.8	42
40	Mutations in the isocitrate dehydrogenase genes IDH1 and IDH2 in tumors. <i>Advances in Anatomic Pathology</i> , 2013 , 20, 32-8	5.1	62
39	The human gallbladder secretes fibroblast growth factor 19 into bile: towards defining the role of fibroblast growth factor 19 in the enterobiliary tract. <i>Hepatology</i> , 2012 , 55, 575-83	11.2	95
38	Bile salts predict liver regeneration in rabbit model of portal vein embolization. <i>Journal of Surgical Research</i> , 2012 , 178, 773-8	2.5	15
37	Effect of ursodeoxycholic acid on bile acid profiles and intestinal detoxification machinery in primary biliary cirrhosis and health. <i>Journal of Hepatology</i> , 2012 , 57, 133-40	13.4	78
36	Serum autotaxin is increased in pruritus of cholestasis, but not of other origin, and responds to therapeutic interventions. <i>Hepatology</i> , 2012 , 56, 1391-400	11.2	174
35	Fibroblast growth factor 19, an anticholestatic drug produced by human liver. <i>Gastroenterology</i> , 2012 , 142, e29-30	13.3	3
34	Can plasma bile salt, triglycerides, and apoA-V levels predict liver regeneration?. <i>World Journal of Surgery</i> , 2012 , 36, 2901-8	3.3	14
33	Pharmacological activation of the bile acid nuclear farnesoid X receptor is feasible in patients with quiescent Crohn's colitis. <i>PLoS ONE</i> , 2012 , 7, e49706	3.7	18
32	Role of fibroblast growth factor 19 in the control of glucose homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2012 , 15, 386-91	3.8	29
31	Alterations of hormonally active fibroblast growth factors after Roux-en-Y gastric bypass surgery. <i>Digestive Diseases</i> , 2011 , 29, 48-51	3.2	106
30	The hepatic response to FGF19 is impaired in patients with nonalcoholic fatty liver disease and insulin resistance. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, G440-5	5.1	106
29	Plasma apolipoprotein AV levels in mice are positively associated with plasma triglyceride levels. <i>Journal of Lipid Research</i> , 2009 , 50, 880-4	6.3	13
28	High expression of the bile salt-homeostatic hormone fibroblast growth factor 19 in the liver of patients with extrahepatic cholestasis. <i>Hepatology</i> , 2009 , 49, 1228-35	11.2	205

27	Efficient lowering of triglyceride levels in mice by human apoAV protein variants associated with hypertriglyceridemia. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 379, 542-6	3.4	5
26	Hypertriglyceridaemia and low plasma HDL in a patient with apolipoprotein A-V deficiency due to a novel mutation in the APOA5 gene. <i>Journal of Internal Medicine</i> , 2008 , 263, 450-8	10.8	42
25	Determinants of plasma apolipoprotein A-V and APOA5 gene transcripts in humans. <i>Journal of Internal Medicine</i> , 2008 , 264, 452-62	10.8	26
24	ApoE2-associated hypertriglyceridemia is ameliorated by increased levels of apoA-V but unaffected by apoC-III deficiency. <i>Journal of Lipid Research</i> , 2008 , 49, 1048-55	6.3	4
23	Effects of six APOA5 variants, identified in patients with severe hypertriglyceridemia, on in vitro lipoprotein lipase activity and receptor binding. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1866-71	9.4	57
22	Changes in hepatic ApoAV expression are not required for the rapid triglyceride lowering effect of fish oil diet in rats. <i>Hormone and Metabolic Research</i> , 2008 , 40, 69-71	3.1	4
21	Estrogen induced hypertriglyceridemia in an apolipoprotein AV deficient patient. <i>Journal of Internal Medicine</i> , 2008 , 263, 107-8	10.8	12
20	Plasma apoAV levels are markedly elevated in severe hypertriglyceridemia and positively correlated with the APOA5 S19W polymorphism. <i>Atherosclerosis</i> , 2007 , 193, 129-34	3.1	65
19	Apolipoprotein AV does not contribute to hypertriglyceridaemia or triglyceride lowering by dietary fish oil and rosiglitazone in obese Zucker rats. <i>Diabetologia</i> , 2006 , 49, 1324-32	10.3	18
18	Apolipoprotein A-V, triglycerides and risk of coronary artery disease: the prospective Epic-Norfolk Population Study. <i>Journal of Lipid Research</i> , 2006 , 47, 2064-70	6.3	76
17	Evidence for a complex relationship between apoA-V and apoC-III in patients with severe hypertriglyceridemia. <i>Journal of Lipid Research</i> , 2006 , 47, 2333-9	6.3	50
16	A novel sequence variant in APOA5 gene found in patients with severe hypertriglyceridemia. <i>Atherosclerosis</i> , 2006 , 188, 215-7	3.1	40
15	Hepatocyte nuclear factor-4alpha regulates the human apolipoprotein AV gene: identification of a novel response element and involvement in the control by peroxisome proliferator-activated receptor-gamma coactivator-1alpha, AMP-activated protein kinase, and mitogen-activated protein kinase pathway. <i>Molecular Endocrinology</i> , 2005 , 19, 3107-25		31
14	Diosgenin-induced biliary cholesterol secretion in mice requires Abcg8. <i>Hepatology</i> , 2005 , 41, 141-50	11.2	33
13	Thyroid hormone regulates the hypotriglyceridemic gene APOA5. <i>Journal of Biological Chemistry</i> , 2005 , 280, 27533-43	5.4	51
12	ApoAV reduces plasma triglycerides by inhibiting very low density lipoprotein-triglyceride (VLDL-TG) production and stimulating lipoprotein lipase-mediated VLDL-TG hydrolysis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 27941-7	5.4	225
11	Cytoplasmic fatty acid-binding protein facilitates fatty acid utilization by skeletal muscle. <i>Acta Physiologica Scandinavica</i> , 2003 , 178, 367-71		105
10	Relation between hepatic expression of ATP-binding cassette transporters G5 and G8 and biliary cholesterol secretion in mice. <i>Journal of Hepatology</i> , 2003 , 38, 710-6	13.4	72

9	Evolution of the family of intracellular lipid binding proteins in vertebrates. <i>Molecular and Cellular Biochemistry</i> , 2002 , 239, 69-77	4.2	105
8	Adenoviral overexpression of apolipoprotein A-V reduces serum levels of triglycerides and cholesterol in mice. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 295, 1156-9	3.4	139
7	Evolution of the family of intracellular lipid binding proteins in vertebrates. <i>Molecular and Cellular Biochemistry</i> , 2002 , 239, 69-77	4.2	39
6	Impaired long-chain fatty acid utilization by cardiac myocytes isolated from mice lacking the heart-type fatty acid binding protein gene. <i>Circulation Research</i> , 1999 , 85, 329-37	15.7	174
5	Cellular fatty acid transport in heart and skeletal muscle as facilitated by proteins. <i>Lipids</i> , 1999 , 34 Suppl, S169-75	1.6	91
4	Fatty acid-binding proteins in the heart. <i>Molecular and Cellular Biochemistry</i> , 1998 , 180, 43-51	4.2	67
3	Fatty acid-binding proteins in the heart. <i>Molecular and Cellular Biochemistry</i> , 1998 , 180, 43-51	4.2	17
2	Molecular cloning of fatty acid-transport protein cDNA from rat. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1997 , 1354, 29-34		31
1	One-step purification of rat heart-type fatty acid-binding protein expressed in Escherichia coli. <i>Biomedical Applications</i> , 1996 , 679, 61-7		12