

Marc Nazare

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3162563/publications.pdf>

Version: 2024-02-01

79
papers

2,515
citations

201575

27
h-index

223716

46
g-index

101
all docs

101
docs citations

101
times ranked

3912
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of cannabinoid receptor type 2 in native cells and zebrafish with a highly potent, cell-permeable fluorescent probe. <i>Chemical Science</i> , 2022, 13, 5539-5545.	3.7	12
2	Rational Design of Highly Potent, Selective, and Bioavailable SGK1 Protein Kinase Inhibitors for the Treatment of Osteoarthritis. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 1567-1584.	2.9	6
3	Donor manipulation for constructing a pH sensing thermally activated delayed fluorescent probe to detect alkaliphiles. <i>Talanta</i> , 2022, 246, 123493.	2.9	5
4	Reverse-Design toward Optimized Labeled Chemical Probes – Examples from the Endocannabinoid System. <i>Chimia</i> , 2022, 76, 425.	0.3	4
5	Weizhouochrones: Gorgonian-Derived Symmetric Dimers and Their Structure Elucidation Using Anisotropic NMR Combined with DP4+ Probability and CASE-3D. <i>Journal of Natural Products</i> , 2022, 85, 1730-1737.	1.5	11
6	Functional Imaging Using Fluorine (¹⁹ F) MR Methods: Basic Concepts. <i>Methods in Molecular Biology</i> , 2021, 2216, 279-299.	0.4	6
7	DOTAM-Based, Targeted, Activatable Fluorescent Probes for the Highly Sensitive and Selective Detection of Cancer Cells. <i>Bioconjugate Chemistry</i> , 2021, 32, 702-712.	1.8	5
8	Cannabinoid receptor type 2 ligands: an analysis of granted patents since 2010. <i>Pharmaceutical Patent Analyst</i> , 2021, 10, 111-163.	0.4	13
9	Topical inflammasome inhibition with disulfiram prevents irritant contact dermatitis. <i>Clinical and Translational Allergy</i> , 2021, 11, e12045.	1.4	14
10	Enhanced Properties of a Benzimidazole Benzylpyrazole Lysine Demethylase Inhibitor: Mechanism-of-Action, Binding Site Analysis, and Activity in Cellular Models of Prostate Cancer. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 14266-14282.	2.9	20
11	<i>In vivo</i> detection of teriflunomide-derived fluorine signal during neuroinflammation using fluorine MR spectroscopy. <i>Theranostics</i> , 2021, 11, 2490-2504.	4.6	10
12	Pentafluorosulfanyl (SF ₅) as a Superior ¹⁹ F Magnetic Resonance Reporter Group: Signal Detection and Biological Activity of Teriflunomide Derivatives. <i>ACS Sensors</i> , 2021, 6, 3948-3956.	4.0	9
13	Development of a 1,2,4-Triazole-Based Lead Tankyrase Inhibitor: Part II. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 17936-17949.	2.9	14
14	From Pyrazolones to Azaindoles: Evolution of Active-Site SHP2 Inhibitors Based on Scaffold Hopping and Bioisosteric Replacement. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 14780-14804.	2.9	16
15	A Palladium-Catalyzed Domino Reaction To Access 3-Amino-2H-indazoles from Hydrazines and 2-Halobenzonitriles. <i>Organic Letters</i> , 2020, 22, 7393-7396.	2.4	6
16	Development of High-Specificity Fluorescent Probes to Enable Cannabinoid Type 2 Receptor Studies in Living Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 16953-16964.	6.6	31
17	Titelbild: Eine aktivierbare Lanthanoid-Lumineszenzsonde für die zeitgesteuerte Detektion von Nitroreduktase in lebenden Bakterien (Angew. Chem. 22/2020). <i>Angewandte Chemie</i> , 2020, 132, 8806-8806.	1.6	0
18	Dual-Mode Detection of Bacterial 16S Ribosomal RNA in Tissues. <i>ACS Sensors</i> , 2020, 5, 1650-1656.	4.0	19

#	ARTICLE	IF	CITATIONS
19	NMR quality control of fragment libraries for screening. <i>Journal of Biomolecular NMR</i> , 2020, 74, 555-563.	1.6	23
20	Preclinical Lead Optimization of a 1,2,4-Triazole Based Tankyrase Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 6834-6846.	2.9	25
21	An Activatable Lanthanide Luminescent Probe for Time-Gated Detection of Nitroreductase in Live Bacteria. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8512-8516.	7.2	55
22	Eine aktivierbare Lanthanoid-Lumineszenzsonde für die zeitgesteuerte Detektion von Nitroreduktase in lebenden Bakterien. <i>Angewandte Chemie</i> , 2020, 132, 8590-8594.	1.6	7
23	Revealing cytotoxic substructures in molecules using deep learning. <i>Journal of Computer-Aided Molecular Design</i> , 2020, 34, 731-746.	1.3	33
24	Designed nanomolar small-molecule inhibitors of Ena/VASP EVH1 interaction impair invasion and extravasation of breast cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 29684-29690.	3.3	21
25	Probing 2 H-Indazoles as Templates for SGK1, Tie2, and SRC Kinase Inhibitors. <i>ChemMedChem</i> , 2019, 14, 1514-1527.	1.6	9
26	Rapid Synthesis of ¹³ C-Halide/Pseudohalide-Substituted Cyanine Sensors with Programmed Generation of Singlet Oxygen. <i>Organic Letters</i> , 2019, 21, 2121-2125.	2.4	12
27	A pharmacological master key mechanism that unlocks the selectivity filter gate in K ⁺ channels. <i>Science</i> , 2019, 363, 875-880.	6.0	91
28	Small-Molecule Lysophosphatidic Acid Receptor 5 (LPAR5) Antagonists: Versatile Pharmacological Tools to Regulate Inflammatory Signaling in BV-2 Microglia Cells. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 531.	1.8	22
29	EU-OPENSREEN: A Novel Collaborative Approach to Facilitate Chemical Biology. <i>SLAS Discovery</i> , 2019, 24, 398-413.	1.4	12
30	A New Highly Thyrotropin Receptor-Selective Small-Molecule Antagonist with Potential for the Treatment of Graves' Orbitopathy. <i>Thyroid</i> , 2019, 29, 111-123.	2.4	55
31	A General One-Pot Synthesis of 2-H-Indazoles Using an Organophosphorus-Silane System. <i>Chemistry - A European Journal</i> , 2018, 24, 9090-9100.	1.7	29
32	Novel strategy for the preparation of 3-perfluoroalkylated-2H-indazole derivatives. <i>Tetrahedron Letters</i> , 2018, 59, 1813-1815.	0.7	12
33	Identification and Characterization of a Single High-Affinity Fatty Acid Binding Site in Human Serum Albumin. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 1044-1048.	7.2	36
34	A novel nitroreductase-enhanced MRI contrast agent and its potential application in bacterial imaging. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 401-408.	5.7	18
35	CellFy: A Cell-Based Fragment Screen against C-Type Lectins. <i>ACS Chemical Biology</i> , 2018, 13, 3229-3235.	1.6	21
36	Use of a sequential high throughput screening assay to identify novel inhibitors of the eukaryotic SRP-Sec61 targeting/translocation pathway. <i>PLoS ONE</i> , 2018, 13, e0208641.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Allosteric Inhibition of a Mammalian Lectin. Journal of the American Chemical Society, 2018, 140, 14915-14925.	6.6	35
38	Mutant KRAS-driven cancers depend on PTPN11/SHP2 phosphatase. Nature Medicine, 2018, 24, 954-960.	15.2	278
39	In Vivo Imaging of MMP-13 Activity Using a Specific Polymer-FRET Peptide Conjugate Detects Early Osteoarthritis and Inhibitor Efficacy. Advanced Functional Materials, 2018, 28, 1802738.	7.8	26
40	A straightforward approach to N-substituted-2H-indazol-2-amines through reductive cyclization. Tetrahedron Letters, 2017, 58, 1633-1635.	0.7	14
41	Direct Experimental Evidence for Halogen-Aryl...Interactions in Solution from Molecular Torsion Balances. Angewandte Chemie - International Edition, 2017, 56, 6454-6458.	7.2	32
42	Identification of a Novel Benzimidazole Pyrazolone Scaffold That Inhibits KDM4 Lysine Demethylases and Reduces Proliferation of Prostate Cancer Cells. SLAS Discovery, 2017, 22, 801-812.	1.4	16
43	Direct Experimental Evidence for Halogen-Aryl...Interactions in Solution from Molecular Torsion Balances. Angewandte Chemie, 2017, 129, 6554-6558.	1.6	3
44	Discovery of a Novel Series of Tankyrase Inhibitors by a Hybridization Approach. Journal of Medicinal Chemistry, 2017, 60, 10013-10025.	2.9	30
45	Loss of Ptpn11 (Shp2) drives satellite cells into quiescence. ELife, 2017, 6, .	2.8	18
46	Organophosphorus-mediated N-N bond formation: facile access to 3-amino-2H-indazoles. Organic and Biomolecular Chemistry, 2016, 14, 8520-8528.	1.5	17
47	Temperature dependence of cross-effect dynamic nuclear polarization in rotating solids: advantages of elevated temperatures. Physical Chemistry Chemical Physics, 2016, 18, 30696-30704.	1.3	30
48	5-Aryl-2-(naphtha-1-yl)sulfonamido-thiazol-4(5H)-ones as clathrin inhibitors. Organic and Biomolecular Chemistry, 2016, 14, 11266-11278.	1.5	4
49	Modulation of Hexadecyl-LPA-Mediated Activation of Mast Cells and Microglia by a Chemical Probe for LPA5. ChemBioChem, 2016, 17, 861-865.	1.3	20
50	Chemical fragment arrays for rapid druggability assessment. Chemical Communications, 2016, 52, 9067-9070.	2.2	18
51	DOTAM Derivatives as Active Cartilage-Targeting Drug Carriers for the Treatment of Osteoarthritis. Bioconjugate Chemistry, 2015, 26, 383-388.	1.8	41
52	In vivo visualization of osteoarthritic hypertrophic lesions. Chemical Science, 2015, 6, 6256-6261.	3.7	19
53	Discovery of N-[4-(1H-pyrazolo[3,4-b]pyrazin-6-yl)-phenyl]-sulfonamides as Highly Active and Selective SGK1 Inhibitors. ACS Medicinal Chemistry Letters, 2015, 6, 73-78.	1.3	37
54	N-[6-(4-Butanoyl-5-methyl-1H-pyrazol-1-yl)pyridazin-3-yl]-5-chloro-1-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-1H-indole (SAR216471), a Novel Intravenous and Oral, Reversible, and Directly Acting P2Y12 Antagonist. Journal of Medicinal Chemistry, 2014, 57, 7293-7316.	2.9	40

#	ARTICLE	IF	CITATIONS
55	Tractable synthesis of multipurpose screening compounds with under-represented molecular features for an open access screening platform. <i>Molecular Diversity</i> , 2014, 18, 483-495.	2.1	6
56	Targeting Platelet G Protein-Coupled Receptors for Antithrombotic Therapy. <i>Drug Development Research</i> , 2013, 74, 440-449.	1.4	0
57	Identification of High-Affinity P2Y ₁₂ Antagonists Based on a Phenylpyrazole Glutamic Acid Piperazine Backbone. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 8615-8629.	2.9	28
58	Selective non-lipid modulator of LPA5 activity in human platelets. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5239-5243.	1.0	28
59	Innenrücktitelbild: Fragment Deconstruction of Small, Potent Factor Xa Inhibitors: Exploring the Superadditivity Energetics of Fragment Linking in Protein-Ligand Complexes (<i>Angew. Chem.</i> 4/2012). <i>Angewandte Chemie</i> , 2012, 124, 1103-1103.	1.6	0
60	Fragment Deconstruction of Small, Potent Factor Xa Inhibitors: Exploring the Superadditivity Energetics of Fragment Linking in Protein-Ligand Complexes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 905-911.	7.2	54
61	Inside Back Cover: Fragment Deconstruction of Small, Potent Factor Xa Inhibitors: Exploring the Superadditivity Energetics of Fragment Linking in Protein-Ligand Complexes (<i>Angew. Chem. Int. Ed.</i>)	7.2	54
62	A general and mild domino approach to substituted 1-aminoindoles. <i>Chemical Communications</i> , 2011, 47, 1042-1044.	2.2	49
63	A Direct, Regioselective Palladium-Catalyzed Synthesis of Substituted Benzimidazoles and Imidazopyridines. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 234-237.	1.2	30
64	A General Palladium-Catalyzed Sonogashira Coupling of Aryl and Heteroaryl Tosylates. <i>Chemistry - A European Journal</i> , 2010, 16, 9986-9989.	1.7	33
65	Evidence for C ₁ Cl/C ₁ Br... Interactions as an Important Contribution to Protein-Ligand Binding Affinity. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 2911-2916.	7.2	243
66	A General and Mild Palladium-Catalyzed Domino Reaction for the Synthesis of 2-Indazoles. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 6879-6882.	7.2	97
67	Structural Requirements for Factor Xa Inhibition by 3-Oxybenzamides with Neutral P1 Substituents: Combining X-ray Crystallography, 3D-QSAR, and Tailored Scoring Functions. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 3290-3312.	2.9	69
68	Probing the Subpockets of Factor Xa Reveals Two Binding Modes for Inhibitors Based on a 2-Carboxyindole Scaffold: A Study Combining Structure-Activity Relationship and X-ray Crystallography. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4511-4525.	2.9	108
69	A Flexible, Palladium-Catalyzed Indole and Azaindole Synthesis by Direct Annulation of Chloroanilines and Chloroaminopyridines with Ketones. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4526-4528.	7.2	117
70	Factor Xa Inhibitors Based on a 2-Carboxyindole Scaffold: SAR of Neutral P1 Substituents.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
71	Novel Factor Xa Inhibitors Based on a 2-Carboxyindole Scaffold: SAR of P4 Substituents in Combination with a Neutral P1 Ligand.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
72	A Flexible, Palladium-Catalyzed Indole and Azaindole Synthesis by Direct Annulation of Chloroanilines and Chloroaminopyridines with Ketones.. <i>ChemInform</i> , 2004, 35, no.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Novel factor Xa inhibitors based on a benzoic acid scaffold and incorporating a neutral P1 ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 2801-2805.	1.0	18
74	Novel factor Xa inhibitors based on a 2-carboxyindole scaffold: SAR of P4 substituents in combination with a neutral P1 ligand. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4197-4201.	1.0	15
75	Factor Xa inhibitors based on a 2-carboxyindole scaffold: SAR of neutral P1 substituents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4191-4195.	1.0	18
76	Enantiospecific Synthesis of the (9S,18R)-Diastereomer of the Leukocyte Adhesion Inhibitor Cyclamenol A. <i>Chemistry - A European Journal</i> , 2001, 7, 3363-3376.	1.7	40
77	Synthesis of the (9S,18R) Diastereomer of Cyclamenol A. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1125-1128.	7.2	48
78	Synthesis of the (9S,18R)-seco acid of the leukocyte adhesion inhibitor cyclamenol A. <i>Tetrahedron Letters</i> , 2000, 41, 625-628.	0.7	16
79	Efficient enantioselective synthesis of a β^2 -hydroxyepoxide building block for the construction of macrocyclic natural products. <i>Tetrahedron Letters</i> , 1998, 39, 1143-1144.	0.7	12