

Tatsuya Kawakami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3164894/publications.pdf>

Version: 2024-02-01

14
papers

135
citations

1478505

6
h-index

1199594

12
g-index

15
all docs

15
docs citations

15
times ranked

196
citing authors

#	ARTICLE	IF	CITATIONS
1	Estuarine dependency of <i>Lates japonicus</i> in Shimanto Estuary, Japan, inferred from otolith Sr:Ca. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 252, 107269.	2.1	3
2	Distribution of anguillid leptocephali and possible spawning areas in the South Pacific Ocean. <i>Progress in Oceanography</i> , 2020, 180, 102234.	3.2	23
3	Relationships between growth traits and scale stable isotopes ($\delta^{13}C$, $\delta^{15}N$) of adult chum salmon <i>Oncorhynchus keta</i> in Hokkaido, Japan. <i>Journal of Applied Ichthyology</i> , 2019, 35, 570-575.	0.7	2
4	First report of growth rate of juvenile chum salmon <i>Oncorhynchus keta</i> captured in the Sea of Okhotsk offshore. <i>Ichthyological Research</i> , 2019, 66, 155-159.	0.8	3
5	Early life history of oxudercine goby <i>Pseudapocryptes elongatus</i> in the Mekong Delta, Vietnam. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 597-604.	0.8	2
6	Low-fidelity homing behaviour of Biwa salmon <i>Oncorhynchus</i> sp. landlocked in Lake Biwa as inferred from otolith elemental and Sr isotopic compositions. <i>Fisheries Science</i> , 2018, 84, 799-813.	1.6	2
7	Growth rate characteristics of juvenile chum salmon <i>Oncorhynchus keta</i> originating from the Pacific coast of Japan and reaching Konbumori, eastern Hokkaido. <i>Fisheries Science</i> , 2017, 83, 987-996.	1.6	16
8	Impact of the tsunami associated with the 2011 Great East Japan Earthquake on the <i>Plecoglossus altivelis altivelis</i> from the Sanriku coast of northern Japan. <i>Nippon Suisan Gakkaishi</i> , 2016, 82, 146-146.	0.1	1
9	Immediate impact of the tsunami associated with the 2011 Great East Japan Earthquake on the <i>Plecoglossus altivelis altivelis</i> population from the Sanriku coast of northern Japan. <i>Environmental Biology of Fishes</i> , 2016, 99, 527-538.	1.0	12
10	DNA species identification of pelagic fish eggs. <i>Nippon Suisan Gakkaishi</i> , 2015, 81, 472-472.	0.1	0
11	Embryonic development and morphology of eggs and newly hatched larvae of Pacific herring <i>Clupea pallasii</i> . <i>Fisheries Science</i> , 2011, 77, 183-190.	1.6	14
12	Occurrence and body size changes of drifting land-locked Ryukyu-ayu <i>Plecoglossus altivelis ryukyuensis</i> larvae in the San-numata River, Okinawa-jima Island, Japan. <i>Ichthyological Research</i> , 2010, 57, 204-208.	0.8	2
13	Morphology of pelagic fish eggs identified using mitochondrial DNA and their distribution in waters west of the Mariana Islands. <i>Environmental Biology of Fishes</i> , 2010, 87, 221-235.	1.0	40
14	Diet shift of larval and juvenile landlocked Ryukyu-ayu <i>Plecoglossus altivelis ryukyuensis</i> in the Fukuji Reservoir, Okinawa Island, Japan. <i>Fisheries Science</i> , 2005, 71, 1003-1009.	1.6	15