

Catherine J Harmer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3166267/publications.pdf>

Version: 2024-02-01

301
papers

16,722
citations

14614

66
h-index

20900

115
g-index

327
all docs

327
docs citations

327
times ranked

14351
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Positive Versus Negative Affective Perception and Memory in Healthy Volunteers Following Selective Serotonin and Norepinephrine Reuptake Inhibition. <i>American Journal of Psychiatry</i> , 2004, 161, 1256-1263.	4.0	501
2	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009, 195, 102-108.	1.7	451
3	The Lancet Psychiatry Commission on psychological treatments research in tomorrow's science. <i>Lancet Psychiatry</i> , 2018, 5, 237-286.	3.7	412
4	Antidepressant Drug Treatment Modifies the Neural Processing of Nonconscious Threat Cues. <i>Biological Psychiatry</i> , 2006, 59, 816-820.	0.7	411
5	Effect of Acute Antidepressant Administration on Negative Affective Bias in Depressed Patients. <i>American Journal of Psychiatry</i> , 2009, 166, 1178-1184.	4.0	408
6	How do antidepressants work? New perspectives for refining future treatment approaches. <i>Lancet Psychiatry</i> , 2017, 4, 409-418.	3.7	392
7	Acute SSRI Administration Affects the Processing of Social Cues in Healthy Volunteers. <i>Neuropsychopharmacology</i> , 2003, 28, 148-152.	2.8	381
8	Prebiotic intake reduces the waking cortisol response and alters emotional bias in healthy volunteers. <i>Psychopharmacology</i> , 2015, 232, 1793-1801.	1.5	366
9	Diminished Neural Processing of Aversive and Rewarding Stimuli During Selective Serotonin Reuptake Inhibitor Treatment. <i>Biological Psychiatry</i> , 2010, 67, 439-445.	0.7	282
10	Toward a Neuropsychological Theory of Antidepressant Drug Action: Increase in Positive Emotional Bias After Potentiation of Norepinephrine Activity. <i>American Journal of Psychiatry</i> , 2003, 160, 990-992.	4.0	241
11	Neural representation of reward in recovered depressed patients. <i>Psychopharmacology</i> , 2009, 205, 667-677.	1.5	226
12	Meta-analysis of emotion recognition deficits in major depressive disorder. <i>Psychological Medicine</i> , 2015, 45, 1135-1144.	2.7	226
13	Effect of a single dose of citalopram on amygdala response to emotional faces. <i>British Journal of Psychiatry</i> , 2009, 194, 535-540.	1.7	218
14	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007, 21, 684-690.	2.0	214
15	The modification of attentional bias to emotional information: A review of the techniques, mechanisms, and relevance to emotional disorders. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2010, 10, 8-20.	1.0	211
16	Lateral Prefrontal Cortex Mediates the Cognitive Modification of Attentional Bias. <i>Biological Psychiatry</i> , 2010, 67, 919-925.	0.7	202
17	Short-term SSRI treatment normalises amygdala hyperactivity in depressed patients. <i>Psychological Medicine</i> , 2012, 42, 2609-2617.	2.7	202
18	Oxytocin enhances processing of positive versus negative emotional information in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2009, 23, 241-248.	2.0	200

#	ARTICLE	IF	CITATIONS
19	The effect of the serotonin transporter polymorphism (5-HTTLPR) on amygdala function: a meta-analysis. <i>Molecular Psychiatry</i> , 2013, 18, 512-520.	4.1	199
20	Increased Neural Processing of Rewarding and Aversive Food Stimuli in Recovered Anorexia Nervosa. <i>Biological Psychiatry</i> , 2011, 70, 736-743.	0.7	193
21	Serotonin and emotional processing: Does it help explain antidepressant drug action?. <i>Neuropharmacology</i> , 2008, 55, 1023-1028.	2.0	191
22	Increased Waking Salivary Cortisol Levels in Young People at Familial Risk of Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 617-621.	4.0	169
23	Normalization of Enhanced Fear Recognition by Acute SSRI Treatment in Subjects With a Previous History of Depression. <i>American Journal of Psychiatry</i> , 2004, 161, 166-168.	4.0	168
24	Using Attentional Bias Modification as a Cognitive Vaccine Against Depression. <i>Biological Psychiatry</i> , 2012, 72, 572-579.	0.7	162
25	The effect of serotonergic and noradrenergic antidepressants on face emotion processing in depressed patients. <i>Journal of Affective Disorders</i> , 2009, 118, 87-93.	2.0	160
26	Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , 2007, 37, 1281-1291.	2.7	155
27	Transcranial magnetic stimulation of medial frontal cortex impairs the processing of angry facial expressions. <i>Nature Neuroscience</i> , 2001, 4, 17-18.	7.1	154
28	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005, 57, 517-524.	0.7	149
29	Tryptophan depletion decreases the recognition of fear in female volunteers. <i>Psychopharmacology</i> , 2003, 167, 411-417.	1.5	148
30	Tyrosine depletion attenuates dopamine function in healthy volunteers. <i>Psychopharmacology</i> , 2001, 154, 105-111.	1.5	147
31	Cognitive Bias Modification Using Mental Imagery for Depression: Developing A Novel Computerized Intervention to Change Negative Thinking Styles. <i>European Journal of Personality</i> , 2012, 26, 145-157.	1.9	142
32	Neural Processing of Reward and Punishment in Young People at Increased Familial Risk of Depression. <i>Biological Psychiatry</i> , 2012, 72, 588-594.	0.7	140
33	"It's the way that you look at it" a cognitive neuropsychological account of SSRI action in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120407.	1.8	140
34	Enhanced recognition of disgust in bipolar illness. <i>Biological Psychiatry</i> , 2002, 51, 298-304.	0.7	134
35	Enhanced Early Morning Salivary Cortisol in Neuroticism. <i>American Journal of Psychiatry</i> , 2005, 162, 807-809.	4.0	134
36	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. <i>British Journal of Psychiatry</i> , 2001, 179, 356-360.	1.7	133

#	ARTICLE	IF	CITATIONS
37	Enhanced dopamine efflux in the amygdala by a predictive, but not a non-predictive, stimulus: facilitation by prior repeated d-amphetamine. <i>Neuroscience</i> , 1999, 90, 119-130.	1.1	112
38	Frontal Cortex Stimulation Reduces Vigilance to Threat: Implications for the Treatment of Depression and Anxiety. <i>Biological Psychiatry</i> , 2016, 79, 823-830.	0.7	109
39	A cognitive neuropsychological model of antidepressant drug action. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1586-1592.	2.5	107
40	Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009, 194, 139-145.	1.7	106
41	Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. <i>Neuropsychologia</i> , 2002, 40, 1586-1590.	0.7	105
42	Acute administration of nutritionally sourced tryptophan increases fear recognition. <i>Psychopharmacology</i> , 2003, 169, 104-107.	1.5	103
43	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011, 25, 1148-1158.	2.0	103
44	How Cannabis Causes Paranoia: Using the Intravenous Administration of Δ^9 -Tetrahydrocannabinol (THC) to Identify Key Cognitive Mechanisms Leading to Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 391-399.	2.3	101
45	SSRI administration reduces resting state functional connectivity in dorso-medial prefrontal cortex. <i>Molecular Psychiatry</i> , 2011, 16, 592-594.	4.1	100
46	Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. <i>European Neuropsychopharmacology</i> , 2016, 26, 994-1003.	0.3	100
47	The THINC-Integrated Tool (THINC-it) Screening Assessment for Cognitive Dysfunction. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 873-881.	1.1	100
48	Short-term antidepressant treatment and facial processing. <i>British Journal of Psychiatry</i> , 2007, 190, 531-532.	1.7	99
49	Erythropoietin Enhances Hippocampal Response during Memory Retrieval in Humans. <i>Journal of Neuroscience</i> , 2007, 27, 2788-2792.	1.7	97
50	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002, 163, 106-110.	1.5	96
51	Short-term antidepressant treatment modulates amygdala response to happy faces. <i>Psychopharmacology</i> , 2009, 206, 197-204.	1.5	96
52	Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H215O PET study. <i>European Journal of Neuroscience</i> , 2007, 25, 2224-2233.	1.2	93
53	Real-Time Functional Magnetic Resonance Imaging Amygdala Neurofeedback Changes Positive Information Processing in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 82, 578-586.	0.7	92
54	Recombinant Human Erythropoietin for Treating Treatment-Resistant Depression: A Double-Blind, Randomized, Placebo-Controlled Phase 2 Trial. <i>Neuropsychopharmacology</i> , 2014, 39, 1399-1408.	2.8	89

#	ARTICLE	IF	CITATIONS
55	Effect of the Putative Lithium Mimetic Ebselen on Brain Myo-Inositol, Sleep, and Emotional Processing in Humans. <i>Neuropsychopharmacology</i> , 2016, 41, 1768-1778.	2.8	85
56	Direct effects of diazepam on emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2008, 199, 503-513.	1.5	84
57	Effect of Prefrontal Cortex Stimulation on Regulation of Amygdala Response to Threat in Individuals With Trait Anxiety. <i>JAMA Psychiatry</i> , 2019, 76, 71.	6.0	84
58	A Selective Nociceptin Receptor Antagonist to Treat Depression: Evidence from Preclinical and Clinical Studies. <i>Neuropsychopharmacology</i> , 2016, 41, 1803-1812.	2.8	82
59	Innovative approaches to bipolar disorder and its treatment. <i>Annals of the New York Academy of Sciences</i> , 2016, 1366, 76-89.	1.8	81
60	Tryptophan supplementation induces a positive bias in the processing of emotional material in healthy female volunteers. <i>Psychopharmacology</i> , 2006, 187, 121-130.	1.5	76
61	Emotional processing in women with anorexia nervosa and in healthy volunteers. <i>Eating Behaviors</i> , 2009, 10, 184-191.	1.1	75
62	Short-term serotonergic but not noradrenergic antidepressant administration reduces attentional vigilance to threat in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 169.	1.0	75
63	Short-term antidepressant administration reduces negative self-referential processing in the medial prefrontal cortex in subjects at risk for depression. <i>Molecular Psychiatry</i> , 2012, 17, 503-510.	4.1	75
64	Reduced neural response to reward following 7 days treatment with the cannabinoid CB1 antagonist rimonabant in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1103-1113.	1.0	74
65	The Good, the Bad, and the Irrelevant: Neural Mechanisms of Learning Real and Hypothetical Rewards and Effort. <i>Journal of Neuroscience</i> , 2015, 35, 11233-11251.	1.7	74
66	Hippocampal volume in vulnerability and resilience to depression. <i>Journal of Affective Disorders</i> , 2016, 189, 199-202.	2.0	74
67	Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003, 182, 210-213.	1.7	73
68	Decreased heart rate variability during emotion regulation in subjects at risk for psychopathology. <i>Psychological Medicine</i> , 2012, 42, 1775-1783.	2.7	70
69	Predicting Treatment Response in Depression: The Role of Anterior Cingulate Cortex. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 988-996.	1.0	70
70	Erythropoietin Improves Mood and Modulates the Cognitive and Neural Processing of Emotion 3 Days Post Administration. <i>Neuropsychopharmacology</i> , 2008, 33, 611-618.	2.8	69
71	Early effects of mirtazapine on emotional processing. <i>Psychopharmacology</i> , 2009, 203, 685-691.	1.5	67
72	Effects of the potential lithium-mimetic, ebselen, on impulsivity and emotional processing. <i>Psychopharmacology</i> , 2016, 233, 2655-2661.	1.5	67

#	ARTICLE	IF	CITATIONS
73	Sex differences in the effect of acute tryptophan depletion on declarative episodic memory: A pooled analysis of nine studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 516-529.	2.9	66
74	Changes in Automatic Threat Processing Precede and Predict Clinical Changes with Exposure-Based Cognitive-Behavior Therapy for Panic Disorder. <i>Biological Psychiatry</i> , 2013, 73, 1064-1070.	0.7	66
75	Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. <i>Chronobiology International</i> , 2014, 31, 290-296.	0.9	65
76	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. <i>Psychopharmacology</i> , 2002, 160, 192-197.	1.5	63
77	Cognitive neuropsychological theory of antidepressant action: a modern-day approach to depression and its treatment. <i>Psychopharmacology</i> , 2021, 238, 1265-1278.	1.5	63
78	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. <i>Psychopharmacology</i> , 2001, 154, 383-389.	1.5	62
79	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008, 13, 1011-1020.	4.1	62
80	Increased neural response to fear in patients recovered from depression: a 3T functional magnetic resonance imaging study. <i>Psychological Medicine</i> , 2010, 40, 425-432.	2.7	62
81	Paradoxical effects of short-term antidepressant treatment in fMRI emotional processing models in volunteers with high neuroticism. <i>Psychological Medicine</i> , 2014, 44, 241-252.	2.7	62
82	Dissociable effects of acute antidepressant drug administration on subjective and emotional processing measures in healthy volunteers. <i>Psychopharmacology</i> , 2008, 199, 495-502.	1.5	61
83	Acute administration of the cannabinoid CB1 antagonist rimonabant impairs positive affective memory in healthy volunteers. <i>Psychopharmacology</i> , 2009, 205, 85-91.	1.5	61
84	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011, 25, 1159-1167.	2.0	61
85	Predicting rapid response to cognitive-behavioural treatment for panic disorder: The role of hippocampus, insula, and dorsolateral prefrontal cortex. <i>Behaviour Research and Therapy</i> , 2014, 62, 120-128.	1.6	61
86	Satiation attenuates BOLD activity in brain regions involved in reward and increases activity in dorsolateral prefrontal cortex: an fMRI study in healthy volunteers. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 701-708.	2.2	61
87	A neurocognitive model for understanding treatment action in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140213.	1.8	59
88	Fronto-limbic effective connectivity as possible predictor of antidepressant response to SSRI administration. <i>European Neuropsychopharmacology</i> , 2016, 26, 2000-2010.	0.3	59
89	The Role of Serotonin in Nonnormative Risky Choice: The Effects of Tryptophan Supplements on the "Reflection Effect" in Healthy Adult Volunteers. <i>Journal of Cognitive Neuroscience</i> , 2009, 21, 1709-1719.	1.1	58
90	A single dose of mirtazapine modulates neural responses to emotional faces in healthy people. <i>Psychopharmacology</i> , 2010, 212, 625-634.	1.5	58

#	ARTICLE	IF	CITATIONS
91	Frontolimbic responses to emotional faces in young people at familial risk of depression. <i>Journal of Affective Disorders</i> , 2011, 130, 127-132.	2.0	56
92	Erythropoietin: a candidate treatment for mood symptoms and memory dysfunction in depression. <i>Psychopharmacology</i> , 2012, 219, 687-698.	1.5	56
93	The role of the anterior cingulate cortex in the counting Stroop task. <i>Experimental Brain Research</i> , 2004, 154, 355-358.	0.7	55
94	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. <i>Experimental Brain Research</i> , 2008, 184, 313-321.	0.7	53
95	More rumination and less effective emotion regulation in previously depressed women with preserved executive functions. <i>BMC Psychiatry</i> , 2014, 14, 334.	1.1	53
96	Predicting treatment response to antidepressant medication using early changes in emotional processing. <i>European Neuropsychopharmacology</i> , 2019, 29, 66-75.	0.3	52
97	The effects of drugs on human models of emotional processing: an account of antidepressant drug treatment. <i>Dialogues in Clinical Neuroscience</i> , 2015, 17, 477-487.	1.8	52
98	Enhanced acquisition of discriminative approach following intra-amygdala d-amphetamine. <i>Psychopharmacology</i> , 1997, 132, 237-246.	1.5	51
99	5HT3 antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006, 186, 18-24.	1.5	51
100	Short-term escitalopram treatment normalizes aberrant self-referential processing in major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 236, 222-229.	2.0	50
101	Enhanced conditioned inhibition following repeated pretreatment with d-amphetamine. <i>Psychopharmacology</i> , 1999, 142, 120-131.	1.5	49
102	Affective modulation of anterior cingulate cortex in young people at increased familial risk of depression. <i>British Journal of Psychiatry</i> , 2008, 192, 356-361.	1.7	48
103	Risk for depression is associated with neural biases in emotional categorisation. <i>Neuropsychologia</i> , 2008, 46, 2896-2903.	0.7	47
104	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009, 207, 133-142.	1.5	47
105	Differential activation of the frontal pole to high vs low calorie foods: The neural basis of food preference in Anorexia Nervosa?. <i>Psychiatry Research - Neuroimaging</i> , 2016, 258, 44-53.	0.9	47
106	The neuroscience of depressive disorders: A brief review of the past and some considerations about the future. <i>Brain and Neuroscience Advances</i> , 2018, 2, 239821281879926.	1.8	47
107	Emotional bias and waking salivary cortisol in relatives of patients with major depression. <i>Psychological Medicine</i> , 2007, 37, 403.	2.7	45
108	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007, 37, 904-911.	2.1	45

#	ARTICLE	IF	CITATIONS
109	Erythropoietin Reduces Neural and Cognitive Processing of Fear in Human Models of Antidepressant Drug Action. <i>Biological Psychiatry</i> , 2007, 62, 1244-1250.	0.7	44
110	Effects of 7 days of treatment with the cannabinoid type 1 receptor antagonist, rimonabant, on emotional processing. <i>Journal of Psychopharmacology</i> , 2012, 26, 125-132.	2.0	44
111	Opposing neural effects of naltrexone on food reward and aversion: implications for the treatment of obesity. <i>Psychopharmacology</i> , 2014, 231, 4323-4335.	1.5	44
112	Repeated d -amphetamine enhances stimulated mesoamygdaloid dopamine transmission. <i>Psychopharmacology</i> , 1997, 132, 247-254.	1.5	43
113	Impaired emotional categorisation in young people at increased familial risk of depression. <i>Neuropsychologia</i> , 2007, 45, 2975-2980.	0.7	43
114	Effective emotion regulation strategies improve fMRI and ECG markers of psychopathology in panic disorder: implications for psychological treatment action. <i>Translational Psychiatry</i> , 2015, 5, e673-e673.	2.4	43
115	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. <i>Trials</i> , 2010, 11, 97.	0.7	42
116	Increasing pharmacological knowledge about human neurological and psychiatric disorders through functional neuroimaging and its application in drug discovery. <i>Current Opinion in Pharmacology</i> , 2014, 14, 54-61.	1.7	42
117	Attentional bias in untreated panic disorder. <i>Psychiatry Research</i> , 2011, 185, 387-393.	1.7	41
118	A Functional Magnetic Resonance Imaging Study of Verbal Working Memory in Young People at Increased Familial Risk of Depression. <i>Biological Psychiatry</i> , 2010, 67, 471-477.	0.7	40
119	The D2 antagonist sulpiride modulates the neural processing of both rewarding and aversive stimuli in healthy volunteers. <i>Psychopharmacology</i> , 2011, 217, 271-278.	1.5	39
120	Using an Experimental Medicine Model to Explore Combination Effects of Pharmacological and Cognitive Interventions for Depression and Anxiety. <i>Neuropsychopharmacology</i> , 2011, 36, 2689-2697.	2.8	38
121	The knowns and unknowns of SSRI treatment in young people with depression and anxiety: efficacy, predictors, and mechanisms of action. <i>Lancet Psychiatry</i> , 2021, 8, 824-835.	3.7	38
122	A single dose of antidepressant alters eye-gaze patterns across face stimuli in healthy women. <i>Psychopharmacology</i> , 2015, 232, 953-958.	1.5	37
123	Beyond negative valence: 2-week administration of a serotonergic antidepressant enhances both reward and effort learning signals. <i>PLoS Biology</i> , 2017, 15, e2000756.	2.6	37
124	Selective processing of social threat cues following acute tryptophan depletion. <i>Journal of Psychopharmacology</i> , 2006, 20, 33-39.	2.0	36
125	A role for 5-HT ₄ receptors in human learning and memory. <i>Psychological Medicine</i> , 2020, 50, 2722-2730.	2.7	36
126	Memory impairment in young women at increased risk of depression: influence of cortisol and 5-HTT genotype. <i>Psychological Medicine</i> , 2009, 39, 757-762.	2.7	35

#	ARTICLE	IF	CITATIONS
127	Effects of Short-Term Varenicline Administration on Emotional and Cognitive Processing in Healthy, Non-Smoking Adults: A Randomized, Double-Blind, Study. <i>Neuropsychopharmacology</i> , 2013, 38, 476-484.	2.8	34
128	Neural correlates of improved executive function following erythropoietin treatment in mood disorders. <i>Psychological Medicine</i> , 2016, 46, 1679-1691.	2.7	34
129	Excitation and inhibition in anterior cingulate predict use of past experiences. <i>ELife</i> , 2017, 6, .	2.8	34
130	Emotional Biases and Recurrence in Major Depressive Disorder. Results of 2.5 Years Follow-Up of Drug-Free Cohort Vulnerable for Recurrence. <i>Frontiers in Psychiatry</i> , 2019, 10, 145.	1.3	33
131	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PREdicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314.	2.8	33
132	Neural responses to emotional faces in women recovered from anorexia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 190-195.	0.9	32
133	Different neural and cognitive response to emotional faces in healthy monozygotic twins at risk of depression. <i>Psychological Medicine</i> , 2015, 45, 1447-1458.	2.7	32
134	The effects of using the PREdicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 558.	0.7	32
135	Emotional face processing in women with high and low levels of eating disorder related symptoms. <i>Eating Behaviors</i> , 2008, 9, 389-397.	1.1	31
136	Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. <i>Journal of Psychopharmacology</i> , 2015, 29, 1119-1128.	2.0	31
137	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010, 210, 419-428.	1.5	30
138	Emotional Processing and Antidepressant Action. <i>Current Topics in Behavioral Neurosciences</i> , 2012, 14, 209-222.	0.8	30
139	Antidepressant treatment and emotional processing: can we dissociate the roles of serotonin and noradrenaline?. <i>Journal of Psychopharmacology</i> , 2013, 27, 719-731.	2.0	30
140	Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. <i>BMJ Open</i> , 2016, 6, e009510.	0.8	29
141	Effects of Î±-lactalbumin on emotional processing in healthy women. <i>Journal of Psychopharmacology</i> , 2007, 21, 519-524.	2.0	27
142	NK1 receptor antagonism and the neural processing of emotional information in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 1261.	1.0	27
143	Antidepressant drug action: a neuropsychological perspective. <i>Depression and Anxiety</i> , 2010, 27, 231-233.	2.0	27
144	Couples' Coping After Stroke—A Pilot Intervention Study. <i>Rehabilitation Nursing</i> , 2016, 41, 218-229.	0.3	27

#	ARTICLE	IF	CITATIONS
145	Stability, reliability, and validity of the THINC-it screening tool for cognitive impairment in depression: A psychometric exploration in healthy volunteers. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1736.	1.1	27
146	Statins for major depressive disorder: A systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2021, 16, e0249409.	1.1	27
147	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017, 12, e0185513.	1.1	27
148	Evaluation of breast cancer incidence: is the increase due entirely to mammographic screening?. <i>Cancer Causes and Control</i> , 1999, 10, 333-337.	0.8	26
149	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010, 24, 481-487.	2.0	26
150	Neural response to angry and disgusted facial expressions in bulimia nervosa. <i>Psychological Medicine</i> , 2011, 41, 2375-2384.	2.7	26
151	Anxiety increases breakthrough of threat stimuli in continuous flash suppression.. <i>Emotion</i> , 2014, 14, 1027-1036.	1.5	26
152	Dissociable temporal effects of bupropion on behavioural measures of emotional and reward processing in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170030.	1.8	26
153	Translating the promise of 5HT4 receptor agonists for the treatment of depression. <i>Psychological Medicine</i> , 2021, 51, 1111-1120.	2.7	26
154	Statins in Depression: An Evidence-Based Overview of Mechanisms and Clinical Studies. <i>Frontiers in Psychiatry</i> , 2021, 12, 702617.	1.3	26
155	The common adolescent bipolar phenotype shows positive biases in emotional processing. <i>Bipolar Disorders</i> , 2010, 12, 606-615.	1.1	25
156	Blockade of sensitisation-induced facilitation of appetitive conditioning by post-session intra-amygdala nafadotride. <i>Behavioural Brain Research</i> , 2002, 134, 249-257.	1.2	24
157	Lack of Effect of Tyrosine Depletion on Mood in Recovered Depressed Women. <i>Neuropsychopharmacology</i> , 2005, 30, 786-791.	2.8	24
158	Bilateral Generic Working Memory Circuit Requires Left-Lateralized Addition for Verbal Processing. <i>Cerebral Cortex</i> , 2008, 18, 1421-1428.	1.6	24
159	Negative ion treatment increases positive emotional processing in seasonal affective disorder. <i>Psychological Medicine</i> , 2012, 42, 1605-1612.	2.7	24
160	Effects of Attentional Bias Modification on residual symptoms in depression: a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 141.	1.1	24
161	Attention Bias Modification in Remitted Depression Is Associated With Increased Interest and Leads to Reduced Adverse Impact of Anxiety Symptoms and Negative Cognition. <i>Clinical Psychological Science</i> , 2019, 7, 530-544.	2.4	24
162	How representative are neuroimaging samples? Large-scale evidence for trait anxiety differences between fMRI and behaviour-only research participants. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 1057-1070.	1.5	24

#	ARTICLE	IF	CITATIONS
163	Attentional bias modification is associated with fMRI response toward negative stimuli in individuals with residual depression: a randomized controlled trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 23-33.	1.4	24
164	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 116.	0.7	23
165	Reduced Resting-State Functional Connectivity in Current and Recovered Restrictive Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2017, 8, 30.	1.3	23
166	Isolation Rearing Enhances Acquisition in a Conditioned Inhibition Paradigm. <i>Physiology and Behavior</i> , 1998, 65, 525-533.	1.0	22
167	Effects of acute tyrosine depletion on subjective craving and selective processing of smoking-related cues in abstinent cigarette smokers. <i>Journal of Psychopharmacology</i> , 2007, 21, 805-814.	2.0	22
168	Expectancy and surprise predict neural and behavioral measures of attention to threatening stimuli. <i>NeuroImage</i> , 2012, 59, 1942-1948.	2.1	22
169	A Role Beyond Learning for NMDA Receptors in Reward-Based Decision-Making—a Pharmacological Study Using d-Cycloserine. <i>Neuropsychopharmacology</i> , 2014, 39, 2900-2909.	2.8	22
170	Oxytocin and emotion processing. <i>Journal of Psychopharmacology</i> , 2016, 30, 1156-1159.	2.0	22
171	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2020, 50, 1808-1819.	2.7	22
172	Investigating vulnerability to eating disorders: biases in emotional processing. <i>Psychological Medicine</i> , 2010, 40, 645-655.	2.7	21
173	Effects of emotion recognition training on mood among individuals with high levels of depressive symptoms: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 161.	0.7	21
174	Acute fluoxetine modulates emotional processing in young adult volunteers. <i>Psychological Medicine</i> , 2015, 45, 2295-2308.	2.7	21
175	Test-retest reliability and task order effects of emotional cognitive tests in healthy subjects. <i>Cognition and Emotion</i> , 2016, 30, 1247-1259.	1.2	21
176	Angiotensin Regulation of Amygdala Response to Threat in High-Trait-Anxiety Individuals. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 826-835.	1.1	21
177	Faces and facets: The variability of emotion recognition in psychopathy reflects its affective and antisocial features.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 1066-1076.	2.0	21
178	Inhibition and response to error in remitted major depression. <i>Psychiatry Research</i> , 2016, 235, 116-122.	1.7	20
179	Within-Network Connectivity in the Salience Network After Attention Bias Modification Training in Residual Depression: Report From a Preregistered Clinical Trial. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 508.	1.0	20
180	Glucocorticoid ultradian rhythmicity differentially regulates mood and resting state networks in the human brain: A randomised controlled clinical trial. <i>Psychoneuroendocrinology</i> , 2021, 124, 105096.	1.3	20

#	ARTICLE	IF	CITATIONS
181	Neural correlates of the processing of self-referent emotional information in bulimia nervosa. <i>Neuropsychologia</i> , 2011, 49, 3272-3278.	0.7	19
182	Effects of pramipexole on the processing of rewarding and aversive taste stimuli. <i>Psychopharmacology</i> , 2013, 228, 283-290.	1.5	19
183	“Can you look me in the face?” Short-term SSRI Administration Reverts Avoidant Ocular Face Exploration in Subjects at Risk for Psychopathology. <i>Neuropsychopharmacology</i> , 2014, 39, 3059-3066.	2.8	19
184	A Dissociation of the Acute Effects of Bupropion on Positive Emotional Processing and Reward Processing in Healthy Volunteers. <i>Frontiers in Psychiatry</i> , 2018, 9, 482.	1.3	19
185	Breathlessness in COPD: linking symptom clusters with brain activity. <i>European Respiratory Journal</i> , 2021, 58, 2004099.	3.1	19
186	Short-term NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2011, 215, 239-246.	1.5	18
187	Using an experimental medicine model to understand the antidepressant potential of the N-Methyl-D-aspartic acid (NMDA) receptor antagonist memantine. <i>Journal of Psychopharmacology</i> , 2012, 26, 1417-1423.	2.0	18
188	Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , 2013, 27, 435-443.	2.0	18
189	The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. <i>Journal of Psychopharmacology</i> , 2017, 31, 320-326.	2.0	18
190	Expert Consensus on Screening and Assessment of Cognition in Psychiatry. <i>CNS Spectrums</i> , 2019, 24, 154-162.	0.7	18
191	Cognitive emotional processing across mood disorders. <i>CNS Spectrums</i> , 2019, 24, 54-63.	0.7	17
192	Neurocognitive processes in d-cycloserine augmented single-session exposure therapy for anxiety: A randomized placebo-controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 129, 103607.	1.6	17
193	Resting state functional connectivity patterns as biomarkers of treatment response to escitalopram in patients with major depressive disorder. <i>Psychopharmacology</i> , 2022, 239, 3447-3460.	1.5	17
194	Effects of seven-day diazepam administration on resting-state functional connectivity in healthy volunteers: a randomized, double-blind study. <i>Psychopharmacology</i> , 2015, 232, 2139-2147.	1.5	16
195	A translational perspective on the anti-anhedonic effect of ketamine and its neural underpinnings. <i>Molecular Psychiatry</i> , 2022, 27, 81-87.	4.1	16
196	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2022, 24, 69-81.	1.1	16
197	Acute Reboxetine Administration Increases Plasma and Salivary Cortisol. <i>Journal of Psychopharmacology</i> , 2003, 17, 273-275.	2.0	15
198	Acceptance and Commitment Therapy preceded by an experimental Attention Bias Modification procedure in recurrent depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 203.	0.7	15

#	ARTICLE	IF	CITATIONS
199	Effects of exposure to bodies of different sizes on perception of and satisfaction with own body size: two randomized studies. <i>Royal Society Open Science</i> , 2018, 5, 171387.	1.1	15
200	DÅ©jÄ-vu? Neural and behavioural effects of the 5-HT4 receptor agonist, prucalopride, in a hippocampal-dependent memory task. <i>Translational Psychiatry</i> , 2021, 11, 497.	2.4	15
201	Multispecies probiotic administration reduces emotional salience and improves mood in subjects with moderate depression: a randomised, double-blind, placebo-controlled study. <i>Psychological Medicine</i> , 2023, 53, 3437-3447.	2.7	15
202	Isolation Rearing Enhances the Rate of Acquisition of a Discriminative Approach Task but Does Not Affect the Efficacy of a Conditioned Reward. <i>Physiology and Behavior</i> , 1998, 63, 177-184.	1.0	14
203	Early morning salivary cortisol is not associated with extraversion. <i>Personality and Individual Differences</i> , 2006, 40, 395-400.	1.6	14
204	Research Letter: High-density negative ion treatment increases positive affective memory. <i>Psychological Medicine</i> , 2009, 39, 1930-1932.	2.7	14
205	Early markers of cognitive enhancement: developing an implicit measure of cognitive performance. <i>Psychopharmacology</i> , 2013, 230, 631-638.	1.5	14
206	Cognitive mechanisms of diazepam administration: a healthy volunteer model of emotional processing. <i>Psychopharmacology</i> , 2016, 233, 2221-2228.	1.5	14
207	Are neurocognitive factors associated with repetition of self-harm? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 72, 261-277.	2.9	14
208	No evidence for an acute placebo effect on emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2017, 31, 1578-1587.	2.0	14
209	Early effects of exposure-based cognitive behaviour therapy on the neural correlates of anxiety. <i>Translational Psychiatry</i> , 2018, 8, 225.	2.4	14
210	A single administration of the antibiotic, minocycline, reduces fear processing and improves implicit learning in healthy volunteers: analysis of the serum metabolome. <i>Translational Psychiatry</i> , 2020, 10, 148.	2.4	14
211	Emotional recognition training modifies neural response to emotional faces but does not improve mood in healthy volunteers with high levels of depressive symptoms. <i>Psychological Medicine</i> , 2021, 51, 1211-1219.	2.7	14
212	Effects of reboxetine and citalopram on appraisal of infant facial expressions and attentional biases. <i>Journal of Psychopharmacology</i> , 2012, 26, 670-676.	2.0	13
213	A single dose of mirtazapine attenuates neural responses to self-referential processing. <i>Journal of Psychopharmacology</i> , 2016, 30, 23-32.	2.0	13
214	A single dose of fluoxetine reduces neural limbic responses to anger in depressed adolescents. <i>Translational Psychiatry</i> , 2019, 9, 30.	2.4	13
215	Low-dose tryptophan depletion in recovered depressed women induces impairments in autobiographical memory specificity. <i>Psychopharmacology</i> , 2009, 207, 499-508.	1.5	12
216	The NMDA receptor partial agonist d-cycloserine does not enhance motor learning. <i>Journal of Psychopharmacology</i> , 2016, 30, 994-999.	2.0	12

#	ARTICLE	IF	CITATIONS
217	Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. <i>Journal of Psychopharmacology</i> , 2016, 30, 273-282.	2.0	12
218	Methylphenidate enhances implicit learning in healthy adults. <i>Journal of Psychopharmacology</i> , 2018, 32, 70-80.	2.0	12
219	Variation in recognition of happy and sad facial expressions and self-reported depressive symptom severity: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2019, 257, 461-469.	2.0	12
220	Blunted emotion-modulated startle reflex in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2019, 52, 270-277.	2.1	12
221	Women With Borderline Personality Disorder Show Reduced Identification of Emotional Facial Expressions and a Heightened Negativity Bias. <i>Journal of Personality Disorders</i> , 2020, 34, 677-698.	0.8	12
222	Biases in emotional processing are associated with vulnerability to eating disorders over time. <i>Eating Behaviors</i> , 2011, 12, 56-59.	1.1	11
223	Acute antidepressant drug administration and autobiographical memory recall: A functional magnetic resonance imaging study. <i>Experimental and Clinical Psychopharmacology</i> , 2012, 20, 364-372.	1.3	11
224	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015, 15, 69-79.	1.0	11
225	SSRI enhances sensitivity to background outcomes and modulates response rates: A randomized double blind study of instrumental action and depression. <i>Neurobiology of Learning and Memory</i> , 2016, 131, 76-82.	1.0	11
226	Investigating d-cycloserine as a potential pharmacological enhancer of an emotional bias learning procedure. <i>Journal of Psychopharmacology</i> , 2018, 32, 569-577.	2.0	11
227	No Association Between Amygdala Responses to Negative Faces and Depressive Symptoms: Cross-Sectional Data from 28,638 Individuals in the UK Biobank Cohort. <i>American Journal of Psychiatry</i> , 2022, 179, 509-513.	4.0	11
228	Erythropoietin has no effect on hippocampal response during memory retrieval 3 days post-administration. <i>Psychopharmacology</i> , 2007, 195, 451-453.	1.5	10
229	L'analyse des visages dans la dépression. <i>Evolution Psychiatrique</i> , 2009, 74, 79-91.	0.1	10
230	Effects of the pattern of glucocorticoid replacement on neural processing, emotional reactivity and well-being in healthy male individuals: study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 44.	0.7	10
231	Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. <i>Journal of Affective Disorders</i> , 2018, 226, 267-273.	2.0	10
232	Lithium modulates striatal reward anticipation and prediction error coding in healthy volunteers. <i>Neuropsychopharmacology</i> , 2021, 46, 386-393.	2.8	10
233	Short-Term Quetiapine Treatment Alters the Use of Reinforcement Signals during Risky Decision-Making and Promotes the Choice of Negative Expected Values in Healthy Adult Males. <i>Journal of Neuroscience</i> , 2013, 33, 15588-15595.	1.7	9
234	A Cognitive-Neuropsychological Account of Treatment Action in Anxiety: Can We Augment Clinical Efficacy?. <i>Psychopathology Review</i> , 2016, a3, 77-109.	0.9	9

#	ARTICLE	IF	CITATIONS
235	Does a single session of electroconvulsive therapy alter the neural response to emotional faces in depression? A randomised sham-controlled functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2017, 31, 1215-1224.	2.0	9
236	Acceptance and Commitment Therapy Preceded by Attention Bias Modification on Residual Symptoms in Depression: A 12-Month Follow-Up. <i>Frontiers in Psychology</i> , 2019, 10, 1995.	1.1	9
237	Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019, 33, 194-201.	2.0	9
238	Over-the-counter analgesics use is associated with pain and psychological distress among adolescents: a mixed effects approach in cross-sectional survey data from Norway. <i>BMC Public Health</i> , 2021, 21, 2030.	1.2	9
239	The effects of atorvastatin on emotional processing, reward learning, verbal memory and inflammation in healthy volunteers: An experimental medicine study. <i>Journal of Psychopharmacology</i> , 2021, 35, 1479-1487.	2.0	9
240	Isolation rearing-induced facilitation of Pavlovian learning. <i>Physiology and Behavior</i> , 2002, 76, 677-684.	1.0	8
241	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. <i>Psychopharmacology</i> , 2002, 159, 222-223.	1.5	8
242	Executive dysfunction and autobiographical memory retrieval in recovered depressed women. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 260-266.	0.6	8
243	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <i>European Neuropsychopharmacology</i> , 2015, 25, 2289-2299.	0.3	8
244	Exploring the prediction of emotional valence and pharmacologic effect across fMRI studies of antidepressants. <i>NeuroImage: Clinical</i> , 2018, 20, 407-414.	1.4	8
245	A single administration of <i>Microbial</i> ™ D-alanine to healthy volunteers augments reaction to negative emotions: A comparison with D-serine. <i>Journal of Psychopharmacology</i> , 2020, 34, 557-566.	2.0	8
246	Affective episodes in recently diagnosed patients with bipolar disorder associated with altered working memory-related prefrontal cortex activity: A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2021, 295, 647-656.	2.0	8
247	Accuracy in recognising happy facial expressions is associated with antidepressant response to a NOP receptor antagonist but not placebo treatment. <i>Journal of Psychopharmacology</i> , 2021, 35, 1473-1478.	2.0	8
248	Handbook of Affective Sciences. Edited by R. J. Davidson, K. R. Scherer and H. H. Goldsmith. (Pp. 1119;) Tj ETQq0 0 0 rgBT /Oyerlock 10		
249	Effect of the NMDA receptor partial agonist, d-cycloserine, on emotional processing and autobiographical memory. <i>Psychological Medicine</i> , 2020, 51, 1-9.	2.7	7
250	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000, 3, 297-302.	1.0	6
251	Early morning cortisol response and emotional processing in adults exposed to postnatal depression in infancy. <i>European Psychiatry</i> , 2011, 26, 479-481.	0.1	6
252	Tianeptine in an experimental medicine model of antidepressant action. <i>Journal of Psychopharmacology</i> , 2015, 29, 582-590.	2.0	6

#	ARTICLE	IF	CITATIONS
253	Overnight transdermal scopolamine patch administration has no clear effect on cognition and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019, 33, 255-257.	2.0	6
254	A continuum hypothesis of psychotomimetic rapid antidepressants. <i>Brain and Neuroscience Advances</i> , 2021, 5, 239821282110077.	1.8	6
255	Symptom severity moderates the outcome of attention bias modification for depression: An exploratory study. <i>Journal of Psychiatric Research</i> , 2021, 138, 528-534.	1.5	6
256	A cultural experience to support mental health in people aged 16–24 during the COVID-19 pandemic compared to a typical museum website: study protocol of an online randomised controlled trial. <i>Trials</i> , 2021, 22, 482.	0.7	6
257	An Experimental Medicine Investigation of the Effects of Subacute Pramipexole Treatment on Emotional Information Processing in Healthy Volunteers. <i>Pharmaceuticals</i> , 2021, 14, 800.	1.7	6
258	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-108.	0.4	6
259	Using a generative model of affect to characterize affective variability and its response to treatment in bipolar disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	6
260	Effects of low dose tryptophan depletion on emotional processing in dieters. <i>Eating Behaviors</i> , 2012, 13, 154-157.	1.1	5
261	The common bipolar phenotype in young people. <i>International Journal of Bipolar Disorders</i> , 2013, 1, .	0.8	5
262	A Sense of Embodiment Is Reflected in People's Signature Size. <i>PLoS ONE</i> , 2014, 9, e88438.	1.1	5
263	Neural Predictors of Treatment Response in Depression. <i>Current Behavioral Neuroscience Reports</i> , 2014, 1, 125-133.	0.6	5
264	The cognitive neuropsychological model of antidepressant response. <i>Current Opinion in Psychology</i> , 2015, 4, 124-130.	2.5	5
265	A lack of differentiation in amygdala responses to fearful expression intensity in panic disorder patients. <i>Psychiatry Research - Neuroimaging</i> , 2019, 291, 18-25.	0.9	5
266	Emotional cognition in depression: Is it relevant for Clinical practice?. <i>European Neuropsychopharmacology</i> , 2022, 56, 1-3.	0.3	5
267	Associations Between Statin Use and Negative Affective Bias During COVID-19: An Observational, Longitudinal UK Study Investigating Depression Vulnerability. <i>Biological Psychiatry</i> , 2022, 92, 543-551.	0.7	5
268	An experimental medicine study of the effects of simvastatin on emotional processing, reward learning, verbal memory, and inflammation in healthy volunteers. <i>Psychopharmacology</i> , 2022, 239, 2635-2645.	1.5	5
269	Have No Fear: The Neural Basis of Anxiolytic Drug Action in Generalized Social Phobia. <i>Biological Psychiatry</i> , 2013, 73, 300-301.	0.7	4
270	Does melatonin treatment change emotional processing? Implications for understanding the antidepressant mechanism of agomelatine. <i>Journal of Psychopharmacology</i> , 2015, 29, 1129-1132.	2.0	4

#	ARTICLE	IF	CITATIONS
271	Assessment of automatic associations with bodily sensations and agoraphobic situations in panic disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 52, 105-109.	0.6	4
272	Effect of acute citalopram on self-referential emotional processing and social cognition in healthy volunteers. <i>BJPsych Open</i> , 2020, 6, e124.	0.3	4
273	Precision biomarkers for mood disorders based on brain imaging. <i>BMJ, The</i> , 2020, 371, m3618.	3.0	4
274	The effect of sertraline on emotional processing: secondary analyses of the PANDA randomised controlled trial. <i>Psychological Medicine</i> , 2022, 52, 2814-2821.	2.7	4
275	Neural response to emotional faces in monozygotic twins: association with familial risk of affective disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 277-286.	1.4	4
276	PAX-D: study protocol for a randomised placebo-controlled trial evaluating the efficacy and mechanism of pramipexole as add-on treatment for people with treatment resistant depression. <i>Evidence-Based Mental Health</i> , 2022, 25, 77-83.	2.2	4
277	Neuroimaging Approaches to the Understanding of Depression and the Identification of Novel Antidepressants. , 2013, , 343-411.		3
278	Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. <i>Evidence-Based Mental Health</i> , 2019, 22, 145-152.	2.2	3
279	Does repeatedly viewing overweight versus underweight images change perception of and satisfaction with own body size?. <i>Royal Society Open Science</i> , 2020, 7, 190704.	1.1	3
280	Can a Predictive Processing Framework Improve the Specification of Negative Bias in Depression?. <i>Biological Psychiatry</i> , 2020, 87, 382-383.	0.7	3
281	Online behavioural activation during the COVID-19 pandemic decreases depression and negative affective bias. <i>Psychological Medicine</i> , 2023, 53, 795-804.	2.7	3
282	Effects of short-term varenicline administration on cortisol in healthy, non-smoking adults: a randomized, double-blind, study. <i>Psychopharmacology</i> , 2014, 231, 143-148.	1.5	2
283	A perspective: from the serotonin hypothesis to cognitive neuropsychological approaches. , 2019, , 95-104.		2
284	Human perceptual learning is delayed by the N-methyl-D-aspartate receptor partial agonist D-cycloserine. <i>Journal of Psychopharmacology</i> , 2021, 35, 253-264.	2.0	2
285	The Effect of the 5-HT4 Agonist, Prucalopride, on a Functional Magnetic Resonance Imaging Faces Task in the Healthy Human Brain. <i>Frontiers in Psychiatry</i> , 2022, 13, 859123.	1.3	2
286	Enhanced Taste Recognition Following Subacute Treatment With The Dopamine D2/D3 Receptor Agonist Pramipexole in Healthy Volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 720-726.	1.0	2
287	Effects of visual adaptation on perception of and satisfaction with own body size: two randomised studies. <i>Lancet, The</i> , 2015, 386, S24.	6.3	1
288	Attentional Control in Subclinical Anxiety and Depression: Depression Symptoms Are Associated With Deficits in Target Facilitation, Not Distractor Inhibition. <i>Frontiers in Psychology</i> , 2020, 11, 1660.	1.1	1

#	ARTICLE	IF	CITATIONS
289	Neural effects of a single dose of fluoxetine on resting-state functional connectivity in adolescent depression. <i>Journal of Psychopharmacology</i> , 2020, 34, 1461-1465.	2.0	1
290	Editorial: Cognition in Mood Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 1013.	1.3	1
291	Dynamic modulation of inequality aversion in human interpersonal negotiations. <i>Communications Biology</i> , 2022, 5, 359.	2.0	1
292	Reply to Low-Dose Tryptophan Depletion. <i>Biological Psychiatry</i> , 2007, 62, 543-544.	0.7	0
293	Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010, 167, 599-600.	4.0	0
294	The effects of quetiapine on risky decision-making. <i>International Clinical Psychopharmacology</i> , 2011, 26, e141.	0.9	0
295	Reply to: Punishing Food: What Brain Activity Can Tell Us About the Representation of Food in Recovered Anorexia Nervosa. <i>Biological Psychiatry</i> , 2012, 71, e33.	0.7	0
296	Tracking the Brain: White Matter Structure Is Associated With Selective Serotonin Reuptake Inhibitor Treatment Response in Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 856-858.	1.1	0
297	S120. Neural Effects of Acute Fluoxetine on Emotional Regulation in Depressed Adolescents. <i>Biological Psychiatry</i> , 2019, 85, S343.	0.7	0
298	How functional neuroimaging can be used for prediction and evaluation in psychiatry. , 2020, , 471-481.		0
299	Measuring Mood Instability Using a Generative Model of Affect. <i>Biological Psychiatry</i> , 2020, 87, S305-S306.	0.7	0
300	No antidepressant-like acute effects of bright light on emotional information processing in healthy volunteers. <i>Psychopharmacology</i> , 2021, , 1.	1.5	0
301	Catechol-O-methyltransferase activity does not influence emotional processing in men. <i>Journal of Psychopharmacology</i> , 2022, 36, 768-775.	2.0	0