

Catherine J Harmer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3166267/catherine-j-harmer-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

296
papers

13,279
citations

62
h-index

105
g-index

327
ext. papers

15,125
ext. citations

5.5
avg, IF

6.71
L-index

#	Paper	IF	Citations
296	Multispecies probiotic administration reduces emotional salience and improves mood in subjects with moderate depression: a randomised, double-blind, placebo-controlled study.. <i>Psychological Medicine</i> , 2022 , 1-11	6.9	2
295	The Effect of the 5-HT Agonist, Prucalopride, on a Functional Magnetic Resonance Imaging Faces Task in the Healthy Human Brain.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 859123	5	
294	Dynamic modulation of inequality aversion in human interpersonal negotiations.. <i>Communications Biology</i> , 2022 , 5, 359	6.7	0
293	Catechol-O-methyltransferase activity does not influence emotional processing in men.. <i>Journal of Psychopharmacology</i> , 2022 , 2698811221089032	4.6	
292	Effect of the NMDA receptor partial agonist, d-cycloserine, on emotional processing and autobiographical memory. <i>Psychological Medicine</i> , 2021 , 51, 2657-2665	6.9	1
291	Over-the-counter analgesics use is associated with pain and psychological distress among adolescents: a mixed effects approach in cross-sectional survey data from Norway. <i>BMC Public Health</i> , 2021 , 21, 2030	4.1	0
290	No antidepressant-like acute effects of bright light on emotional information processing in healthy volunteers. <i>Psychopharmacology</i> , 2021 , 1	4.7	
289	Emotional cognition in depression: Is it relevant for Clinical practice?. <i>European Neuropsychopharmacology</i> , 2021 , 56, 1-3	1.2	0
288	Accuracy in recognising happy facial expressions is associated with antidepressant response to a NOP receptor antagonist but not placebo treatment. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1473-1478	4.6	1
287	DJHvu? Neural and behavioural effects of the 5-HT receptor agonist, prucalopride, in a hippocampal-dependent memory task. <i>Translational Psychiatry</i> , 2021 , 11, 497	8.6	2
286	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1307-1314	8.7	11
285	Statins for major depressive disorder: A systematic review and meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2021 , 16, e0249409	3.7	9
284	Breathlessness in COPD: linking symptom clusters with brain activity. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	8
283	How representative are neuroimaging samples? Large-scale evidence for trait anxiety differences between fMRI and behaviour-only research participants. <i>Social Cognitive and Affective Neuroscience</i> , 2021 , 16, 1057-1070	4	4
282	A translational perspective on the anti-anhedonic effect of ketamine and its neural underpinnings. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
281	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
280	Symptom severity moderates the outcome of attention bias modification for depression: An exploratory study. <i>Journal of Psychiatric Research</i> , 2021 , 138, 528-534	5.2	0

279	A cultural experience to support mental health in people aged 16-24 during the COVID-19 pandemic compared to a typical museum website: study protocol of an online randomised controlled trial. <i>Trials</i> , 2021 , 22, 482	2.8	3
278	Statins in Depression: An Evidence-Based Overview of Mechanisms and Clinical Studies. <i>Frontiers in Psychiatry</i> , 2021 , 12, 702617	5	4
277	Translating the promise of 5HT receptor agonists for the treatment of depression. <i>Psychological Medicine</i> , 2021 , 51, 1111-1120	6.9	6
276	Emotional recognition training modifies neural response to emotional faces but does not improve mood in healthy volunteers with high levels of depressive symptoms. <i>Psychological Medicine</i> , 2021 , 51, 1211-1219	6.9	6
275	Cognitive neuropsychological theory of antidepressant action: a modern-day approach to depression and its treatment. <i>Psychopharmacology</i> , 2021 , 238, 1265-1278	4.7	21
274	Glucocorticoid ultradian rhythmicity differentially regulates mood and resting state networks in the human brain: A randomised controlled clinical trial. <i>Psychoneuroendocrinology</i> , 2021 , 124, 105096	5	4
273	Lithium modulates striatal reward anticipation and prediction error coding in healthy volunteers. <i>Neuropsychopharmacology</i> , 2021 , 46, 386-393	8.7	2
272	A continuum hypothesis of psychotomimetic rapid antidepressants. <i>Brain and Neuroscience Advances</i> , 2021 , 5, 23982128211007772	4	2
271	The effect of sertraline on emotional processing: secondary analyses of the PANDA randomised controlled trial. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	1
270	Human perceptual learning is delayed by the N-methyl-D-aspartate receptor partial agonist D-cycloserine. <i>Journal of Psychopharmacology</i> , 2021 , 35, 253-264	4.6	
269	Online behavioural activation during the COVID-19 pandemic decreases depression and negative affective bias. <i>Psychological Medicine</i> , 2021 , 1-18	6.9	1
268	An Experimental Medicine Investigation of the Effects of Subacute Pramipexole Treatment on Emotional Information Processing in Healthy Volunteers. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
267	Resting state functional connectivity patterns as biomarkers of treatment response to escitalopram in patients with major depressive disorder. <i>Psychopharmacology</i> , 2021 , 1	4.7	4
266	The knowns and unknowns of SSRI treatment in young people with depression and anxiety: efficacy, predictors, and mechanisms of action. <i>Lancet Psychiatry</i> , 2021 , 8, 824-835	23.3	7
265	Affective episodes in recently diagnosed patients with bipolar disorder associated with altered working memory-related prefrontal cortex activity: A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2021 , 295, 647-656	6.6	1
264	The effects of atorvastatin on emotional processing, reward learning, verbal memory and inflammation in healthy volunteers: An experimental medicine study. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1479-1487	4.6	2
263	Neural effects of a single dose of fluoxetine on resting-state functional connectivity in adolescent depression. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1461-1465	4.6	1
262	A single administration of the antibiotic, minocycline, reduces fear processing and improves implicit learning in healthy volunteers: analysis of the serum metabolome. <i>Translational Psychiatry</i> , 2020 , 10, 148	8.6	6

261	Does repeatedly viewing overweight versus underweight images change perception of and satisfaction with own body size?. <i>Royal Society Open Science</i> , 2020 , 7, 190704	3.3	2
260	A single administration of 'microbial' D-alanine to healthy volunteers augments reaction to negative emotions: A comparison with D-serine. <i>Journal of Psychopharmacology</i> , 2020 , 34, 557-566	4.6	4
259	Neurocognitive processes in d-cycloserine augmented single-session exposure therapy for anxiety: A randomized placebo-controlled trial. <i>Behaviour Research and Therapy</i> , 2020 , 129, 103607	5.2	10
258	Can a Predictive Processing Framework Improve the Specification of Negative Bias in Depression?. <i>Biological Psychiatry</i> , 2020 , 87, 382-383	7.9	1
257	Attentional bias modification is associated with fMRI response toward negative stimuli in individuals with residual depression: a randomized controlled trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 23-33	4.5	9
256	Women With Borderline Personality Disorder Show Reduced Identification of Emotional Facial Expressions and a Heightened Negativity Bias. <i>Journal of Personality Disorders</i> , 2020 , 34, 677-698	2.6	8
255	How functional neuroimaging can be used for prediction and evaluation in psychiatry 2020 , 471-481		
254	Effect of acute citalopram on self-referential emotional processing and social cognition in healthy volunteers. <i>BJPsych Open</i> , 2020 , 6, e124	5	3
253	Precision biomarkers for mood disorders based on brain imaging. <i>BMJ, The</i> , 2020 , 371, m3618	5.9	3
252	Attentional Control in Subclinical Anxiety and Depression: Depression Symptoms Are Associated With Deficits in Target Facilitation, Not Distractor Inhibition. <i>Frontiers in Psychology</i> , 2020 , 11, 1660	3.4	1
251	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2020 , 50, 1808-1819	6.9	11
250	A role for 5-HT receptors in human learning and memory. <i>Psychological Medicine</i> , 2020 , 50, 2722-2730	6.9	18
249	A single dose of fluoxetine reduces neural limbic responses to anger in depressed adolescents. <i>Translational Psychiatry</i> , 2019 , 9, 30	8.6	10
248	Blunted emotion-modulated startle reflex in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2019 , 52, 270-277	6.3	9
247	Effects of Attentional Bias Modification on residual symptoms in depression: a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 141	4.2	8
246	Emotional Biases and Recurrence in Major Depressive Disorder. Results of 2.5 Years Follow-Up of Drug-Free Cohort Vulnerable for Recurrence. <i>Frontiers in Psychiatry</i> , 2019 , 10, 145	5	17
245	Attention Bias Modification in Remitted Depression Is Associated With Increased Interest and Leads to Reduced Adverse Impact of Anxiety Symptoms and Negative Cognition. <i>Clinical Psychological Science</i> , 2019 , 7, 530-544	6	13
244	Acceptance and Commitment Therapy Preceded by Attention Bias Modification on Residual Symptoms in Depression: A 12-Month Follow-Up. <i>Frontiers in Psychology</i> , 2019 , 10, 1995	3.4	2

243	A lack of differentiation in amygdala responses to fearful expression intensity in panic disorder patients. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 291, 18-25	2.9	4
242	Variation in recognition of happy and sad facial expressions and self-reported depressive symptom severity: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2019 , 257, 461-469	6.6	8
241	A perspective: from the serotonin hypothesis to cognitive neuropsychological approaches 2019 , 95-104		2
240	Tracking the Brain: White Matter Structure Is Associated With Selective Serotonin Reuptake Inhibitor Treatment Response in Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 856-858	3.4	
239	Neural response to emotional faces in monozygotic twins: association with familial risk of affective disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 277-286	4.5	4
238	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-108	1.5	3
237	Value of monitoring negative emotional bias in primary care in England for personalised antidepressant treatment: a modelling study. <i>Evidence-Based Mental Health</i> , 2019 , 22, 145-152	11.1	3
236	Overnight transdermal scopolamine patch administration has no clear effect on cognition and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019 , 33, 255-257	4.6	3
235	Expert Consensus on Screening and Assessment of Cognition in Psychiatry. <i>CNS Spectrums</i> , 2019 , 24, 154-162	1.8	9
234	Cognitive emotional processing across mood disorders. <i>CNS Spectrums</i> , 2019 , 24, 54-63	1.8	9
233	Effect of Prefrontal Cortex Stimulation on Regulation of Amygdala Response to Threat in Individuals With Trait Anxiety: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 71-78	14.5	49
232	Predicting treatment response to antidepressant medication using early changes in emotional processing. <i>European Neuropsychopharmacology</i> , 2019 , 29, 66-75	1.2	24
231	Subchronic treatment with St John's wort produces a positive shift in emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2019 , 33, 194-201	4.6	6
230	The Lancet Psychiatry Commission on psychological treatments research in tomorrow's science. <i>Lancet Psychiatry</i> , 2018 , 5, 237-286	23.3	268
229	Short-term escitalopram treatment normalizes aberrant self-referential processing in major depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 236, 222-229	6.6	35
228	Investigating d-cycloserine as a potential pharmacological enhancer of an emotional bias learning procedure. <i>Journal of Psychopharmacology</i> , 2018 , 32, 569-577	4.6	6
227	Dissociable temporal effects of bupropion on behavioural measures of emotional and reward processing in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018 , 373,	5.8	17
226	Methylphenidate enhances implicit learning in healthy adults. <i>Journal of Psychopharmacology</i> , 2018 , 32, 70-80	4.6	9

225	Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. <i>Journal of Affective Disorders</i> , 2018 , 226, 267-273	6.6	4
224	Acceptance and Commitment Therapy preceded by an experimental Attention Bias Modification procedure in recurrent depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 203	2.8	7
223	Effects of exposure to bodies of different sizes on perception of and satisfaction with own body size: two randomized studies. <i>Royal Society Open Science</i> , 2018 , 5, 171387	3.3	8
222	Exploring the prediction of emotional valence and pharmacologic effect across fMRI studies of antidepressants. <i>NeuroImage: Clinical</i> , 2018 , 20, 407-414	5.3	8
221	Stability, reliability, and validity of the THINC-it screening tool for cognitive impairment in depression: A psychometric exploration in healthy volunteers. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1736	4.3	14
220	Predicting Treatment Response in Depression: The Role of Anterior Cingulate Cortex. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 988-996	5.8	44
219	Angiotensin Regulation of Amygdala Response to Threat in High-Trait-Anxiety Individuals. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 826-835	3.4	11
218	Within-Network Connectivity in the Salience Network After Attention Bias Modification Training in Residual Depression: Report From a Preregistered Clinical Trial. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 508	3.3	9
217	A Dissociation of the Acute Effects of Bupropion on Positive Emotional Processing and Reward Processing in Healthy Volunteers. <i>Frontiers in Psychiatry</i> , 2018 , 9, 482	5	9
216	The neuroscience of depressive disorders: A brief review of the past and some considerations about the future. <i>Brain and Neuroscience Advances</i> , 2018 , 2, 2398212818799269	4	22
215	Early effects of exposure-based cognitive behaviour therapy on the neural correlates of anxiety. <i>Translational Psychiatry</i> , 2018 , 8, 225	8.6	8
214	How do antidepressants work? New perspectives for refining future treatment approaches. <i>Lancet Psychiatry</i> , 2017 , 4, 409-418	23.3	241
213	Real-Time Functional Magnetic Resonance Imaging Amygdala Neurofeedback Changes Positive Information Processing in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 578-586	7.9	68
212	Does a single session of electroconvulsive therapy alter the neural response to emotional faces in depression? A randomised sham-controlled functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1215-1224	4.6	8
211	Are neurocognitive factors associated with repetition of self-harm? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 72, 261-277	9	10
210	Beyond negative valence: 2-week administration of a serotonergic antidepressant enhances both reward and effort learning signals. <i>PLoS Biology</i> , 2017 , 15, e2000756	9.7	22
209	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 558	2.8	20
208	Neuropsychological Mechanisms of Depression and Treatment 2017 , 200-213		

207	No evidence for an acute placebo effect on emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1578-1587	4.6	7
206	The effects of medication and current mood upon facial emotion recognition: findings from a large bipolar disorder cohort study. <i>Journal of Psychopharmacology</i> , 2017 , 31, 320-326	4.6	15
205	Reduced Resting-State Functional Connectivity in Current and Recovered Restrictive Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2017 , 8, 30	5	13
204	The level of cognitive function and recognition of emotions in older adults. <i>PLoS ONE</i> , 2017 , 12, e01855137	5.7	16
203	The THINC-Integrated Tool (THINC-it) Screening Assessment for Cognitive Dysfunction: Validation in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 873-881	4.6	63
202	Excitation and inhibition in anterior cingulate predict use of past experiences. <i>ELife</i> , 2017 , 6,	8.9	22
201	Faces and facets: The variability of emotion recognition in psychopathy reflects its affective and antisocial features. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 1066-1076	7	8
200	Couples' Coping After Stroke-A Pilot Intervention Study. <i>Rehabilitation Nursing</i> , 2016 , 41, 218-29	1.3	22
199	Test-retest reliability and task order effects of emotional cognitive tests in healthy subjects. <i>Cognition and Emotion</i> , 2016 , 30, 1247-59	2.3	15
198	Frontal Cortex Stimulation Reduces Vigilance to Threat: Implications for the Treatment of Depression and Anxiety. <i>Biological Psychiatry</i> , 2016 , 79, 823-830	7.9	83
197	Fronto-limbic effective connectivity as possible predictor of antidepressant response to SSRI administration. <i>European Neuropsychopharmacology</i> , 2016 , 26, 2000-2010	1.2	34
196	The NMDA receptor partial agonist d-cycloserine does not enhance motor learning. <i>Journal of Psychopharmacology</i> , 2016 , 30, 994-9	4.6	8
195	Effects of the potential lithium-mimetic, ebselen, on impulsivity and emotional processing. <i>Psychopharmacology</i> , 2016 , 233, 2655-61	4.7	54
194	Oxytocin and emotion processing. <i>Journal of Psychopharmacology</i> , 2016 , 30, 1156-1159	4.6	15
193	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 116	2.8	15
192	A single dose of mirtazapine attenuates neural responses to self-referential processing. <i>Journal of Psychopharmacology</i> , 2016 , 30, 23-32	4.6	13
191	Effects of short-term quetiapine treatment on emotional processing, sleep and circadian rhythms. <i>Journal of Psychopharmacology</i> , 2016 , 30, 273-82	4.6	9
190	Inhibition and response to error in remitted major depression. <i>Psychiatry Research</i> , 2016 , 235, 116-22	9.9	14

189	Effect of the Putative Lithium Mimetic Ebselen on Brain Myo-Inositol, Sleep, and Emotional Processing in Humans. <i>Neuropsychopharmacology</i> , 2016 , 41, 1768-78	8.7	72
188	A Selective Nociceptin Receptor Antagonist to Treat Depression: Evidence from Preclinical and Clinical Studies. <i>Neuropsychopharmacology</i> , 2016 , 41, 1803-12	8.7	64
187	Hippocampal volume in vulnerability and resilience to depression. <i>Journal of Affective Disorders</i> , 2016 , 189, 199-202	6.6	53
186	A Cognitive-Neuropsychological Account of Treatment Action in Anxiety: Can We Augment Clinical Efficacy?. <i>Psychopathology Review</i> , 2016 , a3, 77-109		4
185	Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. <i>BMJ Open</i> , 2016 , 6, e009510	3	23
184	Differential activation of the frontal pole to high vs low calorie foods: The neural basis of food preference in Anorexia Nervosa?. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 258, 44-53	2.9	32
183	Neural correlates of improved executive function following erythropoietin treatment in mood disorders. <i>Psychological Medicine</i> , 2016 , 46, 1679-91	6.9	27
182	Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. <i>European Neuropsychopharmacology</i> , 2016 , 26, 994-1003	1.2	76
181	Effects of the pattern of glucocorticoid replacement on neural processing, emotional reactivity and well-being in healthy male individuals: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 44	2.8	6
180	Assessment of automatic associations with bodily sensations and agoraphobic situations in panic disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016 , 52, 105-109	2.6	1
179	SSRI enhances sensitivity to background outcomes and modulates response rates: A randomized double blind study of instrumental action and depression. <i>Neurobiology of Learning and Memory</i> , 2016 , 131, 76-82	3.1	7
178	Cognitive mechanisms of diazepam administration: a healthy volunteer model of emotional processing. <i>Psychopharmacology</i> , 2016 , 233, 2221-8	4.7	10
177	Innovative approaches to bipolar disorder and its treatment. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1366, 76-89	6.5	57
176	How cannabis causes paranoia: using the intravenous administration of Δ -tetrahydrocannabinol (THC) to identify key cognitive mechanisms leading to paranoia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 391-9	1.3	75
175	Different neural and cognitive response to emotional faces in healthy monozygotic twins at risk of depression. <i>Psychological Medicine</i> , 2015 , 45, 1447-58	6.9	30
174	Satiation attenuates BOLD activity in brain regions involved in reward and increases activity in dorsolateral prefrontal cortex: an fMRI study in healthy volunteers. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 697-704	7	44
173	Effects of seven-day diazepam administration on resting-state functional connectivity in healthy volunteers: a randomized, double-blind study. <i>Psychopharmacology</i> , 2015 , 232, 2139-47	4.7	8
172	Tianeptine in an experimental medicine model of antidepressant action. <i>Journal of Psychopharmacology</i> , 2015 , 29, 582-90	4.6	6

171	Meta-analysis of emotion recognition deficits in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 1135-44	6.9	147
170	Better sexual acceptability of agomelatine (25 and 50 mg) compared to escitalopram (20 mg) in healthy volunteers. A 9-week, placebo-controlled study using the PRSexDQ scale. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1119-28	4.6	21
169	The Good, the Bad, and the Irrelevant: Neural Mechanisms of Learning Real and Hypothetical Rewards and Effort. <i>Journal of Neuroscience</i> , 2015 , 35, 11233-51	6.6	58
168	Does melatonin treatment change emotional processing? Implications for understanding the antidepressant mechanism of agomelatine. <i>Journal of Psychopharmacology</i> , 2015 , 29, 1129-32	4.6	4
167	A neurocognitive model for understanding treatment action in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015 , 370, 20140213	5.8	42
166	A single dose of antidepressant alters eye-gaze patterns across face stimuli in healthy women. <i>Psychopharmacology</i> , 2015 , 232, 953-8	4.7	32
165	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015 , 15, 69-79	3.5	10
164	Acute fluoxetine modulates emotional processing in young adult volunteers. <i>Psychological Medicine</i> , 2015 , 45, 2295-308	6.9	16
163	Testing the antidepressant properties of the peptide ARA290 in a human neuropsychological model of drug action. <i>European Neuropsychopharmacology</i> , 2015 , 25, 2289-99	1.2	7
162	Effective emotion regulation strategies improve fMRI and ECG markers of psychopathology in panic disorder: implications for psychological treatment action. <i>Translational Psychiatry</i> , 2015 , 5, e673	8.6	30
161	The cognitive neuropsychological model of antidepressant response. <i>Current Opinion in Psychology</i> , 2015 , 4, 124-130	6.2	4
160	Prebiotic intake reduces the waking cortisol response and alters emotional bias in healthy volunteers. <i>Psychopharmacology</i> , 2015 , 232, 1793-801	4.7	287
159	The effects of drugs on human models of emotional processing: an account of antidepressant drug treatment. <i>Dialogues in Clinical Neuroscience</i> , 2015 , 17, 477-87	5.7	43
158	Recombinant human erythropoietin for treating treatment-resistant depression: a double-blind, randomized, placebo-controlled phase 2 trial. <i>Neuropsychopharmacology</i> , 2014 , 39, 1399-408	8.7	72
157	Predicting rapid response to cognitive-behavioural treatment for panic disorder: the role of hippocampus, insula, and dorsolateral prefrontal cortex. <i>Behaviour Research and Therapy</i> , 2014 , 62, 120-8	5.2	51
156	Neural Predictors of Treatment Response in Depression. <i>Current Behavioral Neuroscience Reports</i> , 2014 , 1, 125-133	1.7	4
155	Opposing neural effects of naltrexone on food reward and aversion: implications for the treatment of obesity. <i>Psychopharmacology</i> , 2014 , 231, 4323-35	4.7	36
154	Executive dysfunction and autobiographical memory retrieval in recovered depressed women. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 260-6	2.6	6

153	A role beyond learning for NMDA receptors in reward-based decision-making-a pharmacological study using d-cycloserine. <i>Neuropsychopharmacology</i> , 2014 , 39, 2900-9	8.7	19
152	Paradoxical effects of short-term antidepressant treatment in fMRI emotional processing models in volunteers with high neuroticism. <i>Psychological Medicine</i> , 2014 , 44, 241-52	6.9	51
151	Anxiety increases breakthrough of threat stimuli in continuous flash suppression. <i>Emotion</i> , 2014 , 14, 1027-36	4.1	17
150	A sense of embodiment is reflected in people's signature size. <i>PLoS ONE</i> , 2014 , 9, e88438	3.7	5
149	'Can you look me in the face?' Short-term SSRI administration reverts avoidant ocular face exploration in subjects at risk for psychopathology. <i>Neuropsychopharmacology</i> , 2014 , 39, 3059-66	8.7	12
148	Daily rest-activity patterns in the bipolar phenotype: A controlled actigraphy study. <i>Chronobiology International</i> , 2014 , 31, 290-6	3.6	46
147	More rumination and less effective emotion regulation in previously depressed women with preserved executive functions. <i>BMC Psychiatry</i> , 2014 , 14, 334	4.2	35
146	Increasing pharmacological knowledge about human neurological and psychiatric disorders through functional neuroimaging and its application in drug discovery. <i>Current Opinion in Pharmacology</i> , 2014 , 14, 54-61	5.1	35
145	Effects of short-term varenicline administration on cortisol in healthy, non-smoking adults: a randomized, double-blind, study. <i>Psychopharmacology</i> , 2014 , 231, 143-8	4.7	1
144	Effects of emotion recognition training on mood among individuals with high levels of depressive symptoms: study protocol for a randomised controlled trial. <i>Trials</i> , 2013 , 14, 161	2.8	15
143	Early markers of cognitive enhancement: developing an implicit measure of cognitive performance. <i>Psychopharmacology</i> , 2013 , 230, 631-8	4.7	12
142	Effects of pramipexole on the processing of rewarding and aversive taste stimuli. <i>Psychopharmacology</i> , 2013 , 228, 283-90	4.7	12
141	The effect of the serotonin transporter polymorphism (5-HTTLPR) on amygdala function: a meta-analysis. <i>Molecular Psychiatry</i> , 2013 , 18, 512-20	15.1	178
140	Have no fear: the neural basis of anxiolytic drug action in generalized social phobia. <i>Biological Psychiatry</i> , 2013 , 73, 300-1	7.9	1
139	Changes in automatic threat processing precede and predict clinical changes with exposure-based cognitive-behavior therapy for panic disorder. <i>Biological Psychiatry</i> , 2013 , 73, 1064-70	7.9	58
138	Neuroimaging Approaches to the Understanding of Depression and the Identification of Novel Antidepressants 2013 , 343-411		1
137	'It's the way that you look at it'--a cognitive neuropsychological account of SSRI action in depression. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20120407	5.8	109
136	Combined NK1 antagonism and serotonin reuptake inhibition: effects on emotional processing in humans. <i>Journal of Psychopharmacology</i> , 2013 , 27, 435-43	4.6	16

135	Effects of short-term varenicline administration on emotional and cognitive processing in healthy, non-smoking adults: a randomized, double-blind, study. <i>Neuropsychopharmacology</i> , 2013 , 38, 476-84	8.7	28
134	Antidepressant treatment and emotional processing: can we dissociate the roles of serotonin and noradrenaline?. <i>Journal of Psychopharmacology</i> , 2013 , 27, 719-31	4.6	19
133	Short-term quetiapine treatment alters the use of reinforcement signals during risky decision-making and promotes the choice of negative expected values in healthy adult males. <i>Journal of Neuroscience</i> , 2013 , 33, 15588-95	6.6	7
132	The common bipolar phenotype in young people. <i>International Journal of Bipolar Disorders</i> , 2013 , 1,	5.4	4
131	Emotional processing and antidepressant action. <i>Current Topics in Behavioral Neurosciences</i> , 2013 , 14, 209-22	3.4	25
130	Neural responses to emotional faces in women recovered from anorexia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 201, 190-5	2.9	29
129	Erythropoietin: a candidate treatment for mood symptoms and memory dysfunction in depression. <i>Psychopharmacology</i> , 2012 , 219, 687-98	4.7	51
128	Acute antidepressant drug administration and autobiographical memory recall: a functional magnetic resonance imaging study. <i>Experimental and Clinical Psychopharmacology</i> , 2012 , 20, 364-72	3.2	9
127	Effects of low dose tryptophan depletion on emotional processing in dieters. <i>Eating Behaviors</i> , 2012 , 13, 154-7	3	3
126	Reply to: Punishing Food: What Brain Activity Can Tell Us About the Representation of Food in Recovered Anorexia Nervosa. <i>Biological Psychiatry</i> , 2012 , 71, e33	7.9	
125	Using attentional bias modification as a cognitive vaccine against depression. <i>Biological Psychiatry</i> , 2012 , 72, 572-9	7.9	126
124	Neural processing of reward and punishment in young people at increased familial risk of depression. <i>Biological Psychiatry</i> , 2012 , 72, 588-94	7.9	122
123	Expectancy and surprise predict neural and behavioral measures of attention to threatening stimuli. <i>NeuroImage</i> , 2012 , 59, 1942-8	7.9	18
122	Cognitive Bias Modification Using Mental Imagery for Depression: Developing a Novel Computerized Intervention to Change Negative Thinking Styles. <i>European Journal of Personality</i> , 2012 , 26, 145-157	5.1	116
121	Short-term antidepressant administration reduces negative self-referential processing in the medial prefrontal cortex in subjects at risk for depression. <i>Molecular Psychiatry</i> , 2012 , 17, 503-10	15.1	63
120	Using an experimental medicine model to understand the antidepressant potential of the N-Methyl-D-aspartic acid (NMDA) receptor antagonist memantine. <i>Journal of Psychopharmacology</i> , 2012 , 26, 1417-23	4.6	15
119	Effects of reboxetine and citalopram on appraisal of infant facial expressions and attentional biases. <i>Journal of Psychopharmacology</i> , 2012 , 26, 670-6	4.6	11
118	Short-term SSRI treatment normalises amygdala hyperactivity in depressed patients. <i>Psychological Medicine</i> , 2012 , 42, 2609-17	6.9	160

117	Effects of 7 days of treatment with the cannabinoid type 1 receptor antagonist, rimonabant, on emotional processing. <i>Journal of Psychopharmacology</i> , 2012 , 26, 125-32	4.6	40
116	Negative ion treatment increases positive emotional processing in seasonal affective disorder. <i>Psychological Medicine</i> , 2012 , 42, 1605-12	6.9	20
115	Decreased heart rate variability during emotion regulation in subjects at risk for psychopathology. <i>Psychological Medicine</i> , 2012 , 42, 1775-83	6.9	54
114	Increased neural processing of rewarding and aversive food stimuli in recovered anorexia nervosa. <i>Biological Psychiatry</i> , 2011 , 70, 736-743	7.9	164
113	Biases in emotional processing are associated with vulnerability to eating disorders over time. <i>Eating Behaviors</i> , 2011 , 12, 56-9	3	9
112	A cognitive neuropsychological model of antidepressant drug action. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1586-92	5.5	90
111	Attentional bias in untreated panic disorder. <i>Psychiatry Research</i> , 2011 , 185, 387-93	9.9	35
110	Early morning cortisol response and emotional processing in adults exposed to postnatal depression in infancy. <i>European Psychiatry</i> , 2011 , 26, 479-81	6	5
109	SSRI administration reduces resting state functional connectivity in dorso-medial prefrontal cortex. <i>Molecular Psychiatry</i> , 2011 , 16, 592-4	15.1	87
108	Neural correlates of the processing of self-referent emotional information in bulimia nervosa. <i>Neuropsychologia</i> , 2011 , 49, 3272-8	3.2	16
107	Frontolimbic responses to emotional faces in young people at familial risk of depression. <i>Journal of Affective Disorders</i> , 2011 , 130, 127-32	6.6	50
106	Short-term NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2011 , 215, 239-46	4.7	17
105	The D2 antagonist sulpiride modulates the neural processing of both rewarding and aversive stimuli in healthy volunteers. <i>Psychopharmacology</i> , 2011 , 217, 271-8	4.7	35
104	Efficacy markers in depression. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1148-58	4.6	93
103	Neural response to angry and disgusted facial expressions in bulimia nervosa. <i>Psychological Medicine</i> , 2011 , 41, 2375-84	6.9	23
102	Using an experimental medicine model to explore combination effects of pharmacological and cognitive interventions for depression and anxiety. <i>Neuropsychopharmacology</i> , 2011 , 36, 2689-97	8.7	34
101	Agomelatine facilitates positive versus negative affective processing in healthy volunteer models. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1159-67	4.6	50
100	The common adolescent bipolar phenotype shows positive biases in emotional processing. <i>Bipolar Disorders</i> , 2010 , 12, 606-15	3.8	24

99	Increased neural response to fear in patients recovered from depression: a 3T functional magnetic resonance imaging study. <i>Psychological Medicine</i> , 2010 , 40, 425-32	6.9	54
98	Investigating vulnerability to eating disorders: biases in emotional processing. <i>Psychological Medicine</i> , 2010 , 40, 645-55	6.9	19
97	Drs. Harmer, Goodwin, and Cowen Reply. <i>American Journal of Psychiatry</i> , 2010 , 167, 599-600	11.9	
96	A functional magnetic resonance imaging study of verbal working memory in young people at increased familial risk of depression. <i>Biological Psychiatry</i> , 2010 , 67, 471-7	7.9	37
95	Lateral prefrontal cortex mediates the cognitive modification of attentional bias. <i>Biological Psychiatry</i> , 2010 , 67, 919-25	7.9	177
94	Diminished neural processing of aversive and rewarding stimuli during selective serotonin reuptake inhibitor treatment. <i>Biological Psychiatry</i> , 2010 , 67, 439-45	7.9	226
93	NK1 receptor antagonism and emotional processing in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010 , 24, 481-7	4.6	23
92	The modification of attentional bias to emotional information: A review of the techniques, mechanisms, and relevance to emotional disorders. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2010 , 10, 8-20	3.5	172
91	Reduced neural response to reward following 7 days treatment with the cannabinoid CB1 antagonist rimonabant in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 1103-13	5.8	67
90	Erythropoietin modulates neural and cognitive processing of emotional information in biomarker models of antidepressant drug action in depressed patients. <i>Psychopharmacology</i> , 2010 , 210, 419-28	4.7	27
89	A single dose of mirtazapine modulates neural responses to emotional faces in healthy people. <i>Psychopharmacology</i> , 2010 , 212, 625-34	4.7	51
88	Antidepressant drug action: a neuropsychological perspective. <i>Depression and Anxiety</i> , 2010 , 27, 231-3	8.4	24
87	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. <i>Trials</i> , 2010 , 11, 97	2.8	34
86	Memory impairment in young women at increased risk of depression: influence of cortisol and 5-HTT genotype. <i>Psychological Medicine</i> , 2009 , 39, 757-62	6.9	31
85	High-density negative ion treatment increases positive affective memory. <i>Psychological Medicine</i> , 2009 , 39, 1930-2	6.9	13
84	Risk for depression and neural responses to fearful facial expressions of emotion. <i>British Journal of Psychiatry</i> , 2009 , 194, 139-45	5.4	90
83	NK1 receptor antagonism and the neural processing of emotional information in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 1261-74	5.8	26
82	Effect of acute antidepressant administration on negative affective bias in depressed patients. <i>American Journal of Psychiatry</i> , 2009 , 166, 1178-84	11.9	330

81	Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. <i>British Journal of Psychiatry</i> , 2009 , 195, 102-8	5.4	366
80	The effect of serotonergic and noradrenergic antidepressants on face emotion processing in depressed patients. <i>Journal of Affective Disorders</i> , 2009 , 118, 87-93	6.6	130
79	L'Analyse des visages dans la dépression. <i>Evolution Psychiatrique</i> , 2009 , 74, 79-91	0.4	6
78	Early effects of mirtazapine on emotional processing. <i>Psychopharmacology</i> , 2009 , 203, 685-91	4.7	60
77	Acute administration of the cannabinoid CB1 antagonist rimonabant impairs positive affective memory in healthy volunteers. <i>Psychopharmacology</i> , 2009 , 205, 85-91	4.7	59
76	Neural representation of reward in recovered depressed patients. <i>Psychopharmacology</i> , 2009 , 205, 667-77	4.7	197
75	Short-term antidepressant treatment modulates amygdala response to happy faces. <i>Psychopharmacology</i> , 2009 , 206, 197-204	4.7	78
74	Effects of erythropoietin on emotional processing biases in patients with major depression: an exploratory fMRI study. <i>Psychopharmacology</i> , 2009 , 207, 133-42	4.7	38
73	Low-dose tryptophan depletion in recovered depressed women induces impairments in autobiographical memory specificity. <i>Psychopharmacology</i> , 2009 , 207, 499-508	4.7	8
72	Effect of a single dose of citalopram on amygdala response to emotional faces. <i>British Journal of Psychiatry</i> , 2009 , 194, 535-40	5.4	185
71	Emotional processing in women with anorexia nervosa and in healthy volunteers. <i>Eating Behaviors</i> , 2009 , 10, 184-91	3	69
70	The role of serotonin in nonnormative risky choice: the effects of tryptophan supplements on the "reflection effect" in healthy adult volunteers. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 1709-19	3.1	49
69	Oxytocin enhances processing of positive versus negative emotional information in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2009 , 23, 241-8	4.6	186
68	Short-term serotonergic but not noradrenergic antidepressant administration reduces attentional vigilance to threat in healthy volunteers. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 169-79	5.8	66
67	The effects of reboxetine on emotional processing in healthy volunteers: an fMRI study. <i>Molecular Psychiatry</i> , 2008 , 13, 1011-20	15.1	57
66	Risk for depression is associated with neural biases in emotional categorisation. <i>Neuropsychologia</i> , 2008 , 46, 2896-903	3.2	42
65	Serotonin and emotional processing: does it help explain antidepressant drug action?. <i>Neuropharmacology</i> , 2008 , 55, 1023-8	5.5	162
64	Emotional face processing in women with high and low levels of eating disorder related symptoms. <i>Eating Behaviors</i> , 2008 , 9, 389-97	3	29

63	Erythropoietin improves mood and modulates the cognitive and neural processing of emotion 3 days post administration. <i>Neuropsychopharmacology</i> , 2008 , 33, 611-8	8.7	62
62	Bilateral generic working memory circuit requires left-lateralized addition for verbal processing. <i>Cerebral Cortex</i> , 2008 , 18, 1421-8	5.1	20
61	Affective modulation of anterior cingulate cortex in young people at increased familial risk of depression. <i>British Journal of Psychiatry</i> , 2008 , 192, 356-61	5.4	42
60	Dissociable effects of acute antidepressant drug administration on subjective and emotional processing measures in healthy volunteers. <i>Psychopharmacology</i> , 2008 , 199, 495-502	4.7	55
59	Direct effects of diazepam on emotional processing in healthy volunteers. <i>Psychopharmacology</i> , 2008 , 199, 503-13	4.7	74
58	Differential effects of erythropoietin on neural and cognitive measures of executive function 3 and 7 days post-administration. <i>Experimental Brain Research</i> , 2008 , 184, 313-21	2.3	44
57	Reply to Low-Dose Tryptophan Depletion. <i>Biological Psychiatry</i> , 2007 , 62, 543-544	7.9	
56	Erythropoietin reduces neural and cognitive processing of fear in human models of antidepressant drug action. <i>Biological Psychiatry</i> , 2007 , 62, 1244-50	7.9	39
55	Sex differences in the effect of acute tryptophan depletion on declarative episodic memory: a pooled analysis of nine studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2007 , 31, 516-29	9	61
54	Exploring the physiological effects of double-cone coil TMS over the medial frontal cortex on the anterior cingulate cortex: an H2(15)O PET study. <i>European Journal of Neuroscience</i> , 2007 , 25, 2224-33	3.5	78
53	Impaired emotional categorisation in young people at increased familial risk of depression. <i>Neuropsychologia</i> , 2007 , 45, 2975-80	3.2	43
52	Erythropoietin has no effect on hippocampal response during memory retrieval 3 days post-administration. <i>Psychopharmacology</i> , 2007 , 195, 451-3	4.7	10
51	Increased waking salivary cortisol levels in young people at familial risk of depression. <i>American Journal of Psychiatry</i> , 2007 , 164, 617-21	11.9	151
50	Effects of acute tyrosine depletion on subjective craving and selective processing of smoking-related cues in abstinent cigarette smokers. <i>Journal of Psychopharmacology</i> , 2007 , 21, 805-14	4.6	20
49	Effects of alpha-lactalbumin on emotional processing in healthy women. <i>Journal of Psychopharmacology</i> , 2007 , 21, 519-24	4.6	23
48	Highly neurotic never-depressed students have negative biases in information processing. <i>Psychological Medicine</i> , 2007 , 37, 1281-91	6.9	137
47	Erythropoietin enhances hippocampal response during memory retrieval in humans. <i>Journal of Neuroscience</i> , 2007 , 27, 2788-92	6.6	75
46	Short-term antidepressant treatment and facial processing. Functional magnetic resonance imaging study. <i>British Journal of Psychiatry</i> , 2007 , 190, 531-2	5.4	92

45	Emotional bias and waking salivary cortisol in relatives of patients with major depression. <i>Psychological Medicine</i> , 2007 , 37, 403-10	6.9	41
44	Single dose antidepressant administration modulates the neural processing of self-referent personality trait words. <i>NeuroImage</i> , 2007 , 37, 904-11	7.9	43
43	A single dose of citalopram increases fear recognition in healthy subjects. <i>Journal of Psychopharmacology</i> , 2007 , 21, 684-90	4.6	190
42	5HT(3) antagonism abolishes the emotion potentiated startle effect in humans. <i>Psychopharmacology</i> , 2006 , 186, 18-24	4.7	47
41	Tryptophan supplementation induces a positive bias in the processing of emotional material in healthy female volunteers. <i>Psychopharmacology</i> , 2006 , 187, 121-30	4.7	67
40	Early morning salivary cortisol is not associated with extraversion. <i>Personality and Individual Differences</i> , 2006 , 40, 395-400	3.3	11
39	Selective processing of social threat cues following acute tryptophan depletion. <i>Journal of Psychopharmacology</i> , 2006 , 20, 33-9	4.6	30
38	Antidepressant drug treatment modifies the neural processing of nonconscious threat cues. <i>Biological Psychiatry</i> , 2006 , 59, 816-20	7.9	372
37	Low-dose tryptophan depletion in recovered depressed patients induces changes in cognitive processing without depressive symptoms. <i>Biological Psychiatry</i> , 2005 , 57, 517-24	7.9	127
36	Lack of effect of tyrosine depletion on mood in recovered depressed women. <i>Neuropsychopharmacology</i> , 2005 , 30, 786-91	8.7	19
35	Enhanced early morning salivary cortisol in neuroticism. <i>American Journal of Psychiatry</i> , 2005 , 162, 807-9	11.9	119
34	Handbook of Affective Sciences. Edited by R. J. Davidson, K. R. Scherer and H. H. Goldsmith. (Pp. 1119; £130.) Oxford University Press: Oxford. 2003.. <i>Psychological Medicine</i> , 2004 , 34, 378-379	6.9	4
33	Increased positive versus negative affective perception and memory in healthy volunteers following selective serotonin and norepinephrine reuptake inhibition. <i>American Journal of Psychiatry</i> , 2004 , 161, 1256-63	11.9	436
32	The role of the anterior cingulate cortex in the counting Stroop task. <i>Experimental Brain Research</i> , 2004 , 154, 355-8	2.3	50
31	Normalization of enhanced fear recognition by acute SSRI treatment in subjects with a previous history of depression. <i>American Journal of Psychiatry</i> , 2004 , 161, 166-8	11.9	145
30	Acute reboxetine administration increases plasma and salivary cortisol. <i>Journal of Psychopharmacology</i> , 2003 , 17, 273-5	4.6	15
29	Acute SSRI administration affects the processing of social cues in healthy volunteers. <i>Neuropsychopharmacology</i> , 2003 , 28, 148-52	8.7	338
28	Effects of a branched-chain amino acid drink in mania. <i>British Journal of Psychiatry</i> , 2003 , 182, 210-3	5.4	61

27	Toward a neuropsychological theory of antidepressant drug action: increase in positive emotional bias after potentiation of norepinephrine activity. <i>American Journal of Psychiatry</i> , 2003 , 160, 990-2	11.9	213
26	Tryptophan depletion decreases the recognition of fear in female volunteers. <i>Psychopharmacology</i> , 2003 , 167, 411-7	4.7	126
25	Acute administration of nutritionally sourced tryptophan increases fear recognition. <i>Psychopharmacology</i> , 2003 , 169, 104-7	4.7	89
24	Sustained attention deficit in bipolar disorder is not a working memory impairment in disguise. <i>Neuropsychologia</i> , 2002 , 40, 1586-90	3.2	89
23	Effect of branch chain amino acids supplemented with tryptophan on tyrosine availability and plasma prolactin. <i>Psychopharmacology</i> , 2002 , 159, 222-3	4.7	8
22	A dose-finding study on the effects of branch chain amino acids on surrogate markers of brain dopamine function. <i>Psychopharmacology</i> , 2002 , 160, 192-7	4.7	51
21	Acute administration of citalopram facilitates memory consolidation in healthy volunteers. <i>Psychopharmacology</i> , 2002 , 163, 106-10	4.7	81
20	Enhanced recognition of disgust in bipolar illness. <i>Biological Psychiatry</i> , 2002 , 51, 298-304	7.9	126
19	Isolation rearing-induced facilitation of Pavlovian learning: abolition by postsession intra-amygdala nafadotride. <i>Physiology and Behavior</i> , 2002 , 76, 677-84	3.5	8
18	Blockade of sensitisation-induced facilitation of appetitive conditioning by post-session intra-amygdala nafadotride. <i>Behavioural Brain Research</i> , 2002 , 134, 249-57	3.4	23
17	Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. <i>British Journal of Psychiatry</i> , 2001 , 179, 356-60	5.4	120
16	Tyrosine depletion attenuates dopamine function in healthy volunteers. <i>Psychopharmacology</i> , 2001 , 154, 105-11	4.7	131
15	Administration of the beta-adrenoceptor blocker propranolol impairs the processing of facial expressions of sadness. <i>Psychopharmacology</i> , 2001 , 154, 383-9	4.7	55
14	Transcranial magnetic stimulation of medial-frontal cortex impairs the processing of angry facial expressions. <i>Nature Neuroscience</i> , 2001 , 4, 17-8	25.5	134
13	Repetitive transcranial magnetic stimulation to right prefrontal cortex does not modulate the psychostimulant effects of amphetamine. <i>International Journal of Neuropsychopharmacology</i> , 2000 , 3, 297-302	5.8	4
12	Evaluation of breast cancer incidence: is the increase due entirely to mammographic screening?. <i>Cancer Causes and Control</i> , 1999 , 10, 333-7	2.8	20
11	Enhanced conditioned inhibition following repeated pretreatment with d-amphetamine. <i>Psychopharmacology</i> , 1999 , 142, 120-31	4.7	44
10	Enhanced dopamine efflux in the amygdala by a predictive, but not a non-predictive, stimulus: facilitation by prior repeated D-amphetamine. <i>Neuroscience</i> , 1999 , 90, 119-30	3.9	106

9	Isolation rearing enhances the rate of acquisition of a discriminative approach task but does not affect the efficacy of a conditioned reward. <i>Physiology and Behavior</i> , 1998 , 63, 177-84	3.5	14
8	Isolation rearing enhances acquisition in a conditioned inhibition paradigm. <i>Physiology and Behavior</i> , 1998 , 65, 525-33	3.5	21
7	Enhanced acquisition of discriminative approach following intra-amygdala d-amphetamine. <i>Psychopharmacology</i> , 1997 , 132, 237-46	4.7	46
6	Repeated d-amphetamine enhances stimulated mesoamygdaloid dopamine transmission. <i>Psychopharmacology</i> , 1997 , 132, 247-54	4.7	39
5	How representative are neuroimaging samples? Large-scale evidence for trait anxiety differences between fMRI and behaviour-only research participants.		3
4	Effects of Attentional Bias Modification on Residual Symptoms in depression. A Randomized Controlled Trial		1
3	Affective biases encoded by the central arousal systems dynamically modulate inequality aversion in human interpersonal negotiations		1
2	Prefrontal cortex regulates amygdala response to threat in trait anxiety		6
1	Attentional Bias Modification is associated with fMRI Response towards Negative Stimuli in Residual Depression: A Randomized Controlled Trial		2