

Giovanni de Girolamo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3167219/giovanni-de-girolamo-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

340 papers	34,972 citations	87 h-index	183 g-index
380 ext. papers	41,378 ext. citations	5.7 avg, IF	6.23 L-index

#	Paper	IF	Citations
340	Demographic, clinical, and service-use characteristics related to the clinician's recommendation to transition from child to adult mental health services.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	0
339	Young age and the risk of violent behaviour in people with severe mental disorders: prospective, multicentre study. <i>BJPsych Open</i> , 2022 , 8,	5	1
338	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study.. <i>BMC Psychiatry</i> , 2022 , 22, 136	4.2	2
337	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
336	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
335	Assessing effective treatment coverage for depression.. <i>Lancet Regional Health - Europe</i> , 2022 , 17, 100384		
334	Predictors of engagement with remote sensing technologies for symptom measurement in Major Depressive Disorder.. <i>Journal of Affective Disorders</i> , 2022 , 310, 106-115	6.6	1
333	Are Psychiatrists Trained to Address the Mental Health Needs of Young People Transitioning From Child to Adult Services? Insights From a European Survey.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 768206	5	0
332	Cohort profile: demographic and clinical characteristics of the MILESTONE longitudinal cohort of young people approaching the upper age limit of their child mental health care service in Europe.. <i>BMJ Open</i> , 2021 , 11, e053373	3	1
331	Who is likely to vacillate in their COVID-19 vaccination decision? Free-riding intention and post-positive reluctance. <i>Preventive Medicine</i> , 2021 , 154, 106885	4.3	1
330	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158	4.9	1
329	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
328	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
327	Personality, Schizophrenia, and Violence: A Longitudinal Study: The Second Wave of the VIORMED Project. <i>Journal of Personality Disorders</i> , 2021 , 35, 236-254	2.6	6
326	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392	4.2	1
325	A multinational case-control study comparing forensic and non-forensic patients with schizophrenia spectrum disorders: the EU-VIORMED project. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
324	Neurocognition and social cognition in patients with schizophrenia spectrum disorders with and without a history of violence: results of a multinational European study. <i>Translational Psychiatry</i> , 2021 , 11, 620	8.6	1

323	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
322	Psychiatric hospitalization rates in Italy before and during COVID-19: did they change? An analysis of register data. <i>Irish Journal of Psychological Medicine</i> , 2020 , 37, 283-290	3	49
321	Neuropsychological features in patients with severe mental disorders and risk of violence: A prospective multicenter study in Italy. <i>Psychiatry Research</i> , 2020 , 289, 113027	9.9	3
320	Factors associated with the onset of major depressive disorder in adults with type 2 diabetes living in 12 different countries: results from the INTERPRET-DD prospective study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e134	5.1	3
319	Prescribing Patterns of Psychotropic Drugs and Risk of Violent Behavior: A Prospective, Multicenter Study in Italy. <i>International Journal of Neuropsychopharmacology</i> , 2020 , 23, 300-310	5.8	2
318	Daily time use, Physical Activity, quality of care and interpersonal relationships in patients with Schizophrenia spectrum disorders (DiAPASon): an Italian multicentre study. <i>BMC Psychiatry</i> , 2020 , 20, 287	4.2	0
317	Aggressive behavior and metacognitive functions: a longitudinal study on patients with mental disorders. <i>Annals of General Psychiatry</i> , 2020 , 19, 36	3.4	3
316	Traumatic experiences in childhood and adolescence: a meta-analysis of prospective studies assessing risk for psychosis. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
315	Validation of the Transition Readiness and Appropriateness Measure (TRAM) for the Managing the Link and Strengthening Transition from Child to Adult Mental Healthcare in Europe (MILESTONE) study. <i>BMJ Open</i> , 2020 , 10, e033324	3	12
314	Mental Health in the Coronavirus Disease 2019 Emergency-The Italian Response. <i>JAMA Psychiatry</i> , 2020 , 77, 974-976	14.5	116
313	The acceptability of real-time health monitoring among community participants with depression: A systematic review and meta-analysis of the literature. <i>Depression and Anxiety</i> , 2020 , 37, 885-897	8.4	6
312	Ricerca in salute mentale: un decennio di progetti all'IRCSS Fatebenefratelli. <i>Rivista Sperimentale Di Freniatria</i> , 2020 , 83-113	0	
311	Studying Patients with Severe Mental Disorders Who Act Violently: Italian and European Projects. <i>Comprehensive Approach To Psychiatry</i> , 2020 , 155-179	0.7	2
310	Prevalence and Risk Factors of Violence by Psychiatric Acute Inpatients: Systematic Review and Meta-Analysis: A 2019 Update. <i>Comprehensive Approach To Psychiatry</i> , 2020 , 181-202	0.7	4
309	Correlations between immune and metabolic serum markers and schizophrenia/bipolar disorder polygenic risk score in first-episode psychosis. <i>Microbial Biotechnology</i> , 2020 , 14, 507-511	3.3	9
308	Substance use disorders and violent behaviour in patients with severe mental disorders: A prospective, multicentre study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 1212-1223	2.6	1
307	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
306	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e153	5.1	23

305	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	12
304	Transitioning from child to adult mental health services: what role for social services? Insights from a European survey. <i>Journal of Children's Services</i> , 2020 , 15, 89-108	0.9	
303	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128	4.2	30
302	Protocol for the development and validation procedure of the managing the link and strengthening transition from child to adult mental health care (MILESTONE) suite of measures. <i>BMC Pediatrics</i> , 2020 , 20, 167	2.6	8
301	Promotion of Wellbeing for Children of Parents With Mental Illness: A Model Protocol for Research and Intervention. <i>Frontiers in Psychiatry</i> , 2019 , 10, 606	5	10
300	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101	11.4	14
299	Violence risk and mental disorders (VIORMED-2): A prospective multicenter study in Italy. <i>PLoS ONE</i> , 2019 , 14, e0214924	3.7	14
298	Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 1446-1459	4.6	14
297	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
296	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
295	Remote assessment of disease and relapse in major depressive disorder (RADAR-MDD): a multi-centre prospective cohort study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 72	4.2	44
294	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112	5.5	25
293	Barriers to and Facilitators of Engagement With mHealth Technology for Remote Measurement and Management of Depression: Qualitative Analysis. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11325	5.5	39
292	Manic episode, aggressive behavior and poor insight are significantly associated with involuntary admission in patients with bipolar disorders. <i>PeerJ</i> , 2019 , 7, e7339	3.1	6
291	Introduction: Relevance of the Age of Onset of Mental Disorders to Research in Psychiatry and to the Organization of Services for People with Mental Illness 2019 , 1-13		1
290	The Age of Onset of Bipolar Disorders 2019 , 75-110		2
289	More anxious than depressed: prevalence and correlates in a 15-nation study of anxiety disorders in people with type 2 diabetes mellitus. <i>Annals of General Psychiatry</i> , 2019 , 32, e100076	5.3	15
288	The Long-Term Effectiveness of Psychoeducation for Bipolar Disorders in Mental Health Services. A 4-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 873	5	5

287	European violence risk and mental disorders (EU-VIORMED): a multi-centre prospective cohort study protocol. <i>BMC Psychiatry</i> , 2019 , 19, 410	4.2	6
286	Self-harm behaviour and externally-directed aggression In psychiatric outpatients: a multicentre, prospective study (viormed-2 study). <i>Scientific Reports</i> , 2019 , 9, 17857	4.9	1
285	Dimensional structure of first episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 1431-1438	3.3	13
284	The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients. <i>Schizophrenia Research</i> , 2019 , 210, 164-171	3.6	9
283	Prevalence and correlates of depressive disorders in people with Type 2 diabetes: results from the International Prevalence and Treatment of Diabetes and Depression (INTERPRET-DD) study, a collaborative study carried out in 14 countries. <i>Diabetic Medicine</i> , 2018 , 35, 760-769	3.5	58
282	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
281	Immune and metabolic alterations in first episode psychosis (FEP) patients. <i>Brain, Behavior, and Immunity</i> , 2018 , 70, 315-324	16.6	22
280	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 306-315	6.5	19
279	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 207-219	4.5	5
278	The interface between child/adolescent and adult mental health services: results from a European 28-country survey. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 501-511	5.5	49
277	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
276	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
275	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 552-567	5.1	31
274	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934	4.6	31
273	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018 , 48, 437-450	6.9	15
272	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110	5.2	24
271	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018 , 23, 1892-1899	15.1	34
270	Aggression in mental health residential facilities: A systematic review and meta-analysis. <i>Aggression and Violent Behavior</i> , 2018 , 41, 119-127	3.9	6

269	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018 , 48, 1560-1571	6.9	73
268	Personality, Schizophrenia, and Violence: A Longitudinal Study. <i>Journal of Personality Disorders</i> , 2018 , 32, 465-481	2.6	6
267	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53	3.6	14
266	Associations between conflictual relationships, psychopathology, and the use of psychotropic drugs among older people living in residential facilities. <i>Psychogeriatrics</i> , 2017 , 17, 25-32	1.8	
265	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017 , 47, 1230-1245	6.9	81
264	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281	14.5	120
263	Satisfaction with psychiatric in-patient care as rated by patients at discharge from hospitals in 11 countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 989-1003	4.5	10
262	Predictors of 9-month hospitalization in patients with first-episode affective and non-affective psychosis. Results from the GET UP pragmatic cluster randomized controlled trial. <i>Schizophrenia Research</i> , 2017 , 190, 187-188	3.6	4
261	Do preventive interventions for children of mentally ill parents work? Results of a systematic review and meta-analysis. <i>Current Opinion in Psychiatry</i> , 2017 , 30, 283-299	4.9	59
260	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84	6.5	42
259	Architecture and functioning of child and adolescent mental health services: a 28-country survey in Europe. <i>Lancet Psychiatry</i> , 2017 , 4, 715-724	23.3	60
258	Fear and distress disorders as predictors of heart disease: A temporal perspective. <i>Journal of Psychosomatic Research</i> , 2017 , 96, 67-75	4.1	10
257	Predictors and moderators of treatment outcome in patients receiving multi-element psychosocial intervention for early psychosis: results from the GET UP pragmatic cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 342-349	5.4	19
256	Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 2260-2274	6.9	337
255	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 1744-1760	6.9	74
254	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475	14.5	149
253	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017 , 210, 119-124	5.4	397
252	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017 , 34, 315-326	8.4	23

251	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 227-241	6.9	72
250	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017 , 211, 373-380	5.4	56
249	Architecture and functioning of child and adolescent mental health services: a reply from Slovenia - AuthorsReply. <i>Lancet Psychiatry</i> , 2017 , 4, e20	23.3	1
248	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307	14.4	98
247	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143	11.4	149
246	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
245	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017 , 211, 280-288	5.4	76
244	Influence of childhood trauma on diagnosis and substance use in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017 , 211, 151-156	5.4	19
243	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Hogre Utbildning</i> , 2017 , 8, 1353383	5	446
242	Clinical and neuropsychological features of violence in schizophrenia: A prospective cohort study. <i>Schizophrenia Research</i> , 2017 , 181, 124-130	3.6	19
241	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017 , 31, 2-10	2.2	6
240	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367	4.5	14
239	Meta-analysis of the Interval between the Onset and Management of Bipolar Disorder. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 247-258	4.8	66
238	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 47-65	3.1	284
237	Protocol for a cohort study of adolescent mental health service users with a nested cluster randomised controlled trial to assess the clinical and cost-effectiveness of managed transition in improving transitions from child to adult mental health services (the MILESTONE study). <i>BMJ Open</i> , 2017 , 7, e016055	3	21
236	Individual Differences in Personality Associated with Aggressive Behavior among Adolescents Referred for Externalizing Behavior Problems. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2017 , 39, 680-692	2	13
235	Oxytocin to modulate emotional processing in schizophrenia: A randomized, double-blind, cross-over clinical trial. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1619-28	1.2	20
234	Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970	6.9	490

233	Effects of Intranasal Oxytocin on Long-Term Memory in Healthy Humans: A Systematic Review. <i>Drug Development Research</i> , 2016 , 77, 479-488	5.1	17
232	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016 , 33, 1155-1177	8.4	83
231	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016 , 173, 997-1006	11.9	124
230	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 11-16	4.1	6
229	Do we need oxytocin to treat schizophrenia? A randomized clinical trial. <i>Schizophrenia Research</i> , 2016 , 172, 158-64	3.6	29
228	Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , 2016 , 73, 150-8	14.5	246
227	Moderate efficiency of clinicians' predictions decreased for blurred clinical conditions and benefits from the use of BRASS index. A longitudinal study on geriatric patients' outcomes. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 51-60	5.7	6
226	La chiusura degli OPG: un'altra occasione perduta?. <i>Psicoterapia E Scienze Umane</i> , 2016 , 141-142	0	
225	Unaltered Oxytocin and Vasopressin Plasma Levels in Patients with Schizophrenia After 4 Months of Daily Treatment with Intranasal Oxytocin. <i>Journal of Neuroendocrinology</i> , 2016 , 28,	3.8	11
224	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41	1.3	66
223	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016 , 46, 327-43	6.9	485
222	Clinical factors related to schizophrenia relapse. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016 , 20, 54-69	2.4	20
221	Monitoring and predicting the risk of violence in residential facilities. No difference between patients with history or with no history of violence. <i>Journal of Psychiatric Research</i> , 2016 , 80, 5-13	5.2	20
220	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015 , 175, 168-74	6.6	24
219	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015 , 172, 647-56	11.9	68
218	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 130-6	4.1	11
217	Neuronal cell adhesion genes and antidepressant response in three independent samples. <i>Pharmacogenomics Journal</i> , 2015 , 15, 538-48	3.5	25
216	Violent behavior of patients living in psychiatric residential facilities: a comparison of male patients with different violence histories. <i>International Journal of Law and Psychiatry</i> , 2015 , 39, 46-51	2.6	10

215	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 210-26	5.1	208
214	Feasibility and Effectiveness of a Multi-Element Psychosocial Intervention for First-Episode Psychosis: Results From the Cluster-Randomized Controlled GET UP PIANO Trial in a Catchment Area of 10 Million Inhabitants. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1192-203	1.3	78
213	Subthreshold posttraumatic stress disorder in the world health organization world mental health surveys. <i>Biological Psychiatry</i> , 2015 , 77, 375-84	7.9	124
212	Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015 , 206, 101-9	5.4	22
211	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54	2.1	80
210	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 333-9	4.1	9
209	Reasons and pathways of first-time consultations at child and adolescent mental health services in Italy: an observational study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2015 , 9, 29	6.8	15
208	What is the course of behavioural symptoms and functional conditions in hospitalised older people with dementia? A multicentre cohort study in Italy. <i>European Geriatric Medicine</i> , 2015 , 6, 554-560	3	1
207	Genetics of psychotropic medication induced side effects in two independent samples of bipolar patients. <i>Journal of Neural Transmission</i> , 2015 , 122, 43-58	4.3	10
206	Prevalence and Risk Factors of Violence by Psychiatric Acute Inpatients: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0128536	3.7	185
205	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014 , 57, 699-709	10.3	47
204	Cumulative traumas and risk thresholds: 12-month PTSD in the World Mental Health (WMH) surveys. <i>Depression and Anxiety</i> , 2014 , 31, 130-42	8.4	241
203	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014 , 23, 145-55	3.7	13
202	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
201	Frequency of trauma exposure and Post-Traumatic Stress Disorder in Italy: analysis from the World Mental Health Survey Initiative. <i>Journal of Psychiatric Research</i> , 2014 , 59, 77-84	5.2	50
200	Impact of alcohol consumption in healthy adults: a magnetic resonance imaging investigation. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 96-103	2.9	8
199	Modulation of a number of genes on personality traits in a sample of healthy subjects. <i>Neuroscience Letters</i> , 2014 , 566, 320-5	3.3	5
198	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 207-12	4.1	20

197	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
196	DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , 2014 , 31, 494-505	8.4	117
195	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51	3.9	66
194	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 27-41	5.1	39
193	Monitoring and evaluating the Italian mental health system: the "Progetto Residenze" study and beyond. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 451-9	1.8	16
192	Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014 , 44, 1303-17	6.9	509
191	Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014 , 44, 707-22	6.9	12
190	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9	5.6	69
189	The effect of service satisfaction and spiritual well-being on the quality of life of patients with schizophrenia. <i>Psychiatry Research</i> , 2014 , 216, 185-91	9.9	15
188	Is psychiatric residential facility discharge possible and predictable? A multivariate analytical approach applied to a prospective study in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 157-67	4.5	16
187	Associations between DSM-IV mental disorders and subsequent heart disease onset: beyond depression. <i>International Journal of Cardiology</i> , 2013 , 168, 5293-9	3.2	50
186	The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013 , 73, 904-14	7.9	741
185	The mental component of the short-form 12 health survey (SF-12) as a measure of depressive disorders in the general population: results with three alternative scoring methods. <i>Value in Health</i> , 2013 , 16, 564-73	3.3	149
184	A prospective, multidimensional follow-up study of a geriatric hospitalised population: predictors of discharge and well-being. <i>Aging Clinical and Experimental Research</i> , 2013 , 25, 691-701	4.8	13
183	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 137-49	4.5	30
182	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 173-81	4.5	38
181	Dissociation in posttraumatic stress disorder: evidence from the world mental health surveys. <i>Biological Psychiatry</i> , 2013 , 73, 302-12	7.9	201
180	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 121-7	4.1	16

179	Is structured group psychoeducation for bipolar patients effective in ordinary mental health services? A controlled trial in Italy. <i>Journal of Affective Disorders</i> , 2013 , 151, 149-55	6.6	35
178	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013 , 202, 42-9	5.4	47
177	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79	6.9	51
176	Irritable mood in adult major depressive disorder: results from the world mental health surveys. <i>Depression and Anxiety</i> , 2013 , 30, 395-406	8.4	11
175	Is ADHD in childhood associated with lifetime hoarding symptoms? An epidemiological study. <i>Depression and Anxiety</i> , 2013 , 30, 741-8	8.4	33
174	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. <i>Psychological Medicine</i> , 2013 , 43, 2191-202	6.9	17
173	Gender differences in mental health expectancies in early- and midlife in six European countries. <i>British Journal of Psychiatry</i> , 2013 , 202, 294-300	5.4	9
172	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25	2.6	61
171	Disability mediates the impact of common conditions on perceived health. <i>PLoS ONE</i> , 2013 , 8, e65858	3.7	20
170	Associations between lifetime traumatic events and subsequent chronic physical conditions: a cross-national, cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e80573	3.7	88
169	The characteristics and activities of child and adolescent mental health services in Italy: a regional survey. <i>BMC Psychiatry</i> , 2012 , 12, 7	4.2	13
168	Heterogeneity and symptom structure of schizophrenia. <i>Psychiatry Research</i> , 2012 , 198, 386-94	9.9	54
167	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38
166	An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012 , 2, 135-44	5.5	8
165	Early-life mental disorders and adult household income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012 , 72, 228-37	7.9	79
164	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61	5.4	59
163	Parent psychopathology and offspring mental disorders: results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012 , 200, 290-9	5.4	137
162	Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 47-57	5.1	235

161	Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011 , 9, 90	11.4	1107
160	Use of psychiatric inpatient services by heavy users: findings from a national survey in Italy. <i>European Psychiatry</i> , 2011 , 26, 252-9	6	29
159	Factors associated with use of psychiatrists and nonpsychiatrist providers by ESEMeD respondents in six European countries. <i>Psychiatric Services</i> , 2011 , 62, 143-51	3.3	14
158	Neuropsychiatric symptoms and syndromes in institutionalized elderly people without dementia. <i>International Psychogeriatrics</i> , 2011 , 23, 425-34	3.4	19
157	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011 , 199, 330-7	5.4	27
156	A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 474-86	6.5	104
155	Is cognitive behavioural therapy an effective complement to antidepressants in adolescents? A meta-analysis. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 263-271	3.9	13
154	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1234-46	15.1	259
153	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1221-33	15.1	57
152	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011 , 131, 330-8	6.6	6
151	How does the residential care system change? A longitudinal survey in a large region of Italy. <i>Community Mental Health Journal</i> , 2011 , 47, 201-8	2.1	9
150	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 273-80	4.5	17
149	Patient characteristics and process factors associated with antipsychotic polypharmacy in a nationwide sample of psychiatric inpatients in Italy. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 441-9	2.6	32
148	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 116-33	4.3	7
147	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 182-91	4.3	7
146	Cross-national comparisons of sex differences in opportunities to use alcohol or drugs, and the transitions to use. <i>Substance Use and Misuse</i> , 2011 , 46, 1169-78	2.2	24
145	Development of lifetime comorbidity in the World Health Organization world mental health surveys. <i>Archives of General Psychiatry</i> , 2011 , 68, 90-100		328
144	Do patients improve after short psychiatric admission?: a cohort study in Italy. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 251-8	2.3	10

143	The impact of a psychoeducational intervention on family membersViews about schizophrenia: results from the OASIS Italian multi-centre study. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 596-603	8.5	25
142	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2011 , 41, 873-86	6.9	43
141	Association of childhood adversities and early-onset mental disorders with adult-onset chronic physical conditions. <i>Archives of General Psychiatry</i> , 2011 , 68, 838-44		241
140	Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011 , 199, 64-70	5.4	212
139	Saharan dust and daily mortality in Emilia-Romagna (Italy). <i>Occupational and Environmental Medicine</i> , 2011 , 68, 446-51	2.1	86
138	Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010 , 5, e10574	3.7	225
137	Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1617-28	4.6	430
136	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. <i>Tobacco Control</i> , 2010 , 19, 65-74	5.3	28
135	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 378-85	5.4	1337
134	Early cannabis use and estimated risk of later onset of depression spells: Epidemiologic evidence from the population-based World Health Organization World Mental Health Survey Initiative. <i>American Journal of Epidemiology</i> , 2010 , 172, 149-59	3.8	58
133	Gender and the relationship between marital status and first onset of mood, anxiety and substance use disorders. <i>Psychological Medicine</i> , 2010 , 40, 1495-505	6.9	98
132	The role of criterion A2 in the DSM-IV diagnosis of posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2010 , 68, 465-73	7.9	63
131	Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 143	3	77
130	Evaluating the drug use "gateway" theory using cross-national data: consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 84-97	4.9	199
129	First-ever admitted psychiatric inpatients in Italy: clinical characteristics and reasons contributing to admission: findings from a national survey. <i>Psychiatry Research</i> , 2010 , 176, 62-8	9.9	21
128	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010 , 197, 20-7	5.4	230
127	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 114-21	5.4	102
126	Seeking help for mental health problems outside the conventional health care system: results from the European Study of the Epidemiology of Mental Disorders (ESEMEd). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 586-97	4.8	7

125	Correlates and antecedents of hospital admission for attempted suicide: a nationwide survey in Italy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 181-90	5.1	9
124	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010 , 124, 38-44	6.6	24
123	Obsessive-compulsive symptom dimensions in the general population: results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010 , 124, 291-9	6.6	75
122	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. <i>Depression and Anxiety</i> , 2010 , 27, 351-64	8.4	295
121	Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010 , 27, 390-403	8.4	42
120	Early childhood adversity and later hypertension: data from the World Mental Health Survey. <i>Annals of Clinical Psychiatry</i> , 2010 , 22, 19-28	1.4	69
119	The psychotic spectrum: a community-based study. <i>World Psychiatry</i> , 2009 , 8, 110-4	14.4	5
118	Patterns of admission to acute psychiatric in-patient facilities: a national survey in Italy. <i>Psychological Medicine</i> , 2009 , 39, 485-96	6.9	38
117	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. <i>Psychological Medicine</i> , 2009 , 39, 1163-76	6.9	36
116	Cross-national associations between gender and mental disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009 , 66, 785-95		751
115	Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2009 , 6, e1000123	11.6	482
114	The epidemiology of eating disorders in six European countries: results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1125-32	5.2	303
113	Long-stay in short-stay inpatient facilities: risk factors and barriers to discharge. <i>BMC Public Health</i> , 2009 , 9, 306	4.1	12
112	Suicide ideation across reproductive life cycle of women. Results from a European epidemiological study. <i>Journal of Affective Disorders</i> , 2009 , 116, 144-7	6.6	21
111	Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009 , 118, 180-6	6.6	123
110	Prevalence and correlates of mental disorders among adolescents in Italy: the PrISMA study. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 217-26	5.5	101
109	Patterns of care in patients discharged from acute psychiatric inpatient facilities: a national survey in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 767-76	4.5	21
108	Childhood psychosocial stressors and adult onset arthritis: broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009 , 143, 76-83	8	71

107	Childhood predictors of adult attention-deficit/hyperactivity disorder: results from the World Health Organization World Mental Health Survey Initiative. <i>Biological Psychiatry</i> , 2009 , 65, 46-54	7.9	300
106	Death ideas, suicidal thoughts, and plans among nursing home residents. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009 , 22, 141-8	3.8	22
105	Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. <i>Medical Care</i> , 2009 , 47, 255-61	3.1	149
104	Violent behavior in acute psychiatric inpatient facilities: a national survey in Italy. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 772-82	1.8	49
103	Perceived need for mental health care and service use among adults in Western Europe: results of the ESEMeD project. <i>Psychiatric Services</i> , 2009 , 60, 1051-8	3.3	55
102	DSM-IV personality disorders in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2009 , 195, 46-53	5.4	209
101	Association of headache with childhood adversity and mental disorder: cross-national study. <i>British Journal of Psychiatry</i> , 2009 , 194, 111-6	5.4	28
100	Mental-physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2009 , 39, 33-43	6.9	201
99	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. <i>British Journal of Psychiatry</i> , 2009 , 194, 411-7	5.4	100
98	Obesity and mental disorders in the general population: results from the world mental health surveys. <i>International Journal of Obesity</i> , 2008 , 32, 192-200	5.5	273
97	The Italian guidelines for early intervention in schizophrenia: development and conclusions. <i>Microbial Biotechnology</i> , 2008 , 2, 291-302	3.3	20
96	Symptom structure of acute mania: a factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. <i>Journal of Affective Disorders</i> , 2008 , 108, 183-9	6.6	37
95	Clinical factors influencing the prescription of antidepressants and benzodiazepines: results from the European study of the epidemiology of mental disorders (ESEMeD). <i>Journal of Affective Disorders</i> , 2008 , 110, 84-93	6.6	103
94	Mental disorders among persons with diabetes--results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 571-80	4.1	129
93	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1132-43	5.7	103
92	The relation between multiple pains and mental disorders: results from the World Mental Health Surveys. <i>Pain</i> , 2008 , 135, 82-91	8	199
91	Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy: results from the European Study on the Epidemiology of Mental Disorders--World Mental Health study. <i>Comprehensive Psychiatry</i> , 2008 , 49, 13-21	7.3	59
90	Common chronic pain conditions in developed and developing countries: gender and age differences and comorbidity with depression-anxiety disorders. <i>Journal of Pain</i> , 2008 , 9, 883-91	5.2	714

89	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 835-42	2.1	212
88	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008 , 192, 98-105	5.4	1482
87	A comparison between former forensic and non-forensic patients living in psychiatric residential facilities: A national survey in Italy. <i>Journal of Forensic Psychiatry and Psychology</i> , 2008 , 19, 108-126	0.9	5
86	Franco Basaglia, 1924-1980. <i>American Journal of Psychiatry</i> , 2008 , 165, 968	11.9	6
85	Advantages and limitations of clinical guidelines: can we change clinicians' behaviour?. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 263-266	5.1	2
84	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2008 , 38, 1639-50	6.9	68
83	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. <i>Psychological Medicine</i> , 2008 , 38, 1659-69	6.9	88
82	Compulsory Admissions in Italy: Results of a National Survey. <i>International Journal of Mental Health</i> , 2008 , 37, 46-60	1.4	8
81	Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008 , 192, 368-75	5.4	267
80	Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. <i>Psychosomatic Medicine</i> , 2008 , 70, 1035-43	3.7	79
79	A one-day census of acute psychiatric inpatient facilities in Italy: findings from the PROGRES-Acute Project. <i>Psychiatric Services</i> , 2008 , 59, 722-4	3.3	12
78	Toward a global view of alcohol, tobacco, cannabis, and cocaine use: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , 2008 , 5, e141	11.6	516
77	Adverse parenting as a risk factor in the occurrence of anxiety disorders : a study in six European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 266-72	4.5	31
76	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 185-97	4.3	43
75	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008 , 21, 455-62	3.8	182
74	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 305-14	6.5	147
73	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 451-8	6.5	92
72	Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 132-41	6.5	9

71	Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007 , 29, 123-33	5.6	197
70	Mental disorders among persons with heart disease - results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007 , 29, 325-34	5.6	91
69	Risk factors for suicidality in Europe: results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007 , 101, 27-34	6.6	355
68	Depression-anxiety relationships with chronic physical conditions: results from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2007 , 103, 113-20	6.6	333
67	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 83-91	5.1	71
66	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007 , 190, 402-9	5.4	925
65	Population level of unmet need for mental healthcare in Europe. <i>British Journal of Psychiatry</i> , 2007 , 190, 299-306	5.4	178
64	Discriminant ability and criterion validity of the HoNOS in Italian psychiatric residential facilities. <i>Psychopathology</i> , 2007 , 40, 111-5	3.4	8
63	Process of care in general hospital psychiatric units: national survey in Italy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 509-18	2.6	20
62	Characteristics and activities of acute psychiatric in-patient facilities: national survey in Italy. <i>British Journal of Psychiatry</i> , 2007 , 191, 170-7	5.4	65
61	Treatment adequacy for anxiety and depressive disorders in six European countries. <i>British Journal of Psychiatry</i> , 2007 , 190, 172-3	5.4	121
60	Mental disorders among persons with chronic back or neck pain: results from the World Mental Health Surveys. <i>Pain</i> , 2007 , 129, 332-342	8	378
59	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , 2007 , 370, 841-50	4.0	968
58	Residential facilities for older people in Italy: a five-region survey. <i>Aging Clinical and Experimental Research</i> , 2007 , 19, 132-8	4.8	5
57	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 177-85	14.4	322
56	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 168-76	14.4	1067
55	Suicidal behaviour in nursing homes: a survey in a region of north-east Italy. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 307-11	3.9	33
54	The Italian preadolescent mental health project (PrISMA): rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2006 , 15, 22-35	4.3	43

53	The ESEMeD-WMH project: strenghtening epidemiological research in Europe through the study of variation in prevalence estimates. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 167-73		17
52	Suicide phenomena in nursing homes: a neglected issue in geriatric research and clinical management?. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1299-300	5.6	6
51	The prescription of psychotropic drugs in psychiatric residential facilities: a national survey in Italy. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 212-23	6.5	23
50	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 492-500	6.5	126
49	The environment and staff of residential facilities: findings from the Italian ProgressNational survey. <i>Community Mental Health Journal</i> , 2006 , 42, 263-79	2.1	17
48	The quality of life of the mentally ill living in residential facilities: findings from a national survey in Italy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 372-81	5.1	29
47	Prevalence of common mental disorders in Italy: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 853-61	4.5	121
46	Empirical evidence for an invariant three-factor structure of the Parental Bonding Instrument in six European countries. <i>Psychiatry Research</i> , 2005 , 135, 237-47	9.9	23
45	Antisocial Personality Disorder: A Review 2005 , 125-200		4
44	The severely mentally ill in residential facilities: a national survey in Italy. <i>Psychological Medicine</i> , 2005 , 35, 421-31	6.9	40
43	The process of care in residential facilities--a national survey in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 540-50	4.5	24
42	Observational study of suspected maltreatment in Italian paediatric emergency departments. <i>Archives of Disease in Childhood</i> , 2005 , 90, 406-10	2.2	29
41	Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90	27.4	2063
40	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 8-20	6.5	110
39	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 21-7	6.5	791
38	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 28-37	6.5	114
37	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 38-46	6.5	213
36	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 47-54	6.5	249

35	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 55-64	6.5	103
34	Quality of life in patients with schizophrenia--comparison of self-report and proxy assessments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 397-401	4.5	53
33	Residential facilities as the new scenario of long-term psychiatric care. <i>Current Opinion in Psychiatry</i> , 2004 , 17, 275-281	4.9	11
32	Community surveys of mental disorders: recent achievements and works in progress. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 403-411	4.9	10
31	Italian psychiatry 25 years of change. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2003 , 1, 14-17		4
30	Italian psychiatry - 25 years of change. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2003 , 1, 14-17		
29	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 55-67	4.3	72
28	Quality of life assessment in HIV-positive persons: application and validation of the WHOQOL-HIV, Italian version. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2002 , 14, 405-15	2.2	30
27	Quality of Life-Proxy (QoL-P). <i>Epidemiology and Psychiatric Sciences</i> , 2002 , 11, 287-290	5.1	
26	Public health and psychiatry: between evidence and hopes. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 177-180	4.9	2
25	Residential care in Italy. National survey of non-hospital facilities. <i>British Journal of Psychiatry</i> , 2002 , 181, 220-5	5.4	85
24	The Italian Psychiatric Reform. A 20-year perspective. <i>International Journal of Law and Psychiatry</i> , 2000 , 23, 197-214	2.6	86
23	The quality of life of people with schizophrenia in Boulder, Colorado, and Bologna, Italy. <i>Schizophrenia Bulletin</i> , 1998 , 24, 559-68	1.3	66
22	Publication trends of papers on schizophrenia. A 15-year analysis of three general psychiatric journals. <i>British Journal of Psychiatry</i> , 1997 , 171, 452-6	5.4	10
21	WHO Studies on Schizophrenia. <i>The Psychotherapy Patient</i> , 1996 , 9, 213-231		6
20	Depression and cognitive impairment in the elderly: a multicentre study. <i>European Psychiatry</i> , 1995 , 10, 61-74	6	4
19	Trauma and victims: epidemiology of post-traumatic stress disorder. <i>Epidemiologia E Psichiatria Sociale</i> , 1995 , 4, 110-144		3
18	Patients dropping out of treatment in Italy. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 92, 1-6	6.5	35

17	Depresión y deterioro cognitivo en los ancianos: un estudio multicéntrico. <i>European Psychiatry (Ed Española)</i> , 1995 , 2, 231-247		
16	Classificazione, diagnosi ed ICD-10. I - Principi generali e considerazioni critiche*. <i>Epidemiologia E Psichiatria Sociale</i> , 1993 , 2, 83-103		1
15	Classificazione, diagnosi ed ICD-10. III - Le sindromi affettive. <i>Epidemiologia E Psichiatria Sociale</i> , 1993 , 2, 119-128		
14	Classificazione, diagnosi ed ICD-10. II - Le sindromi schizofreniche. <i>Epidemiologia E Psichiatria Sociale</i> , 1993 , 2, 105-117		
13	Introduzione al testo delle Nazioni Unite su «La tutela delle persone affette da malattia mentale ed il miglioramento della assistenza psichiatrica». <i>Epidemiologia E Psichiatria Sociale</i> , 1993 , 2, 141-143		
12	Epidemiologia della schizofrenia: lo stato dell'arte. <i>Epidemiologia E Psichiatria Sociale</i> , 1993 , 2, 1-6		1
11	International Perspectives on the Treatment and Prevention of Posttraumatic Stress Disorder 1993 , 935-946		10
10	Italian psychiatry and reform law: a review of the international literature. <i>International Journal of Social Psychiatry</i> , 1989 , 35, 21-37	8.5	28
9	The psychiatric services in Cremona: a case study of the Italian reform law. <i>Community Mental Health Journal</i> , 1989 , 25, 60-70	2.1	1
8	Premenstrual symptoms and psychiatric morbidity in two Italian health care settings. <i>Psychotherapy and Psychosomatics</i> , 1989 , 52, 187-96	9.4	1
7	Admission to general hospital psychiatric wards in Italy. 2. Inpatient characteristics. <i>International Journal of Social Psychiatry</i> , 1988 , 34, 258-66	8.5	4
6	Admission to general hospital psychiatric wards in Italy. 1. A comparison between two catchment areas with differing provision of outpatient care. <i>International Journal of Social Psychiatry</i> , 1988 , 34, 248-57	8.5	11
5	Psychotropic drug utilization and audit in two Italian psychiatric services. <i>Psychological Medicine</i> , 1987 , 17, 989-97	6.9	13
4	Social Anxiety Disorder120-133		
3	Effect of managed transition on mental health outcomes for young people at the child/adult mental health service boundary: a randomised clinical trial. <i>Psychological Medicine</i> ,1-12	6.9	4
2	Natural and Human-Made Disasters226-239		
1	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> ,1-9	6.9	1