

Rikke Leth-Larsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3167502/publications.pdf>

Version: 2024-02-01

27
papers

1,608
citations

430874

18
h-index

552781

26
g-index

27
all docs

27
docs citations

27
times ranked

3002
citing authors

#	ARTICLE	IF	CITATIONS
1	MCM3 upregulation confers endocrine resistance in breast cancer and is a predictive marker of diminished tamoxifen benefit. <i>Npj Breast Cancer</i> , 2021, 7, 2.	5.2	7
2	CYPOR is a novel and independent prognostic biomarker of recurrence-free survival in triple-negative breast cancer patients. <i>International Journal of Cancer</i> , 2019, 144, 631-640.	5.1	17
3	Increased Cholesterol Biosynthesis Is a Key Characteristic of Breast Cancer Stem Cells Influencing Patient Outcome. <i>Cell Reports</i> , 2019, 27, 3927-3938.e6.	6.4	110
4	Downregulation of antigen presentation-associated pathway proteins is linked to poor outcome in triple-negative breast cancer patient tumors. <i>Oncolmmunology</i> , 2017, 6, e1305531.	4.6	58
5	Elucidation of Altered Pathways in Tumor-Initiating Cells of Triple-Negative Breast Cancer: A Useful Cell Model System for Drug Screening. <i>Stem Cells</i> , 2017, 35, 1898-1912.	3.2	13
6	<sc>100A14 is a novel independent prognostic biomarker in the triple-negative breast cancer subtype. <i>International Journal of Cancer</i> , 2015, 137, 2093-2103.	5.1	19
7	NADH-Cytochrome b5 Reductase 3 Promotes Colonization and Metastasis Formation and Is a Prognostic Marker of Disease-Free and Overall Survival in Estrogen Receptor-Negative Breast Cancer*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2988-2999.	3.8	34
8	Elucidation of epithelial-mesenchymal transition-related pathways in a triple-negative breast cancer cell line model by multi-omics interactome analysis. <i>Integrative Biology (United Kingdom)</i> , 2014, 6, 1058-1068.	1.3	17
9	Anti-Human CD73 Monoclonal Antibody Inhibits Metastasis Formation in Human Breast Cancer by Inducing Clustering and Internalization of CD73 Expressed on the Surface of Cancer Cells. <i>Journal of Immunology</i> , 2013, 191, 4165-4173.	0.8	114
10	Identification and Characterization of a Chitin-binding Protein Purified from Coelomic Fluid of the Lugworm <i>Arenicola marina</i> Defining a Novel Protein Sequence Family. <i>Journal of Biological Chemistry</i> , 2012, 287, 42846-42855.	3.4	2
11	Functional Heterogeneity within the CD44 High Human Breast Cancer Stem Cell-Like Compartment Reveals a Gene Signature Predictive of Distant Metastasis. <i>Molecular Medicine</i> , 2012, 18, 1109-1121.	4.4	73
12	Quantitative proteomics of primary tumors with varying metastatic capabilities using stable isotope-labeled proteins of multiple histogenic origins. <i>Proteomics</i> , 2012, 12, 2139-2148.	2.2	19
13	Identification of markers associated with highly aggressive metastatic phenotypes using quantitative comparative proteomics. <i>Cancer Genomics and Proteomics</i> , 2012, 9, 265-73.	2.0	15
14	Selective enrichment of sialic acid-containing glycopeptides using titanium dioxide chromatography with analysis by HILIC and mass spectrometry. <i>Nature Protocols</i> , 2010, 5, 1974-1982.	12.0	225
15	Plasma Membrane Proteomics and Its Application in Clinical Cancer Biomarker Discovery. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1369-1382.	3.8	142
16	Metastasis-related Plasma Membrane Proteins of Human Breast Cancer Cells Identified by Comparative Quantitative Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1436-1449.	3.8	113
17	Multimeric and trimeric subunit SP-D are interconvertible structures with distinct ligand interaction. <i>Molecular Immunology</i> , 2009, 46, 3060-3069.	2.2	33
18	Efficient Isolation and Quantitative Proteomic Analysis of Cancer Cell Plasma Membrane Proteins for Identification of Metastasis-Associated Cell Surface Markers. <i>Journal of Proteome Research</i> , 2009, 8, 3078-3090.	3.7	99

#	ARTICLE	IF	CITATIONS
19	The SARS coronavirus spike glycoprotein is selectively recognized by lung surfactant protein D and activates macrophages. <i>Immunobiology</i> , 2007, 212, 201-211.	1.9	107
20	A Common Polymorphism in the <i>SFTPD</i> Gene Influences Assembly, Function, and Concentration of Surfactant Protein D. <i>Journal of Immunology</i> , 2005, 174, 1532-1538.	0.8	134
21	Surfactant protein D binds to human immunodeficiency virus (HIV) envelope protein gp120 and inhibits HIV replication. <i>Journal of General Virology</i> , 2005, 86, 3097-3107.	2.9	62
22	The effects of GH and hormone replacement therapy on serum concentrations of mannan-binding lectin, surfactant protein D and vitamin D binding protein in Turner syndrome. <i>European Journal of Endocrinology</i> , 2004, 150, 355-362.	3.7	35
23	Surfactant protein D (SP-D) serum levels in patients with community-acquired pneumonia†††This work was supported by the Danish Medical Research Council, an EU grant, contract number: QLK2-CT-2000-0035; the Novo Nordisk Foundation; Fonden til Lægevidenskabens Fremme; Ingemann O. Bucks Foundation and the Benzon Foundation. <i>Clinical Immunology</i> , 2003, 108, 29-37.	3.2	111
24	Structural characterization of human and bovine lung surfactant protein D. <i>Biochemical Journal</i> , 1999, 343, 645-652.	3.7	27
25	Structural characterization of human and bovine lung surfactant protein D. <i>Biochemical Journal</i> , 1999, 343, 645.	3.7	15
26	The third serine proteinase with chymotrypsin specificity isolated from Atlantic cod (<i>Gadus morhua</i>) is a type-II elastase. <i>FEBS Journal</i> , 1998, 255, 638-646.	0.2	7
27	Cholesterol Biosynthesis Is a Key Feature of Cancer Stem Cells as Revealed by Proteomic Comparison of Breast Cancer Tissue, Corresponding PDXs and Mammospheres. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0