Hlna A Gaspar

List of Publications by Citations

Source: https://exaly.com/author-pdf/3168105/helena-a-gaspar-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

4,626
citations

h-index

68
g-index

76
ext. papers

6,680
ext. citations

7.4
avg, IF

L-index

#	Paper	IF	Citations
69	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
68	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
67	Marketed marine natural products in the pharmaceutical and cosmeceutical industries: tips for success. <i>Marine Drugs</i> , 2014 , 12, 1066-101	6	336
66	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
65	Genetic identification of brain cell types underlying schizophrenia. <i>Nature Genetics</i> , 2018 , 50, 825-833	36.3	295
64	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
63	Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019 , 51, 1670-1678	36.3	185
62	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020 , 25, 3292-33	03 5.1	114
61	Translating genome-wide association findings into new therapeutics for psychiatry. <i>Nature Neuroscience</i> , 2016 , 19, 1392-1396	25.5	86
60	From Marine Origin to Therapeutics: The Antitumor Potential of Marine Algae-Derived Compounds. <i>Frontiers in Pharmacology</i> , 2018 , 9, 777	5.6	78
59	Raising awareness of new psychoactive substances: chemical analysis and in vitro toxicity screening of Segal highSpackages containing synthetic cathinones. <i>Archives of Toxicology</i> , 2015 , 89, 757-71	5.8	60
58	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
57	Antimicrobial activity of heterotrophic bacterial communities from the marine sponge Erylus discophorus (Astrophorida, Geodiidae). <i>PLoS ONE</i> , 2013 , 8, e78992	3.7	56
56	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
55	Localization and ecological significance of oroidin and sceptrin in the Caribbean sponge Agelas conifera. <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 1073-1091	1.4	47
54	Genomics of body fat percentage may contribute to sex bias in anorexia nervosa. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 428-438	3.5	47
53	Antioxidant and Neuroprotective Potential of the Brown Seaweed in an in vitro Parkinson Disease Model. <i>Marine Drugs</i> , 2019 , 17,	6	39

(2015-2015)

52	The antimicrobial activity of heterotrophic bacteria isolated from the marine sponge Erylus deficiens (Astrophorida, Geodiidae). <i>Frontiers in Microbiology</i> , 2015 , 6, 389	5.7	39	
51	Coloration and defense in the nudibranch gastropod Hypselodoris fontandraui. <i>Biological Bulletin</i> , 2010 , 218, 181-8	1.5	39	
50	Pelseneeriol-1 and -2: new furanosesquiterpene alcohols from porostome nudibranch Doriopsilla pelseneeri. <i>Tetrahedron</i> , 2005 , 61, 11032-11037	2.4	36	
49	Marine invasive macroalgae: Turning a real threat into a major opportunity - the biotechnological potential of Sargassum muticum and Asparagopsis armata. <i>Algal Research</i> , 2018 , 34, 217-234	5	33	
48	Indicators of mental disorders in UK Biobank-A comparison of approaches. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1796	4.3	31	
47	HPLC quantification of dye flavonoids in Reseda luteola L. from Portugal. <i>Journal of Separation Science</i> , 2008 , 31, 3683-7	3.4	31	
46	Biological annotation of genetic loci associated with intelligence in a meta-analysis of 87,740 individuals. <i>Molecular Psychiatry</i> , 2019 , 24, 182-197	15.1	31	
45	Genetic correlations of psychiatric traits with body composition and glycemic traits are sex- and age-dependent. <i>Nature Communications</i> , 2019 , 10, 5765	17.4	25	
44	Proactive response to tackle the threat of emerging drugs: Synthesis and toxicity evaluation of new cathinones. <i>Forensic Science International</i> , 2018 , 290, 146-156	2.6	22	
43	Evaluation of polygenic prediction methodology within a reference-standardized framework. <i>PLoS Genetics</i> , 2021 , 17, e1009021	6	22	
42	Using genetic drug-target networks to develop new drug hypotheses for major depressive disorder. <i>Translational Psychiatry</i> , 2019 , 9, 117	8.6	21	
41	Isomeric furanosesquiterpenes from the Portuguese marine sponge Fasciospongia sp. <i>Journal of Natural Products</i> , 2008 , 71, 2049-52	4.9	19	
40	CARBON/NUTRIENT BALANCE IN RELATION TO BIOMASS PRODUCTION AND HALOGENATED COMPOUND CONTENT IN THE RED ALGA ASPARAGOPSIS TAXIFORMIS (BONNEMAISONIACEAE)(1). <i>Journal of Phycology</i> , 2012 , 48, 248-53	3	17	
39	Structure-cytotoxicity relationship profile of 13 synthetic cathinones in differentiated human SH-SY5Y neuronal cells. <i>NeuroToxicology</i> , 2019 , 75, 158-173	4.4	15	
38	Biosynthetic evidence supporting the generation of terpene chemodiversity in marine mollusks of the genus Doriopsilla. <i>Journal of Natural Products</i> , 2008 , 71, 2053-6	4.9	15	
37	Antifungal Activity of (+)-Curcuphenol, a Metabolite from the Marine Sponge Didiscus oxeata. <i>Marine Drugs</i> , 2004 , 2, 8-13	6	15	
36	Sterols from Teucrium abutiloides and T. betonicum. <i>Phytochemistry</i> , 1996 , 43, 613-615	4	15	
35	Determination of mitragynine in urine matrices by bar adsorptive microextraction and HPLC analysis. <i>Talanta</i> , 2015 , 144, 105-9	6.2	14	

34	Synthetic cannabinoids JWH-018, JWH-122, UR-144 and the phytocannabinoid THC activate apoptosis in placental cells. <i>Toxicology Letters</i> , 2020 , 319, 129-137	4.4	14
33	4F-PBP (4Sfluoro- L pyrrolidinobutyrophenone), a new substance of abuse: Structural characterization and purity NMR profiling. <i>Forensic Science International</i> , 2015 , 252, 168-76	2.6	13
32	Shared genetic risk between eating disorder- and substance-use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021 , 26, e12880	4.6	12
31	How to Succeed in Marketing Marine Natural Products for Nutraceutical, Pharmaceutical and Cosmeceutical Markets. <i>Grand Challenges in Biology and Biotechnology</i> , 2018 , 317-403	2.4	12
30	Turning the game around: toxicity in a nudibranch-sponge predatorprey association. <i>Chemoecology</i> , 2012 , 22, 47-53	2	11
29	Effects of hydrogen peroxide on the content of major volatile halogenated compounds in the red alga Asparagopsis taxiformis (Bonnemaisoniaceae). <i>Journal of Applied Phycology</i> , 2011 , 23, 827-832	3.2	11
28	Influence of soil fertility on dye flavonoids production in weld (Reseda luteola L.) accessions from Portugal. <i>Journal of Separation Science</i> , 2009 , 32, 4234-40	3.4	9
27	Composition of the essential oil of Teucrium haenseleri Boiss <i>Flavour and Fragrance Journal</i> , 1997 , 12, 355-357	2.5	9
26	Anti-Hepatocellular Carcinoma (HepG2) Activities of Monoterpene Hydroxy Lactones Isolated from the Marine Microalga. <i>Marine Drugs</i> , 2020 , 18,	6	9
25	Drug Targetor: a web interface to investigate the human druggome for over 500 phenotypes. <i>Bioinformatics</i> , 2019 , 35, 2515-2517	7.2	9
24	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 309-330	3.5	8
23	Separate and combined effects of genetic variants and pre-treatment whole blood gene expression on response to exposure-based cognitive behavioural therapy for anxiety disorders. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 215-226	3.8	7
22	Polypropionates from Bulla occidentalis: chemical markers and trophic relationships in cephalaspidean molluscs. <i>Tetrahedron Letters</i> , 2011 , 52, 4595-4597	2	7
21	Determination of Selected Cathinones in Blood by Solid-Phase Extraction and GC-MS. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 233-242	2.9	7
20	Loliolide, a New Therapeutic Option for Neurological Diseases? In Vitro Neuroprotective and Anti-Inflammatory Activities of a Monoterpenoid Lactone Isolated from. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
19	Does a shell matter for defence? Chemical deterrence in two cephalaspidean gastropods with calcified shells. <i>Journal of Molluscan Studies</i> , 2009 , 75, 127-131	1.1	6
18	A rearranged homo-neo-clerodane diterpenoid from Teucrium betonicum. <i>Tetrahedron</i> , 1995 , 51, 2363-	-23,68	6
17	Natural Approaches for Neurological Disorders-The Neuroprotective Potential of. <i>Molecules</i> , 2020 , 25,	4.8	6

LIST OF PUBLICATIONS

16	Erylusamides: Novel Atypical Glycolipids from Erylus cf. deficiens. <i>Marine Drugs</i> , 2016 , 14,	6	6
15	Probabilistic ancestry maps: a method to assess and visualize population substructures in genetics. <i>BMC Bioinformatics</i> , 2019 , 20, 116	3.6	4
14	Marine invasive species for high-value productsSexploration IUnveiling the antimicrobial potential of Asparagopsis armata against human pathogens. <i>Algal Research</i> , 2020 , 52, 102091	5	4
13	Genetic influences on treatment-seeking for common mental health problems in the UK biobank. Behaviour Research and Therapy, 2019 , 121, 103413	5.2	3
12	Adverse outcome pathways induced by 3,4-dimethylmethcathinone and 4-methylmethcathinone in differentiated human SH-SY5Y neuronal cells. <i>Archives of Toxicology</i> , 2020 , 94, 2481-2503	5.8	3
11	Sphaerococcus coronopifolius bromoterpenes as potential cancer stem cell-targeting agents. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 128, 110275	7.5	3
10	Unravelling the Dermatological Potential of the Brown Seaweed. Marine Drugs, 2021, 19,	6	3
9	Marine endophytic fungi associated with Halopteris scoparia (Linnaeus) Sauvageau as producers of bioactive secondary metabolites with potential dermocosmetic application. <i>PLoS ONE</i> , 2021 , 16, e02509	93:4	2
8	Disclosing the potential of eleganolone for Parkinson's disease therapeutics: Neuroprotective and anti-inflammatory activities. <i>Pharmacological Research</i> , 2021 , 168, 105589	10.2	2
7	Cytotoxic Mechanism of Sphaerodactylomelol, an Uncommon Bromoditerpene Isolated from. <i>Molecules</i> , 2021 , 26,	4.8	1
6	Metabolic Profile of Four Selected Cathinones in Microsome Incubations: Identification of Phase I and II Metabolites by Liquid Chromatography High Resolution Mass Spectrometry. <i>Frontiers in Chemistry</i> , 2020 , 8, 609251	5	1
5	Mitigating the negative impacts of marine invasive species ßargassum muticum - a key seaweed for skincare products development. <i>Algal Research</i> , 2022 , 62, 102634	5	O
4	Self-reported medication use as an alternate phenotyping method for anxiety and depression in the UK Biobank. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021 , 186, 389-3	3985	O
3	Disclosing the antitumour potential of the marine bromoditerpene sphaerococcenol A on distinct cancer cellular models <i>Biomedicine and Pharmacotherapy</i> , 2022 , 149, 112886	7.5	O
2	Bioactive Semisynthetic Derivatives of (S)-(+)-Curcuphenol. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	
1	Simple Analytical Strategy for Screening Three Synthetic Cathinones (PVT, PVP, and MDPV) in Oral Fluids. <i>Analytica Journal of Analytical Chemistry and Chemical Analysis</i> , 2022 , 3, 14-23	1.4	