

Inge van den Akker-Scheek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3168655/publications.pdf>

Version: 2024-02-01

69
papers

1,804
citations

304368

22
h-index

288905

40
g-index

71
all docs

71
docs citations

71
times ranked

2054
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence and prevalence of lower extremity tendinopathy in a Dutch general practice population: a cross sectional study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 16.	0.8	191
2	ICON 2019: International Scientific Tendinopathy Symposium Consensus: Clinical Terminology. <i>British Journal of Sports Medicine</i> , 2020, 54, 260-262.	3.1	133
3	Comparing surgical repair with conservative treatment for degenerative rotator cuff tears: a randomized controlled trial. <i>Journal of Shoulder and Elbow Surgery</i> , 2015, 24, 1274-1281.	1.2	123
4	Do isometric and isotonic exercise programs reduce pain in athletes with patellar tendinopathy in-season? A randomised clinical trial. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 702-706.	0.6	101
5	ICON 2019 "International Scientific Tendinopathy Symposium Consensus: There are nine core health-related domains for tendinopathy (CORE DOMAINS): Delphi study of healthcare professionals and patients. <i>British Journal of Sports Medicine</i> , 2020, 54, 444-451.	3.1	85
6	Preoperative or postoperative self-efficacy: Which is a better predictor of outcome after total hip or knee arthroplasty?. <i>Patient Education and Counseling</i> , 2007, 66, 92-99.	1.0	77
7	Recovery of Gait After Short-Stay Total Hip Arthroplasty. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 361-367.	0.5	62
8	The association between comorbidity and length of hospital stay and costs in total hip arthroplasty patients: a systematic review. <i>Journal of Arthroplasty</i> , 2014, 29, 1009-1014.	1.5	53
9	ICON PART-T 2019 "International Scientific Tendinopathy Symposium Consensus: recommended standards for reporting participant characteristics in tendinopathy research (PART-T). <i>British Journal of Sports Medicine</i> , 2020, 54, 627-630.	3.1	52
10	Preventive interventions for tendinopathy: A systematic review. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 205-211.	0.6	46
11	The Dutch language anterior cruciate ligament return to sport after injury scale (ACL-RSI) " validity and reliability. <i>Journal of Sports Sciences</i> , 2017, 35, 393-401.	1.0	46
12	The impact of patellar tendinopathy on sports and work performance in active athletes. <i>Research in Sports Medicine</i> , 2017, 25, 253-265.	0.7	45
13	Habitual Physical Activity After Total Knee Replacement. <i>Physical Therapy</i> , 2012, 92, 1109-1116.	1.1	44
14	Effect of Exercise and Weight Loss in People Who Have Hip Osteoarthritis and Are Overweight or Obese: A Prospective Cohort Study. <i>Physical Therapy</i> , 2013, 93, 137-146.	1.1	42
15	Physical Functioning Before and After Total Hip Arthroplasty: Perception and Performance. <i>Physical Therapy</i> , 2008, 88, 712-719.	1.1	39
16	Reliability and validity of the Dutch version of the foot and ankle outcome score (FAOS). <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 183.	0.8	38
17	Imaging modalities in the diagnosis and monitoring of Achilles tendon ruptures: A systematic review. <i>Injury</i> , 2017, 48, 2383-2399.	0.7	36
18	The therapeutic validity and effectiveness of physiotherapeutic exercise following total hip arthroplasty for osteoarthritis: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0194517.	1.1	36

#	ARTICLE	IF	CITATIONS
19	Neuropathic-like symptoms and the association with joint-specific function and quality of life in patients with hip and knee osteoarthritis. PLoS ONE, 2018, 13, e0199165.	1.1	35
20	Reliability and Validity of the Dutch Version of the International Physical Activity Questionnaire in Patients After Total Hip Arthroplasty or Total Knee Arthroplasty. Journal of Orthopaedic and Sports Physical Therapy, 2013, 43, 650-659.	1.7	32
21	After total knee arthroplasty, many people are not active enough to maintain their health and fitness: an observational study. Journal of Physiotherapy, 2012, 58, 113-116.	0.7	29
22	Physical Activity Behavior of Patients 1 Year After Primary Total Hip Arthroplasty: A Prospective Multicenter Cohort Study. Physical Therapy, 2011, 91, 373-380.	1.1	27
23	Physical Activity Participation Among Patients After Total Hip and Knee Arthroplasty. Clinics in Geriatric Medicine, 2012, 28, 509-520.	1.0	22
24	Patellar tendon structure responds to load over a 7-week preseason in elite male volleyball players. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 992-999.	1.3	22
25	Reporting Multiple Individual Injuries in Studies of Team Ball Sports: A Systematic Review of Current Practice. Sports Medicine, 2017, 47, 1103-1122.	3.1	21
26	Responsiveness of the anterior cruciate ligament "Return to Sports after Injury (ACL-RSI) and Injury" Psychological Readiness to Return to Sport (I-PRRS) scales. Journal of Sports Sciences, 2019, 37, 2499-2505.	1.0	21
27	The Modified painDETECT Questionnaire for Patients with Hip or Knee Osteoarthritis: Translation into Dutch, Cross-Cultural Adaptation and Reliability Assessment. PLoS ONE, 2015, 10, e0146117.	1.1	20
28	LEAK study: design of a nationwide randomised controlled trial to find the best way to treat wound leakage after primary hip and knee arthroplasty. BMJ Open, 2017, 7, e018673.	0.8	19
29	Surveying the management of Achilles tendon ruptures in the Netherlands: lack of consensus and need for treatment guidelines. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2754-2764.	2.3	19
30	Comparison of the Effect of 5 Different Treatment Options for Managing Patellar Tendinopathy: A Secondary Analysis. Clinical Journal of Sport Medicine, 2019, 29, 181-187.	0.9	17
31	Effect of preoperative duloxetine treatment on postoperative chronic residual pain after total hip or knee arthroplasty: a randomised controlled trial. BMJ Open, 2021, 11, e052944.	0.8	17
32	Groningen orthopaedic exit strategy: Validation of a support program after total hip or knee arthroplasty. Patient Education and Counseling, 2007, 65, 171-179.	1.0	15
33	ICON 2020"International Scientific Tendinopathy Symposium Consensus: A Systematic Review of Outcome Measures Reported in Clinical Trials of Achilles Tendinopathy. Sports Medicine, 2022, 52, 613-641.	3.1	15
34	The effect of a patellar strap on knee joint proprioception in healthy participants and athletes with patellar tendinopathy. Journal of Science and Medicine in Sport, 2016, 19, 278-282.	0.6	14
35	Inter- and intra-rater reliability of ultrasound tissue characterization (UTC) in patellar tendons. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1205-1211.	1.3	14
36	Sport advice given by Dutch orthopaedic surgeons to patients after a total hip arthroplasty or total knee arthroplasty. PLoS ONE, 2018, 13, e0202494.	1.1	13

#	ARTICLE	IF	CITATIONS
37	The recovery after Achilles tendon rupture: a protocol for a multicenter prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 69.	0.8	13
38	Association Between Clinical and Imaging Outcomes After Therapeutic Loading Exercise in Patients Diagnosed With Achilles or Patellar Tendinopathy at Short- and Long-Term Follow-up. <i>Clinical Journal of Sport Medicine</i> , 2018, Publish Ahead of Print, 390-403.	0.9	11
39	Preoperative Physical Activity Level Has No Relationship to the Degree of Recovery One Year after Primary Total Hip or Knee Arthroplasty: A Cohort Study. <i>PLoS ONE</i> , 2014, 9, e115559.	1.1	11
40	Translation, cross-cultural adaptation, validity, reliability and stability of the Dutch Injury - Psychological Readiness to Return to Sport (I-PRRS-NL) scale. <i>Journal of Sports Sciences</i> , 2019, 37, 1038-1045.	1.0	10
41	Validity of the Dutch modified painDETECT questionnaire for patients with hip or knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2019, 41, 941-947.	0.9	10
42	Psychological factors during rehabilitation of patients with Achilles or patellar tendinopathy: a cross-sectional study. <i>Physical Therapy in Sport</i> , 2021, 50, 145-152.	0.8	10
43	Quantification of Movement in Stroke Patients under Free Living Conditions Using Wearable Sensors: A Systematic Review. <i>Sensors</i> , 2022, 22, 1050.	2.1	9
44	Effect of a patellar strap on the joint position sense of the symptomatic knee in athletes with patellar tendinopathy. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 986-991.	0.6	8
45	Medication Use is a Better Predictor of Length of Hospital Stay in Total Hip Arthroplasty Than the American Society of Anesthetists (ASA) Score. <i>Journal of Arthroplasty</i> , 2017, 32, 24-27.	1.5	8
46	Managing persistent wound leakage after total knee and hip arthroplasty. Results of a nationwide survey among Dutch orthopaedic surgeons. <i>Journal of Bone and Joint Infection</i> , 2017, 2, 202-207.	0.6	8
47	The effect of load on Achilles tendon structure in novice runners. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 661-665.	0.6	8
48	Running a Marathon—Its Influence on Achilles Tendon Structure. <i>Journal of Athletic Training</i> , 2020, 55, 176-180.	0.9	8
49	Validity and reliability of the Dutch version of the Copenhagen Hip And Groin Outcome Score (HAGOS-NL) in patients with hip pathology. <i>PLoS ONE</i> , 2017, 12, e0186064.	1.1	8
50	Implementing Individually Tailored Prescription of Physical Activity in Routine Clinical Care: Protocol of the Physicians Implement Exercise = Medicine (PIE=M) Development and Implementation Project. <i>JMIR Research Protocols</i> , 2020, 9, e19397.	0.5	8
51	Barriers and facilitators perceived by healthcare professionals for implementing lifestyle interventions in patients with osteoarthritis: a scoping review. <i>BMJ Open</i> , 2022, 12, e056831.	0.8	8
52	Facilitators and barriers for the implementation of exercise as medicine in routine clinical care in Dutch university medical centres: a mixed methodology study on clinicians' perceptions. <i>BMJ Open</i> , 2022, 12, e052920.	0.8	6
53	No Difference in Recovery of Patient-Reported Outcome and Range of Motion between Cruciate Retaining and Posterior Stabilized Total Knee Arthroplasty: A Double-Blind Randomized Controlled Trial. <i>Journal of Knee Surgery</i> , 2020, 33, 1243-1250.	0.9	5
54	The Achilles tendon Total Rupture Score is a responsive primary outcome measure: an evaluation of the Dutch version including minimally important change. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3330-3338.	2.3	5

#	ARTICLE	IF	CITATIONS
55	Translation, Cross-Cultural Adaptation, Validity, and Reliability of the Indonesian Version of the IKDC Subjective Knee Form. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110383.	0.8	5
56	Psychological Factors Change During the Rehabilitation of an Achilles Tendon Rupture: A Multicenter Prospective Cohort Study. <i>Physical Therapy</i> , 2021, 101, .	1.1	4
57	14â€¦Exercise Programs To Decrease Pain In Athletes With Patellar Tendinopathy In-season: A Rct. <i>British Journal of Sports Medicine</i> , 2014, 48, A9-A10.	3.1	3
58	Adaptation, validity and reliability of the modified painDETECT questionnaire for patients with subacromial pain syndrome. <i>PLoS ONE</i> , 2019, 14, e0211880.	1.1	3
59	A physically active lifestyle is related to a lower level of skin autofluorescence in a large population with chronic-disease (LifeLines cohort). <i>Journal of Sport and Health Science</i> , 2022, 11, 260-265.	3.3	3
60	What affects the implementation of lifestyle interventions in patients with osteoarthritis? A multidisciplinary focus group study among healthcare professionals. <i>Disability and Rehabilitation</i> , 2022, 44, 8283-8293.	0.9	3
61	Being active with a total hip or knee prosthesis: a systematic review into physical activity and sports recommendations and interventions to improve physical activity behavior. <i>European Review of Aging and Physical Activity</i> , 2022, 19, 7.	1.3	3
62	Translation and Psychometric Analysis of the Indonesian Versions of the Lysholm and Tegner Scores for Patients With Anterior Cruciate Ligament Injuries. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110665.	0.8	2
63	Validity and reliability of the German translation of the Diabetes Foot Self-Care Behavior Scale (DFSBS-D). <i>PLoS ONE</i> , 2022, 17, e0269395.	1.1	2
64	Amount and type of physical activity and sports from one year forward after hip or knee arthroplastyâ€”A systematic review. <i>PLoS ONE</i> , 2021, 16, e0261784.	1.1	1
65	26â€¦Risk Factors For Patellar Tendinopathy: A Survey- Based Prospective Cohort Study. <i>British Journal of Sports Medicine</i> , 2014, 48, A17-A18.	3.1	0
66	15â€¦Does The Patellar Tendon Respond To 5 Days Of Loading During A Volleyball Tournament?. <i>British Journal of Sports Medicine</i> , 2014, 48, A10.1-A10.	3.1	0
67	25â€¦Effect Of The Use Of Patellar Strap And Sports Tape On Pain In Patellar Tendinopathy. <i>British Journal of Sports Medicine</i> , 2014, 48, A16.2-A17.	3.1	0
68	LOOKING BEYOND RECURRENCE; CURRENT METHODS FOR REPORTING MULTIPLE INDIVIDUAL INJURY IN STUDIES OF TEAM BALL SPORTS. <i>British Journal of Sports Medicine</i> , 2017, 51, 319.1-319.	3.1	0
69	10â€¦Recommended core outcome domains for tendinopathy derived from a delphi of patients and health care professionals: the groningen ISTS2018 consensus. , 2019, , .		0