

# Yeong Don Park

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3169067/yeong-don-park-publications-by-citations.pdf>  
**Version:** 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 papers	4,174 citations	33 h-index	64 g-index
100 ext. papers	4,512 ext. citations	6.3 avg, IF	5.37 L-index

#	Paper	IF	Citations
93	Enhancement of Field-Effect Mobility Due to Surface-Mediated Molecular Ordering in Regioregular Polythiophene Thin Film Transistors. <i>Advanced Functional Materials</i> , <b>2005</b> , 15, 77-82	15.6	418
92	Self-Organization of Ink-jet-Printed Triisopropylsilylethynyl Pentacene via Evaporation-Induced Flows in a Drying Droplet. <i>Advanced Functional Materials</i> , <b>2008</b> , 18, 229-234	15.6	358
91	Interface engineering in organic transistors. <i>Materials Today</i> , <b>2007</b> , 10, 46-54	21.8	248
90	Single-Crystal Polythiophene Microwires Grown by Self-Assembly. <i>Advanced Materials</i> , <b>2006</b> , 18, 719-723	24	239
89	Solubility-Induced Ordered Polythiophene Precursors for High-Performance Organic Thin-Film Transistors. <i>Advanced Functional Materials</i> , <b>2009</b> , 19, 1200-1206	15.6	190
88	End-capping effect of a narrow bandgap conjugated polymer on bulk heterojunction solar cells. <i>Advanced Materials</i> , <b>2011</b> , 23, 2430-5	24	158
87	Solution-processable pentacene microcrystal arrays for high performance organic field-effect transistors. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 132106	3.4	129
86	Effect of side chain length on molecular ordering and field-effect mobility in poly(3-alkylthiophene) transistors. <i>Organic Electronics</i> , <b>2006</b> , 7, 514-520	3.5	128
85	Low-voltage and high-field-effect mobility organic transistors with a polymer insulator. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 072101	3.4	121
84	Solvent Vapor-Induced Nanowire Formation in Poly(3-hexylthiophene) Thin Films. <i>Macromolecular Rapid Communications</i> , <b>2005</b> , 26, 834-839	4.8	120
83	High performance polythiophene thin-film transistors doped with very small amounts of an electron acceptor. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 063310	3.4	103
82	Controlled one-dimensional nanostructures in poly(3-hexylthiophene) thin film for high-performance organic field-effect transistors. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 15763-8	3.4	95
81	AlF <sub>3</sub> -coated LiMn <sub>2</sub> O <sub>4</sub> as cathode material for aqueous rechargeable lithium battery with improved cycling stability. <i>Journal of Power Sources</i> , <b>2016</b> , 325, 360-364	8.9	91
80	Understanding Solidification of Polythiophene Thin Films during Spin-Coating: Effects of Spin-Coating Time and Processing Additives. <i>Scientific Reports</i> , <b>2015</b> , 5, 13288	4.9	91
79	Surface-induced conformational changes in poly(3-hexylthiophene) monolayer films. <i>Langmuir</i> , <b>2005</b> , 21, 3203-6	4	91
78	Effects of the permanent dipoles of self-assembled monolayer-treated insulator surfaces on the field-effect mobility of a pentacene thin-film transistor. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 132104	3.4	83
77	Solvent effect of inkjet printed source/drain electrodes on electrical properties of polymer thin-film transistors. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 082102	3.4	79

76	Influence of the dielectric constant of a polyvinyl phenol insulator on the field-effect mobility of a pentacene-based thin-film transistor. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 152105	3.4	73
75	Surface Modification of the LiFePO Cathode for the Aqueous Rechargeable Lithium Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 12391-12399	9.5	70
74	Layered Molecular Ordering of Self-Organized Poly(3-hexylthiophene) Thin Films on Hydrophobized Surfaces. <i>Macromolecules</i> , <b>2006</b> , 39, 5843-5847	5.5	70
73	Low-voltage polymer thin-film transistors with a self-assembled monolayer as the gate dielectric. <i>Applied Physics Letters</i> , <b>2005</b> , 87, 243509	3.4	69
72	Electrical Performance of Organic Solar Cells with Additive-Assisted Vertical Phase Separation in the Photoactive Layer. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1300612	21.8	63
71	Enhancement of the field-effect mobility of poly(3-hexylthiophene)/functionalized carbon nanotube hybrid transistors. <i>Organic Electronics</i> , <b>2008</b> , 9, 317-322	3.5	61
70	A polymer brush organic interlayer improves the overlying pentacene nanostructure and organic field-effect transistor performance. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 15580		60
69	Organic Semiconductor/Insulator Polymer Blends for High-Performance Organic Transistors. <i>Polymers</i> , <b>2014</b> , 6, 1057-1073	4.5	59
68	Evaporation-induced self-alignment and transfer of semiconductor nanowires by wrinkled elastomeric templates. <i>Advanced Materials</i> , <b>2013</b> , 25, 2162-6	24	57
67	Solubility-driven polythiophene nanowires and their electrical characteristics. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 2338-2343		49
66	High field-effect mobility pentacene thin-film transistors with nanoparticle polymer composite/polymer bilayer insulators. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 183301	3.4	46
65	Effect of Crystallization Modes in TIPS-pentacene/Insulating Polymer Blends on the Gas Sensing Properties of Organic Field-Effect Transistors. <i>Scientific Reports</i> , <b>2019</b> , 9, 21	4.9	41
64	Polyelectrolyte interlayer for ultra-sensitive organic transistor humidity sensors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 8591-6	9.5	39
63	Enhancement of Field-Effect Mobility and Stability of Poly(3-hexylthiophene) Field-Effect Transistors by Conformational Change. <i>Journal of Physical Chemistry C</i> , <b>2008</b> , 112, 1705-1710	3.8	39
62	Solubility-Controlled Structural Ordering of Narrow Bandgap Conjugated Polymers. <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 63-67	21.8	38
61	Energy-Level Alignment at Interfaces Between Gold and Poly(3-hexylthiophene) Films with Two Different Molecular Structures. <i>Electrochemical and Solid-State Letters</i> , <b>2006</b> , 9, G317		36
60	Inkjet-Printed Organic Transistors Based on Organic Semiconductor/Insulating Polymer Blends. <i>Materials</i> , <b>2016</b> , 9,	3.5	33
59	Aqueous Lithium-Ion Battery of Nano-LiFePO <sub>4</sub> with Antifreezing Agent of Ethyleneglycol for Low-Temperature Operation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 14531-14538	8.3	31

58	Solution Processing with a Good Solvent Additive for Highly Reliable Organic Thin-Film Transistors. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 13930-13937	3.8	27
57	Tuning Electrical Properties of 2D Materials by Self-Assembled Monolayers. <i>Advanced Materials Interfaces</i> , <b>2018</b> , 5, 1700316	4.6	26
56	Surface-Mediated Solidification of a Semiconducting Polymer during Time-Controlled Spin-Coating. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 9871-9879	9.5	24
55	Thiophene-initiated polymeric artificial cathode-electrolyte interface for Ni-rich cathode material. <i>Electrochimica Acta</i> , <b>2018</b> , 290, 465-473	6.7	24
54	Artificially coated NaFePO <sub>4</sub> for aqueous rechargeable sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 784, 720-726	5.7	21
53	Patterning the organic electrodes of all-organic thin film transistors with a simple spray printing technique. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 183501	3.4	20
52	Sequential solvent casting for improving the structural ordering and electrical characteristics of polythiophene thin films. <i>RSC Advances</i> , <b>2014</b> , 4, 41159-41163	3.7	18
51	Fabrication of stable electrospun TiO <sub>2</sub> nanorods for high-performance dye-sensitized solar cells. <i>Macromolecular Research</i> , <b>2013</b> , 21, 636-640	1.9	18
50	Post-deposition dipping method for improving the electronic properties of a narrow bandgap conjugated polymer. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 11462		17
49	Doped PEDOT:PSS electrodes, patterned through wettability control, and their effects on the electrical properties of polymer thin film transistors. <i>Organic Electronics</i> , <b>2016</b> , 30, 296-301	3.5	16
48	Alkyl Side Chain Length Modulates the Electronic Structure and Electrical Characteristics of Poly(3-alkylthiophene) Thin Films. <i>Journal of Physical Chemistry C</i> , <b>2013</b> , 117, 11764-11769	3.8	16
47	Post surface treatment of LiNi <sub>0.6</sub> Co <sub>0.1</sub> Mn <sub>0.3</sub> O <sub>2</sub> electrode with poly(4-vinylphenol) for lithium ion batteries. <i>Electrochimica Acta</i> , <b>2017</b> , 246, 51-58	6.7	14
46	Uniform and Reliable Dip-Coated Conjugated Polymers for Organic Transistors as Obtained by Solvent Vapor Annealing. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 23255-23263	3.8	14
45	Charge transport behaviors of end-capped narrow band gap polymers in bottom-contact organic field-effect transistors. <i>RSC Advances</i> , <b>2014</b> , 4, 39268-39272	3.7	14
44	Preparation of highly conductive reduced graphite oxide/poly(styrene-co-butyl acrylate) composites via miniemulsion polymerization. <i>Polymer</i> , <b>2014</b> , 55, 5088-5094	3.9	14
43	1D versus 2D Growth of Soluble Acene Crystals from Soluble Acene/Polymer Blends Governed by a Residual Solvent Reservoir in a Phase-Separated Polymer Matrix. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1802875	15.6	14
42	Metal-organic frameworks in a blended polythiophene hybrid film with surface-mediated vertical phase separation for the fabrication of a humidity sensor.. <i>RSC Advances</i> , <b>2018</b> , 9, 529-535	3.7	13
41	Inkjet Etching of Polymers and Its Applications in Organic Electronic Devices. <i>Polymers</i> , <b>2017</b> , 9,	4.5	12

40	Reactive metal contact at indium tin oxide/self-assembled monolayer interfaces. <i>Applied Physics Letters</i> , <b>2006</b> , 88, 102104	3.4	11
39	Effect of Solvent Exchange at the Biphasic Dip-Coating Interface on the Formation of Polythiophene Thin Films. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 2432-2439	3.8	10
38	Enhanced ionic conductivity of the solid electrolyte for lithium-ion batteries. <i>Journal of Solid State Chemistry</i> , <b>2018</b> , 258, 467-470	3.3	10
37	Effect of the Cooling Rate on the Thermal Properties of a Polythiophene Thin Film. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 8388-8393	3.8	9
36	Floating-non-solvent method for inducing the formation of highly crystalline conjugated polymer nanofibrils in the solution state for high-performance organic transistors. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 8353-8359	7.1	9
35	Conjugated polymer/zeolite hybrids for robust gas sensors: Effect of zeolite surface area on NO <sub>2</sub> sensing ability. <i>Chemical Engineering Journal</i> , <b>2021</b> , 420, 129588	14.7	9
34	Influence of Molecular Weight on the Solidification of a Semiconducting Polymer during Time-Controlled Spin-Coating. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 17102-17111	3.8	8
33	Surface Modification of LiCoO <sub>2</sub> by NASICON-Type Ceramic Materials for Lithium Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2017</b> , 17, 4977-4982	1.3	7
32	Tailoring the crystallinity of solution-processed 6,13-bis(triisopropylsilylethynyl)pentacene via controlled solidification. <i>Soft Matter</i> , <b>2019</b> , 15, 7369-7373	3.6	6
31	Ultrasonication-Mediated Self-Assembly in Polythiophene Films via Control of Residual Solvent Evaporation. <i>Macromolecular Research</i> , <b>2018</b> , 26, 139-144	1.9	6
30	Carbon-caged palladium catalysts supported on carbon nanofibers for proton exchange membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2019</b> , 79, 431-436	6.3	6
29	Built-in water resistance in organic transistors modified with self-assembled monolayers. <i>RSC Advances</i> , <b>2014</b> , 4, 45082-45087	3.7	6
28	Synthesis of the solid electrolyte Li <sub>2</sub> O/Fe <sub>2</sub> O <sub>5</sub> and its application for lithium-ion batteries. <i>Solid State Ionics</i> , <b>2017</b> , 308, 40-45	3.3	6
27	Enhancement of Electron Injection Using Reactive Self-Assembled Monolayer in Organic Electronic Devices. <i>Electrochemical and Solid-State Letters</i> , <b>2006</b> , 9, G147		6
26	The Molecular Structures of Poly(3-hexylthiophene) Films Determine the Contact Properties at the Electrode/Semiconductor Interface. <i>Bulletin of the Korean Chemical Society</i> , <b>2014</b> , 35, 2277-2280	1.2	6
25	Marginal solvents preferentially improve the molecular order of thin polythiophene films. <i>RSC Advances</i> , <b>2016</b> , 6, 23640-23644	3.7	6
24	Built-in Water Capture in a Polythiophene Film Blended with Metal-Organic Frameworks. <i>Macromolecular Research</i> , <b>2019</b> , 27, 421-426	1.9	5
23	Effect of solvent structural isomer on microstructural evolution in polythiophene film during solidification. <i>Organic Electronics</i> , <b>2019</b> , 71, 150-155	3.5	4

22	Ultraviolet irradiation creates morphological order via conformational changes in polythiophene films. <i>Organic Electronics</i> , <b>2018</b> , 62, 394-399	3.5	4
21	Effect of localized UV irradiation on the crystallinity and electrical properties of dip-coated polythiophene thin films.. <i>RSC Advances</i> , <b>2020</b> , 10, 34130-34136	3.7	4
20	Mass-Scalable Molecular Monolayer for Ni-Rich Cathode Powder: Solution for Microcrack Failure in Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 22475-22484	9.5	4
19	Metal-Organic Framework as a Functional Analyte Channel of Organic-Transistor-Based Air Pollution Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 24005-24012	9.5	4
18	Highly crystalline and uniform conjugated polymer thin films by a water-based biphasic dip-coating technique minimizing the use of halogenated solvents for transistor applications.. <i>RSC Advances</i> , <b>2019</b> , 9, 6356-6362	3.7	3
17	Effect of H <sub>2</sub> AuCl <sub>4</sub> Doping on the Contact Properties of Polymer Thin-Film Transistors. <i>Electrochemical and Solid-State Letters</i> , <b>2009</b> , 12, H312		3
16	Advanced Organic Transistor-Based Sensors Utilizing a Solvatochromic Medium with Twisted Intramolecular Charge-Transfer Behavior and Its Application to Ammonia Gas Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 56385-56393	9.5	3
15	Improving molecular structure in polythiophene thin films by solvent dipping post-treatment. <i>Materials Chemistry and Physics</i> , <b>2020</b> , 247, 122878	4.4	3
14	The solid electrolytes Li <sub>2</sub> O·LiF·2WO <sub>3</sub> ·2B <sub>2</sub> O <sub>3</sub> with enhanced ionic conductivity for lithium-ion battery. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2019</b> , 73, 62-66	6.3	2
13	Effect of Alcohol Polarity on the Aggregation and Film-Forming Behaviors of Poly(3-hexylthiophene). <i>ACS Applied Polymer Materials</i> , <b>2020</b> , 2, 2980-2986	4.3	2
12	Energy-Level Alignment at Interfaces between Gold and Poly(3-hexylthiophene) Films with two Different Molecular Structures. <i>AIP Conference Proceedings</i> , <b>2007</b> ,	0	2
11	Ni-Rich Layered Cathode Materials by a Mechanochemical Method for High-Energy Lithium-Ion Batteries. <i>ChemistrySelect</i> , <b>2020</b> , 5, 14596-14601	1.8	1
10	Aqueous/organic interfacial coordinative crystallization for achieving highly efficient metalglycine complex crystal growth. <i>Journal of Crystal Growth</i> , <b>2012</b> , 346, 27-31	1.6	1
9	High Molecular Weight Conjugated Polymer Thin Films with Enhanced Molecular Ordering, Obtained via a Dipping Method. <i>Bulletin of the Korean Chemical Society</i> , <b>2013</b> , 34, 3340-3344	1.2	1
8	Enhancement of NO <sub>2</sub> gas sensing ability through strong binding energy by modification of interface characteristics. <i>Organic Electronics</i> , <b>2022</b> , 104, 106493	3.5	1
7	Polythiophene hybrid film with zirconiumporphyrin metalorganic framework for improved charge carrier transport and NO <sub>2</sub> gas sensing. <i>Materials Chemistry and Physics</i> , <b>2022</b> , 278, 125661	4.4	0
6	Influence of organic additive on the electrochemical performance of LiFePO <sub>4</sub> cathode in an aqueous electrolyte solution. <i>Solid State Sciences</i> , <b>2020</b> , 101, 106152	3.4	
5	Semiconductor Nanowires: Evaporation-Induced Self-Alignment and Transfer of Semiconductor Nanowires by Wrinkled Elastomeric Templates (Adv. Mater. 15/2013). <i>Advanced Materials</i> , <b>2013</b> , 25, 2106-2106	2.4	

- |   |   |     |
|---|---|-----|
| 4 | Low Spin-Casting Solution Temperatures Enhance the Molecular Ordering in Polythiophene Films. <i>Bulletin of the Korean Chemical Society</i> , <b>2014</b> , 35, 1491-1494                  | 1.2 |
| 3 | Electrical Characteristics Enhancement of Conjugated Polymer Thin Film Transistor by Using Dipping Method. <i>Porrime</i> , <b>2014</b> , 38, 188-192                                       | 1   |
| 2 | Ultraviolet-Light-Induced Growth of 6,13-Bis(triisopropylsilylethynyl)pentacene Spherulites. <i>Journal of Physical Chemistry C</i> , <b>2021</b> , 125, 10835-10839                        | 3.8 |
| 1 | Electron-interfered field-effect transistors as a sensing platform for detecting a delicate surface chemical reaction. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 8179-8188 | 7.1 |