

Takashi Matsushita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3169712/publications.pdf>

Version: 2024-02-01

173
papers

10,213
citations

41258

49
h-index

35952

97
g-index

177
all docs

177
docs citations

177
times ranked

10554
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-RuvBL1/2 autoantibodies in patients with systemic sclerosis or idiopathic inflammatory myopathy and a nuclear speckled pattern. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 742-744.	0.5	7
2	The compound LG283 inhibits bleomycin-induced skin fibrosis via antagonizing TGF- β 2 signaling. <i>Arthritis Research and Therapy</i> , 2022, 24, 94.	1.6	6
3	Case of pembrolizumab-induced dermatomyositis with α -transcription intermediary factor 1 β antibody. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	3
4	A case of anti-BP230 antibody-positive bullous pemphigoid receiving DPP-4 inhibitor. <i>Immunological Medicine</i> , 2021, 44, 53-55.	1.4	6
5	Discrepancy in responses to dabrafenib plus trametinib combination therapy in intracranial and extracranial metastases in melanoma patients. <i>Journal of Dermatology</i> , 2021, 48, e82-e83.	0.6	1
6	Regulatory B cells and T cell Regulation in Cancer. <i>Journal of Molecular Biology</i> , 2021, 433, 166685.	2.0	43
7	Long-term changes in nail fold capillary abnormalities and serum fibroblast growth factor 23 levels in dermatomyositis patients with anti-melanoma differentiating antigen 5 antibody. <i>Journal of Dermatology</i> , 2021, 48, 106-109.	0.6	7
8	Suppression of IL-23-mediated psoriasis-like inflammation by regulatory B cells. <i>Scientific Reports</i> , 2021, 11, 2106.	1.6	15
9	Immunomodulating role of the JAKs inhibitor tofacitinib in a mouse model of bleomycin-induced scleroderma. <i>Journal of Dermatological Science</i> , 2021, 101, 174-184.	1.0	22
10	Augmented interferon I signaling in a patient with COVID toes. <i>Journal of Dermatology</i> , 2021, 48, e242-e243.	0.6	0
11	SIRT1 decelerates morphological processing of oligodendrocyte cell lines and regulates the expression of cytoskeleton-related oligodendrocyte proteins. <i>Biochemical and Biophysical Research Communications</i> , 2021, 546, 7-14.	1.0	8
12	Sporadic Amyotrophic Lateral Sclerosis Due to a FUS P525L Mutation with Asymmetric Muscle Weakness and Anti-ganglioside Antibodies. <i>Internal Medicine</i> , 2021, 60, 1949-1953.	0.3	3
13	B Cell Role in the Pathogenesis of Systemic Sclerosis. <i>Nishinohon Journal of Dermatology</i> , 2021, 83, 397-401.	0.0	0
14	A case of anti-OJ antibody-positive polymyositis with marked muscle involvement and interstitial lung disease. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 13-16.	0.2	0
15	A role for Fc γ RIIB in the development of murine bleomycin-induced fibrosis. <i>Journal of Dermatological Science</i> , 2021, 104, 201-209.	1.0	2
16	Anti-transcriptional intermediary factor 1 β antibody as a biomarker in patients with dermatomyositis. <i>Journal of Dermatology</i> , 2020, 47, 64-68.	0.6	20
17	Availability of EuroQol-5-Dimensions-5-Level (EQ-5D-5L) as health-related QOL assessment for Japanese systemic sclerosis patients. <i>Modern Rheumatology</i> , 2020, 30, 681-686.	0.9	5
18	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy. <i>Modern Rheumatology</i> , 2020, 30, 696-702.	0.9	6

#	ARTICLE	IF	CITATIONS
19	CD22 and CD72 contribute to the development of scleroderma in a murine model. <i>Journal of Dermatological Science</i> , 2020, 97, 66-76.	1.0	8
20	Severe Mononeuritis Multiplex due to Rheumatoid Vasculitis in Rheumatoid Arthritis in Sustained Clinical Remission for Decades. <i>Internal Medicine</i> , 2020, 59, 705-710.	0.3	4
21	Adipose-derived stromal/stem cells successfully attenuate the fibrosis of scleroderma mouse models. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 216-225.	0.9	25
22	Characteristics of Japanese patients with eosinophilic fasciitis: A brief multicenter study. <i>Journal of Dermatology</i> , 2020, 47, 1391-1394.	0.6	3
23	Association of functional (GA) _n microsatellite polymorphism in the FLI1 gene with susceptibility to human systemic sclerosis. <i>Rheumatology</i> , 2020, 59, 3553-3562.	0.9	5
24	Clinical features of Japanese systemic sclerosis (SSc) patients negative for SSc-related autoantibodies: A single-center retrospective study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1219-1225.	0.9	4
25	A case of anti-NXP2 antibody-positive dermatomyositis with improvement of clinical symptoms and disappearance of autoantibody after resection of uterine cancer. <i>European Journal of Dermatology</i> , 2020, 30, 612-613.	0.3	0
26	A case of anti-NXP2 antibody-positive dermatomyositis with improvement of clinical symptoms and disappearance of autoantibody after resection of uterine cancer. <i>European Journal of Dermatology</i> , 2020, 30, 612-613.	0.3	1
27	A case of lymphoma-associated haemophagocytic syndrome in advanced-stage mycosis fungoides. <i>European Journal of Dermatology</i> , 2020, 30, 606-608.	0.3	0
28	Human case of subcutaneous nodule because of a novel genetic variation of <i>Dirofilaria</i> sp.. <i>Journal of Dermatology</i> , 2019, 46, 914-916.	0.6	1
29	Stevens-Johnson syndrome associated with radiation recall dermatitis in a patient treated with immune checkpoint inhibitor. <i>Journal of Dermatology</i> , 2019, 46, e434-e436.	0.6	8
30	CD22 and CD72 cooperatively contribute to the development of the reverse Arthus reaction model. <i>Journal of Dermatological Science</i> , 2019, 95, 36-43.	1.0	3
31	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population. <i>Scientific Reports</i> , 2019, 9, 16366.	1.6	15
32	Transplantation of Mesenchymal Stem Cells Improves Amyloid- β Pathology by Modifying Microglial Function and Suppressing Oxidative Stress. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 867-884.	1.2	29
33	Elevated serum B cell activating factor levels in patients with dermatomyositis: Association with interstitial lung disease. <i>Journal of Dermatology</i> , 2019, 46, 1190-1196.	0.6	17
34	Early administration of galantamine from preplaque phase suppresses oxidative stress and improves cognitive behavior in APP ^{swe} /PS1 ^{dE9} mouse model of Alzheimer's disease. <i>Free Radical Biology and Medicine</i> , 2019, 145, 20-32.	1.3	31
35	Soluble CD163 is a potential biomarker in systemic sclerosis. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 197-199.	1.5	12
36	Attenuation of murine sclerodermatous models by the selective S1P1 receptor modulator cenerimod. <i>Scientific Reports</i> , 2019, 9, 658.	1.6	13

#	ARTICLE	IF	CITATIONS
37	A case of dermatomyositis with the anti- α signal recognition particle antibody that was successfully treated with prednisolone and intravenous immunoglobulin therapy. <i>Journal of Dermatology</i> , 2019, 46, e251-e253.	0.6	0
38	Evaluation of Mitochondrial Oxidative Stress in the Brain of a Transgenic Mouse Model of Alzheimer's Disease by in vitro Electron Paramagnetic Resonance Spectroscopy. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1079-1087.	1.2	8
39	Inhibition of the Progression of Skin Inflammation, Fibrosis, and Vascular Injury by Blockade of the CX ₃ CL ₁ /CX ₃ CR ₁ Pathway in Experimental Mouse Models of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1923-1934.	2.9	11
40	Regulatory B1a Cells Suppress Melanoma Tumor Immunity via IL-10 Production and Inhibiting T Helper Type 1 Cytokine Production in Tumor-Infiltrating CD8 ⁺ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1535-1544.e1.	0.3	26
41	CD14 and Toll-Like Receptor 4 Promote Fibrillar A β Uptake by Microglia Through A Clathrin-Mediated Pathway. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 323-337.	1.2	20
42	A case of juvenile localized scleroderma with anti-topoisomerase I antibody. <i>European Journal of Dermatology</i> , 2019, 29, 443-444.	0.3	1
43	Regulatory and effector B cells: Friends or foes?. <i>Journal of Dermatological Science</i> , 2019, 93, 2-7.	1.0	84
44	Long-term follow-up of finger passive range of motion in Japanese systemic sclerosis patients treated with self-administered stretching. <i>Modern Rheumatology</i> , 2019, 29, 484-490.	0.9	5
45	Successful radiation therapy for primary cutaneous follicle center lymphoma. <i>Journal of Case Reports in Medicine</i> , 2019, 8, .	0.0	0
46	Increased expression levels of Fc γ RIIB on na γ -ve and double-negative memory B cells in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 23-31.	0.4	0
47	Blockade of TGF- β /Smad signaling by the small compound HPH-15 ameliorates experimental skin fibrosis. <i>Arthritis Research and Therapy</i> , 2018, 20, 46.	1.6	21
48	Food-dependent exercise-induced anaphylaxis due to shrimp associated with 43 kDa, a new antigen. <i>Journal of Dermatology</i> , 2018, 45, 366-367.	0.6	5
49	Lung cancer in connective tissue disease-associated interstitial lung disease: clinical features and impact on outcomes. <i>Journal of Thoracic Disease</i> , 2018, 10, 799-807.	0.6	19
50	Increased interleukin-9 levels in sera, muscle and skin of patients with dermatomyositis. <i>Journal of Dermatology</i> , 2018, 45, 1023-1025.	0.6	4
51	BAFF inhibition attenuates fibrosis in scleroderma by modulating the regulatory and effector B cell balance. <i>Science Advances</i> , 2018, 4, eaas9944.	4.7	98
52	A case of aseptic meningitis without neck rigidity occurring in a metastatic melanoma patient treated with ipilimumab. <i>European Journal of Dermatology</i> , 2017, 27, 193-194.	0.3	12
53	Blockade of p38 Mitogen-Activated Protein Kinase Inhibits Murine Sclerodermatous Chronic Graft-versus-Host Disease. <i>American Journal of Pathology</i> , 2017, 187, 841-850.	1.9	18
54	Dual aspects of B cells in tumor immunity; B cells are capable of positive and negative regulation for tumor immunity against B16 melanoma. <i>Journal of Dermatological Science</i> , 2017, 86, e63.	1.0	0

#	ARTICLE	IF	CITATIONS
55	An update on biomarker discovery and use in systemic sclerosis. Expert Review of Molecular Diagnostics, 2017, 17, 823-833.	1.5	17
56	A unique CD9 + CD80 + regulatory B cell inhibits contact hypersensitivity response. Journal of Dermatological Science, 2017, 86, e2.	1.0	0
57	Classification of Japanese patients with mild/early systemic sclerosis (SSc) by the 2013 ACR/EULAR classification criteria for SSc. Modern Rheumatology, 2017, 27, 614-617.	0.9	5
58	Case of anti-CTLA-4 positive dermatomyositis associated with breast cancer developing over 10 years. Journal of Dermatology, 2017, 44, 972-973.	0.6	5
59	Autoantibody to scaffold attachment factor B (SAFB): A novel connective tissue disease-related autoantibody associated with interstitial lung disease. Journal of Autoimmunity, 2017, 76, 101-107.	3.0	4
60	Antimelanoma differentiation-associated protein 5 antibody level is a novel tool for monitoring disease activity in rapidly progressive interstitial lung disease with dermatomyositis. British Journal of Dermatology, 2017, 176, 395-402.	1.4	131
61	Watermelon stomach and colon in a patient with diffuse cutaneous systemic sclerosis. Modern Rheumatology, 2017, 27, 376-377.	0.9	0
62	Role of Suppressor of Cytokine Signaling 3 (SOCS3) in Altering Activated Microglia Phenotype in APP ^{swe} /PS1 ^{dE9} Mice. Journal of Alzheimer's Disease, 2016, 55, 1235-1247.	1.2	25
63	Severe pneumonitis after nivolumab treatment in a patient with melanoma. Allergy International, 2016, 65, 487-489.	1.4	25
64	A crucial role of L-selectin in C protein-induced experimental polymyositis of mice. Journal of Dermatological Science, 2016, 84, e9.	1.0	0
65	The inhibitor of p38 MAP kinase suppresses skin fibrosis in the sclerodermatous chronic GVHD. Journal of Dermatological Science, 2016, 84, e15.	1.0	0
66	Decreased levels of regulatory B cells in patients with systemic sclerosis: Association with autoantibody production and disease activity. Journal of Dermatological Science, 2016, 84, e96.	1.0	0
67	A novel splenic B1 regulatory cell subset suppresses allergic disease through phosphatidylinositol 3-kinase-Akt pathway activation. Journal of Allergy and Clinical Immunology, 2016, 138, 1170-1182.e9.	1.5	54
68	The Role of B Cells in Systemic Sclerosis. , 2016, , 173-185.		0
69	Decreased levels of regulatory B cells in patients with systemic sclerosis: association with autoantibody production and disease activity. Rheumatology, 2016, 55, 263-267.	0.9	84
70	Human Leukocyte Antigen and Systemic Sclerosis in Japanese: The Sign of the Four Independent Protective Alleles, DRB1*13:02, DRB1*14:06, DQB1*03:01, and DPB1*02:01. PLoS ONE, 2016, 11, e0154255.	1.1	25
71	Oropharyngeal Dysphagia in Dermatomyositis: Associations with Clinical and Laboratory Features Including Autoantibodies. PLoS ONE, 2016, 11, e0154746.	1.1	78
72	A case of Merkel cell carcinoma of the right big toe with Merkel cell polyomavirus infection. Skin Cancer, 2016, 31, 30-34.	0.1	0

#	ARTICLE	IF	CITATIONS
73	A case of myxofibrosarcoma with lung metastasis. <i>Skin Cancer</i> , 2016, 31, 35-39.	0.1	0
74	Primary Cutaneous NK/T-cell Lymphoma, Nasal Type and CD56-positive Peripheral T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1-12.	2.1	73
75	Clinical and Immunologic Predictors of Scleroderma Renal Crisis in Japanese Systemic Sclerosis Patients With Anti-RNA Polymerase III Autoantibodies. <i>Arthritis and Rheumatology</i> , 2015, 67, 1045-1052.	2.9	70
76	High incidence of pulmonary arterial hypertension in systemic sclerosis patients with anti-centriole autoantibodies. <i>Modern Rheumatology</i> , 2015, 25, 798-801.	0.9	11
77	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2014, 24, 377-379.	0.9	5
78	A Crucial Role of L-selectin in C Protein-Induced Experimental Polymyositis in Mice. <i>Arthritis and Rheumatology</i> , 2014, 66, 1864-1871.	2.9	16
79	Blockade of Syk ameliorates the development of murine sclerodermatous chronic graft-versus-host disease. <i>Journal of Dermatological Science</i> , 2014, 74, 214-221.	1.0	37
80	Long-term clinical and radiological improvement of chronic acquired hepatocerebral degeneration after obliteration of portosystemic shunt: Report of a case. <i>Journal of the Neurological Sciences</i> , 2014, 346, 303-306.	0.3	5
81	B Cells Promote Tumor Immunity against B16F10 Melanoma. <i>American Journal of Pathology</i> , 2014, 184, 3120-3129.	1.9	28
82	Regulatory B Cells in Mouse Models of Systemic Lupus Erythematosus (SLE). <i>Methods in Molecular Biology</i> , 2014, 1190, 195-205.	0.4	11
83	Altered expression of dermokine in skin disorders. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 867-875.	1.3	16
84	Chronic lymphocytic leukemia and regulatory B cells share IL-10 competence and immunosuppressive function. <i>Leukemia</i> , 2013, 27, 170-182.	3.3	145
85	Augmented ICOS expression in patients with early diffuse cutaneous systemic sclerosis. <i>Rheumatology</i> , 2013, 52, 242-251.	0.9	21
86	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2013, , 1.	0.9	3
87	Dermokine inhibits ELR+CXC chemokine expression and delays early skin wound healing. <i>Journal of Dermatological Science</i> , 2013, 70, 34-41.	1.0	28
88	B-cell linker protein expression contributes to controlling allergic and autoimmune diseases by mediating IL-10 production in regulatory B cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1674-1682.e9.	1.5	76
89	Donor-derived regulatory B cells are important for suppression of murine sclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2013, 121, 3274-3283.	0.6	92
90	Scleroderma: recent lessons from murine models and implications for future therapeutics. <i>Expert Review of Dermatology</i> , 2013, 8, 527-539.	0.3	4

#	ARTICLE	IF	CITATIONS
91	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	0.9	3
92	FTY720 Ameliorates Murine Sclerodermatous Chronic Graft-versus-Host Disease by Promoting Expansion of Splenic Regulatory Cells and Inhibiting Immune Cell Infiltration Into Skin. <i>Arthritis and Rheumatism</i> , 2013, 65, 1624-1635.	6.7	40
93	Anti-topoisomerase I antibody levels as serum markers of skin sclerosis in systemic sclerosis. <i>Journal of Dermatology</i> , 2013, 40, 89-93.	0.6	9
94	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: comparison with a UK Caucasian cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 151-153.	0.5	77
95	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	1.1	306
96	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	0.9	7
97	IL-6 Blockade Attenuates the Development of Murine Sclerodermatous Chronic Graft-versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2752-2761.	0.3	55
98	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.5	220
99	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	0.9	29
100	Two cases of livedo vasculopathy with non-criteria antiphospholipid antibodies. <i>Journal of Dermatology</i> , 2012, 39, 1026-1030.	0.6	2
101	Potential roles of interleukin-17A in the development of skin fibrosis in mice. <i>Arthritis and Rheumatism</i> , 2012, 64, 3726-3735.	6.7	118
102	Host-Derived MCP-1 and MIP-1 α Regulate Protective Anti-Tumor Immunity to Localized and Metastatic B16 Melanoma. <i>American Journal of Pathology</i> , 2012, 180, 365-374.	1.9	47
103	Regulatory B cells control T-cell autoimmunity through IL-21-dependent cognate interactions. <i>Nature</i> , 2012, 491, 264-268.	13.7	568
104	Basophils and mast cells play critical roles for leukocyte recruitment in IgE-mediated cutaneous reverse passive Arthus reaction. <i>Journal of Dermatological Science</i> , 2012, 67, 181-189.	1.0	10
105	Sequentially appearing erythema nodosum, erythema multiforme and Henoch-Schönlein purpura in a patient with <i>Mycoplasma pneumoniae</i> infection: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 398.	0.4	14
106	Skin sclerosis as a manifestation of POEMS syndrome. <i>Journal of Dermatology</i> , 2012, 39, 922-926.	0.6	7
107	Myositis-specific anti-55/140 autoantibodies target transcription intermediary factor 1 family proteins. <i>Arthritis and Rheumatism</i> , 2012, 64, 513-522.	6.7	245
108	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	0.9	16

#	ARTICLE	IF	CITATIONS
109	Amplified B Lymphocyte CD40 Signaling Drives Regulatory B10 Cell Expansion in Mice. <i>PLoS ONE</i> , 2011, 6, e22464.	1.1	62
110	Inducible Costimulator (ICOS) and ICOS Ligand Signaling Has Pivotal Roles in Skin Wound Healing via Cytokine Production. <i>American Journal of Pathology</i> , 2011, 179, 2360-2369.	1.9	36
111	Mesenchymal stem cells transmigrate across brain microvascular endothelial cell monolayers through transiently formed inter-endothelial gaps. <i>Neuroscience Letters</i> , 2011, 502, 41-45.	1.0	83
112	Characterization of a rare IL-10 ^{hi} competent B-cell subset in humans that parallels mouse regulatory B10 cells. <i>Blood</i> , 2011, 117, 530-541.	0.6	969
113	Serum chemokine and cytokine levels as indicators of disease activity in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2011, 30, 231-237.	1.0	78
114	Use of Serum Clara Cell 16-kDa (CC16) Levels as a Potential Indicator of Active Pulmonary Fibrosis in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2011, 38, 877-884.	1.0	47
115	Association between nail-fold capillary findings and disease activity in dermatomyositis. <i>Rheumatology</i> , 2011, 50, 1091-1098.	0.9	63
116	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.7	293
117	Regulatory B cell production of IL-10 inhibits lymphoma depletion during CD20 immunotherapy in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 4268-4280.	3.9	156
118	B10 cells and regulatory B cells balance immune responses during inflammation, autoimmunity, and cancer. <i>Annals of the New York Academy of Sciences</i> , 2010, 1183, 38-57.	1.8	394
119	Regulatory B Cells (B10 Cells) and Regulatory T Cells Have Independent Roles in Controlling Experimental Autoimmune Encephalomyelitis Initiation and Late-Phase Immunopathogenesis. <i>Journal of Immunology</i> , 2010, 185, 2240-2252.	0.4	341
120	Protective and Pathogenic Roles for B Cells during Systemic Autoimmunity in NZB/W F1 Mice. <i>Journal of Immunology</i> , 2010, 184, 4789-4800.	0.4	136
121	Identifying Regulatory B Cells (B10 Cells) that Produce IL-10 in Mice. <i>Methods in Molecular Biology</i> , 2010, 677, 99-111.	0.4	106
122	Regulatory B cells that produce IL-10: A breath of fresh air in allergic airway disease. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1125-1127.	1.5	27
123	Re-emergence of anti-topoisomerase I antibody with exacerbated development of skin sclerosis in a patient with systemic sclerosis. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 142-144.	0.6	5
124	The Development and Function of Regulatory B Cells Expressing IL-10 (B10 Cells) Requires Antigen Receptor Diversity and TLR Signals. <i>Journal of Immunology</i> , 2009, 182, 7459-7472.	0.4	443
125	Clinical association of serum CD137 (4-1BB) levels in patients with systemic sclerosis. <i>Journal of Dermatological Science</i> , 2009, 53, 159-161.	1.0	3
126	Bosentan increases serum IL-12 levels in systemic sclerosis patients with pulmonary arterial hypertension. <i>Journal of Dermatological Science</i> , 2009, 55, 66-67.	1.0	8

#	ARTICLE	IF	CITATIONS
127	B-lymphocyte depletion for the treatment of multiple sclerosis: now things really get interesting. Expert Review of Neurotherapeutics, 2009, 9, 309-312.	1.4	6
128	Establishment of Experimental Eosinophilic Vasculitis by IgE-Mediated Cutaneous Reverse Passive Arthus Reaction. American Journal of Pathology, 2009, 174, 2225-2233.	1.9	15
129	Autoantibody-mediated regulation of B cell responses by functional anti-CD22 autoantibodies in patients with systemic sclerosis. Clinical and Experimental Immunology, 2009, 159, 176-184.	1.1	28
130	Elevated serum levels of APRIL, but not BAFF, in patients with atopic dermatitis. Experimental Dermatology, 2008, 17, 197-202.	1.4	21
131	B-lymphocyte contributions to human autoimmune disease. Immunological Reviews, 2008, 223, 284-299.	2.8	306
132	The Loss of MCP-1 Attenuates Cutaneous Ischemia-Reperfusion Injury in a Mouse Model of Pressure Ulcer. Journal of Investigative Dermatology, 2008, 128, 1838-1851.	0.3	64
133	The clinical relevance of serum antinuclear antibodies in Japanese patients with systemic sclerosis. British Journal of Dermatology, 2008, 158, 487-495.	1.4	108
134	Clinical association of serum interleukin-17 levels in systemic sclerosis: Is systemic sclerosis a Th17 disease?. Journal of Dermatological Science, 2008, 50, 240-242.	1.0	110
135	Elevated Serum Insulin-like Growth Factor (IGF-1) and IGF Binding Protein-3 Levels in Patients with Systemic Sclerosis: Possible Role in Development of Fibrosis. Journal of Rheumatology, 2008, 35, 2363-2371.	1.0	60
136	A Case of Acute Cutaneous Graft-versus-Host Disease Mimicking Psoriasis Vulgaris. Dermatology, 2008, 216, 64-67.	0.9	26
137	Blockade of CD40/CD40 ligand interactions attenuates skin fibrosis and autoimmunity in the tight-skin mouse. Annals of the Rheumatic Diseases, 2008, 67, 867-872.	0.5	50
138	Regulatory B cells inhibit EAE initiation in mice while other B cells promote disease progression. Journal of Clinical Investigation, 2008, 118, 3420-30.	3.9	762
139	Identification of a novel autoantibody reactive with 155 and 140 kDa nuclear proteins in patients with dermatomyositis: an association with malignancy. Rheumatology, 2007, 46, 25-28.	0.9	277
140	Endothelial selectins regulate skin wound healing in cooperation with L-selectin and ICAM-1. Journal of Leukocyte Biology, 2007, 82, 519-531.	1.5	39
141	Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 cooperatively contribute to the cutaneous Arthus reaction. Journal of Leukocyte Biology, 2007, 81, 1197-1204.	1.5	16
142	Intercellular Adhesion Molecule-1 Deficiency Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. Journal of Immunology, 2007, 179, 698-707.	0.4	35
143	Phase-Dependent Roles of E-Selectin during Chronic Contact Hypersensitivity Responses. American Journal of Pathology, 2007, 170, 1649-1658.	1.9	12
144	BAFF Antagonist Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. Journal of Investigative Dermatology, 2007, 127, 2772-2780.	0.3	69

#	ARTICLE	IF	CITATIONS
145	Elevated serum BAFF levels in patients with localized scleroderma in contrast to other organ-specific autoimmune diseases. <i>Experimental Dermatology</i> , 2007, 16, 87-93.	1.4	53
146	Antigen specificity of antihistone antibodies in connective tissue disease patients with anti-U1RNP antibodies. <i>Rheumatology International</i> , 2007, 28, 113-119.	1.5	4
147	Increased serum soluble CD40 levels in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2007, 34, 353-8.	1.0	20
148	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	1.0	62
149	Elevated serum APRIL levels in patients with systemic sclerosis: distinct profiles of systemic sclerosis categorized by APRIL and BAFF. <i>Journal of Rheumatology</i> , 2007, 34, 2056-62.	1.0	50
150	Inhibitory Role of CD19 in the Progression of Experimental Autoimmune Encephalomyelitis by Regulating Cytokine Response. <i>American Journal of Pathology</i> , 2006, 168, 812-821.	1.9	109
151	E- and P-Selectins Synergistically Inhibit Bleomycin-Induced Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2006, 169, 740-749.	1.9	14
152	B-Lymphocyte Depletion Reduces Skin Fibrosis and Autoimmunity in the Tight-Skin Mouse Model for Systemic Sclerosis. <i>American Journal of Pathology</i> , 2006, 169, 954-966.	1.9	195
153	Regulation of local and metastatic host-mediated anti-tumour mechanisms by I-selectin and intercellular adhesion molecule-1. <i>Clinical and Experimental Immunology</i> , 2006, 143, 216-227.	1.1	34
154	Elevated serum BAFF levels in patients with systemic sclerosis: Enhanced BAFF signaling in systemic sclerosis B lymphocytes. <i>Arthritis and Rheumatism</i> , 2006, 54, 192-201.	6.7	242
155	A Clue for Telangiectasis in Systemic Sclerosis: Elevated Serum Soluble Endoglin Levels in Patients with the Limited Cutaneous Form of the Disease. <i>Dermatology</i> , 2006, 213, 88-92.	0.9	38
156	L-selectin and intercellular adhesion molecule-1 regulate the development of Concanavalin A-induced liver injury. <i>Journal of Leukocyte Biology</i> , 2006, 79, 696-705.	1.5	20
157	Serum levels of monocyte chemoattractant protein-3/CCL7 are raised in patients with systemic sclerosis: association with extent of skin sclerosis and severity of pulmonary fibrosis. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 124-126.	0.5	37
158	Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: association of interleukin 12 elevation with spontaneous regression of skin sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 275-84.	1.0	106
159	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 1586-92.	1.0	43
160	Abnormal Natural Killer Cell Function in Systemic Sclerosis: Altered Cytokine Production and Defective Killing Activity. <i>Journal of Investigative Dermatology</i> , 2005, 125, 731-737.	0.3	55
161	Increased cutaneous T-cell-attracting chemokine levels in sera from patients with systemic sclerosis. <i>Rheumatology</i> , 2005, 44, 873-878.	0.9	29
162	Prevalence and clinical characteristics of anti-Mi-2 antibodies in Japanese patients with dermatomyositis. <i>Journal of Dermatological Science</i> , 2005, 40, 215-217.	1.0	51

#	ARTICLE	IF	CITATIONS
163	Serum soluble CTLA-4 levels are increased in diffuse cutaneous systemic sclerosis. <i>British Journal of Rheumatology</i> , 2004, 43, 1261-1266.	2.5	73
164	Autoantibody against matrix metalloproteinase-3 in patients with systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2004, 138, 357-363.	1.1	76
165	Childhood Capillary Hemangioma Presenting as Infantile Perianal Protrusion. <i>Dermatology</i> , 2003, 207, 408-409.	0.9	5
166	Epstein-Barr virus-associated T-cell lymphoma: a case of eyelid swelling and intramuscular infiltration mimicking dermatomyositis. <i>British Journal of Dermatology</i> , 2002, 147, 1244-1248.	1.4	23
167	Comparison of cyclic compression, cyclic distraction and rigid fixation: Bone healing in rabbits. <i>Acta Orthopaedica</i> , 1998, 69, 95-98.	1.4	27
168	The diameter of callus in leg lengthening 28 tibial lengthenings in 14 patients with achondroplasia. <i>Acta Orthopaedica</i> , 1998, 69, 306-310.	1.4	7
169	Interlocking Intramedullary Nail Method for the Treatment of Femoral and Tibial Fractures in Cats and Small Dogs. <i>Journal of Veterinary Medical Science</i> , 1998, 60, 119-122.	0.3	19
170	Influence of femoral lengthening on hip joint space in posttraumatic femoral shortening. <i>Acta Orthopaedica</i> , 1997, 68, 541-544.	1.4	1
171	Callus formation in femur and tibia during leg lengthening:7 patients examined with DXA. <i>Acta Orthopaedica</i> , 1996, 67, 158-160.	1.4	11
172	The Hand and Environment (4). <i>Journal of UOEH</i> , 1982, 4, 33-40.	0.3	0
173	Cytokine-producing B cell balance associates with skin fibrosis in patients with systemic sclerosis. <i>Journal of Dermatology</i> , 0, , .	0.6	3