

Evgeny Katz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3170364/publications.pdf>

Version: 2024-02-01

227
papers

10,393
citations

28190
55
h-index

45213
90
g-index

343
all docs

343
docs citations

343
times ranked

5365
citing authors

#	ARTICLE	IF	CITATIONS
1	Reconfigurable Implication and Inhibition Boolean logic gates based on NAD ⁺ -dependent enzymes: Application to signal-controlled biofuel cells and molecule release. <i>Electrochemical Science Advances</i> , 2022, 2, e2100008.	1.2	1
2	Electrochemical contributions: Christian Friedrich Schönbein (1799–1868). <i>Electrochemical Science Advances</i> , 2022, 2, e2160007.	1.2	0
3	Electrochemical contributions: Friedrich Wilhelm Georg Kohlrausch (1840–1910). <i>Electrochemical Science Advances</i> , 2022, 2, e2160008.	1.2	1
4	Circular Permutated PQQ-Glucose Dehydrogenase as an Ultrasensitive Electrochemical Biosensor. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	14
5	Iron(III)-cross-linked alginate hydrogels: a critical review. <i>Materials Advances</i> , 2022, 3, 1849-1873.	2.6	48
6	A magneto-controlled biocatalytic cascade with a fluorescent output. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 1869-1873.	1.5	1
7	Electrochemically produced local pH changes stimulating (bio)molecule release from pH-switchable electrode-immobilized avidin-biotin systems. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 6410-6414.	1.3	7
8	Highly Porous Gold Electrodes – Preparation and Characterization. <i>ChemElectroChem</i> , 2022, 9, .	1.7	4
9	A universal nanostructured bioanalytical platform for NAD ⁺ -dependent enzymes based on the fluorescent output reading with a smartphone. <i>Talanta</i> , 2022, 243, 123325.	2.9	6
10	Electrochemically switchable and tunable luciferase bioluminescence. <i>Bioelectrochemistry</i> , 2022, 146, 108109.	2.4	0
11	Smart-alginate hydrogels in biosensing, bioactuation and biocomputing: State-of-the-art and perspectives. <i>Sensors and Actuators Reports</i> , 2022, 4, 100095.	2.3	20
12	Nanostructured Interface Loaded with Chimeric Enzymes for Fluorimetric Quantification of Cyclosporine A and FK506. <i>Analytical Chemistry</i> , 2022, 94, 7303-7310.	3.2	4
13	Electrochemical contributions: Julius Tafel (1862–1918). <i>Electrochemical Science Advances</i> , 2022, 2, .	1.2	0
14	Electrochemical contributions: Adolph Wilhelm Hermann Kolbe (1818–1884). <i>Electrochemical Science Advances</i> , 2022, 2, .	1.2	2
15	Electrochemical contributions: Rudolf Brdička (1906–1970). <i>Electrochemical Science Advances</i> , 2022, 2, .	1.2	0
16	Electrochemical contributions: William Nicholson (1753–1815). <i>Electrochemical Science Advances</i> , 2021, 1, e2160003.	1.2	2
17	Controlling Porosity of Calcium Alginate Hydrogels by Interpenetrating Polyvinyl Alcohol-Diboronate Polymer Network. <i>ACS Applied Polymer Materials</i> , 2021, 3, 1499-1507.	2.0	22
18	Magneto-Controlled Enzyme Activity with Locally Produced pH Changes. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 2523-2527.	2.1	6

#	ARTICLE	IF	CITATIONS
19	Self-powered molecule release systems activated with chemical signals processed through reconfigurable Implication or Inhibition Boolean logic gates. <i>Bioelectrochemistry</i> , 2021, 138, 107735.	2.4	9
20	Electrochemical contributions: Sir Humphry Davy (1778–1829). <i>Electrochemical Science Advances</i> , 2021, 1, e2160004.	1.2	0
21	IEEE Sensors Journal’s School-Age Years (2004–2011). <i>IEEE Sensors Journal</i> , 2021, 21, 12358-12359.	2.4	0
22	Electrochemical contributions: Jöns Jacob Berzelius (Jacob Berzelius, 1779–1848). <i>Electrochemical Science Advances</i> , 2021, 1, e2160005.	1.2	0
23	Electrochemical contributions: Christian Johann Dietrich (later Theodor) Grotthuss (1785–1822). <i>Electrochemical Science Advances</i> , 2021, 1, e2160006.	1.2	0
24	Switchable Biocatalytic Reactions Controlled by Interfacial pH Changes Produced by Orthogonal Biocatalytic Processes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 33830-33839.	4.0	14
25	Biomolecule Release from Alginate Composite Hydrogels Triggered by Logically Processed Signals. <i>ChemPhysChem</i> , 2021, 22, 1967-1975.	1.0	6
26	Implication and Not-Implication Boolean Logic Gates Mimicked with Enzyme Reactions – General Approach and Application to Signal-Triggered Biomolecule Release Processes. , 2021, , 149-163.		0
27	Fuel Cells and Biofuel Cells: From Past to Perspectives. <i>Israel Journal of Chemistry</i> , 2021, 61, 68-84.	1.0	38
28	Photo-stimulated self-powered electrochemical system for DNA release. <i>Sensors and Actuators Reports</i> , 2021, 3, 100058.	2.3	2
29	Operando Local pH Mapping of Electrochemical and Bioelectrochemical Reactions Occurring at an Electrode Surface: Effect of the Buffer Concentration. <i>ChemElectroChem</i> , 2021, 8, 3923-3935.	1.7	13
30	Connecting Artificial Proteolytic and Electrochemical Signaling Systems with Caged Messenger Peptides. <i>ACS Sensors</i> , 2021, 6, 3596-3603.	4.0	8
31	Smart Delivery of Monoclonal Antibodies from a Magnetic Responsive Microgel Nanocomposite. <i>ACS Applied Bio Materials</i> , 2021, 4, 8487-8497.	2.3	7
32	Microbial and D-Lactate Selective Oxidoreductases as a Very Prospective but Still Uncommon Tool in Commercial Biosensors. <i>ChemElectroChem</i> , 2021, 8, 4725-4731.	1.7	8
33	Design of a methotrexate-controlled chemical dimerization system and its use in bio-electronic devices. <i>Nature Communications</i> , 2021, 12, 7137.	5.8	17
34	A Microelectronic Sensor Device Powered by a Small Implantable Biofuel Cell. <i>ChemPhysChem</i> , 2020, 21, 120-128.	1.0	44
35	Magneto-controlled enzyme reactions. <i>Methods in Enzymology</i> , 2020, 630, 1-24.	0.4	2
36	Molecular Release Associated with Interfacial pH Change Stimulated by a Small Electrical Potential Applied. <i>ChemElectroChem</i> , 2020, 7, 59-63.	1.7	14

#	ARTICLE	IF	CITATIONS
37	Biomolecular Release Stimulated by Electrochemical Signals at a Very Small Potential Applied. <i>Electroanalysis</i> , 2020, 32, 95-103.	1.5	8
38	Boolean Logic Networks Mimicked with Chimeric Enzymes Activated/Inhibited by Several Input Signals. <i>ChemPhysChem</i> , 2020, 21, 589-593.	1.0	10
39	Bioelectrocatalysis at carbon nanotubes. <i>Methods in Enzymology</i> , 2020, 630, 215-247.	0.4	13
40	Electrochemical control of the catalytic activity of immobilized enzymes. <i>Chemical Communications</i> , 2020, 56, 13800-13803.	2.2	11
41	Photobiofuel Cell with Sustainable Energy Generation Based on Micro/Nanostructured Electrode Materials. <i>ACS Applied Energy Materials</i> , 2020, 3, 9543-9549.	2.5	9
42	Biosensors—Recent Advances and Future Challenges. <i>Sensors</i> , 2020, 20, 6645.	2.1	34
43	Nanocomposite hydrogel films and coatings — Features and applications. <i>Applied Materials Today</i> , 2020, 20, 100776.	2.3	37
44	Implication and Inhibition Boolean Logic Gates Mimicked with Enzyme Reactions. <i>ChemPhysChem</i> , 2020, 21, 2150-2154.	1.0	5
45	Nanozyme-Triggered DNA Release from Alginate Films. <i>ACS Applied Bio Materials</i> , 2020, 3, 3741-3750.	2.3	10
46	Control of Allosteric Protein Electrochemical Switches with Biomolecular and Electronic Signals. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 5549-5554.	2.1	14
47	Electrochemically Generated Interfacial pH Change: Application to Signal-Triggered Molecule Release. <i>ChemElectroChem</i> , 2020, 7, 3386-3403.	1.7	16
48	Boolean Logic Networks Mimicked with Chimeric Enzymes Activated/Inhibited by Several Input Signals. <i>ChemPhysChem</i> , 2020, 21, 578-578.	1.0	0
49	Enzyme-Based Biosensors: Tackling Electron Transfer Issues. <i>Sensors</i> , 2020, 20, 3517.	2.1	88
50	Control of allosteric electrochemical protein switch using magnetic signals. <i>Chemical Communications</i> , 2020, 56, 9206-9209.	2.2	7
51	Magnetic Nanoparticles. <i>Magnetochemistry</i> , 2020, 6, 6.	1.0	25
52	Electrochemical Signal-Triggered Release of Biomolecules Functionalized with His-tag Units. <i>Electroanalysis</i> , 2019, 31, 2274-2282.	1.5	7
53	Not-Exclusive (NXOR) Logic Gate Realized with Enzyme-Catalyzed Reactions: Optical and Electrochemical Signal Transduction. <i>ChemPhysChem</i> , 2019, 20, 2082-2092.	1.0	4
54	Electrochemically stimulated molecule release associated with interfacial pH changes. <i>Chemical Communications</i> , 2019, 55, 7856-7859.	2.2	20

#	ARTICLE	IF	CITATIONS
55	Towards Nanomaterials for Cancer Theranostics: A System of DNA-Modified Magnetic Nanoparticles for Detection and Suppression of RNA Marker in Cancer Cells. <i>Magnetochemistry</i> , 2019, 5, 24.	1.0	24
56	8. Signal-activated biomolecular release from alginate-modified electrodes. , 2019, , 143-166.		0
57	Synthesis, Properties and Applications of Magnetic Nanoparticles and Nanowiresâ€”A Brief Introduction. <i>Magnetochemistry</i> , 2019, 5, 61.	1.0	82
58	DNA Release from a Modified Electrode Triggered by a Bioelectrocatalytic Process. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 47625-47634.	4.0	7
59	Bioelectrocatalytic Electrodes Modified with PQQâ€”Glucose Dehydrogenaseâ€”Calmodulin Chimera Switchable by Peptide Signals: Pathway to Generic Bioelectronic Systems Controlled by Biomolecular Inputs. <i>ChemElectroChem</i> , 2019, 6, 638-645.	1.7	17
60	Boolean Logic Gates Realized with Enzymeâ€”catalyzed Reactions â€” Unusual Look at Usual Chemical Reactions. <i>ChemPhysChem</i> , 2019, 20, 9-22.	1.0	47
61	Modified Electrodes and Electrochemical Systems Switchable by Light Signals. <i>Electroanalysis</i> , 2018, 30, 759-797.	1.5	17
62	Nanoreactors based on DNAzyme-functionalized magnetic nanoparticles activated by magnetic field. <i>Nanoscale</i> , 2018, 10, 1356-1365.	2.8	24
63	Biomolecular Release from Alginateâ€”modified Electrode Triggered by Chemical Inputs Processed through a Biocatalytic Cascade â€” Integration of Biomolecular Computing and Actuation. <i>Electroanalysis</i> , 2018, 30, 426-435.	1.5	27
64	Nanoâ€”species Release System Activated by Enzymeâ€”based XOR Logic Gate. <i>Electroanalysis</i> , 2018, 30, 1281-1286.	1.5	11
65	Biofuel cells â€” Activation of micro- and macro-electronic devices. <i>Bioelectrochemistry</i> , 2018, 119, 33-42.	2.4	100
66	Magnetic field remotely controlled selective biocatalysis. <i>Nature Catalysis</i> , 2018, 1, 73-81.	16.1	84
67	Magnetoâ€”Controlled Biocatalytic Cascades with Logically Processed Input Signals â€” Substrate Channeling versus Free Diffusion. <i>ChemPhysChem</i> , 2018, 19, 3035-3043.	1.0	18
68	Enzyme-Based Logic Systems: Composition, Operation, Interfacing, and Applications. , 2018, , 265-305.		0
69	Enzymeâ€”Based Logic Gates and Networks with Output Signals Analyzed by Various Methods. <i>ChemPhysChem</i> , 2017, 18, 1688-1713.	1.0	45
70	Electrochemically Stimulated Insulin Release from a Modified Grapheneâ€”functionalized Carbon Fiber Electrode. <i>Electroanalysis</i> , 2017, 29, 1543-1553.	1.5	11
71	Enzyme-based logic gates and circuitsâ€”analytical applications and interfacing with electronics. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 81-94.	1.9	54
72	Molecular Logic: From Single Logic Gates to Sophisticated Logic Circuits, from Fundamental Science to Practical Applications. <i>ChemPhysChem</i> , 2017, 18, 1665-1666.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Coupling of Biomolecular Logic Gates with Electronic Transducers: From Single Enzyme Logic Gates to Sense/Act/Treat Chips. <i>Electroanalysis</i> , 2017, 29, 1840-1849.	1.5	21
74	DNA Release from Fe ³⁺ -Cross-Linked Alginate Films Triggered by Logically Processed Biomolecular Signals: Integration of Biomolecular Computing and Actuation. <i>ChemPhysChem</i> , 2017, 18, 1811-1821.	1.0	37
75	A Biofuel Cell Based on Biocatalytic Reactions of Lactate on Both Anode and Cathode Electrodes "Extracting Electrical Power from Human Sweat. <i>Electroanalysis</i> , 2017, 29, 1602-1611.	1.5	31
76	Glucose-Triggered Insulin Release from Fe ³⁺ -Cross-Linked Alginate Hydrogel: Experimental Study and Theoretical Modeling. <i>ChemPhysChem</i> , 2017, 18, 1541-1551.	1.0	22
77	A Biofuel Cell Based on Biocatalytic Reactions of Glucose on Both Anode and Cathode Electrodes. <i>Electroanalysis</i> , 2017, 29, 950-954.	1.5	25
78	An enzyme-based reversible Controlled NOT (CNOT) logic gate operating on a semiconductor transducer. <i>Applied Materials Today</i> , 2017, 9, 266-270.	2.3	16
79	Magnetic Field-Activated Sensing of mRNA in Living Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 12117-12120.	6.6	44
80	Ca ²⁺ -Switchable Glucose Dehydrogenase Associated with Electrochemical/Electronic Interfaces: Applications to Signal-Controlled Power Production and Biomolecular Release. <i>Journal of Physical Chemistry B</i> , 2017, 121, 11465-11471.	1.2	19
81	DNA Computing Systems Activated by Electrochemically-triggered DNA Release from a Polymer-brush-modified Electrode Array. <i>Electroanalysis</i> , 2017, 29, 398-408.	1.5	22
82	Utilization of a fluidic infrastructure for the realization of enzyme-based Boolean logic operations. <i>International Journal of Parallel, Emergent and Distributed Systems</i> , 2017, 32, 139-156.	0.7	8
83	An Enzyme-based 1:2 Demultiplexer Interfaced with an Electrochemical Actuator. <i>ChemPhysChem</i> , 2017, 18, 1721-1725.	1.0	6
84	Enzyme-Based Reversible Logic Gates Operated in Flow Cells. <i>Emergence, Complexity and Computation</i> , 2017, , 29-59.	0.2	12
85	Electrochemically-controlled DNA Release under Physiological Conditions from a Monolayer-modified Electrode. <i>Electroanalysis</i> , 2017, 29, 324-329.	1.5	17
86	Integration of Biomolecular Sensing, Logic Processing of the Signals and Actuation. <i>Proceedings (mdpi)</i> , 2017, 1, 710.	0.2	0
87	Experimental Realization of a High-Quality Biochemical XOR Gate. <i>ChemPhysChem</i> , 2017, 18, 2908-2915.	1.0	10
88	Enzyme-Based Logic Systems: Composition, Operation, Interfacing, and Applications. , 2017, , 1-41.		0
89	Design of Flow Systems for Improved Networking and Reduced Noise in Biomolecular Signal Processing in Biocomputing and Biosensing Applications. <i>Sensors</i> , 2016, 16, 1042.	2.1	5
90	Electrochemically Triggered DNA Release from a Mixed-brush Polymer-modified Electrode. <i>Electroanalysis</i> , 2016, 28, 2613-2625.	1.5	14

#	ARTICLE	IF	CITATIONS
91	Bioelectronic Interface Connecting Reversible Logic Gates Based on Enzyme and DNA Reactions. ChemPhysChem, 2016, 17, 2247-2255.	1.0	35
92	Controlled Logic Gates—Switch Gate and Fredkin Gate Based on Enzyme—Biocatalyzed Reactions Realized in Flow Cells. ChemPhysChem, 2016, 17, 1046-1053.	1.0	35
93	Diffusion of Oligonucleotides from within Iron—Cross—Linked, Polyelectrolyte—Modified Alginate Beads: A Model System for Drug Release. ChemPhysChem, 2016, 17, 926-926.	1.0	1
94	An Enzyme—Based Half—Adder and Half—Subtractor with a Modular Design. ChemPhysChem, 2016, 17, 2210-2217.	1.0	25
95	Magneto—Switchable Electrodes and Electrochemical Systems. Electroanalysis, 2016, 28, 904-919.	1.5	19
96	Modified Electrodes and Electrochemical Systems Switchable by Temperature Changes. Electroanalysis, 2016, 28, 1916-1929.	1.5	30
97	Biofuel Cell Based on Carbon Fiber Electrodes Functionalized with Graphene Nanosheets. ECS Journal of Solid State Science and Technology, 2016, 5, M3037-M3040.	0.9	23
98	DNA Release from a Bioelectronic Interface Stimulated by a DNA Signal — Amplification of DNA Signals. Electroanalysis, 2016, 28, 2692-2696.	1.5	10
99	Diffusion of Oligonucleotides from within Iron—Cross—Linked, Polyelectrolyte—Modified Alginate Beads: A Model System for Drug Release. ChemPhysChem, 2016, 17, 976-984.	1.0	15
100	Graphene—Functionalized 3D—Carbon Fiber Electrodes — Preparation and Electrochemical Characterization. Electroanalysis, 2016, 28, 1943-1946.	1.5	18
101	Notes on stochastic (bio)-logic gates: computing with allosteric cooperativity. Scientific Reports, 2015, 5, 9415.	1.6	20
102	Switchable Bioelectrocatalysis Controlled by pH Changes. Electroanalysis, 2015, 27, 2063-2073.	1.5	27
103	Electrochemically Stimulated DNA Release from a Polymer—Brush Modified Electrode. Electroanalysis, 2015, 27, 2171-2179.	1.5	11
104	Switchable electrodes and biofuel cells logically controlled by chemical and biochemical signals. , 2015, , 215-238.		7
105	Implantable Biofuel Cells Operating In Vivo—Potential Power Sources for Bioelectronic Devices. Bioelectronic Medicine, 2015, 2, 1-12.	1.0	42
106	Can bio-inspired information processing steps be realized as synthetic biochemical processes?. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 219-228.	0.8	11
107	Enzyme-based logic systems interfaced with signal-responsive materials and electrodes. Chemical Communications, 2015, 51, 3493-3500.	2.2	60
108	Biocomputing — tools, aims, perspectives. Current Opinion in Biotechnology, 2015, 34, 202-208.	3.3	85

#	ARTICLE	IF	CITATIONS
109	A bioelectronic system for insulin release triggered by ketone body mimicking diabetic ketoacidosis in vitro. <i>Chemical Communications</i> , 2015, 51, 7618-7621.	2.2	21
110	Substance Release Triggered by Biomolecular Signals in Bioelectronic Systems. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 1340-1347.	2.1	74
111	Reversible Logic Gates Based on Enzyme-Biocatalyzed Reactions and Realized in Flow Cells: A Modular Approach. <i>ChemPhysChem</i> , 2015, 16, 1405-1415.	1.0	49
112	Biomolecular Computing Realized in Parallel Flow Systems: Enzyme-Based Double Feynman Logic Gate. <i>Parallel Processing Letters</i> , 2015, 25, 1540001.	0.4	11
113	Bridging the Two Worlds: A Universal Interface between Enzymatic and DNA Computing Systems. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6562-6566.	7.2	106
114	Implantable biofuel cells operating in vivo: Providing sustainable power for bioelectronic devices: From biofuel cells to cyborgs. , 2015, , .		11
115	Wireless Information Transmission System Powered by an Abiotic Biofuel Cell Implanted in an Orange. <i>Electroanalysis</i> , 2015, 27, 276-280.	1.5	20
116	A wireless transmission system powered by an enzyme biofuel cell implanted in an orange. <i>Bioelectrochemistry</i> , 2015, 106, 28-33.	2.4	82
117	Pacemaker Activated by an Abiotic Biofuel Cell Operated in Human Serum Solution. <i>Electroanalysis</i> , 2014, 26, 2445-2457.	1.5	53
118	Biocomputing, Biosensing and Bioactuation Based on Enzyme Biocatalyzed Reactions. <i>Biocatalysis</i> , 2014, 1, .	2.3	8
119	Biochemical flip-flop memory systems: essential additions to autonomous biocomputing and biosensing systems. <i>International Journal of General Systems</i> , 2014, 43, 722-739.	1.2	9
120	Starch-Powered Biofuel Cell Activated by Logically Processed Biomolecular Signals. <i>ChemElectroChem</i> , 2014, 1, 1822-1827.	1.7	16
121	A model system for targeted drug release triggered by biomolecular signals logically processed through enzyme logic networks. <i>Analyst, The</i> , 2014, 139, 982.	1.7	52
122	Enzymatic filter for improved separation of output signals in enzyme logic systems towards "sense and treat" medicine. <i>Biomaterials Science</i> , 2014, 2, 184-191.	2.6	32
123	Majority and Minority Gates Realized in Enzyme-Biocatalyzed Systems Integrated with Logic Networks and Interfaced with Bioelectronic Systems. <i>Journal of Physical Chemistry B</i> , 2014, 118, 6775-6784.	1.2	49
124	Kinetic Model for a Threshold Filter in an Enzymatic System for Bioanalytical and Biocomputing Applications. <i>Journal of Physical Chemistry B</i> , 2014, 118, 12435-12443.	1.2	24
125	Activation of a Biocatalytic Electrode by Removing Glucose Oxidase from the Surface" Application to Signal Triggered Drug Release. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 13349-13354.	4.0	37
126	A biocatalytic cascade with several output signals" towards biosensors with different levels of confidence. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3365-3370.	1.9	22

#	ARTICLE	IF	CITATIONS
127	Model system for targeted drug release triggered by immune-specific signals. Analytical and Bioanalytical Chemistry, 2014, 406, 4825-4829.	1.9	22
128	Self-powered electrochemical memristor based on a biofuel cell “ towards memristors integrated with biocomputing systems. Chemical Communications, 2014, 50, 4816.	2.2	37
129	Enzyme-based logic gates switchable between OR, NXOR and NAND Boolean operations realized in a flow system. Chemical Communications, 2014, 50, 12043-12046.	2.2	22
130	An enzyme-based reversible CNOT logic gate realized in a flow system. Analyst, The, 2014, 139, 1839.	1.7	45
131	Antibacterial Drug Release Electrochemically Stimulated by the Presence of Bacterial Cells “ Theranostic Approach. Electroanalysis, 2014, 26, 2552-2557.	1.5	29
132	A bioinspired associative memory system based on enzymatic cascades. Chemical Communications, 2013, 49, 6962.	2.2	30
133	Implanted biofuel cells operating in vivo “ methods, applications and perspectives “ feature article. Energy and Environmental Science, 2013, 6, 2791.	15.6	197
134	Networked Enzymatic Logic Gates with Filtering: New Theoretical Modeling Expressions and Their Experimental Application. Journal of Physical Chemistry B, 2013, 117, 14928-14939.	1.2	45
135	Biocatalytic analysis of biomarkers for forensic identification of ethnicity between Caucasian and African American groups. Analyst, The, 2013, 138, 6251.	1.7	28
136	Biomolecular release triggered by glucose input “ bioelectronic coupling of sensing and actuating systems. Chemical Communications, 2013, 49, 4755.	2.2	34
137	Engineering Luminescent Molecules with Sensing and Logic Capabilities. , 2013, , 79-98.		6
138	Electrode interfaces switchable by physical and chemical signals for biosensing, biofuel, and biocomputing applications. Analytical and Bioanalytical Chemistry, 2013, 405, 3659-3672.	1.9	61
139	A pacemaker powered by an implantable biofuel cell operating under conditions mimicking the human blood circulatory system “ battery not included. Physical Chemistry Chemical Physics, 2013, 15, 6278.	1.3	142
140	Biofuel Cell Operating in Vivo in Rat. Electroanalysis, 2013, 25, 1579-1584.	1.5	125
141	From “cyborg”-lobsters to a pacemaker powered by implantable biofuel cells. Energy and Environmental Science, 2013, 6, 81-86.	15.6	283
142	Enzymatic AND Logic Gate with Sigmoid Response Induced by Photochemically Controlled Oxidation of the Output. Journal of Physical Chemistry B, 2013, 117, 7559-7568.	1.2	46
143	Modularity of Biochemical Filtering for Inducing Sigmoid Response in Both Inputs in an Enzymatic AND Gate. Journal of Physical Chemistry B, 2013, 117, 9857-9865.	1.2	39
144	Biomolecular AND Logic Gate Based on Immobilized Enzymes with Precise Spatial Separation Controlled by Scanning Electrochemical Microscopy. Journal of Physical Chemistry B, 2013, 117, 16058-16065.	1.2	15

#	ARTICLE	IF	CITATIONS
145	Living battery " biofuel cells operating in vivo in clams. <i>Energy and Environmental Science</i> , 2012, 5, 8891.	15.6	225
146	Electronic interfaces switchable by logically processed multiple biochemical and physiological signals. <i>Journal of Materials Chemistry</i> , 2012, 22, 8171.	6.7	57
147	Electrochemically stimulated release of lysozyme from an alginate matrix cross-linked with iron cations. <i>Journal of Materials Chemistry</i> , 2012, 22, 19523.	6.7	63
148	Analysis of biomarkers characteristic of porcine liver injury" from biomolecular logic gates to an animal model. <i>Analyst</i> , 2012, 137, 1768.	1.7	52
149	Enzyme-Based Logic Analysis of Biomarkers at Physiological Concentrations: AND Gate with Double-Sigmoid "Filter" Response. <i>Journal of Physical Chemistry B</i> , 2012, 116, 4457-4464.	1.2	48
150	Multianalyte Digital Enzyme Biosensors with Built-in Boolean Logic. <i>Analytical Chemistry</i> , 2012, 84, 5463-5469.	3.2	102
151	Enzyme-Based Logic: OR Gate with Double-Sigmoid Filter Response. <i>Journal of Physical Chemistry B</i> , 2012, 116, 9683-9689.	1.2	53
152	A biochemical logic approach to biomarker-activated drug release. <i>Journal of Materials Chemistry</i> , 2012, 22, 19709.	6.7	46
153	Electrochemically Controlled Drug-Mimicking Protein Release from Iron-Alginate Thin-Films Associated with an Electrode. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 466-475.	4.0	124
154	Biocatalytic Enzyme Networks Designed for Binary-Logic Control of Smart Electroactive Nanobiointerfaces. <i>Topics in Catalysis</i> , 2012, 55, 1201-1216.	1.3	13
155	Molecular AND logic gate based on bacterial anaerobic respiration. <i>Chemical Communications</i> , 2012, 48, 10174.	2.2	36
156	Permeability of Human Tooth Surfaces Studied In Vitro by Electrochemical Impedance Spectroscopy. <i>Electroanalysis</i> , 2012, 24, 1033-1038.	1.5	2
157	A Self-Powered "Sense" Act" Treat" System that is Based on a Biofuel Cell and Controlled by Boolean Logic. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 2686-2689.	7.2	139
158	Implanted Biofuel Cell Operating in a Living Snail. <i>Journal of the American Chemical Society</i> , 2012, 134, 5040-5043.	6.6	437
159	Realization and Properties of Biochemical-Computing Biocatalytic XOR Gate Based on Enzyme Inhibition by a Substrate. <i>Journal of Physical Chemistry B</i> , 2011, 115, 9838-9845.	1.2	34
160	High-fidelity determination of security threats via a Boolean biocatalytic cascade. <i>Chemical Communications</i> , 2011, 47, 3087.	2.2	46
161	Towards biochemical filters with a sigmoidal response to pH changes: buffered biocatalytic signal transduction. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 4507.	1.3	36
162	Biomolecular Filters for Improved Separation of Output Signals in Enzyme Logic Systems Applied to Biomedical Analysis. <i>Analytical Chemistry</i> , 2011, 83, 8383-8386.	3.2	47

#	ARTICLE	IF	CITATIONS
163	Enzyme-based NAND gate for rapid electrochemical screening of traumatic brain injury in serum. <i>Analytica Chimica Acta</i> , 2011, 703, 94-100.	2.6	25
164	Bio-logic analysis of injury biomarker patterns in human serum samples. <i>Talanta</i> , 2011, 83, 955-959.	2.9	59
165	Responsive Interface Switchable by Logically Processed Physiological Signals: Toward "Smart" Actuators for Signal Amplification and Drug Delivery. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 1620-1623.	4.0	87
166	Materials with Built-in Logic. <i>Journal of Computational and Theoretical Nanoscience</i> , 2011, 8, 356-364.	0.4	30
167	Bioelectronic Devices Controlled by Biocomputing Systems. <i>Israel Journal of Chemistry</i> , 2011, 51, 132-140.	1.0	13
168	Digital Biosensors with Built-in Logic for Biomedical Applications. <i>Israel Journal of Chemistry</i> , 2011, 51, 141-150.	1.0	69
169	Processing electrochemical signals at both sides of interface: electronic vs. chemical signal processing. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 1471-1480.	1.2	4
170	Bicomponent Microneedle Array Biosensor for Minimally Invasive Glutamate Monitoring. <i>Electroanalysis</i> , 2011, 23, 2302-2309.	1.5	99
171	Bioelectronic system for the control and readout of enzyme logic gates. <i>Sensors and Actuators B: Chemical</i> , 2011, 155, 206-213.	4.0	19
172	Editorial Tenth Anniversary Issue. <i>IEEE Sensors Journal</i> , 2011, 11, 3053-3054.	2.4	0
173	Digital biosensors with built-in logic for biomedical applications" biosensors based on a biocomputing concept. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1591-1603.	1.9	158
174	Modified Electrodes with Switchable Selectivity for Cationic and Anionic Redox Species. <i>Electroanalysis</i> , 2010, 22, 35-40.	1.5	57
175	Biofuel Cells with Switchable Power Output. <i>Electroanalysis</i> , 2010, 22, 744-756.	1.5	53
176	Electrochemical Nanotransistor from Mixed Polymer Brushes. <i>Advanced Materials</i> , 2010, 22, 1863-1866.	11.1	45
177	Artificial Muscle Reversibly Controlled by Enzyme Reactions. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 839-843.	2.1	38
178	Realization and Properties of Biochemical-Computing Biocatalytic XOR Gate Based on Signal Change. <i>Journal of Physical Chemistry B</i> , 2010, 114, 13601-13608.	1.2	52
179	Keypad Lock Security System Based on Immune-Affinity Recognition Integrated with a Switchable Biofuel Cell. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 973-977.	2.1	69
180	Biochemical Filter with Sigmoidal Response: Increasing the Complexity of Biomolecular Logic. <i>Journal of Physical Chemistry B</i> , 2010, 114, 14103-14109.	1.2	46

#	ARTICLE	IF	CITATIONS
181	Reversible "Closing" of an Electrode Interface Functionalized with a Polymer Brush by an Electrochemical Signal. <i>Langmuir</i> , 2010, 26, 4506-4513.	1.6	84
182	Multi-enzyme logic network architectures for assessing injuries: digital processing of biomarkers. <i>Molecular BioSystems</i> , 2010, 6, 2554.	2.9	80
183	Enzyme logic gate associated with a single responsive microparticle: scaling biocomputing to microsize systems. <i>Chemical Communications</i> , 2010, 46, 94-96.	2.2	21
184	Enzyme-Based Multiplexer and Demultiplexer. <i>Journal of Physical Chemistry B</i> , 2010, 114, 5222-5226.	1.2	28
185	Enzymatic AND Logic Gates Operated Under Conditions Characteristic of Biomedical Applications. <i>Journal of Physical Chemistry B</i> , 2010, 114, 12166-12174.	1.2	55
186	Enzyme-based logic systems for information processing. <i>Chemical Society Reviews</i> , 2010, 39, 1835.	18.7	489
187	Multiplexing of injury codes for the parallel operation of enzyme logic gates. <i>Analyst</i> , 2010, 135, 2249.	1.7	96
188	Self-powered biomolecular keypad lock security system based on a biofuel cell. <i>Chemical Communications</i> , 2010, 46, 2405.	2.2	57
189	Reversible gating controlled by enzymes at nanostructured interface. <i>Chemical Communications</i> , 2010, 46, 2088.	2.2	40
190	Biofuel Cells Controlled by Logically Processed Biochemical Signals: Towards Physiologically Regulated Bioelectronic Devices. <i>Chemistry - A European Journal</i> , 2009, 15, 12554-12564.	1.7	97
191	Switchable Electrodes: How Can the System Complexity be Scaled up?. <i>Electroanalysis</i> , 2009, 21, 252-260.	1.5	56
192	Enzyme logic network analyzing combinations of biochemical inputs and producing fluorescent output signals: Towards multi-signal digital biosensors. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 1-4.	4.0	18
193	Switchable electrode controlled by Boolean logic gates using enzymes as input signals. <i>Bioelectrochemistry</i> , 2009, 77, 69-73.	2.4	46
194	Enzyme logic gates for the digital analysis of physiological level upon injury. <i>Biosensors and Bioelectronics</i> , 2009, 24, 3569-3574.	5.3	81
195	Enzyme-based logic systems and their applications for novel multi-signal-responsive materials. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 457-462.	1.7	52
196	An Integrated Multifunctional Nanosystem from Command Nanoparticles and Enzymes. <i>Small</i> , 2009, 5, 817-820.	5.2	63
197	Interfacing of biocomputing systems with silicon chips: Enzyme logic gates based on field-effect devices. <i>Procedia Chemistry</i> , 2009, 1, 682-685.	0.7	11
198	Biofuel cell controlled by enzyme logic network " Approaching physiologically regulated devices. <i>Bioelectrochemistry</i> , 2009, 76, 4-9.	2.4	64

#	ARTICLE	IF	CITATIONS
199	Enzymatic AND-gate based on electrode-immobilized glucose-6-phosphate dehydrogenase: Towards digital biosensors and biochemical logic systems with low noise. <i>Biosensors and Bioelectronics</i> , 2009, 25, 695-701.	5.3	52
200	Network Analysis of Biochemical Logic for Noise Reduction and Stability: A System of Three Coupled Enzymatic AND Gates. <i>Journal of Physical Chemistry B</i> , 2009, 113, 5301-5310.	1.2	105
201	Analog Noise Reduction in Enzymatic Logic Gates. <i>Journal of Physical Chemistry B</i> , 2009, 113, 10472-10479.	1.2	49
202	Optimization of Enzymatic Logic Gates and Networks for Noise Reduction and Stability. , 2009, , .		3
203	Logic Networks Based on Immunorecognition Processes. <i>Journal of Physical Chemistry B</i> , 2009, 113, 12154-12159.	1.2	40
204	Switchable Electrode Controlled by Enzyme Logic Network System: Approaching Physiologically Regulated Bioelectronics. <i>Journal of the American Chemical Society</i> , 2009, 131, 1314-1321.	6.6	154
205	Biofuel Cell Controlled by Enzyme Logic Systems. <i>Journal of the American Chemical Society</i> , 2009, 131, 826-832.	6.6	161
206	Coupling of Biocomputing Systems with Electronic Chips: Electronic Interface for Transduction of Biochemical Information. <i>Journal of Physical Chemistry C</i> , 2009, 113, 2573-2579.	1.5	55
207	Stimuli-Responsive Hydrogel Membranes Coupled with Biocatalytic Processes. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 532-536.	4.0	156
208	Enzyme-Based NAND and NOR Logic Gates with Modular Design. <i>Journal of Physical Chemistry B</i> , 2009, 113, 16065-16070.	1.2	95
209	Bioelectrocatalytic System Coupled with Enzyme-Based Biocomputing Ensembles Performing Boolean Logic Operations: Approaching "Smart" Physiologically Controlled Biointerfaces. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 144-149.	4.0	79
210	Switchable selectivity for gating ion transport with mixed polyelectrolyte brushes: approaching "smart" drug delivery systems. <i>Nanotechnology</i> , 2009, 20, 434006.	1.3	88
211	From the Incoming Editor-in-Chief. <i>IEEE Sensors Journal</i> , 2009, 9, 882-882.	2.4	0
212	Boolean Logic Gates that Use Enzymes as Input Signals. <i>ChemBioChem</i> , 2008, 9, 1260-1266.	1.3	102
213	Logic Gates Based on Magnetic Nanoparticles Functionalized with a Bioelectrocatalytic System. <i>Electroanalysis</i> , 2008, 20, 22-29.	1.5	18
214	Field-Effect Nanoparticle-Based Glucose Sensor on a Chip: Amplification Effect of Coimmobilized Redox Species. <i>Electroanalysis</i> , 2008, 20, 1748-1753.	1.5	55
215	Optimization of Enzymatic Biochemical Logic for Noise Reduction and Scalability: How Many Biocomputing Gates Can Be Interconnected in a Circuit?. <i>Journal of Physical Chemistry B</i> , 2008, 112, 11777-11784.	1.2	107
216	High sensitivity molecular detection with enzyme-linked immuno-sorbent assay (ELISA)-type immunosensing. <i>Nanotechnology</i> , 2008, 19, 375502.	1.3	21

#	ARTICLE	IF	CITATIONS
217	Biochemically Controlled Bioelectrocatalytic Interface. Journal of the American Chemical Society, 2008, 130, 10888-10889.	6.6	96
218	Magneto-Induced Self-Assembling of Conductive Nanowires for Biosensor Applications. Journal of Physical Chemistry C, 2008, 112, 7337-7344.	1.5	60
219	Chemical Gating with Nanostructured Responsive Polymer Brushes: Mixed Brush versus Homopolymer Brush. ACS Nano, 2008, 2, 41-52.	7.3	172
220	Optoelectronic Properties of Nanostructured Ensembles Controlled by Biomolecular Logic Systems. ACS Nano, 2008, 2, 2160-2166.	7.3	64
221	“Chemical Transformers” from Nanoparticle Ensembles Operated with Logic. Nano Letters, 2008, 8, 2993-2997.	4.5	131
222	Polymer Brush-Modified Electrode with Switchable and Tunable Redox Activity for Bioelectronic Applications. Journal of Physical Chemistry C, 2008, 112, 8438-8445.	1.5	164
223	Multiple Logic Gates Based on Electrically Wired Surface-Reconstituted Enzymes. Journal of the American Chemical Society, 2008, 130, 36-37.	6.6	98
224	Biocomputing Security System: Concatenated Enzyme-Based Logic Gates Operating as a Biomolecular Keypad Lock. Journal of the American Chemical Society, 2008, 130, 4234-4235.	6.6	224
225	Biosensor Techniques Used for Determination of Telomerase Activity in Cancer Cells. Sensors, 2008, 8, 347-369.	2.1	13
226	Bionanotransporters. ACS Symposium Series, 2008, , 375-393.	0.5	0
227	Biosensors based on immobilized insects fragments. Journal of Solid State Electrochemistry, 2007, 12, 7-14.	1.2	3