

Hyon-Suk Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/317037/publications.pdf>

Version: 2024-02-01

258
papers

4,687
citations

94415

37
h-index

168376

53
g-index

268
all docs

268
docs citations

268
times ranked

7651
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic implications of PD-L1 expression in patients with soft tissue sarcoma. <i>BMC Cancer</i> , 2016, 16, 434.	2.6	124
2	Efficient prefractionation of low-abundance proteins in human plasma and construction of a two-dimensional map. <i>Proteomics</i> , 2005, 5, 3386-3396.	2.2	121
3	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , 2011, 53, 1486-1493.	7.3	120
4	White Blood Cell Count and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a Cohort of Koreans. <i>American Journal of Epidemiology</i> , 2005, 162, 1062-1069.	3.4	100
5	New Automated Hepatitis C Virus (HCV) Core Antigen Assay as an Alternative to Real-Time PCR for HCV RNA Quantification. <i>Journal of Clinical Microbiology</i> , 2010, 48, 2253-2256.	3.9	91
6	Diagnostic performances of HE4 and CA125 for the detection of ovarian cancer from patients with various gynecologic and non-gynecologic diseases. <i>Clinical Biochemistry</i> , 2011, 44, 884-888.	1.9	84
7	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016, 51, 830-839.	5.1	78
8	Evaluation of Methods for Monitoring Drug Resistance in Chronic Hepatitis B Patients during Lamivudine Therapy Based on Mass Spectrometry and Reverse Hybridization. <i>Antiviral Therapy</i> , 2005, 10, 441-449.	1.0	73
9	Clinical Performance Evaluation of Four Automated Chemiluminescence Immunoassays for Hepatitis C Virus Antibody Detection. <i>Journal of Clinical Microbiology</i> , 2008, 46, 3919-3923.	3.9	70
10	Marked Loss of Muscle, Visceral Fat, or Subcutaneous Fat After Gastrectomy Predicts Poor Survival in Advanced Gastric Cancer: Single-Center Study from the CLASSIC Trial. <i>Annals of Surgical Oncology</i> , 2018, 25, 3222-3230.	1.5	69
11	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 344-353.	1.5	68
12	Diagnostic Significance of Serum HMGB1 in Colorectal Carcinomas. <i>PLoS ONE</i> , 2012, 7, e34318.	2.5	64
13	Prospective Validation of ELF Test in Comparison with Fibroscan and FibroTest to Predict Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e41964.	2.5	64
14	A new integron carrying VIM-2 metallo- β -lactamase gene cassette in a <i>Serratia marcescens</i> isolate. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002, 42, 217-219.	1.8	60
15	Human Leukocyte Antigen-G (HLA-G) Polymorphism and Expression in Breast Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e98284.	2.5	58
16	Efficacy of pazopanib monotherapy in patients who had been heavily pretreated for metastatic soft tissue sarcoma: a retrospective case series. <i>BMC Cancer</i> , 2015, 15, 154.	2.6	58
17	Reference ranges for HE4 and CA125 in a large Asian population by automated assays and diagnostic performances for ovarian cancer. <i>International Journal of Cancer</i> , 2012, 130, 1136-1144.	5.1	57
18	The role of a whole blood interferon- γ assay for the detection of latent tuberculosis infection in Bacille Calmette-Guérin vaccinated children. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 62, 389-394.	1.8	53

#	ARTICLE	IF	CITATIONS
19	False-Positive Rate of a "Fourth-Generation" HIV Antigen/Antibody Combination Assay in an Area of Low HIV Prevalence. <i>Vaccine Journal</i> , 2010, 17, 1642-1644.	3.1	52
20	Diagnostic utilities of procalcitonin and C-reactive protein for the prediction of bacteremia determined by blood culture. <i>Clinica Chimica Acta</i> , 2012, 413, 1731-1736.	1.1	52
21	Next-generation sequencing reveals somatic mutations that confer exceptional response to everolimus. <i>Oncotarget</i> , 2016, 7, 10547-10556.	1.8	52
22	Development and validation of a prognostic and predictive 32-gene signature for gastric cancer. <i>Nature Communications</i> , 2022, 13, 774.	12.8	52
23	Multidisciplinary treatment for patients with stage IV gastric cancer: the role of conversion surgery following chemotherapy. <i>BMC Cancer</i> , 2018, 18, 1116.	2.6	51
24	Impact of Hepatitis B Virus (HBV) X Gene Mutations on Hepatocellular Carcinoma Development in Chronic HBV Infection. <i>Vaccine Journal</i> , 2011, 18, 914-921.	3.1	49
25	Comparisons of Three Automated Systems for Genomic DNA Extraction in a Clinical Diagnostic Laboratory. <i>Yonsei Medical Journal</i> , 2010, 51, 104.	2.2	48
26	Sunitinib for Asian Patients with Advanced Renal Cell Carcinoma: A Comparable Efficacy with Different Toxicity Profiles. <i>Oncology</i> , 2011, 80, 395-405.	1.9	48
27	Reassessment of alkaline phosphatase as serum tumor marker with high specificity in osteosarcoma. <i>Cancer Medicine</i> , 2017, 6, 1311-1322.	2.8	48
28	Current immunoassay methods and their applications to clinically used biomarkers of breast cancer. <i>Clinical Biochemistry</i> , 2020, 78, 43-57.	1.9	48
29	Anti- <i>Saccharomyces cerevisiae</i> Antibody in Intestinal Behçet's Disease Patients: Relation to Clinical Course. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 1849-1859.	1.3	47
30	Macrophage Migration Inhibitory Factor May Be Used as an Early Diagnostic Marker in Colorectal Carcinomas. <i>American Journal of Clinical Pathology</i> , 2008, 129, 772-779.	0.7	47
31	Comparison of the Abbott RealTime High-Risk Human Papillomavirus (HPV), Roche Cobas HPV, and Hybrid Capture 2 Assays to Direct Sequencing and Genotyping of HPV DNA. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2359-2365.	3.9	47
32	Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016, 7, 44608-44620.	1.8	46
33	Prospective Validation of FibroTest in Comparison with Liver Stiffness for Predicting Liver Fibrosis in Asian Subjects with Chronic Hepatitis B. <i>PLoS ONE</i> , 2012, 7, e35825.	2.5	45
34	Diagnostic values of urine CYFRA21-1, NMP22, UBC, and FDP for the detection of bladder cancer. <i>Clinica Chimica Acta</i> , 2012, 414, 93-100.	1.1	44
35	Genetic alterations and their clinical implications in gastric cancer peritoneal carcinomatosis revealed by whole-exome sequencing of malignant ascites. <i>Oncotarget</i> , 2016, 7, 8055-8066.	1.8	42
36	Clinical analysis of patients with skeletal metastasis of lung cancer. <i>BMC Cancer</i> , 2019, 19, 303.	2.6	42

#	ARTICLE	IF	CITATIONS
37	Usefulness of Serum Anti-p53 Antibody Assay for Lung Cancer Diagnosis. Archives of Pathology and Laboratory Medicine, 2011, 135, 1570-1575.	2.5	40
38	The association between adiponectin and diabetes in the Korean population. Metabolism: Clinical and Experimental, 2008, 57, 853-857.	3.4	39
39	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. Hepatology, 2014, 60, 1911-1919.	7.3	37
40	The Korean Heart Study: rationale, objectives, protocol, and preliminary results for a new prospective cohort study of 430,920 men and women. European Journal of Preventive Cardiology, 2014, 21, 1484-1492.	1.8	37
41	<i>Wisteria floribunda</i> agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. Liver International, 2017, 37, 879-887.	3.9	37
42	Korean Nationwide Surveillance of Antimicrobial Resistance of Bacteria in 1998. Yonsei Medical Journal, 2000, 41, 497.	2.2	36
43	Morphometric evaluation of oesophageal wall in patients with nutcracker oesophagus and ineffective oesophageal motility. Neurogastroenterology and Motility, 2008, 20, 869-876.	3.0	36
44	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. Yonsei Medical Journal, 2015, 56, 1296.	2.2	33
45	Predictive value of HBsAg quantification for determining the clinical course of genotype C HBeAg-negative carriers. Liver International, 2012, 32, 796-802.	3.9	32
46	Specific IgE measurement using AdvanSure® system: Comparison of detection performance with ImmunoCAP® system in Korean allergy patients. Clinica Chimica Acta, 2012, 413, 914-919.	1.1	32
47	Outcomes of Treatment for Malignant Peripheral Nerve Sheath Tumors: Different Clinical Features Associated with Neurofibromatosis Type 1. Cancer Research and Treatment, 2017, 49, 717-726.	3.0	32
48	The prognostic value of volume-based parameters using 18F-FDG PET/CT in gastric cancer according to HER2 status. Gastric Cancer, 2018, 21, 213-224.	5.3	32
49	Korean Nationwide Surveillance of Antimicrobial Resistance of bacteria in 1997. Yonsei Medical Journal, 1998, 39, 569.	2.2	31
50	A multi-institutional phase Ib/II trial of first-line triplet regimen (Pembrolizumab, Trastuzumab,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227	1.6	31
51	Serum Neutrophil Gelatinase-associated Lipocalin and Interleukin-18 as Predictive Biomarkers for Delayed Graft Function After Kidney Transplantation. Journal of Clinical Laboratory Analysis, 2012, 26, 295-301.	2.1	30
52	Soluble human leukocyte antigen-C expression in hepatitis B virus infection and hepatocellular carcinoma. Tissue Antigens, 2012, 79, 97-103.	1.0	30
53	Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. Oncotarget, 2015, 6, 2562-2572.	1.8	30
54	Emergence of Multidrug-Resistant Salmonella enterica Serovar Typhi in Korea. Antimicrobial Agents and Chemotherapy, 2004, 48, 4130-4135.	3.2	28

#	ARTICLE	IF	CITATIONS
55	The effect of mosapride citrate on proximal and distal colonic motor function in the guinea pig <i>in vitro</i> . <i>Neurogastroenterology and Motility</i> , 2008, 20, 169-176.	3.0	28
56	Predictive factors for indeterminate result on the QuantiFERON test in an intermediate tuberculosis-burden country. <i>Journal of Infection</i> , 2011, 62, 347-354.	3.3	28
57	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016, 95, e3328.	1.0	28
58	<i>PIK3CA</i> amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 30691-30701.	1.8	28
59	Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as diagnostic markers for pneumonia severity. <i>British Journal of Biomedical Science</i> , 2016, 73, 140-142.	1.3	27
60	Comprehensive immune profiling and immune-monitoring using body fluid of patients with metastatic gastric cancer. , 2019, 7, 268.		26
61	Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. <i>Journal of Cancer</i> , 2016, 7, 1174-1180.	2.5	25
62	Evaluation of methods for monitoring drug resistance in chronic hepatitis B patients during lamivudine therapy based on mass spectrometry and reverse hybridization. <i>Antiviral Therapy</i> , 2005, 10, 441-9.	1.0	25
63	Axillary Lymph Node Metastasis: CA-15-3 and Carcinoembryonic Antigen Concentrations in Fine-Needle Aspirates for Preoperative Diagnosis in Patients with Breast Cancer. <i>Radiology</i> , 2010, 254, 691-697.	7.3	24
64	Ultra-deep sequencing reveals high prevalence and broad structural diversity of hepatitis B surface antigen mutations in a global population. <i>PLoS ONE</i> , 2017, 12, e0172101.	2.5	24
65	Targeting HER2 in combination with anti-PD-1 and chemotherapy confers a significant tumor shrinkage of gastric cancer: A multi-institutional phase Ib/II trial of first-line triplet regimen (pembrolizumab, Tj ETQq1 1 0.784314 rgBT/Overlook Oncology, 2020, 38, 3081-3081.	1.6	24
66	Nucleotide sequence variation in the hypervariable region of the hepatitis C virus in the sera of chronic hepatitis C patients undergoing controlled interferon- α therapy. <i>Journal of Medical Virology</i> , 1996, 49, 95-102.	5.0	23
67	Establishing a surveillance network for severe lower respiratory tract infections in Korean infants and young children. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2009, 28, 841-844.	2.9	23
68	Identification of Adenovirus, Influenza Virus, Parainfluenza Virus, and Respiratory Syncytial Virus by Two Kinds of Multiplex Polymerase Chain Reaction (PCR) and a Shell Vial Culture in Pediatric Patients with Viral Pneumonia. <i>Yonsei Medical Journal</i> , 2010, 51, 761.	2.2	23
69	A new automated multiple allergen simultaneous test-chemiluminescent assay (MAST-CLA) using an AP720S analyzer. <i>Clinica Chimica Acta</i> , 2009, 402, 182-188.	1.1	22
70	Phase I dose-escalation study of the c-Met tyrosine kinase inhibitor SAR125844 in Asian patients with advanced solid tumors, including patients with <i>MET</i> -amplified gastric cancer. <i>Oncotarget</i> , 2017, 8, 79546-79555.	1.8	21
71	The gamma-glutamyl transferase to platelet ratio and the FIB-4 score are noninvasive markers to determine the severity of liver fibrosis in chronic hepatitis B infection. <i>British Journal of Biomedical Science</i> , 2018, 75, 128-132.	1.3	20
72	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020, 26, 33-44.	8.9	20

#	ARTICLE	IF	CITATIONS
73	Characteristics and Treatment Patterns of Patients with Advanced Soft Tissue Sarcoma in Korea. <i>Cancer Research and Treatment</i> , 2019, 51, 1380-1391.	3.0	20
74	A Retrospective Analysis for Patients with HER2-Positive Gastric Cancer Who Were Treated with Trastuzumab-Based Chemotherapy: In the Perspectives of Ethnicity and Histology. <i>Cancer Research and Treatment</i> , 2016, 48, 553-560.	3.0	19
75	Human Papillomavirus 16 Oncoproteins Downregulate the Expression of miR-148a-3p, miR-190a-5p, and miR-199b-5p in Cervical Cancer. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	19
76	Inhibiting casein kinase 2 overcomes paclitaxel resistance in gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 1153-1163.	5.3	19
77	Comparative Results of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold Plus Assays for Detection of Tuberculosis Infection in Clinical Samples. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	3.9	19
78	Correlation between quantitative serum HBsAg and HBV DNA test in Korean patients who showed high level of HBsAg. <i>Journal of Clinical Pathology</i> , 2010, 63, 1027-1031.	2.0	18
79	Performance Evaluation of New Automated Hepatitis B Viral Markers in the Clinical Laboratory. <i>American Journal of Clinical Pathology</i> , 2012, 137, 770-777.	0.7	18
80	Characteristics of platelet indices, neutrophil-to-lymphocyte ratio and erythrocyte sedimentation rate compared with C reactive protein in patients with cerebral infarction: a retrospective analysis of comparing haematological parameters and C reactive protein. <i>BMJ Open</i> , 2014, 4, e006275.	1.9	18
81	Ifosfamide-induced Fanconi syndrome with diabetes insipidus. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 246.	1.7	18
82	Combined use of tamoxifen, cyclosporin A, and verapamil for modulating multidrug resistance in human hepatocellular carcinoma cell lines. <i>Yonsei Medical Journal</i> , 1993, 34, 35.	2.2	17
83	Evaluation of three automated enzyme immunoassays for detection of anti-cyclic citrullinated peptide antibodies in qualitative and quantitative aspects. <i>Rheumatology</i> , 2010, 49, 450-457.	1.9	17
84	Evaluation of automated serum des-gamma-carboxyprothrombin (DCP) assays for detecting hepatocellular carcinoma. <i>Clinical Biochemistry</i> , 2011, 44, 1464-1468.	1.9	17
85	Comparison of an automated rapid plasma reagin (RPR) test with the conventional RPR card test in syphilis testing. <i>BMJ Open</i> , 2014, 4, e005664.	1.9	17
86	Accuracy of three different fecal calprotectin tests in the diagnosis of inflammatory bowel disease. <i>Intestinal Research</i> , 2016, 14, 305.	2.6	17
87	Fasting serum amino acids concentration is associated with insulin resistance and pro-inflammatory cytokines. <i>Diabetes Research and Clinical Practice</i> , 2018, 140, 107-117.	2.8	17
88	Evaluation of an Automated Screening Assay, Compared to Indirect Immunofluorescence, an Extractable Nuclear Antigen Assay, and a Line Immunoassay in a Large Cohort of Asian Patients with Antinuclear Antibody-Associated Rheumatoid Diseases: A Multicenter Retrospective Study. <i>Journal of Immunology Research</i> , 2018, 2018, 1-12.	2.2	17
89	S-1 Based Doublet as an Adjuvant Chemotherapy for Curatively Resected Stage III Gastric Cancer: Results from the Randomized Phase III POST Trial. <i>Cancer Research and Treatment</i> , 2019, 51, 1-11.	3.0	17
90	Interlaboratory Comparison of the Results of Lifecodes LSA Class I and Class II Single Antigen Kits for Human Leukocyte Antigen Antibody Detection. <i>Annals of Laboratory Medicine</i> , 2015, 35, 321-328.	2.5	16

#	ARTICLE	IF	CITATIONS
91	Comparison of Six Automated Treponema-Specific Antibody Assays. <i>Journal of Clinical Microbiology</i> , 2016, 54, 163-167.	3.9	16
92	Prognostic value of 18F-fluorodeoxyglucose positron emission tomography in patients with gastric neuroendocrine carcinoma and mixed adenoneuroendocrine carcinoma. <i>Annals of Nuclear Medicine</i> , 2016, 30, 279-286.	2.2	16
93	Cardiotoxicity of trastuzumab in patients with HER2-positive gastric cancer. <i>Oncotarget</i> , 2017, 8, 61837-61845.	1.8	16
94	Comparison of three rapid influenza diagnostic tests with digital readout systems and one conventional rapid influenza diagnostic test. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22234.	2.1	16
95	Prognostic implications of polycomb proteins ezh2, suz12, and eed1 and histone modification by H3K27me3 in sarcoma. <i>BMC Cancer</i> , 2018, 18, 158.	2.6	16
96	Receptor tyrosine kinase amplified gastric cancer: Clinicopathologic characteristics and proposed screening algorithm. <i>Oncotarget</i> , 2016, 7, 72099-72112.	1.8	16
97	Clinical Features and Treatment of Collecting Duct Carcinoma of the Kidney from the Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. <i>Cancer Research and Treatment</i> , 2014, 46, 141-147.	3.0	16
98	MSX1 Polymorphism Associated with Risk of Oral Cleft in Korea: Evidence from Case-Parent Trio and Case-Control Studies. <i>Yonsei Medical Journal</i> , 2007, 48, 101.	2.2	15
99	Prevalence and patterns of anti-nuclear antibodies in Korean children with juvenile idiopathic arthritis according to ILAR criteria. <i>Scandinavian Journal of Rheumatology</i> , 2008, 37, 348-351.	1.1	15
100	Comparison of automated multiplexed bead-based ANA screening assay with ELISA for detecting five common anti-extractable nuclear antigens and anti-dsDNA in systemic rheumatic diseases. <i>Clinica Chimica Acta</i> , 2012, 413, 308-311.	1.1	15
101	Comparisons of fully automated syphilis tests with conventional VDRL and FTA-ABS tests. <i>Clinical Biochemistry</i> , 2013, 46, 834-837.	1.9	15
102	Different subtypes of epithelioid sarcoma and their clinical implication: long-term multi-institutional experience with a rare sarcoma. <i>Apmis</i> , 2017, 125, 223-229.	2.0	15
103	Increased Incidence of Antismooth Muscle Antibody in Korean Vitiligo Patients. <i>Journal of Dermatology</i> , 1993, 20, 679-683.	1.2	14
104	Determination of lamotrigine in human serum by high-performance liquid chromatography-tandem mass spectrometry. <i>Neurological Sciences</i> , 2010, 31, 717-720.	1.9	14
105	Advanced Detection of Recent Changing Trends in Gastric Cancer Survival: Up-to-date Comparison by Period Analysis. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1344-1350.	1.3	14
106	Normal enhanced liver fibrosis (<sc>ELF</sc>) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , 2013, 33, 706-713.	3.9	14
107	Serum Adiponectin and Type 2 Diabetes: A 6-Year Follow-Up Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 252.	4.7	14
108	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , 2019, 96, 59-69.	1.9	14

#	ARTICLE	IF	CITATIONS
109	Evaluation of a Fully Automated Treponemal Test and Comparison With Conventional VDRL and FTA-ABS Tests. <i>American Journal of Clinical Pathology</i> , 2011, 136, 705-710.	0.7	13
110	Recursive partition analysis of peritoneal and systemic recurrence in patients with gastric cancer who underwent D2 gastrectomy: Implications for neoadjuvant therapy consideration. <i>Journal of Surgical Oncology</i> , 2016, 114, 859-864.	1.7	13
111	A novel <i>TP53-KPNA3</i> translocation defines a de novo treatment-resistant clone in osteosarcoma. <i>Journal of Physical Education and Sports Management</i> , 2016, 2, a000992.	1.2	13
112	Depth of response is a significant predictor for long-term outcome in advanced gastric cancer patients treated with trastuzumab. <i>Oncotarget</i> , 2017, 8, 31169-31179.	1.8	13
113	Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 44971-44984.	1.8	13
114	Incidence and Survival of Pediatric Soft Tissue Sarcomas: Comparison between Adults and Children. <i>Cancer Research and Treatment</i> , 1970, 47, 9-17.	3.0	12
115	Evaluation of revisited fucosylated alpha-fetoprotein (AFP-L3) with an autoanalyzer $\hat{1}/4$ TAS in a clinical laboratory. <i>Clinica Chimica Acta</i> , 2012, 413, 170-174.	1.1	12
116	Adiponectin as predictor for diabetes among pre-diabetic groups. <i>Endocrine</i> , 2013, 44, 411-418.	2.3	12
117	Characteristics of the mean platelet volume, neutrophil to lymphocyte ratio, and C-reactive protein compared to the procalcitonin level in pneumonia patients. <i>Platelets</i> , 2015, 26, 278-280.	2.3	12
118	Phase I study of IM156, a novel potent biguanide oxidative phosphorylation (OXPHOS) inhibitor, in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3590-3590.	1.6	12
119	A Novel Multiplex Real-Time PCR Assay for the Concurrent Detection of Hepatitis A, B and C Viruses in Patients with Acute Hepatitis. <i>PLoS ONE</i> , 2012, 7, e49106.	2.5	12
120	Seroprevalence of rubella antibodies and effects of vaccination among healthy university women students in Korea. <i>Yonsei Medical Journal</i> , 1996, 37, 420.	2.2	11
121	Serotonin Transporter Gene Polymorphism and Migraine in the Korean Population. <i>Headache</i> , 2005, 45, 1056-1060.	3.9	11
122	Serum IgA/C3 Ratio May Be a Useful Marker of Disease Activity in Severe Henoch-Schönlein Nephritis. <i>Nephron Clinical Practice</i> , 2005, 101, c72-c78.	2.3	11
123	Urinary HLA-DR and CD54 expression are indicators for inflammatory activity in decoy cell shedding patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2601-2606.	0.7	11
124	Serum cytokine levels in patients with chronic hepatitis B according to lamivudine therapy. <i>Journal of Clinical Laboratory Analysis</i> , 2011, 25, 414-421.	2.1	11
125	Serum cytokine levels in chronic hepatitis B patients receiving peginterferon alpha-2a therapy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 499-506.	1.3	11
126	Comparison and clinical utility evaluation of four multiple allergen simultaneous tests including two newly introduced fully automated analyzers. <i>Practical Laboratory Medicine</i> , 2016, 4, 50-61.	1.3	11

#	ARTICLE	IF	CITATIONS
127	Prognostic significance and frequency of EGFR expression and amplification in surgically resected advanced gastric cancer. Japanese Journal of Clinical Oncology, 2016, 46, 507-516.	1.3	11
128	Anaphylactic Transfusion Reaction in a Patient with Anhaptoglobinemia: The First Case in Korea. Annals of Laboratory Medicine, 2012, 32, 304-306.	2.5	10
129	Detection and genotyping of human papillomavirus by five assays according to cytologic results. Journal of Virological Methods, 2013, 187, 79-84.	2.1	10
130	Tuberculin Skin Test and Boosted Reactions among Newly Employed Healthcare Workers: An Observational Study. PLoS ONE, 2013, 8, e64563.	2.5	10
131	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir after lamivudine after stopping lamivudine therapy. Liver International, 2014, 34, 1543-1549.	3.9	10
132	Comparison of the QIAGEN <i>artus</i> HBV QS-RGQ Assay With the Roche COBAS AmpliPrep/COBAS TaqMan HBV Assay for Quantifying Viral DNA in Sera of Chronic Hepatitis B Patients. Annals of Laboratory Medicine, 2017, 37, 248-253.	2.5	10
133	Phase 2 study of afatinib among patients with recurrent and/or metastatic esophageal squamous cell carcinoma. Cancer, 2020, 126, 4521-4531.	4.1	10
134	Detection of asymptomatic recurrence improves survival of gastric cancer patients. Cancer Medicine, 2021, 10, 3249-3260.	2.8	10
135	First-in-human phase I study of BVAC-B cell therapy in HER2-positive advanced gastric cancer.. Journal of Clinical Oncology, 2020, 38, 4534-4534.	1.6	10
136	Results of a Phase II Study to Evaluate the Efficacy of Docetaxel and Carboplatin in Metastatic Malignant Melanoma Patients Who Failed First-Line Therapy Containing Dacarbazine. Cancer Research and Treatment, 2015, 47, 781-789.	3.0	10
137	Immunohistochemistry Biomarkers Predict Survival in Stage II/III Gastric Cancer Patients: From a Prospective Clinical Trial. Cancer Research and Treatment, 2019, 51, 819-831.	3.0	10
138	Adoptive Immunotherapy for Cytomegalovirus (CMV) Disease in Immunocompromised Patients. Yonsei Medical Journal, 2004, 45, S18.	2.2	9
139	Allele frequencies of human leukocyte antigen-G in a Korean population. International Journal of Immunogenetics, 2012, 39, 39-45.	1.8	9
140	Pooled nucleic acid testing to identify antiretroviral treatment failure during HIV infection in Seoul, South Korea. Scandinavian Journal of Infectious Diseases, 2014, 46, 136-140.	1.5	9
141	Leiomyosarcoma: investigation of prognostic factors for risk-stratification model. International Journal of Clinical Oncology, 2015, 20, 1226-1232.	2.2	9
142	Host immune responses to antigens derived from a predominant strain of Mycobacterium tuberculosis. Journal of Infection, 2016, 73, 54-62.	3.3	9
143	Signal-to-cutoff ratios of current anti-HCV assays and a suggestion of new algorithm of supplementary testing. Clinica Chimica Acta, 2019, 498, 11-15.	1.1	9
144	Performance Evaluation of a New Automated Chemiluminescent Immunoanalyzer-Based Interferon-Gamma Releasing Assay AdvanSure I3 in Comparison With the QuantiFERON-TB Gold In-Tube Assay. Annals of Laboratory Medicine, 2020, 40, 33-39.	2.5	9

#	ARTICLE	IF	CITATIONS
145	Retrospective analysis of palliative chemotherapy for the patients with bladder adenocarcinoma: Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. Korean Journal of Internal Medicine, 2018, 33, 383-390.	1.7	9
146	Recommendations for the Use of Next-Generation Sequencing and the Molecular Tumor Board for Patients with Advanced Cancer: A Report from KSMO and KCSG Precision Medicine Networking Group. Cancer Research and Treatment, 2022, 54, 1-9.	3.0	9
147	Performance evaluation of the Vitros anti-hepatitis C virus antibody assay for use in clinical laboratories. Clinical Biochemistry, 2012, 45, 175-177.	1.9	8
148	Two Distinct Functional Patterns of Hepatitis C Virus (HCV)-Specific T Cell Responses in Seronegative, Aviremic Patients. PLoS ONE, 2013, 8, e62319.	2.5	8
149	The frequency and impact of FGFR1 amplification on clinical outcomes in Korean patients with small cell lung cancer. Lung Cancer, 2015, 88, 325-331.	2.0	8
150	Advances in laboratory assays for detecting human metapneumovirus. Annals of Translational Medicine, 2020, 8, 608-608.	1.7	8
151	Clinicopathological features of 70 desmoid-type fibromatoses confirmed by β -catenin immunohistochemical staining and CTNNB1 mutation analysis. PLoS ONE, 2021, 16, e0250619.	2.5	8
152	Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. Oncotarget, 2017, 8, 38389-38398.	1.8	8
153	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. Gut and Liver, 2018, 12, 190-200.	2.9	8
154	Analysis of Polycheck Allergy Results of the Recent Two Years: Comparison with Skin Prick Test and ImmunoCAP. Laboratory Medicine Online, 2012, 2, 139.	0.2	7
155	Performance Evaluation of LUMIPULSE G1200 Autoimmunoanalyzer for the Detection of Serum Hepatitis B Virus Markers. Journal of Clinical Laboratory Analysis, 2013, 27, 204-206.	2.1	7
156	Pre- ϵ mutations of hepatitis B virus affect genome replication and expression of surface antigens. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 843-850.	2.8	7
157	Evaluation of a Rapid Immunochromatographic Treponemal Antibody Test Comparing the <i>Treponema Pallidum</i> Particle Agglutination Assay. Journal of Clinical Laboratory Analysis, 2015, 29, 383-386.	2.1	7
158	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. Journal of Korean Medical Science, 2016, 31, 1431.	2.5	7
159	Effect of major histocompatibility complex haplotype matching by C4 and MICA genotyping on acute graft versus host disease in unrelated hematopoietic stem cell transplantation. Human Immunology, 2016, 77, 176-183.	2.4	7
160	Evaluation of clinical sensitivity and specificity of hepatitis B virus (HBV), hepatitis C virus, and human immunodeficiency Virus-1 by cobas MPX: Detection of occult HBV infection in an HBV-endemic area. Journal of Clinical Virology, 2017, 96, 60-63.	3.1	7
161	Frequency of hepatitis B surface antigen variants (HBsAg) in hepatitis B virus genotype B and C infected East- and Southeast Asian patients: Detection by the Elecsys H^{B} HBsAg II assay. Journal of Clinical Virology, 2018, 103, 48-56.	3.1	7
162	Efficacy of Postoperative Radiotherapy Using Modern Techniques in Patients with Retroperitoneal Soft Tissue Sarcoma. Yonsei Medical Journal, 2018, 59, 1049.	2.2	7

#	ARTICLE	IF	CITATIONS
163	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019, 140, 143-149.	0.6	7
164	Diagnostic utility of automated indirect immunofluorescence compared to manual indirect immunofluorescence for anti-nuclear antibodies in patients with systemic rheumatic diseases: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 728-735.	3.4	7
165	Prognostic implications of PIK3CA amplification in curatively resected liposarcoma. <i>Oncotarget</i> , 2016, 7, 24549-24558.	1.8	7
166	False Positive Class II HLA Antibody Reaction Due to Antibodies Against Denatured HLA Might Differ Between Assays: One Lambda vs. Immucor. <i>Annals of Laboratory Medicine</i> , 2020, 40, 424-427.	2.5	7
167	Tropomyosin-Related Kinase Fusions in Gastrointestinal Stromal Tumors. <i>Cancers</i> , 2022, 14, 2659.	3.7	7
168	Hepatitis G virus infection in hemodialysis and continuous ambulatory peritoneal dialysis patients. <i>Yonsei Medical Journal</i> , 1998, 39, 116.	2.2	6
169	Evaluation of diagnostic methods of re-emerging malaria in Korean patients. <i>Yonsei Medical Journal</i> , 2001, 42, 84.	2.2	6
170	Bone Marrow Chimerism Detection Using Next Generation Sequencing Based on Single Nucleotide Polymorphisms Following Liver Transplantation: Comparison With Short Tandem Repeat-PCR. <i>Annals of Laboratory Medicine</i> , 2016, 36, 82-84.	2.5	6
171	Successful kidney transplantation after desensitization in a patient with positive flow crossmatching and donor-specific anti-HLA-DP antibody. <i>Medicine (United States)</i> , 2016, 95, e4521.	1.0	6
172	Investigation of Basophil Activation Test for Diagnosing Milk and Egg Allergy in Younger Children. <i>Journal of Clinical Medicine</i> , 2020, 9, 3942.	2.4	6
173	Real-World Outcomes of Pazopanib Treatment in Korean Patients with Advanced Soft Tissue Sarcoma: A Multicenter Retrospective Cohort Study. <i>Targeted Oncology</i> , 2020, 15, 485-493.	3.6	6
174	Current laboratory tests for diagnosis of hepatitis B virus infection. <i>International Journal of Clinical Practice</i> , 2021, 75, e14812.	1.7	6
175	Clinical pattern and implication of PD-L1 expression in soft-tissue sarcoma. <i>Journal of Clinical Oncology</i> , 2015, 33, 10565-10565.	1.6	6
176	A phase I study of TGF- β inhibitor, vactosertib in combination with imatinib in patients with advanced desmoid tumor (aggressive fibromatosis). <i>Journal of Clinical Oncology</i> , 2020, 38, 11557-11557.	1.6	6
177	Prognostic significance of inflamed gene expression profile and PD-L1 expression in patients with esophageal cancer. <i>Cancer Medicine</i> , 2021, 10, 8365-8376.	2.8	6
178	Resolution of Ambiguous HLA Genotyping in Korean by Multi-Group-Specific Sequence-Based Typing. <i>Yonsei Medical Journal</i> , 2014, 55, 1005.	2.2	5
179	Diagnostic value of screening enzyme immunoassays compared to indirect immunofluorescence for anti-nuclear antibodies in patients with systemic rheumatic diseases: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 48, 334-342.	3.4	5
180	Diagnostic Performance and Comparative Evaluation of the Architect, Liaison, and Platelia Epstein-Barr Virus Antibody Assays. <i>Annals of Laboratory Medicine</i> , 2018, 38, 458-465.	2.5	5

#	ARTICLE	IF	CITATIONS
181	Prognostic significance of preoperative CT findings in patients with advanced gastric cancer who underwent curative gastrectomy. <i>PLoS ONE</i> , 2018, 13, e0202207.	2.5	5
182	Durvalumab and pazopanib in patients with advanced soft tissue sarcoma: A single-center, single-arm, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 11551-11551.	1.6	5
183	Safety and preliminary antitumor activity of the transforming growth factor beta (TGF- β 2) receptor I kinase inhibitor, vactosertib, in combination with paclitaxel in patients with metastatic gastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16505-e16505.	1.6	5
184	Efficacy and Toxicity of Mammalian Target Rapamycin Inhibitors in Patients with Metastatic Renal Cell Carcinoma with Renal Insufficiency: The Korean Cancer Study Group GU 14-08. <i>Cancer Research and Treatment</i> , 2016, 48, 1286-1292.	3.0	5
185	Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018, 50, 118-128.	3.0	5
186	Phase II Clinical Trial of Eribulin+Gemcitabine Combination Therapy in Previously Treated Patients With Advanced Liposarcoma or Leiomyosarcoma. <i>Clinical Cancer Research</i> , 2022, 28, 3225-3234.	7.0	5
187	The first report of K-Umbrella Gastric Cancer Study: An open label, multi-center, randomized, biomarker-integrated trial for second-line treatment of advanced gastric cancer (AGC).. <i>Journal of Clinical Oncology</i> , 2022, 40, 4001-4001.	1.6	5
188	Immunologic Control for Polyomavirus Infection after Kidney Transplantation. <i>Nephron Clinical Practice</i> , 2008, 108, c148-c154.	2.3	4
189	Evaluation of the UniCel,® DxI 800 Immunoassay Analyzer in Measuring Five Tumor Markers. <i>Yonsei Medical Journal</i> , 2012, 53, 557.	2.2	4
190	Identification of a novel allele, <i><sc>HLA</sc>â€A*26:01:01:<sc>03N</sc></i>, by fullâ€length genome sequencing. <i>Hla</i> , 2016, 88, 260-261.	0.6	4
191	PD-L1 tumour expression is predictive of pazopanib response in soft tissue sarcoma. <i>BMC Cancer</i> , 2021, 21, 336.	2.6	4
192	False-positive reactivity of anti-human leukocyte antigen antibodies detected using the single-antigen bead assay. <i>Human Immunology</i> , 2021, 82, 409-413.	2.4	4
193	Prognostic implications of PD-L1 expression in patients with angiosarcoma. <i>Future Science OA</i> , 2021, 7, FSO691.	1.9	4
194	Whole-Genome and Transcriptome Sequencing Identified NOTCH2 and HES1 as Potential Markers of Response to Imatinib in Desmoid Tumor (Aggressive Fibromatosis): A Phase II Trial Study. <i>Cancer Research and Treatment</i> , 2022, 54, 1240-1255.	3.0	4
195	Post-evaluation of rapid HIV kits in the Korean market by an anti-HIV EQAS panel. <i>Journal of Virological Methods</i> , 2007, 141, 141-145.	2.1	3
196	A new <i><sc>HLA</sc>â€B*15</i> allele, <i><sc>HLA</sc>â€B*15:263</i>, identified in a Korean individual. <i>Tissue Antigens</i> , 2015, 86, 58-59.	1.0	3
197	Automated CH50 liposome-based immunoassay: consideration in dilution and validation of reference interval. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, e309-12.	2.3	3
198	Identification of a novel allele, <i><sc>HLA</sc>â€A*02:01:131</i>, by fullâ€length genomic sequencing. <i>Hla</i> , 2017, 90, 360-361.	0.6	3

#	ARTICLE	IF	CITATIONS
199	Comparison of antinuclear antibody profiles obtained using line immunoassay and fluorescence enzyme immunoassay. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110143.	1.0	3
200	T-cell-inflamed gene expression profile (GEP) and PD-L1 expression in patients (pts) with esophageal cancer (EC).. <i>Journal of Clinical Oncology</i> , 2019, 37, 26-26.	1.6	3
201	Isolation of Beta-Lactamase-producing <i>Neisseria gonorrhoeae</i> . <i>Yonsei Medical Journal</i> , 1979, 20, 133.	2.2	2
202	The prediction of interferon- λ therapeutic effect by sequence variation of the HCV hypervariable region 1. <i>Yonsei Medical Journal</i> , 1999, 40, 430.	2.2	2
203	Evaluation of sequence-specific priming and real-time polymerase chain reaction assays for detecting <i>HLA-B*51</i> alleles confirmed by sequence-based typing. <i>Tissue Antigens</i> , 2012, 80, 376-379.	1.0	2
204	Comparison of Abbott RealTime genotype II, GeneMatrix restriction fragment mass polymorphism and Sysmex HISCL HCV Gr assays for hepatitis C virus genotyping. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 1122-1128.	2.3	2
205	Stability of lyophilized pooled sera as quality control materials for tumor marker assays in external quality assessment. <i>Clinica Chimica Acta</i> , 2017, 471, 233-242.	1.1	2
206	Identification of a novel allele, <i>HLA-C*01:135</i> , by full-length genomic sequencing. <i>Hla</i> , 2017, 90, 258-259.	0.6	2
207	Identification of a novel allele, <i>HLA-C*02:02:33</i> , by full-length genomic sequencing. <i>Hla</i> , 2017, 90, 313-314.	0.6	2
208	A novel allele, <i>HLA-C*14:02:01:03</i> , identified by full-length genomic sequencing. <i>Hla</i> , 2017, 90, 260-261.	0.6	2
209	Two Cases of Antibody-Mediated Rejection Following Kidney Transplantation due to HLA-DQB1 Allele-Specific and DQ Alpha Protein-Specific HLA Antibodies. <i>Annals of Laboratory Medicine</i> , 2017, 37, 290-292.	2.5	2
210	Comparison Between a Manual Squamous Cell Carcinoma Antigen Assay and an Automated Assay in a Clinical Setting. <i>Laboratory Medicine</i> , 2018, 49, 254-258.	1.2	2
211	Clinical significance of donor-specific anti-HLA-DR51/52/53 antibodies for antibody-mediated rejection in kidney transplant recipients. <i>Korean Journal of Transplantation</i> , 2019, 33, 47.	0.1	2
212	Abstract CT159: Open label, single-arm, multi-center phase Ib/II study to evaluate the safety and efficacy of nivolumab in combination with paclitaxel in Epstein-Barr virus (EBV)-related, or microsatellite instability-high (MSI-H), or programmed cell death ligand 1 (PD-L1) positive advanced gastric cancer (AGC)., 2021, , ,		2
213	Comparative evaluation of Elecsys, Atellica, and Alinity assays for measuring the anti-Hepatitis C virus (HCV) antibody. <i>Journal of Clinical Virology</i> , 2021, 141, 104910.	3.1	2
214	Anti-HCV Signal-to-Cutoff Ratio in Predicting Hepatitis C Viremia. <i>Korean Journal of Internal Medicine</i> , 2009, 24, 299.	1.7	2
215	Predictive Value of Donor Specific Antibody Measured by Luminex Single Antigen Assay for Antibody Mediated Rejection after Kidney Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2011, 25, 169.	0.2	2
216	Detection of Anti-Extractable Nuclear Antigens in Patients with Systemic Rheumatic Disease via Fluorescence Enzyme Immunoassay and Its Clinical Utility. <i>Yonsei Medical Journal</i> , 2020, 61, 73.	2.2	2

#	ARTICLE	IF	CITATIONS
217	Hepatitis B Core-Related Antigen Is Useful for Predicting Phase and Prognosis of Hepatitis B e Antigen-Positive Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 1729.	2.4	2
218	PD-L1 expression and overall survival in Asian and western patients with gastric cancer. <i>Future Oncology</i> , 2022, 18, 2623-2634.	2.4	2
219	A Clinical Evaluation of Thrombo-Wellcotest as A Screening Test for D.I.C.. <i>Yonsei Medical Journal</i> , 1980, 21, 58.	2.2	1
220	Evaluation of a simultaneous HIV antigen and antibody detection test in Korean population. <i>Yonsei Medical Journal</i> , 2001, 42, 185.	2.2	1
221	Radiation Recall Dermatitis Induced by Gefitinib. <i>The Ewha Medical Journal</i> , 2013, 36, S17.	0.2	1
222	Evaluation of Automated Assays for Measuring Serum Hyaluronic Acid: For the Diagnosis of Rheumatoid Arthritis. <i>Laboratory Medicine Online</i> , 2014, 4, 98.	0.2	1
223	Short Communication: Prospective Comparison of Qualitative Versus Quantitative Polymerase Chain Reaction for Monitoring Virologic Treatment Failure in HIV-Infected Patients. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 827-829.	1.1	1
224	Evaluation of Real-time PCR Kits for Epstein-Barr Virus DNA Assays. <i>Laboratory Medicine Online</i> , 2016, 6, 31.	0.2	1
225	Multidisciplinary treatment of inferior vena cava leiomyosarcoma. <i>ANZ Journal of Surgery</i> , 2016, 86, 104-105.	0.7	1
226	A Method for Determining based on the Frequencies of HLA Alleles of HLA Antibodies that are Often Observed with Single Antigen Bead Assay. <i>Transplantation</i> , 2018, 102, S626.	1.0	1
227	Comparison of High-Throughput Fully Automated Immunoanalyzers for Detecting Hepatitis B Virus Infection. <i>Archives of Pathology and Laboratory Medicine</i> , 2020, 144, 612-619.	2.5	1
228	Phase Ib trial of varlitinib plus weekly paclitaxel in EGFR/HER2 co-expressing advanced gastric cancer (AGC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 227-227.	1.6	1
229	Eribulin and gemcitabine in previously treated patients with advanced liposarcoma or leiomyosarcoma: A multicenter, single-arm, phase 2-trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 11516-11516.	1.6	1
230	Multicenter phase Ib/II study of second-line trastuzumab, ramucirumab, and paclitaxel in patients with HER2-positive advanced gastric or gastroesophageal junction cancer (HER-RAM study).. <i>Journal of Clinical Oncology</i> , 2021, 39, 4063-4063.	1.6	1
231	Comparison of two ¹² I-D-glucan assays for detecting invasive fungal diseases in immunocompromised patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2021, 101, 115415.	1.8	1
232	Nucleotide sequence variation in the hypervariable region of the hepatitis C virus in the sera of chronic hepatitis C patients undergoing controlled interferon-α therapy. <i>Journal of Medical Virology</i> , 1996, 49, 95-102.	5.0	1
233	An update on the randomized phase III POST trial: S-1 based doublet as an adjuvant chemotherapy for curatively resected stage III gastric cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4042-4042.	1.6	1
234	Evaluation of the Performance of an Adiponectin ELISA-based Test and Establishing Serum Adiponectin Reference Intervals for Korean Population. <i>Laboratory Medicine Online</i> , 2013, 3, 242.	0.2	1

#	ARTICLE	IF	CITATIONS
235	PI3K pathway as a major determinant of resistance to HER2-targeted therapy in advanced gastric cancer.. Journal of Clinical Oncology, 2013, 31, 4089-4089.	1.6	1
236	The role of pazopanib in various histologic subtypes of metastatic soft tissue sarcomas.. Journal of Clinical Oncology, 2014, 32, 10586-10586.	1.6	1
237	Annual Report on the External Quality Assessment Scheme for Immunoassay Tests in Korea (2015). Journal of Laboratory Medicine and Quality Assurance, 2016, 38, 194-213.	0.4	1
238	PD-L1 expression in patients with metastatic gastric cancer in South Korea.. Journal of Clinical Oncology, 2017, 35, 1571-1571.	1.6	1
239	Multicenter phase Ib/II study of second-line trastuzumab, ramucirumab, and paclitaxel in patients with HER2-positive advanced gastric or gastroesophageal junction cancer: Updated HER-RAM study with biomarker analysis.. Journal of Clinical Oncology, 2022, 40, 330-330.	1.6	1
240	Plasma granulocyte elastase levels and its relation to D-dimer in liver cirrhosis. Fibrinolysis and Proteolysis, 2000, 14, 300-304.	1.1	0
241	Comparison of the reverse transcription-PCR with the branched DNA assay for measurement of human immunodeficiency virus type 1 RNA levels in plasma of Korean patients. Yonsei Medical Journal, 2001, 42, 204.	2.2	0
242	189-P: A novel HLA-DRB1 allele, HLA-DRB1*144402, was first identified in Korean. Human Immunology, 2008, 69, S100.	2.4	0
243	Improvement in the performance of external quality assessment in Korean HIV clinical laboratories using unrecalcified human plasma. Clinical Chemistry and Laboratory Medicine, 2012, 50, 1565-71.	2.3	0
244	43-P. Human Immunology, 2012, 73, 77.	2.4	0
245	Current Strategy of Chemotherapy for Bone Tumors. The Journal of the Korean Orthopaedic Association, 2015, 50, 438.	0.1	0
246	A Prediction Model of Tumor Progression and Survival in HER2-Positive Metastatic Gastric Cancer Patients Treated with Trastuzumab and Chemotherapy. AAPS Journal, 2018, 20, 72.	4.4	0
247	Expanding the Non-Invasive Diagnosis of Acute Rejection in Kidney Transplants Through Detection of Donor-Derived DNA in Urine: Proof-of-Concept Study. Annals of Laboratory Medicine, 2021, 41, 469-478.	2.5	0
248	The Clinical Significance of Antiphospholipid Antibodies in Korean Children with Henoch-Schönlein Purpura. Journal of the Korean Society of Pediatric Nephrology, 2009, 13, 146.	0.1	0
249	Comparison of S-1 and cisplatin combination versus S-1 adjuvant chemotherapy for advanced gastric cancer.. Journal of Clinical Oncology, 2012, 30, e14652-e14652.	1.6	0
250	The effect of delay of adjuvant chemotherapy on survival in patients with resected stage II and III gastric cancer.. Journal of Clinical Oncology, 2013, 31, e15144-e15144.	1.6	0
251	Clinicopathologic features predicting HER2 overexpression in gastric cancer.. Journal of Clinical Oncology, 2013, 31, e15098-e15098.	1.6	0
252	MAPK-signaling inhibition as a genome-based precision medicine in refractory osteosarcoma.. Journal of Clinical Oncology, 2014, 32, e22164-e22164.	1.6	0

#	ARTICLE	IF	CITATIONS
253	Increasing the Efficiency of Laboratory Performance by Using the Onboard Dilution Algorithm of the Elecsys Hepatitis B Surface Antigen II Quantitative Assay. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2014, 36, 196-204.	0.4	0
254	Modeling post-progression survival in patients with HER2-positive metastatic gastric cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15020-e15020.	1.6	0
255	Next-generation sequencing to reveal somatic mutations that confer sensitivity to everolimus.. <i>Journal of Clinical Oncology</i> , 2015, 33, 11010-11010.	1.6	0
256	Phase II study of afatinib in recurrent and/or metastatic esophageal squamous cell carcinoma (R/M) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.6	0
257	Clinical Usefulness of ImmuneCheckâ„¢ IgG for Rapid Semiquantitation of Total IgG. <i>Laboratory Medicine Online</i> , 2018, 8, 140.	0.2	0
258	Genomic profiling as a response predictor of second-line treatment in advanced gastric cancer patients: Post-hoc analyses of two phase Ib/II trials.. <i>Journal of Clinical Oncology</i> , 2022, 40, 351-351.	1.6	0