

Hyon-Suk Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/317037/hyon-suk-kim-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

247
papers

3,595
citations

33
h-index

46
g-index

268
ext. papers

4,109
ext. citations

3.9
avg, IF

5.1
L-index

#	Paper	IF	Citations
247	Genomic profiling as a response predictor of second-line treatment in advanced gastric cancer patients: Post-hoc analyses of two phase Ib/II trials.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 351-351	2.2	
246	Multicenter phase Ib/II study of second-line trastuzumab, ramucirumab, and paclitaxel in patients with HER2-positive advanced gastric or gastroesophageal junction cancer: Updated HER-RAM study with biomarker analysis.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 330-330	2.2	
245	Development and validation of a prognostic and predictive 32-gene signature for gastric cancer.. <i>Nature Communications</i> , 2022 , 13, 774	17.4	4
244	Tropomyosin-Related Kinase Fusions in Gastrointestinal Stromal Tumors. <i>Cancers</i> , 2022 , 14, 2659	6.6	2
243	Prognostic significance of T-cell-inflamed gene expression profile and PD-L1 expression in patients with esophageal cancer. <i>Cancer Medicine</i> , 2021 , 10, 8365-8376	4.8	2
242	PD-L1 tumour expression is predictive of pazopanib response in soft tissue sarcoma. <i>BMC Cancer</i> , 2021 , 21, 336	4.8	1
241	Clinicopathological features of 70 desmoid-type fibromatoses confirmed by Ectenin immunohistochemical staining and CTNNB1 mutation analysis. <i>PLoS ONE</i> , 2021 , 16, e0250619	3.7	1
240	Eribulin and gemcitabine in previously treated patients with advanced liposarcoma or leiomyosarcoma: A multicenter, single-arm, phase 2-trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 11516-11516	11.5	1
239	Detection of asymptomatic recurrence improves survival of gastric cancer patients. <i>Cancer Medicine</i> , 2021 , 10, 3249-3260	4.8	0
238	Durvalumab and pazopanib in patients with advanced soft tissue sarcoma: A single-center, single-arm, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 11551-11551	2.2	0
237	Multicenter phase Ib/II study of second-line trastuzumab, ramucirumab, and paclitaxel in patients with HER2-positive advanced gastric or gastroesophageal junction cancer (HER-RAM study).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4063-4063	2.2	0
236	False-positive reactivity of anti-human leukocyte antigen antibodies detected using the single-antigen bead assay. <i>Human Immunology</i> , 2021 , 82, 409-413	2.3	0
235	Comparison of antinuclear antibody profiles obtained using line immunoassay and fluorescence enzyme immunoassay. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211014390	1.4	
234	Prognostic implications of PD-L1 expression in patients with angiosarcoma. <i>Future Science OA</i> , 2021 , 7, FSO691	2.7	2
233	Abstract CT159: Open label, single-arm, multi-center phase Ib/II study to evaluate the safety and efficacy of nivolumab in combination with paclitaxel in Epstein-Barr virus (EBV)-related, or microsatellite instability-high (MSI-H), or programmed cell death ligand 1 (PD-L1) positive advanced gastric cancer (AGC). 2021		2
232	Phase Ib trial of varlitinib plus weekly paclitaxel in EGFR/HER2 co-expressing advanced gastric cancer (AGC).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 227-227	2.2	1
231	Comparative evaluation of Elecsys, Atellica, and Alinity assays for measuring the anti-Hepatitis C virus (HCV) antibody. <i>Journal of Clinical Virology</i> , 2021 , 141, 104910	14.5	0

230	Expanding the Non-Invasive Diagnosis of Acute Rejection in Kidney Transplants Through Detection of Donor-Derived DNA in Urine: Proof-of-Concept Study. <i>Annals of Laboratory Medicine</i> , 2021 , 41, 469-478 ^{3,1}		
229	Current laboratory tests for diagnosis of hepatitis B virus infection. <i>International Journal of Clinical Practice</i> , 2021 , e14812	2.9	1
228	Comparison of two β -D-glucan assays for detecting invasive fungal diseases in immunocompromised patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2021 , 101, 115415	2.9	
227	A multi-institutional phase Ib/II trial of first-line triplet regimen (Pembrolizumab, Trastuzumab, Chemotherapy) for HER2-positive advanced gastric and gastroesophageal junction cancer (PANTHERA Trial): Molecular profiling and clinical update.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 218-218	2.2	9
226	Investigation of Basophil Activation Test for Diagnosing Milk and Egg Allergy in Younger Children. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
225	Real-World Outcomes of Pazopanib Treatment in Korean Patients with Advanced Soft Tissue Sarcoma: A Multicenter Retrospective Cohort Study. <i>Targeted Oncology</i> , 2020 , 15, 485-493	5	1
224	Comparative Results of QuantiFERON-TB Gold In-Tube and QuantiFERON-TB Gold Plus Assays for Detection of Tuberculosis Infection in Clinical Samples. <i>Journal of Clinical Microbiology</i> , 2020 , 58,	9.7	12
223	A phase I study of TGF- β inhibitor, vactosertib in combination with imatinib in patients with advanced desmoid tumor (aggressive fibromatosis).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 11557-11557 ^{2,2}		2
222	Targeting HER2 in combination with anti-PD-1 and chemotherapy confers a significant tumor shrinkage of gastric cancer: A multi-institutional phase Ib/II trial of first-line triplet regimen (pembrolizumab, trastuzumab, chemotherapy) for HER2-positive advanced gastric cancer (AGC).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3081-3081	2.2	13
221	Phase I study of IM156, a novel potent biguanide oxidative phosphorylation (OXPHOS) inhibitor, in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 3590-3590	2.2	3
220	First-in-human phase I study of BVAC-B cell therapy in HER2-positive advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4534-4534	2.2	4
219	Safety and preliminary antitumor activity of the transforming growth factor beta (TGF- β) receptor I kinase inhibitor, vactosertib, in combination with paclitaxel in patients with metastatic gastric adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e16505-e16505	2.2	2
218	Detection of Anti-Extractable Nuclear Antigens in Patients with Systemic Rheumatic Disease via Fluorescence Enzyme Immunoassay and Its Clinical Utility. <i>Yonsei Medical Journal</i> , 2020 , 61, 73-78	3	1
217	False Positive Class II HLA Antibody Reaction Due to Antibodies Against Denatured HLA Might Differ Between Assays: One Lambda vs. Immucor. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 424-427	3.1	4
216	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.9	11
215	Advances in laboratory assays for detecting human metapneumovirus. <i>Annals of Translational Medicine</i> , 2020 , 8, 608	3.2	2
214	Phase 2 study of afatinib among patients with recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Cancer</i> , 2020 , 126, 4521-4531	6.4	3
213	Current immunoassay methods and their applications to clinically used biomarkers of breast cancer. <i>Clinical Biochemistry</i> , 2020 , 78, 43-57	3.5	18

212	Comparison of High-Throughput Fully Automated Immunoanalyzers for Detecting Hepatitis B Virus Infection. <i>Archives of Pathology and Laboratory Medicine</i> , 2020 , 144, 612-619	5	0
211	Performance Evaluation of a New Automated Chemiluminescent Immunoanalyzer-Based Interferon-Gamma Releasing Assay AdvanSure I3 in Comparison With the QuantiFERON-TB Gold In-Tube Assay. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 33-39	3.1	4
210	Comprehensive immune profiling and immune-monitoring using body fluid of patients with metastatic gastric cancer 2019 , 7, 268		14
209	Inhibiting casein kinase 2 overcomes paclitaxel resistance in gastric cancer. <i>Gastric Cancer</i> , 2019 , 22, 1153-1163	7.14	
208	S-1 Based Doublet as an Adjuvant Chemotherapy for Curatively Resected Stage III Gastric Cancer: Results from the Randomized Phase III POST Trial. <i>Cancer Research and Treatment</i> , 2019 , 51, 1-11	5.2	13
207	Clinical analysis of patients with skeletal metastasis of lung cancer. <i>BMC Cancer</i> , 2019 , 19, 303	4.8	25
206	Signal-to-cutoff ratios of current anti-HCV assays and a suggestion of new algorithm of supplementary testing. <i>Clinica Chimica Acta</i> , 2019 , 498, 11-15	6.2	3
205	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019 , 140, 143-149	5.3	3
204	Immunohistochemistry Biomarkers Predict Survival in Stage II/III Gastric Cancer Patients: From a Prospective Clinical Trial. <i>Cancer Research and Treatment</i> , 2019 , 51, 819-831	5.2	8
203	Characteristics and Treatment Patterns of Patients with Advanced Soft Tissue Sarcoma in Korea. <i>Cancer Research and Treatment</i> , 2019 , 51, 1380-1391	5.2	11
202	T-cell-inflamed gene expression profile (GEP) and PD-L1 expression in patients (pts) with esophageal cancer (EC).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 26-26	2.2	3
201	Clinical significance of donor-specific anti-HLA-DR51/52/53 antibodies for antibody-mediated rejection in kidney transplant recipients. <i>Korean Journal of Transplantation</i> , 2019 , 33, 47	0.2	1
200	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , 2019 , 96, 59-69	3.6	9
199	Diagnostic utility of automated indirect immunofluorescence compared to manual indirect immunofluorescence for anti-nuclear antibodies in patients with systemic rheumatic diseases: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 728-735	5.3	5
198	Frequency of hepatitis B surface antigen variants (HBsAg) in hepatitis B virus genotype B and C infected East- and Southeast Asian patients: Detection by the Elecsys HBsAg II assay. <i>Journal of Clinical Virology</i> , 2018 , 103, 48-56	14.5	3
197	Diagnostic value of screening enzyme immunoassays compared to indirect immunofluorescence for anti-nuclear antibodies in patients with systemic rheumatic diseases: A systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 334-342	5.3	2
196	Fasting serum amino acids concentration is associated with insulin resistance and pro-inflammatory cytokines. <i>Diabetes Research and Clinical Practice</i> , 2018 , 140, 107-117	7.4	6
195	Comparison Between a Manual Squamous Cell Carcinoma Antigen Assay and an Automated Assay in a Clinical Setting. <i>Laboratory Medicine</i> , 2018 , 49, 254-258	1.6	1

194	Comparison of three rapid influenza diagnostic tests with digital readout systems and one conventional rapid influenza diagnostic test. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32, e22234	3	11
193	The prognostic value of volume-based parameters using F-FDG PET/CT in gastric cancer according to HER2 status. <i>Gastric Cancer</i> , 2018 , 21, 213-224	7.6	14
192	Marked Loss of Muscle, Visceral Fat, or Subcutaneous Fat After Gastrectomy Predicts Poor Survival in Advanced Gastric Cancer: Single-Center Study from the CLASSIC Trial. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3222-3230	3.1	40
191	Prognostic implications of polycomb proteins ezh2, suz12, and eed1 and histone modification by H3K27me3 in sarcoma. <i>BMC Cancer</i> , 2018 , 18, 158	4.8	12
190	Prognostic significance of preoperative CT findings in patients with advanced gastric cancer who underwent curative gastrectomy. <i>PLoS ONE</i> , 2018 , 13, e0202207	3.7	5
189	The gamma-glutamyl transferase to platelet ratio and the FIB-4 score are noninvasive markers to determine the severity of liver fibrosis in chronic hepatitis B infection. <i>British Journal of Biomedical Science</i> , 2018 , 75, 128-132	1.6	14
188	Retrospective analysis of palliative chemotherapy for the patients with bladder adenocarcinoma: Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 383-390	2.5	7
187	Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 118-128	5.2	5
186	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018 , 12, 190-200	4.8	6
185	Clinical Usefulness of ImmuneCheck [®] IgG for Rapid Semiquantitation of Total IgG. <i>Laboratory Medicine Online</i> , 2018 , 8, 140	0.2	
184	Multidisciplinary treatment for patients with stage IV gastric cancer: the role of conversion surgery following chemotherapy. <i>BMC Cancer</i> , 2018 , 18, 1116	4.8	31
183	Diagnostic Performance and Comparative Evaluation of the Architect, Liaison, and Platelia Epstein-Barr Virus Antibody Assays. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 458-465	3.1	4
182	Human Papillomavirus 16 Oncoproteins Downregulate the Expression of miR-148a-3p, miR-190a-5p, and miR-199b-5p in Cervical Cancer. <i>BioMed Research International</i> , 2018 , 2018, 1942867	3	15
181	Efficacy of Postoperative Radiotherapy Using Modern Techniques in Patients with Retroperitoneal Soft Tissue Sarcoma. <i>Yonsei Medical Journal</i> , 2018 , 59, 1049-1056	3	5
180	A Prediction Model of Tumor Progression and Survival in HER2-Positive Metastatic Gastric Cancer Patients Treated with Trastuzumab and Chemotherapy. <i>AAPS Journal</i> , 2018 , 20, 72	3.7	
179	Evaluation of an Automated Screening Assay, Compared to Indirect Immunofluorescence, an Extractable Nuclear Antigen Assay, and a Line Immunoassay in a Large Cohort of Asian Patients with Antinuclear Antibody-Associated Rheumatoid Diseases: A Multicenter Retrospective Study. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 33, 222-231	4.5	12
178	Comparison of Abbott RealTime genotype II, GeneMatrix restriction fragment mass polymorphism and Sysmex HISCL HCV Gr assays for hepatitis C virus genotyping. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 1122-1128	5.9	1
177	Different subtypes of epithelioid sarcoma and their clinical implication: long-term multi-institutional experience with a rare sarcoma. <i>Apmis</i> , 2017 , 125, 223-229	3.4	7

176	Reassessment of alkaline phosphatase as serum tumor marker with high specificity in osteosarcoma. <i>Cancer Medicine</i> , 2017 , 6, 1311-1322	4.8	30
175	Stability of lyophilized pooled sera as quality control materials for tumor marker assays in external quality assessment. <i>Clinica Chimica Acta</i> , 2017 , 471, 233-242	6.2	2
174	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , 2017 , 37, 879-887	7.9	29
173	Identification of a novel allele, HLA-C*01:135, by full-length genomic sequencing. <i>Hla</i> , 2017 , 90, 258-259	1.9	2
172	Evaluation of clinical sensitivity and specificity of hepatitis B virus (HBV), hepatitis C virus, and human immunodeficiency Virus-1 by cobas MPX: Detection of occult HBV infection in an HBV-endemic area. <i>Journal of Clinical Virology</i> , 2017 , 96, 60-63	14.5	4
171	Identification of a novel allele, HLA-C*02:02:33, by full-length genomic sequencing. <i>Hla</i> , 2017 , 90, 313-314	1.9	2
170	Ultra-deep sequencing reveals high prevalence and broad structural diversity of hepatitis B surface antigen mutations in a global population. <i>PLoS ONE</i> , 2017 , 12, e0172101	3.7	18
169	Outcomes of Treatment for Malignant Peripheral Nerve Sheath Tumors: Different Clinical Features Associated with Neurofibromatosis Type 1. <i>Cancer Research and Treatment</i> , 2017 , 49, 717-726	5.2	23
168	Cardiotoxicity of trastuzumab in patients with HER2-positive gastric cancer. <i>Oncotarget</i> , 2017 , 8, 61837-61845	6.1845	10
167	Two Cases of Antibody-Mediated Rejection Following Kidney Transplantation due to HLA-DQB1 Allele-Specific and DQ Alpha Protein-Specific HLA Antibodies. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 290-292	3.1	1
166	Identification of a novel allele, HLA-A*02:01:131, by full-length genomic sequencing. <i>Hla</i> , 2017 , 90, 360-361	3.61	3
165	A novel allele, HLA-C*14:02:01:03, identified by full-length genomic sequencing. <i>Hla</i> , 2017 , 90, 260-261	1.9	2
164	Phase I dose-escalation study of the c-Met tyrosine kinase inhibitor SAR125844 in Asian patients with advanced solid tumors, including patients with -amplified gastric cancer. <i>Oncotarget</i> , 2017 , 8, 79546-79555	3.3	16
163	Comparison of the QIAGEN artus HBV QS-RGQ Assay With the Roche COBAS AmpliPrep/COBAS TaqMan HBV Assay for Quantifying Viral DNA in Sera of Chronic Hepatitis B Patients. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 248-253	3.1	7
162	Depth of response is a significant predictor for long-term outcome in advanced gastric cancer patients treated with trastuzumab. <i>Oncotarget</i> , 2017 , 8, 31169-31179	3.3	8
161	Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017 , 8, 38389-38398	3.3	7
160	Phase II study of afatinib in recurrent and/or metastatic esophageal squamous cell carcinoma (R/M ESCC) (KCSG HN14-18).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4051-4051	2.2	
159	PD-L1 expression in patients with metastatic gastric cancer in South Korea.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1571-1571	2.2	1

158	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 344-53 ^{2,4}	52
157	A novel TP53-KPNA3 translocation defines a de novo treatment-resistant clone in osteosarcoma. <i>Journal of Physical Education and Sports Management</i> , 2016 , 2, a000992	2.8 11
156	Identification of a novel allele, HLA-A*26:01:01:03N, by full-length genome sequencing. <i>Hla</i> , 2016 , 88, 260-261	1.9 4
155	Successful kidney transplantation after desensitization in a patient with positive flow crossmatching and donor-specific anti-HLA-DP antibody: A Case report. <i>Medicine (United States)</i> , 2016 , 95, e4521	1.8 4
154	Automated CH50 liposome-based immunoassay: consideration in dilution and validation of reference interval. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e309-12	5.9 3
153	Comparison and clinical utility evaluation of four multiple allergen simultaneous tests including two newly introduced fully automated analyzers. <i>Practical Laboratory Medicine</i> , 2016 , 4, 50-61	1.7 10
152	Comparison of Six Automated Treponema-Specific Antibody Assays. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 163-7	9.7 13
151	Prognostic significance and frequency of EGFR expression and amplification in surgically resected advanced gastric cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 507-16	2.8 9
150	Effect of major histocompatibility complex haplotype matching by C4 and MICA genotyping on acute graft versus host disease in unrelated hematopoietic stem cell transplantation. <i>Human Immunology</i> , 2016 , 77, 176-83	2.3 7
149	Prognostic value of (18)F-fluorodeoxyglucose positron emission tomography in patients with gastric neuroendocrine carcinoma and mixed adenoneuroendocrine carcinoma. <i>Annals of Nuclear Medicine</i> , 2016 , 30, 279-86	2.5 9
148	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016 , 51, 830-9	6.9 61
147	An update on the randomized phase III POST trial: S-1 based doublet as an adjuvant chemotherapy for curatively resected stage III gastric cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4042-4042	2.2 1
146	Receptor tyrosine kinase amplified gastric cancer: Clinicopathologic characteristics and proposed screening algorithm. <i>Oncotarget</i> , 2016 , 7, 72099-72112	3.3 11
145	Prognostic implications of PIK3CA amplification in curatively resected liposarcoma. <i>Oncotarget</i> , 2016 , 7, 24549-58	3.3 7
144	PIK3CA amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 30691-701	3.3 15
143	Efficacy and Toxicity of Mammalian Target Rapamycin Inhibitors in Patients with Metastatic Renal Cell Carcinoma with Renal Insufficiency: The Korean Cancer Study Group GU 14-08. <i>Cancer Research and Treatment</i> , 2016 , 48, 1286-1292	5.2 4
142	Next-generation sequencing reveals somatic mutations that confer exceptional response to everolimus. <i>Oncotarget</i> , 2016 , 7, 10547-56	3.3 44
141	Evaluation of Real-time PCR Kits for Epstein-Barr Virus DNA Assays. <i>Laboratory Medicine Online</i> , 2016 , 6, 31	0.2 1

140	Prognostic Model to Predict Survival Outcome for Curatively Resected Liposarcoma: A Multi-Institutional Experience. <i>Journal of Cancer</i> , 2016 , 7, 1174-80	4.5	22
139	Accuracy of three different fecal calprotectin tests in the diagnosis of inflammatory bowel disease. <i>Intestinal Research</i> , 2016 , 14, 305-313	4.1	14
138	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.7	5
137	A Retrospective Analysis for Patients with HER2-Positive Gastric Cancer Who Were Treated with Trastuzumab-Based Chemotherapy: In the Perspectives of Ethnicity and Histology. <i>Cancer Research and Treatment</i> , 2016 , 48, 553-60	5.2	13
136	Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016 , 7, 44608-44620	3.3	31
135	Genetic alterations and their clinical implications in gastric cancer peritoneal carcinomatosis revealed by whole-exome sequencing of malignant ascites. <i>Oncotarget</i> , 2016 , 7, 8055-66	3.3	28
134	Bone marrow chimerism detection using next generation sequencing based on single nucleotide polymorphisms following liver transplantation: comparison with short tandem repeat-PCR. <i>Annals of Laboratory Medicine</i> , 2016 , 36, 82-4	3.1	4
133	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016 , 95, e3328	1.8	24
132	Prognostic implications of PD-L1 expression in patients with soft tissue sarcoma. <i>BMC Cancer</i> , 2016 , 16, 434	4.8	93
131	Host immune responses to antigens derived from a predominant strain of Mycobacterium tuberculosis. <i>Journal of Infection</i> , 2016 , 73, 54-62	18.9	8
130	Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as diagnostic markers for pneumonia severity. <i>British Journal of Biomedical Science</i> , 2016 , 73, 140-142	1.6	18
129	Recursive partition analysis of peritoneal and systemic recurrence in patients with gastric cancer who underwent D2 gastrectomy: Implications for neoadjuvant therapy consideration. <i>Journal of Surgical Oncology</i> , 2016 , 114, 859-864	2.8	10
128	Multidisciplinary treatment of inferior vena cava leiomyosarcoma. <i>ANZ Journal of Surgery</i> , 2016 , 86, 104-5		1
127	The frequency and impact of FGFR1 amplification on clinical outcomes in Korean patients with small cell lung cancer. <i>Lung Cancer</i> , 2015 , 88, 325-31	5.9	7
126	Efficacy of pazopanib monotherapy in patients who had been heavily pretreated for metastatic soft tissue sarcoma: a retrospective case series. <i>BMC Cancer</i> , 2015 , 15, 154	4.8	46
125	Leiomyosarcoma: investigation of prognostic factors for risk-stratification model. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 1226-32	4.2	7
124	Evaluation of a Rapid Immunochromatographic Treponemal Antibody Test Comparing the Treponema Pallidum Particle Agglutination Assay. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 383-6 ³		5
123	Characteristics of the mean platelet volume, neutrophil to lymphocyte ratio, and C-reactive protein compared to the procalcitonin level in pneumonia patients. <i>Platelets</i> , 2015 , 26, 278-80	3.6	9

122	A new HLA-B*15 allele, HLA-B*15:263, identified in a Korean individual. <i>Tissue Antigens</i> , 2015 , 86, 58-9		3
121	Current Strategy of Chemotherapy for Bone Tumors. <i>The Journal of the Korean Orthopaedic Association</i> , 2015 , 50, 438	0.1	
120	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2015 , 56, 1296-306	3	25
119	Interlaboratory Comparison of the Results of Lifecodes LSA Class I and Class II Single Antigen Kits for Human Leukocyte Antigen Antibody Detection. <i>Annals of Laboratory Medicine</i> , 2015 , 35, 321-8	3.1	15
118	Incidence and Survival of Pediatric Soft Tissue Sarcomas: Comparison between Adults and Children. <i>Cancer Research and Treatment</i> , 2015 , 47, 9-17	5.2	7
117	Clinical pattern and implication of PD-L1 expression in soft-tissue sarcoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 10565-10565	2.2	5
116	Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 2562-72	3.3	27
115	Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 44971-84	3.3	10
114	Results of a Phase II Study to Evaluate the Efficacy of Docetaxel and Carboplatin in Metastatic Malignant Melanoma Patients Who Failed First-Line Therapy Containing Dacarbazine. <i>Cancer Research and Treatment</i> , 2015 , 47, 781-9	5.2	7
113	Modeling post-progression survival in patients with HER2-positive metastatic gastric cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e15020-e15020	2.2	
112	Next-generation sequencing to reveal somatic mutations that confer sensitivity to everolimus.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 11010-11010	2.2	
111	Short communication: prospective comparison of qualitative versus quantitative polymerase chain reaction for monitoring virologic treatment failure in HIV-infected patients. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 827-9	1.6	1
110	Resolution of ambiguous HLA genotyping in korean by multi-group-specific sequence-based typing. <i>Yonsei Medical Journal</i> , 2014 , 55, 1005-13	3	5
109	Evaluation of Automated Assays for Measuring Serum Hyaluronic Acid: For the Diagnosis of Rheumatoid Arthritis. <i>Laboratory Medicine Online</i> , 2014 , 4, 98	0.2	1
108	Pooled nucleic acid testing to identify antiretroviral treatment failure during HIV infection in Seoul, South Korea. <i>Scandinavian Journal of Infectious Diseases</i> , 2014 , 46, 136-40		9
107	Characteristics of platelet indices, neutrophil-to-lymphocyte ratio and erythrocyte sedimentation rate compared with C reactive protein in patients with cerebral infarction: a retrospective analysis of comparing haematological parameters and C reactive protein. <i>BMJ Open</i> , 2014 , 4, e006275	3	17
106	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , 2014 , 34, 1543-9	7.9	10
105	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014 , 60, 1911-9	11.2	33

104	Pre-S mutations of hepatitis B virus affect genome replication and expression of surface antigens. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 843-50	4	7
103	The Korean Heart Study: rationale, objectives, protocol, and preliminary results for a new prospective cohort study of 430,920 men and women. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1484-92	3.9	33
102	Comparison of an automated rapid plasma reagin (RPR) test with the conventional RPR card test in syphilis testing. <i>BMJ Open</i> , 2014 , 4, e005664	3	13
101	Human leukocyte antigen-G (HLA-G) polymorphism and expression in breast cancer patients. <i>PLoS ONE</i> , 2014 , 9, e98284	3.7	48
100	Ifosfamide-induced Fanconi syndrome with diabetes insipidus. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 246-9	2.5	12
99	Clinical features and treatment of collecting duct carcinoma of the kidney from the Korean cancer study group genitourinary and gynecology cancer committee. <i>Cancer Research and Treatment</i> , 2014 , 46, 141-7	5.2	11
98	The role of pazopanib in various histologic subtypes of metastatic soft tissue sarcomas.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 10586-10586	2.2	1
97	MAPK-signaling inhibition as a genome-based precision medicine in refractory osteosarcoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e22164-e22164	2.2	
96	Adiponectin as predictor for diabetes among pre-diabetic groups. <i>Endocrine</i> , 2013 , 44, 411-8	4	10
95	Performance evaluation of LUMIPULSE G1200 autoimmunoanalyzer for the detection of serum hepatitis B virus markers. <i>Journal of Clinical Laboratory Analysis</i> , 2013 , 27, 204-6	3	6
94	Comparisons of fully automated syphilis tests with conventional VDRL and FTA-ABS tests. <i>Clinical Biochemistry</i> , 2013 , 46, 834-7	3.5	11
93	Detection and genotyping of human papillomavirus by five assays according to cytologic results. <i>Journal of Virological Methods</i> , 2013 , 187, 79-84	2.6	10
92	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , 2013 , 33, 706-13	7.9	13
91	Serum adiponectin and type 2 diabetes: a 6-year follow-up cohort study. <i>Diabetes and Metabolism Journal</i> , 2013 , 37, 252-61	5	11
90	Radiation Recall Dermatitis Induced by Gefitinib. <i>The Ewha Medical Journal</i> , 2013 , 36, S17	0.1	0
89	Two distinct functional patterns of hepatitis C Virus (HCV)-specific T cell responses in seronegative, aviremic patients. <i>PLoS ONE</i> , 2013 , 8, e62319	3.7	8
88	Tuberculin skin test and boosted reactions among newly employed healthcare workers: an observational study. <i>PLoS ONE</i> , 2013 , 8, e64563	3.7	10
87	Evaluation of the Performance of an Adiponectin ELISA-based Test and Establishing Serum Adiponectin Reference Intervals for Korean Population. <i>Laboratory Medicine Online</i> , 2013 , 3, 242	0.2	0

86	The effect of delay of adjuvant chemotherapy on survival in patients with resected stage II and III gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15144-e15144	2.2	
85	Clinicopathologic features predicting HER2 overexpression in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15098-e15098	2.2	
84	PI3K pathway as a major determinant of resistance to HER2-targeted therapy in advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4089-4089	2.2	1
83	Evaluation of sequence-specific priming and real-time polymerase chain reaction assays for detecting HLA-B*51 alleles confirmed by sequence-based typing. <i>Tissue Antigens</i> , 2012 , 80, 376-9		2
82	Reference ranges for HE4 and CA125 in a large Asian population by automated assays and diagnostic performances for ovarian cancer. <i>International Journal of Cancer</i> , 2012 , 130, 1136-44	7.5	5 ⁰
81	Diagnostic values of urine CYFRA21-1, NMP22, UBC, and FDP for the detection of bladder cancer. <i>Clinica Chimica Acta</i> , 2012 , 414, 93-100	6.2	37
80	Performance evaluation of the Vitros anti-hepatitis C virus antibody assay for use in clinical laboratories. <i>Clinical Biochemistry</i> , 2012 , 45, 175-7	3.5	8
79	Predictive value of HBsAg quantification for determining the clinical course of genotype C HBeAg-negative carriers. <i>Liver International</i> , 2012 , 32, 796-802	7.9	27
78	Evaluation of revisited fucosylated alpha-fetoprotein (AFP-L3) with an autoanalyzer IIAS in a clinical laboratory. <i>Clinica Chimica Acta</i> , 2012 , 413, 170-4	6.2	11
77	Comparison of automated multiplexed bead-based ANA screening assay with ELISA for detecting five common anti-extractable nuclear antigens and anti-dsDNA in systemic rheumatic diseases. <i>Clinica Chimica Acta</i> , 2012 , 413, 308-11	6.2	11
76	Specific IgE measurement using AdvanSure \square system: comparison of detection performance with ImmunoCAP \square system in Korean allergy patients. <i>Clinica Chimica Acta</i> , 2012 , 413, 914-9	6.2	3 ⁰
75	Diagnostic utilities of procalcitonin and C-reactive protein for the prediction of bacteremia determined by blood culture. <i>Clinica Chimica Acta</i> , 2012 , 413, 1731-6	6.2	44
74	Serum cytokine levels in chronic hepatitis B patients receiving peginterferon alpha-2a therapy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012 , 11, 499-506	2.1	9
73	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e35825	3.7	44
72	Anaphylactic transfusion reaction in a patient with anhaptoaglobinemia: the first case in Korea. <i>Annals of Laboratory Medicine</i> , 2012 , 32, 304-6	3.1	9
71	Evaluation of the UniCell Dxl 800 immunoassay analyzer in measuring five tumor markers. <i>Yonsei Medical Journal</i> , 2012 , 53, 557-64	3	4
70	Analysis of Polycheck Allergy Results of the Recent Two Years: Comparison with Skin Prick Test and ImmunoCAP. <i>Laboratory Medicine Online</i> , 2012 , 2, 139	0.2	7
69	Serum neutrophil gelatinase-associated lipocalin and interleukin-18 as predictive biomarkers for delayed graft function after kidney transplantation. <i>Journal of Clinical Laboratory Analysis</i> , 2012 , 26, 295-301		26

68	Soluble human leukocyte antigen-G expression in hepatitis B virus infection and hepatocellular carcinoma. <i>Tissue Antigens</i> , 2012 , 79, 97-103		21
67	Allele frequencies of human leukocyte antigen-G in a Korean population. <i>International Journal of Immunogenetics</i> , 2012 , 39, 39-45	2.3	8
66	Performance evaluation of new automated hepatitis B viral markers in the clinical laboratory: two quantitative hepatitis B surface antigen assays and an HBV core-related antigen assay. <i>American Journal of Clinical Pathology</i> , 2012 , 137, 770-7	1.9	15
65	Improvement in the performance of external quality assessment in Korean HIV clinical laboratories using unrecalcified human plasma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1565-71	5.9	
64	Comparison of the Abbott RealTime High-Risk Human Papillomavirus (HPV), Roche Cobas HPV, and Hybrid Capture 2 assays to direct sequencing and genotyping of HPV DNA. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 2359-65	9.7	44
63	Diagnostic significance of serum HMGB1 in colorectal carcinomas. <i>PLoS ONE</i> , 2012 , 7, e34318	3.7	57
62	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e41964	3.7	59
61	A novel multiplex real-time PCR assay for the concurrent detection of hepatitis A, B and C viruses in patients with acute hepatitis. <i>PLoS ONE</i> , 2012 , 7, e49106	3.7	5
60	Comparison of S-1 and cisplatin combination versus S-1 adjuvant chemotherapy for advanced gastric cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14652-e14652	2.2	
59	Evaluation of automated serum des-gamma-carboxyprothrombin (DCP) assays for detecting hepatocellular carcinoma. <i>Clinical Biochemistry</i> , 2011 , 44, 1464-8	3.5	14
58	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , 2011 , 53, 1486-93	11.2	110
57	Serum cytokine levels in patients with chronic hepatitis B according to lamivudine therapy. <i>Journal of Clinical Laboratory Analysis</i> , 2011 , 25, 414-21	3	11
56	Diagnostic performances of HE4 and CA125 for the detection of ovarian cancer from patients with various gynecologic and non-gynecologic diseases. <i>Clinical Biochemistry</i> , 2011 , 44, 884-8	3.5	74
55	Predictive factors for indeterminate result on the QuantiFERON test in an intermediate tuberculosis-burden country. <i>Journal of Infection</i> , 2011 , 62, 347-54	18.9	20
54	Evaluation of a fully automated treponemal test and comparison with conventional VDRL and FTA-ABS tests. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 705-10	1.9	12
53	Sunitinib for Asian patients with advanced renal cell carcinoma: a comparable efficacy with different toxicity profiles. <i>Oncology</i> , 2011 , 80, 395-405	3.6	45
52	Impact of hepatitis B virus (HBV) x gene mutations on hepatocellular carcinoma development in chronic HBV infection. <i>Vaccine Journal</i> , 2011 , 18, 914-21		44
51	Advanced detection of recent changing trends in gastric cancer survival: up-to-date comparison by period analysis. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 1344-50	2.8	13

50	Usefulness of serum anti-p53 antibody assay for lung cancer diagnosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2011 , 135, 1570-5	5	36
49	Predictive Value of Donor Specific Antibody Measured by Luminex Single Antigen Assay for Antibody Mediated Rejection after Kidney Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2011 , 25, 169	0.3	2
48	Identification of adenovirus, influenza virus, parainfluenza virus, and respiratory syncytial virus by two kinds of multiplex polymerase chain reaction (PCR) and a shell vial culture in pediatric patients with viral pneumonia. <i>Yonsei Medical Journal</i> , 2010 , 51, 761-7	3	19
47	Comparisons of three automated systems for genomic DNA extraction in a clinical diagnostic laboratory. <i>Yonsei Medical Journal</i> , 2010 , 51, 104-10	3	36
46	Correlation between quantitative serum HBsAg and HBV DNA test in Korean patients who showed high level of HBsAg. <i>Journal of Clinical Pathology</i> , 2010 , 63, 1027-31	3.9	12
45	Axillary lymph node metastasis: CA-15-3 and carcinoembryonic antigen concentrations in fine-needle aspirates for preoperative diagnosis in patients with breast cancer. <i>Radiology</i> , 2010 , 254, 691-7	20.5	20
44	False-positive rate of a "fourth-generation" HIV antigen/antibody combination assay in an area of low HIV prevalence. <i>Vaccine Journal</i> , 2010 , 17, 1642-4		41
43	New automated hepatitis C virus (HCV) core antigen assay as an alternative to real-time PCR for HCV RNA quantification. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2253-6	9.7	79
42	Evaluation of three automated enzyme immunoassays for detection of anti-cyclic citrullinated peptide antibodies in qualitative and quantitative aspects. <i>Rheumatology</i> , 2010 , 49, 450-7	3.9	17
41	Determination of lamotrigine in human serum by high-performance liquid chromatography tandem mass spectrometry. <i>Neurological Sciences</i> , 2010 , 31, 717-20	3.5	13
40	Establishing a surveillance network for severe lower respiratory tract infections in Korean infants and young children. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2009 , 28, 841-4	5.3	19
39	A new automated multiple allergen simultaneous test-chemiluminescent assay (MAST-CLA) using an AP720S analyzer. <i>Clinica Chimica Acta</i> , 2009 , 402, 182-8	6.2	20
38	Anti-HCV signal-to-cutoff ratio in predicting hepatitis C viremia. <i>Korean Journal of Internal Medicine</i> , 2009 , 24, 299-301	2.5	2
37	The Clinical Significance of Antiphospholipid Antibodies in Korean Children with Henoch-Schönlein Purpura. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2009 , 13, 146		
36	Morphometric evaluation of oesophageal wall in patients with nutcracker oesophagus and ineffective oesophageal motility. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 869-76	4	31
35	The association between adiponectin and diabetes in the Korean population. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 853-7	12.7	38
34	Prevalence and patterns of anti-nuclear antibodies in Korean children with juvenile idiopathic arthritis according to ILAR criteria. <i>Scandinavian Journal of Rheumatology</i> , 2008 , 37, 348-51	1.9	14
33	The role of a whole blood interferon-gamma assay for the detection of latent tuberculosis infection in Bacille Calmette-Guérin vaccinated children. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008 , 62, 389-94	2.9	43

32	Immunologic control for polyomavirus infection after kidney transplantation. <i>Nephron Clinical Practice</i> , 2008 , 108, c148-54		3
31	Clinical performance evaluation of four automated chemiluminescence immunoassays for hepatitis C virus antibody detection. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 3919-23	9.7	61
30	Macrophage migration inhibitory factor may be used as an early diagnostic marker in colorectal carcinomas. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 772-9	1.9	45
29	The effect of mosapride citrate on proximal and distal colonic motor function in the guinea-pig in vitro. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 169-76	4	22
28	MSX1 polymorphism associated with risk of oral cleft in Korea: evidence from case-parent trio and case-control studies. <i>Yonsei Medical Journal</i> , 2007 , 48, 101-8	3	13
27	Post-evaluation of rapid HIV kits in the Korean market by an anti-HIV EQAS panel. <i>Journal of Virological Methods</i> , 2007 , 141, 141-5	2.6	2
26	Urinary HLA-DR and CD54 expression--indicators for inflammatory activity in decoy cell shedding patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 2601-6	4.3	10
25	Anti-Saccharomyces cerevisiae antibody in intestinal Behçet's disease patients: relation to clinical course. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 1849-59	3.1	37
24	Serotonin transporter gene polymorphism and migraine in the Korean population. <i>Headache</i> , 2005 , 45, 1056-60	4.2	11
23	Efficient prefractionation of low-abundance proteins in human plasma and construction of a two-dimensional map. <i>Proteomics</i> , 2005 , 5, 3386-96	4.8	117
22	Serum IgA/C3 ratio may be a useful marker of disease activity in severe Henoch-Schönlein nephritis. <i>Nephron Clinical Practice</i> , 2005 , 101, c72-8		10
21	White blood cell count and risk for all-cause, cardiovascular, and cancer mortality in a cohort of Koreans. <i>American Journal of Epidemiology</i> , 2005 , 162, 1062-9	3.8	75
20	Evaluation of methods for monitoring drug resistance in chronic hepatitis B patients during lamivudine therapy based on mass spectrometry and reverse hybridization. <i>Antiviral Therapy</i> , 2005 , 10, 441-9	1.6	25
19	Evaluation of Methods for Monitoring Drug Resistance in Chronic Hepatitis B Patients during Lamivudine Therapy Based on Mass Spectrometry and Reverse Hybridization. <i>Antiviral Therapy</i> , 2005 , 10, 441-449	1.6	55
18	Adoptive immunotherapy for cytomegalovirus (CMV) disease in immunocompromised patients. <i>Yonsei Medical Journal</i> , 2004 , 45 Suppl, 18-22	3	8
17	Emergence of multidrug-resistant Salmonella enterica serovar typhi in Korea. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 4130-5	5.9	23
16	A new integron carrying VIM-2 metallo-beta-lactamase gene cassette in a Serratia marcescens isolate. <i>Diagnostic Microbiology and Infectious Disease</i> , 2002 , 42, 217-9	2.9	56
15	Evaluation of a simultaneous HIV antigen and antibody detection test in Korean population. <i>Yonsei Medical Journal</i> , 2001 , 42, 185-93	3	1

14	Comparison of the reverse transcription-PCR with the branched DNA assay for measurement of human immunodeficiency virus type 1 RNA levels in plasma of Korean patients. <i>Yonsei Medical Journal</i> , 2001 , 42, 204-8	3	
13	Evaluation of diagnostic methods of re-emerging malaria in Korean patients. <i>Yonsei Medical Journal</i> , 2001 , 42, 84-90	3	6
12	Korean Nationwide Surveillance of Antimicrobial Resistance of Bacteria in 1998. <i>Yonsei Medical Journal</i> , 2000 , 41, 497-506	3	26
11	Plasma granulocyte elastase levels and its relation to D-dimer in liver cirrhosis. <i>Fibrinolysis and Proteolysis</i> , 2000 , 14, 300-304		
10	The prediction of interferon-alpha therapeutic effect by sequence variation of the HCV hypervariable region 1. <i>Yonsei Medical Journal</i> , 1999 , 40, 430-8	3	2
9	Korean Nationwide Surveillance of Antimicrobial Resistance of bacteria in 1997. <i>Yonsei Medical Journal</i> , 1998 , 39, 569-77	3	26
8	Hepatitis G virus infection in hemodialysis and continuous ambulatory peritoneal dialysis patients. <i>Yonsei Medical Journal</i> , 1998 , 39, 116-21	3	5
7	Seroprevalence of rubella antibodies and effects of vaccination among healthy university women students in Korea. <i>Yonsei Medical Journal</i> , 1996 , 37, 420-6	3	8
6	Nucleotide sequence variation in the hypervariable region of the hepatitis C virus in the sera of chronic hepatitis C patients undergoing controlled interferon-alpha therapy. <i>Journal of Medical Virology</i> , 1996 , 49, 95-102	19.7	21
5	Nucleotide sequence variation in the hypervariable region of the hepatitis C virus in the sera of chronic hepatitis C patients undergoing controlled interferon- α therapy 1996 , 49, 95		1
4	Combined use of tamoxifen, cyclosporin A, and verapamil for modulating multidrug resistance in human hepatocellular carcinoma cell lines. <i>Yonsei Medical Journal</i> , 1993 , 34, 35-44	3	14
3	Increased incidence of antismooth muscle antibody in Korean vitiligo patients. <i>Journal of Dermatology</i> , 1993 , 20, 679-83	1.6	11
2	A clinical evaluation of Thrombo-Wellcotest as a screening test for D.I.C. <i>Yonsei Medical Journal</i> , 1980 , 21, 58-61	3	1
1	Isolation of beta-lactamase-producing <i>Neisseria gonorrhoeae</i> . <i>Yonsei Medical Journal</i> , 1979 , 20, 133-7	3	2