
Tsutomu Yoshikawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3170730/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Autoantibodies against the second extracellular loop of beta1-adrenergic receptors predict ventricular tachycardia and sudden death in patients with idiopathic dilated cardiomyopathy. Journal of the American College of Cardiology, 2001, 37, 418-424.	2.8	152
2	Autoimmunity Against the Second Extracellular Loop of β ₁ -Adrenergic Receptors Induces β-Adrenergic Receptor Desensitization and Myocardial Hypertrophy In Vivo. Circulation Research, 2001, 88, 578-586.	4.5	99
3	Takotsubo cardiomyopathy, a new concept of cardiomyopathy: Clinical features and pathophysiology. International Journal of Cardiology, 2015, 182, 297-303.	1.7	90
4	Characterization of predictors of in-hospital cardiac complications of takotsubo cardiomyopathy: Multi-center registry from Tokyo CCU Network. Journal of Cardiology, 2014, 63, 269-273.	1.9	78
5	Clinical Characteristics, Management, and Outcomes of Japanese Patients Hospitalized for Heart Failure With Preserved Ejection Fraction ― A Report From the Japanese Heart Failure Syndrome With Preserved Ejection Fraction (JASPER) Registry ―. Circulation Journal, 2018, 82, 1534-1545.	1.6	72
6	Autoimmunity against the second extracellular loop of beta1-adrenergic receptors induces early afterdepolarization and decreases in K-channel density in rabbits. Journal of the American College of Cardiology, 2004, 43, 1090-1100.	2.8	49
7	Complete Elimination of Cardiodepressant IgG3 Autoantibodies by Immunoadsorption in Patients With Severe Heart Failure. Circulation Journal, 2010, 74, 1372-1378.	1.6	37
8	Effect of Estimated Plasma Volume Reduction on Renal Function for Acute Heart Failure Differs Between Patients With Preserved and Reduced Ejection Fraction. Circulation: Heart Failure, 2015, 8, 527-532.	3.9	34
9	A Pilot Study on the Role of Autoantibody Targeting the β1-Adrenergic Receptor in the Response to β-blocker Therapy for Congestive Heart Failure. Journal of Cardiac Failure, 2009, 15, 224-232.	1.7	30
10	Specific immunoadsorption therapy using a tryptophan column in patients with refractory heart failure due to dilated cardiomyopathy. Journal of Clinical Apheresis, 2011, 26, 1-8.	1.3	30
11	Minimal dose for effective clinical outcome and predictive factors for responsiveness to carvedilol: Japanese chronic heart failure (J-CHF) study. International Journal of Cardiology, 2013, 164, 238-244.	1.7	30
12	Incidence of cancers in patients with atherosclerotic cardiovascular diseases. IJC Heart and Vasculature, 2017, 17, 11-16.	1.1	23
13	Prognostic impact of chronic obstructive pulmonary disease on adverse prognosis in hospitalized heart failure patients with preserved ejection fraction – A report from the JASPER registry. Journal of Cardiology, 2019, 73, 459-465.	1.9	19
14	Effect of Obesity on the Prognostic Impact of Atrial Fibrillation in Heart Failure With Preserved Ejection Fraction. Circulation Journal, 2017, 81, 966-973.	1.6	16
15	Presence of Autoantibody Directed Against β1-Adrenergic Receptors Is Associated With Amelioration of Cardiac Function in Response to Carvedilol: Japanese Chronic Heart Failure (J-CHF) Study. Journal of Cardiac Failure, 2015, 21, 198-207.	1.7	12
16	Prognostic Impact of Worsening Renal Function in Hospitalized Heart Failure Patients With Preserved Ejection Fraction: A Report From the JASPER Registry. Journal of Cardiac Failure, 2019, 25, 631-642.	1.7	8
17	Impact of Pulmonary Artery-to-Aorta Ratio by CT on the Clinical Outcome in Heart Failure. Journal of Cardiac Failure, 2019, 25, 886-893.	1.7	5
18	Differential Response to Heart Rate Reduction by Carvedilol in Heart Failure and Reduced Ejection Fraction Between Sinus Rhythm and Atrial Fibrillation ― Insight From J-CHF Study ―. Circulation Reports, 2020. 2. 143-151.	1.0	1

#	Article	IF	CITATIONS
19	Myopericarditis and takotsubo cardiomyopathy association: Author's reply. International Journal of Cardiology, 2015, 189, 197.	1.7	ο