

Antônio Miguel Ferreira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3172819/publications.pdf>

Version: 2024-02-01

62
papers

1,026
citations

516561

16
h-index

454834

30
g-index

68
all docs

68
docs citations

68
times ranked

1970
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing proportionate and disproportionate functional mitral regurgitation with individualized thresholds. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 431-440.	0.5	2
2	Clenbuterol-induced myocarditis in a young man desiring to lose weight. <i>BMJ Case Reports</i> , 2022, 15, e247898.	0.2	1
3	The updated pre-test probability model of the 2019 ESC guidelines improves prediction of obstructive coronary artery disease. <i>Revista Portuguesa De Cardiologia</i> , 2022, 41, 445-452.	0.2	2
4	Coronary artery calcium scoring and cardiovascular risk reclassification in patients undergoing coronary computed tomography angiography. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2021, 40, 25-30.	0.2	0
5	Coronary artery calcium scoring and cardiovascular risk reclassification in patients undergoing coronary computed tomography angiography. <i>Revista Portuguesa De Cardiologia</i> , 2021, 40, 25-30.	0.2	4
6	Temporal trends in referral patterns for invasive coronary angiography – a multicenter 10-year analysis. <i>Coronary Artery Disease</i> , 2021, 32, 224-230.	0.3	3
7	Unusual Submitral Aneurysms. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010466.	1.3	0
8	Electrocardiographic imaging (ECGI): What is the minimal number of leads needed to obtain a good spatial resolution?. <i>Journal of Electrocardiology</i> , 2020, 62, 86-93.	0.4	11
9	Idiopathic Premature Ventricular Contractions From the Outflow Tract Display an Underlying Substrate That Can Be Unmasked by a Type 2 Brugada Electrocardiographic Pattern at High Right Precordial Leads. <i>Frontiers in Physiology</i> , 2020, 11, 969.	1.3	4
10	Fulminant Eosinophilic Myocarditis. <i>JACC: Case Reports</i> , 2020, 2, 802-808.	0.3	6
11	Semi-automatic Tool to Identify Heterogeneity Zones in LGE-CMR and Incorporate the Result into a 3D Model of the Left Ventricle. <i>Lecture Notes in Computer Science</i> , 2020, , 238-246.	1.0	0
12	The heart and the waist: Relationship between abdominal fat and recurrent events after myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1942-1943.	0.8	0
13	Cardiac tumors: three decades of experience from a tertiary center: are we changing diagnostic work-up with new imaging tools?. <i>Cardiovascular Pathology</i> , 2020, 49, 107242.	0.7	10
14	The amount of late gadolinium enhancement outperforms current guideline-recommended criteria in the identification of patients with hypertrophic cardiomyopathy at risk of sudden cardiac death. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 50.	1.6	61
15	Online webinar training to analyse complex atrial fibrillation maps: A randomized trial. <i>PLoS ONE</i> , 2019, 14, e0217988.	1.1	3
16	Additional cardiac investigation prior to the introduction of the CAD-RADS classification in coronary computed tomography angiography reports. <i>Revista Portuguesa De Cardiologia</i> , 2019, 38, 45-50.	0.2	11
17	Derivation and external validation of the SHleLD score for predicting outcome in normotensive pulmonary embolism. <i>International Journal of Cardiology</i> , 2019, 281, 119-124.	0.8	12
18	Very long-term outcomes after a single catheter ablation procedure for the treatment of atrial fibrillation – the protective role of antiarrhythmic drug therapy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 52, 39-45.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Impact of prophylactic cavotricuspid isthmus ablation in atrial fibrillation recurrence after a first pulmonary vein isolation procedure. <i>International Journal of Cardiology</i> , 2018, 259, 82-87.	0.8	21
20	Development and validation of a risk score for predicting atrial fibrillation recurrence after a first catheter ablation procedure – ATLAS score. <i>Europace</i> , 2018, 20, f428-f435.	0.7	76
21	Tomografia computadorizada cardíaca por via a ablação de fibrilhação auricular – efeitos da evolução tecnológica e otimização de protocolos. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 873-883.	0.2	6
22	Cardiac computed tomography prior to atrial fibrillation ablation: Effects of technological advances and protocol optimization. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2018, 37, 873-883.	0.2	2
23	Comparison of Prognostic Scores in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 887-888.	1.9	1
24	Adesão terapêutica – o elefante na sala. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 305-306.	0.2	1
25	Effectiveness of subcutaneous implantable cardioverter-defibrillators and determinants of inappropriate shock delivery. <i>International Journal of Cardiology</i> , 2017, 232, 176-180.	0.8	10
26	Comparative Analysis of Four Scores to Stratify Patients With Heart Failure and Reduced Ejection Fraction. <i>American Journal of Cardiology</i> , 2017, 120, 443-449.	0.7	37
27	Defining the Place of Ezetimibe/Atorvastatin in the Management of Hyperlipidemia. <i>American Journal of Cardiovascular Drugs</i> , 2017, 17, 169-181.	1.0	19
28	Persistent Hypoxemia After Acute Myocardial Infarction: An Unexpected Culprit. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1336.e1-1336.e3.	0.8	1
29	White-coat hypertension during coronary computed tomography angiography is associated with higher coronary atherosclerotic burden. <i>Coronary Artery Disease</i> , 2017, 28, 57-62.	0.3	0
30	Symptomatic Exercise-induced Intraventricular Gradient in Competitive Athlete. <i>Arquivos Brasileiros De Cardiologia</i> , 2017, 109, 87-89.	0.3	0
31	Complete recovery of myocardial inflammation imaged by T2 mapping. <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 503-504.	0.2	0
32	Safety and Long-Term Outcomes of Catheter Ablation of Atrial Fibrillation Using Magnetic Navigation versus Manual Conventional Ablation: A Propensity Score Analysis. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, S11-6.	0.8	21
33	Pre-test probability of obstructive coronary stenosis in patients undergoing coronary CT angiography: Comparative performance of the modified diamond-Forrester algorithm versus methods incorporating cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2016, 222, 346-351.	0.8	15
34	Accuracy of Pooled-Cohort Equation and SCORE cardiovascular risk calculators to identify individuals with high coronary atherosclerotic burden – implications for statin treatment. <i>Coronary Artery Disease</i> , 2016, 27, 573-579.	0.3	7
35	Letter by Ferreira et al Regarding Article, “Clinical Impact of Contemporary Cardiovascular Magnetic Resonance Imaging in Hypertrophic Cardiomyopathy”: <i>Circulation</i> , 2016, 133, e421.	1.6	1
36	Congenital absence of pericardium: a nomad heart. <i>Cardiology in the Young</i> , 2015, 25, 1415-1417.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Performance of traditional risk factors in identifying a higher than expected coronary atherosclerotic burden. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 247-253.	0.2	8
38	Persistent lipid abnormalities in statin-treated patients: Portuguese diabetic subpopulation of the Dyslipidaemia International Study (DYSIS). <i>Primary Care Diabetes</i> , 2015, 9, 283-289.	0.9	1
39	Left atrial volume is more important than the type of atrial fibrillation in predicting the long-term success of catheter ablation. <i>International Journal of Cardiology</i> , 2015, 184, 56-61.	0.8	60
40	Persistent lipid abnormalities in patients with hypertension and dyslipidemia treated with statins: results of the Portuguese hypertensive subpopulation of the Dyslipidemia International Study (DYSIS). <i>Clinical and Experimental Hypertension</i> , 2015, 37, 116-121.	0.5	5
41	Performance of traditional risk factors in identifying a higher than expected coronary atherosclerotic burden. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 247-253.	0.2	9
42	Applicability of the Zwolle risk score for safe early discharge after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 535-541.	0.2	19
43	MRI-conditional pacemakers: current perspectives. <i>Medical Devices: Evidence and Research</i> , 2014, 7, 115.	0.4	39
44	Cost-Effectiveness of Different Diagnostic Strategies in Suspected Stable Coronary Artery Disease in Portugal. <i>Arquivos Brasileiros De Cardiologia</i> , 2014, 102, 391-402.	0.3	12
45	The return of a disappearing entity: Dressler's syndrome after transvenous pacemaker implantation. <i>BMJ Case Reports</i> , 2014, 2014, bcr2013203401-bcr2013203401.	0.2	1
46	Body mass index as a predictor of the presence but not the severity of coronary artery disease evaluated by cardiac computed tomography. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1387-1393.	0.8	17
47	Congenital muscular diverticulum of the left ventricular apex. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 783-784.	0.7	5
48	Perfil de risco cardiovascular de adultos jovens saudáveis – evolução temporal. <i>Revista Portuguesa De Cardiologia</i> , 2014, 33, 147-154.	0.2	4
49	Diabetes as an independent predictor of high atherosclerotic burden assessed by coronary computed tomography angiography: the coronary artery disease equivalent revisited. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1105-1114.	0.7	28
50	Prevalence and predictors of coronary artery disease in patients with a calcium score of zero. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1839-1846.	0.7	15
51	Cardiac magnetic resonance in a patient with MRI-conditional pacemaker. <i>Revista Portuguesa De Cardiologia</i> , 2013, 32, 159-162.	0.2	2
52	Diagnostic yield of current referral strategies for elective coronary angiography in suspected coronary artery disease – An analysis of the ACROSS registry. <i>Revista Portuguesa De Cardiologia</i> , 2013, 32, 483-488.	0.2	10
53	Coronary computed tomography angiography-adapted Leaman score as a tool to noninvasively quantify total coronary atherosclerotic burden. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1575-1584.	0.7	61
54	Cardiomiopatia hipertrófica obstrutiva latente: o ecocardiograma é suficiente?. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 99, e108-e111.	0.3	0

#	ARTICLE	IF	CITATIONS
55	Cardiac Resynchronization Therapy in Patients with Atrial Fibrillation - Worth the Effort?. Journal of Atrial Fibrillation, 2012, 4, 435.	0.5	2
56	Does Continuous ST-Segment Monitoring Add Prognostic Information to the TIMI, PURSUIT, and GRACE Risk Scores?. , 2011, 16, 239-249.		13
57	Ventilatory Efficiency and the Selection of Patients for Heart Transplantation. Circulation: Heart Failure, 2010, 3, 378-386.	1.6	47
58	Left atrial volume calculated by multi-detector computed tomography may predict successful pulmonary vein isolation in catheter ablation of atrial fibrillation. Europace, 2009, 11, 1289-1294.	0.7	138
59	Surgery for atrial fibrillation in patients with mitral valve disease: Results at five years from the International Registry of Atrial Fibrillation Surgery. Journal of Thoracic and Cardiovascular Surgery, 2008, 135, 863-869.	0.4	62
60	An unusual combination of possible causes of sudden death imaged by 64-slice computed tomography. International Journal of Cardiology, 2008, 128, e91-e92.	0.8	4
61	Obesity does not influence the correlation between exercise capacity and serum NT-proBNP levels in chronic heart failure. International Journal of Cardiology, 2008, 130, 103-105.	0.8	2
62	Benefit of cardiac resynchronization therapy in atrial fibrillation patients vs. patients in sinus rhythm: the role of atrioventricular junction ablation. Europace, 2008, 10, 809-815.	0.7	85