

Leonardo Tondo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3172964/leonardo-tondo-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

6,275
citations

43
h-index

78
g-index

128
ext. papers

7,388
ext. citations

5.9
avg, IF

5.96
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 122 | Psychotropic medicines: increased appetite rather than weight gain.. <i>Lancet Psychiatry,the</i> , 2022 , 9, e8 | 23.3 | 1 |
| 121 | Overweight in mood disorders: Effects on morbidity and treatment response. <i>Journal of Affective Disorders</i> , 2022 , 297, 169-175 | 6.6 | 1 |
| 120 | Physical exercise, depression, and anxiety in 2190 affective disorder subjects.. <i>Journal of Affective Disorders</i> , 2022 , 309, 172-177 | 6.6 | |
| 119 | Relationships of affective temperament ratings to diagnosis and morbidity measures in major affective disorders. <i>European Psychiatry</i> , 2021 , 64, e74 | 6 | 1 |
| 118 | Melancholia as a DSM-5 specifier or a separate category?. <i>Journal of Affective Disorders</i> , 2021 , 282, 39-406.6 | | |
| 117 | Transitions: Hagop Souren Akiskal. <i>Journal of Affective Disorders</i> , 2021 , 284, 201-202 | 6.6 | |
| 116 | Long-Term Treatment of Bipolar Disorder with Valproate: Updated Systematic Review and Meta-analyses. <i>Harvard Review of Psychiatry</i> , 2021 , 29, 188-195 | 4.1 | 0 |
| 115 | Prevention of suicidal behavior in bipolar disorder. <i>Bipolar Disorders</i> , 2021 , 23, 14-23 | 3.8 | 17 |
| 114 | Commentary: Lithium treatment for bipolar disorder. <i>Bipolar Disorders</i> , 2021 , 23, 93-94 | 3.8 | 4 |
| 113 | Suicide in psychiatric disorders: rates, risk factors, and therapeutics 2021 , 85-115 | | |
| 112 | Efficacy and Tolerability of Combination Treatments for Major Depression: Antidepressants plus Second-Generation Antipsychotics vs. Esketamine vs. Lithium. <i>Journal of Psychopharmacology</i> , 2021 , 35, 890-900 | 4.6 | 12 |
| 111 | Suicidal risks in rural versus urban populations in Sardinia. <i>Journal of Affective Disorders</i> , 2021 , 295, 1449-1455 | 6.6 | 1 |
| 110 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26 | 5.4 | 0 |
| 109 | Melancholia: does this ancient concept have contemporary utility?. <i>International Review of Psychiatry</i> , 2020 , 32, 466-470 | 3.6 | 4 |
| 108 | Discontinuing psychotropic drug treatment. <i>BJPsych Open</i> , 2020 , 6, e24 | 5 | 9 |
| 107 | Melancholic versus Nonmelancholic Major Depression Compared. <i>Journal of Affective Disorders</i> , 2020 , 266, 760-765 | 6.6 | 15 |
| 106 | Clinical response and metabolic effects of lithium in 323 mood disorder patients. <i>Journal of Affective Disorders</i> , 2020 , 270, 9-14 | 6.6 | 1 |

| | | | |
|-----|--|------|----|
| 105 | Lithium's antiviral effects: a potential drug for CoViD-19 disease?. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 21 | 5.4 | 36 |
| 104 | Unmet Needs in Psychiatry: Bipolar Depression 2020 , 39-82 | | 2 |
| 103 | Suicidal Behavior Associated with Mixed Features in Major Mood Disorders. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 83-93 | 3.1 | 5 |
| 102 | Bipolar depression: a major unsolved challenge. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 1 | 5.4 | 63 |
| 101 | Factors associated with single versus multiple suicide attempts in depressive disorders. <i>Journal of Affective Disorders</i> , 2020 , 277, 306-312 | 6.6 | 5 |
| 100 | Antidepressant responses in direct comparisons of melancholic and non-melancholic depression. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1335-1341 | 4.6 | 4 |
| 99 | Suicidal Risks in 12 DSM-5 Psychiatric Disorders. <i>Journal of Affective Disorders</i> , 2020 , 271, 66-73 | 6.6 | 20 |
| 98 | Lithium treatment for unipolar major depressive disorder: Systematic review. <i>Journal of Psychopharmacology</i> , 2019 , 33, 167-176 | 4.6 | 30 |
| 97 | Lithium and bipolar depression. <i>Bipolar Disorders</i> , 2019 , 21, 458-459 | 3.8 | 4 |
| 96 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9 | 5.2 | 15 |
| 95 | Clinical use of lithium salts: guide for users and prescribers. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 16 | 5.4 | 75 |
| 94 | Suicidal risk factors in major affective disorders. <i>British Journal of Psychiatry</i> , 2019 , 1-6 | 5.4 | 34 |
| 93 | Attention deficit-hyperactivity disorder in adult bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2019 , 243, 391-396 | 6.6 | 24 |
| 92 | Early clinical predictors of long-term morbidity in major depressive disorder. <i>Microbial Biotechnology</i> , 2019 , 13, 999-1002 | 3.3 | 3 |
| 91 | Pharmacological treatment of adult bipolar disorder. <i>Molecular Psychiatry</i> , 2019 , 24, 198-217 | 15.1 | 85 |
| 90 | Antisuicidal Effects in Mood Disorders: Are They Unique to Lithium?. <i>Pharmacopsychiatry</i> , 2018 , 51, 177-188 | | 37 |
| 89 | Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review. <i>Harvard Review of Psychiatry</i> , 2018 , 26, 8-18 | 4.1 | 34 |
| 88 | Association of suicidal risk with ratings of affective temperaments. <i>Journal of Affective Disorders</i> , 2018 , 229, 322-327 | 6.6 | 17 |

| | | | |
|----|--|-----|----|
| 87 | Mixed symptoms in major depressive and bipolar disorders: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 225, 756-760 | 6.6 | 34 |
| 86 | Modeling suicide. <i>Bipolar Disorders</i> , 2018 , 20, 564-565 | 3.8 | |
| 85 | Characteristics of depressive and bipolar disorder patients with mixed features. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 243-252 | 6.5 | 27 |
| 84 | Early clinical predictors and correlates of long-term morbidity in bipolar disorder. <i>European Psychiatry</i> , 2017 , 43, 35-43 | 6 | 9 |
| 83 | International suicide rates versus adequate treatments. <i>British Journal of Psychiatry</i> , 2017 , 210, 298-299 | 5.4 | |
| 82 | Treatment of Bipolar Disorder in a Lifetime Perspective: Is Lithium Still the Best Choice?. <i>Clinical Drug Investigation</i> , 2017 , 37, 713-727 | 3.2 | 30 |
| 81 | Age at menarche predicts age at onset of major affective and anxiety disorders. <i>European Psychiatry</i> , 2017 , 39, 80-85 | 6 | 11 |
| 80 | Cutaneous adverse reaction during lithium treatment: a case report and updated systematic review with meta-analysis. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 20 | 5.4 | 2 |
| 79 | Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 27 | 5.4 | 50 |
| 78 | Methodological considerations regarding Joyce et al. 2016. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 12 | 5.4 | 3 |
| 77 | Depression and Mania in Bipolar Disorder. <i>Current Neuropharmacology</i> , 2017 , 15, 353-358 | 7.6 | 45 |
| 76 | Potential Novel Treatments for Bipolar Depression: Ketamine, Fatty Acids, Anti-inflammatory Agents, and Probiotics. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 858-869 | 2.6 | 13 |
| 75 | Suicidal Behavior in Mood Disorders: Response to Pharmacological Treatment. <i>Current Psychiatry Reports</i> , 2016 , 18, 88 | 9.1 | 38 |
| 74 | Illness history: Not associated with remission during treatment of major depression in 515 mood disorder patients. <i>Journal of Affective Disorders</i> , 2016 , 191, 118-22 | 6.6 | 3 |
| 73 | Affective temperaments and suicidal ideation and behavior in mood and anxiety disorder patients. <i>Journal of Affective Disorders</i> , 2016 , 198, 78-82 | 6.6 | 28 |
| 72 | Comparison of psychotic bipolar disorder, schizoaffective disorder, and schizophrenia: an international, multisite study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 34-43 | 6.5 | 19 |
| 71 | What happens to the course of bipolar disorder after electroconvulsive therapy?. <i>Journal of Affective Disorders</i> , 2016 , 195, 180-4 | 6.6 | 9 |
| 70 | Suicide attempts in bipolar disorders: comprehensive review of 101 reports. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 174-86 | 6.5 | 70 |

| | | | |
|----|---|------|-----|
| 69 | Depression following mania. <i>Molecular Psychiatry</i> , 2016 , 21, 990 | 15.1 | 2 |
| 68 | A review of factors associated with greater likelihood of suicide attempts and suicide deaths in bipolar disorder: Part II of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 1006-20 | 2.6 | 68 |
| 67 | Epidemiology, neurobiology and pharmacological interventions related to suicide deaths and suicide attempts in bipolar disorder: Part I of a report of the International Society for Bipolar Disorders Task Force on Suicide in Bipolar Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 785-802 | 2.6 | 91 |
| 66 | Long-term morbidity in bipolar-I, bipolar-II, and unipolar major depressive disorders. <i>Journal of Affective Disorders</i> , 2015 , 178, 71-8 | 6.6 | 90 |
| 65 | International Society for Bipolar Disorders Task Force on Suicide: meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 1-16 | 3.8 | 202 |
| 64 | Efficacy and tolerability of treatments for bipolar depression. <i>Journal of Affective Disorders</i> , 2015 , 183, 258-62 | 6.6 | 28 |
| 63 | Do micronutrients help in ADHD?. <i>British Journal of Psychiatry</i> , 2015 , 207, 460 | 5.4 | |
| 62 | Clinical Management of Suicidal Risk 2015 , 509-528 | | 10 |
| 61 | Options for pharmacological treatment of refractory bipolar depression. <i>Current Psychiatry Reports</i> , 2014 , 16, 431 | 9.1 | 28 |
| 60 | Clinical risk factors for bipolar disorders: a systematic review of prospective studies. <i>Journal of Affective Disorders</i> , 2014 , 168, 314-21 | 6.6 | 66 |
| 59 | Athanasios Koukopoulos (1931-2013). <i>Psychopraxis Neuropraxis</i> , 2014 , 17, 5-8 | 0.1 | 5 |
| 58 | Standardization of the TEMPS-A in the Greek general population. <i>Journal of Affective Disorders</i> , 2014 , 158, 19-29 | 6.6 | 10 |
| 57 | Bipolar disorders following initial depression: modeling predictive clinical factors. <i>Journal of Affective Disorders</i> , 2014 , 167, 44-9 | 6.6 | 52 |
| 56 | Declining efficacy in controlled trials of antidepressants: effects of placebo dropout. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1343-52 | 5.8 | 19 |
| 55 | Standardization of the NEO-PI-3 in the Greek general population. <i>Annals of General Psychiatry</i> , 2014 , 13, 36 | 3.4 | 11 |
| 54 | Are renal tumors associated with lithium treatment?. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 6 | 5.4 | 4 |
| 53 | The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62 | 11.9 | 451 |
| 52 | Course sequences in bipolar disorder: depressions preceding or following manias or hypomanias. <i>Journal of Affective Disorders</i> , 2013 , 151, 105-10 | 6.6 | 43 |

| | | | |
|----|--|------|-----|
| 51 | Overview of antidepressant treatment of bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 1673-85 | 5.8 | 59 |
| 50 | Clinical responses to antidepressants among 1036 acutely depressed patients with bipolar or unipolar major affective disorders. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 355-64 | 6.5 | 44 |
| 49 | Fertility rates in patients with mood disorder in Sweden and Sardinia. <i>JAMA Psychiatry</i> , 2013 , 70, 1115 | 14.5 | 2 |
| 48 | Affective temperaments in general population: a review and combined analysis from national studies. <i>Journal of Affective Disorders</i> , 2012 , 139, 18-22 | 6.6 | 61 |
| 47 | Predominant recurrence polarity among 928 adult international bipolar I disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 293-302 | 6.5 | 87 |
| 46 | Age at onset versus family history and clinical outcomes in 1,665 international bipolar-I disorder patients. <i>World Psychiatry</i> , 2012 , 11, 40-6 | 14.4 | 99 |
| 45 | Effectiveness of maintenance electroconvulsive therapy in rapid-cycling bipolar disorder. <i>Journal of ECT</i> , 2011 , 27, 123-6 | 2 | 24 |
| 44 | Illness risk following rapid versus gradual discontinuation of antidepressants. <i>American Journal of Psychiatry</i> , 2010 , 167, 934-41 | 11.9 | 72 |
| 43 | Mania associated with antidepressant treatment: comprehensive meta-analytic review. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 404-14 | 6.5 | 154 |
| 42 | Age at onset in 3014 Sardinian bipolar and major depressive disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 446-52 | 6.5 | 38 |
| 41 | Correlates and antecedents of hospital admission for attempted suicide: a nationwide survey in Italy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 181-90 | 5.1 | 9 |
| 40 | The Italian version of the validated short TEMPS-A: the temperament evaluation of Memphis, Pisa, Paris and San Diego. <i>Journal of Affective Disorders</i> , 2010 , 120, 207-12 | 6.6 | 28 |
| 39 | Suicidal risks during treatment of bipolar disorder patients with lithium versus anticonvulsants. <i>Pharmacopsychiatry</i> , 2009 , 42, 72-5 | 2 | 38 |
| 38 | Suicidal status during antidepressant treatment in 789 Sardinian patients with major affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 106-15 | 6.5 | 43 |
| 37 | Effects of treatment latency on response to maintenance treatment in manic-depressive disorders. <i>Bipolar Disorders</i> , 2007 , 9, 386-93 | 3.8 | 82 |
| 36 | Suicidal risks among 2826 Sardinian major affective disorder patients. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 419-28 | 6.5 | 142 |
| 35 | Ecological studies of antidepressant treatment and suicidal risks. <i>Harvard Review of Psychiatry</i> , 2007 , 15, 133-45 | 4.1 | 50 |
| 34 | Lithium treatment reduces suicide risk in recurrent major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 380-3 | 4.6 | 138 |

| | | | |
|----|---|------|-----|
| 33 | Decreased risk of suicides and attempts during long-term lithium treatment: a meta-analytic review. <i>Bipolar Disorders</i> , 2006 , 8, 625-39 | 3.8 | 479 |
| 32 | Suicide rates in relation to health care access in the United States: an ecological study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 517-23 | 4.6 | 113 |
| 31 | Prophylaxis latency and outcome in bipolar disorders. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 449-57 | 4.8 | 56 |
| 30 | Pretreatment Episode Count and Response to Lithium Treatment in Manic-Depressive Illness. <i>Harvard Review of Psychiatry</i> , 2003 , 11, 245-256 | 4.1 | 25 |
| 29 | Rapid-cycling bipolar disorder: effects of long-term treatments. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 4-14 | 6.5 | 77 |
| 28 | Suicidal behaviour in bipolar disorder: risk and prevention. <i>CNS Drugs</i> , 2003 , 17, 491-511 | 6.7 | 292 |
| 27 | Pretreatment episode count and response to lithium treatment in manic-depressive illness. <i>Harvard Review of Psychiatry</i> , 2003 , 11, 245-56 | 4.1 | 8 |
| 26 | Is Lithium Still Worth Using? An Update of Selected Recent Research. <i>Harvard Review of Psychiatry</i> , 2002 , 10, 59-75 | 4.1 | 33 |
| 25 | Is lithium still worth using? An update of selected recent research. <i>Harvard Review of Psychiatry</i> , 2002 , 10, 59-75 | 4.1 | 12 |
| 24 | Treating the suicidal patient with bipolar disorder. Reducing suicide risk with lithium. <i>Annals of the New York Academy of Sciences</i> , 2001 , 932, 24-38; discussion 39-43 | 6.5 | 59 |
| 23 | Response to lithium maintenance treatment in bipolar disorders: comparison of women and men. <i>Bipolar Disorders</i> , 2001 , 3, 245-52 | 3.8 | 56 |
| 22 | Lower suicide risk with long-term lithium treatment in major affective illness: a meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 163-72 | 6.5 | 166 |
| 21 | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. <i>British Journal of Psychiatry</i> , 2001 , 178, s184-s190 | 5.4 | 68 |
| 20 | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. <i>British Journal of Psychiatry</i> , 2001 , 178, S184-90 | 5.4 | 10 |
| 19 | Long-term clinical effectiveness of lithium maintenance treatment in types I and II bipolar disorders. <i>The British Journal of Psychiatry Supplement</i> , 2001 , 41, s184-90 | | 6 |
| 18 | Pharmacologic interventions in suicide prevention. <i>Journal of Clinical Psychiatry</i> , 2001 , 62 Suppl 25, 51-5 | 4.6 | 1 |
| 17 | Intensive treatment with lithium carbonate "once a day" in bipolar patients. <i>Clinica Terapeutica</i> , 2001 , 152, 277-80 | | |
| 16 | Risk of recurrence of bipolar disorder in pregnant and nonpregnant women after discontinuing lithium maintenance. <i>American Journal of Psychiatry</i> , 2000 , 157, 179-84 | 11.9 | 334 |

| | | | |
|----|---|------|-----|
| 15 | Reduced suicide risk during lithium maintenance treatment. <i>Journal of Clinical Psychiatry</i> , 2000 , 61 Suppl 9, 97-104 | 4.6 | 20 |
| 14 | Latency and episodes before treatment: response to lithium maintenance in bipolar I and II disorders. <i>Bipolar Disorders</i> , 1999 , 1, 91-7 | 3.8 | 31 |
| 13 | Discontinuing lithium maintenance treatment in bipolar disorders: risks and implications. <i>Bipolar Disorders</i> , 1999 , 1, 17-24 | 3.8 | 95 |
| 12 | Suicide attempts in major affective disorder patients with comorbid substance use disorders. <i>Journal of Clinical Psychiatry</i> , 1999 , 60 Suppl 2, 63-9; discussion 75-6, 113-6 | 4.6 | 34 |
| 11 | Forty Years of Lithium TreatmentReply. <i>Archives of General Psychiatry</i> , 1998 , 55, 93 | | 2 |
| 10 | Lithium treatment and risk of suicidal behavior in bipolar disorder patients. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 405-14 | 4.6 | 93 |
| 9 | Fluoxetine augmentation in bipolar disorder patients on maintenance lithium treatment. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1, 203-6 | 2.4 | 2 |
| 8 | Reduced morbidity after gradual discontinuation of lithium treatment for bipolar I and II disorders: a replication study. <i>American Journal of Psychiatry</i> , 1997 , 154, 551-3 | 11.9 | 57 |
| 7 | Effect of lithium maintenance on suicidal behavior in major mood disorders. <i>Annals of the New York Academy of Sciences</i> , 1997 , 836, 339-51 | 6.5 | 117 |
| 6 | Discontinuation of maintenance treatment in bipolar disorder: risks and implications. <i>Harvard Review of Psychiatry</i> , 1993 , 1, 131-44 | 4.1 | 53 |
| 5 | Outcome after rapid vs gradual discontinuation of lithium treatment in bipolar disorders. <i>Archives of General Psychiatry</i> , 1993 , 50, 448-55 | | 168 |
| 4 | Relationship between REM sleep latency and nocturnal cortisol concentrations in depressed patients. <i>Journal of Sleep Research</i> , 1992 , 1, 54-57 | 5.8 | 23 |
| 3 | Rapid cyclers, temperament, and antidepressants. <i>Comprehensive Psychiatry</i> , 1983 , 24, 249-58 | 7.3 | 119 |
| 2 | Course of the manic-depressive cycle and changes caused by treatment. <i>Pharmacopsychiatry</i> , 1980 , 13, 156-67 | 2 | 315 |
| 1 | Course of manic-depressive recurrences under lithium. <i>Comprehensive Psychiatry</i> , 1975 , 16, 517-24 | 7.3 | 18 |