

Yinglin Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3174060/yinglin-wang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

335
papers

14,291
citations

67
h-index

96
g-index

346
ext. papers

17,441
ext. citations

7.7
avg, IF

6.86
L-index

#	Paper	IF	Citations
335	Ultra-high response acetone gas sensor based on ZnFe ₂ O ₄ pleated hollow microspheres prepared by green NaCl template. <i>Sensors and Actuators B: Chemical</i> , 2022 , 358, 131490	8.5	1
334	Production of MFe ₂ O ₄ (M = Zn, Ni, Cu, Co and Mn) multiple cavities microspheres with salt template to assemble a high-performance acetone gas sensor. <i>Journal of Alloys and Compounds</i> , 2022 , 904, 164054	5.7	4
333	Hierarchical mesoporous zinc oxide microspheres for ethanol gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2022 , 357, 131333	8.5	2
332	Lower coordination Co ₃ O ₄ mesoporous hierarchical microspheres for comprehensive sensitization of triethylamine vapor sensor. <i>Journal of Hazardous Materials</i> , 2022 , 128469	12.8	3
331	Mixed potential type YSZ-based NO ₂ sensors with efficient three-dimensional three-phase boundary processed by electrospinning. <i>Sensors and Actuators B: Chemical</i> , 2022 , 354, 131219	8.5	2
330	PtCu nanocrystals with crystalline control: Twin defect-driven enhancement of acetone sensing. <i>Sensors and Actuators B: Chemical</i> , 2022 , 354, 131210	8.5	1
329	Highly sensitive and selective xylene sensor based on p-p heterojunctions composites derived from off-stoichiometric cobalt tungstate. <i>Sensors and Actuators B: Chemical</i> , 2022 , 351, 130973	8.5	3
328	Enhanced n-pentanol sensing performance by RuCu alloy nanoparticles decorated SnO ₂ nanoclusters. <i>Sensors and Actuators B: Chemical</i> , 2022 , 351, 130900	8.5	2
327	Bimetallic PtRu alloy nanocrystal-functionalized flower-like WO ₃ for fast detection of xylene. <i>Sensors and Actuators B: Chemical</i> , 2022 , 351, 130950	8.5	4
326	Introduction of MWCNT for enhancing sensitivity of room-temperature mixed-potential type NO sensor attached with Ni-MOF sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2022 , 361, 131736	8.5	2
325	3-Aminopropyltriethoxysilane functionalized ZnO materials for improving the gas sensitivity to 2-butanone. <i>Sensors and Actuators B: Chemical</i> , 2022 , 363, 131845	8.5	0
324	High sensitivity and low detection limit of acetone sensor based on Ru-doped Co ₃ O ₄ flower-like hollow microspheres. <i>Sensors and Actuators B: Chemical</i> , 2022 , 363, 131839	8.5	1
323	Highly sensitive and selective NO ₂ gas sensor fabricated from Cu ₂ O-CuO microflowers. <i>Sensors and Actuators B: Chemical</i> , 2022 , 362, 131803	8.5	1
322	Bioinspired laccase-mimicking catalyst for on-site monitoring of thiram in paper-based colorimetric platform.. <i>Biosensors and Bioelectronics</i> , 2022 , 207, 114199	11.8	1
321	MOF-derived porous NiO/NiFe ₂ O ₄ nanocubes for improving the acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 366, 131985	8.5	1
320	Revealing the correlation between gas selectivity and semiconductor energy band structure derived from off-stoichiometric spinel CdGa ₂ O ₄ . <i>Sensors and Actuators B: Chemical</i> , 2021 , 352, 131039	8.5	1
319	Room-Temperature Mixed-Potential Type ppb-Level NO Sensors Based on KFeO Electrolyte and Ni/Fe-MOF Sensing Electrodes. <i>ACS Sensors</i> , 2021 ,	9.2	1

318	A multi-platform sensor for selective and sensitive HS monitoring: Three-dimensional macroporous ZnO encapsulated by MOFs with small Pt nanoparticles.. <i>Journal of Hazardous Materials</i> , 2021 , 426, 128075	12.8	7
317	Machine Learning-Assisted Development of Sensitive Electrode Materials for Mixed Potential-Type NO Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 50121-50131	9.5	1
316	Enhanced acetone sensing properties based on in-situ growth SnO ₂ nanotube arrays. <i>Nanotechnology</i> , 2021 ,	3.4	12
315	Enhanced gas sensing performance based on the PtCu octahedral alloy nanocrystals decorated SnO ₂ nanoclusters. <i>Sensors and Actuators B: Chemical</i> , 2021 , 330, 129375	8.5	10
314	Stimulated Emission Depletion (STED) Super-Resolution Imaging with an Advanced Organic Fluorescent Probe: Visualizing the Cellular Lipid Droplets at the Unprecedented Nanoscale Resolution 2021 , 3, 516-524		7
313	Double shell Cu ₂ O hollow microspheres as sensing material for high performance n-propanol sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 333, 129540	8.5	10
312	The gas sensor utilizing polyaniline/ MoS ₂ nanosheets/ SnO ₂ nanotubes for the room temperature detection of ammonia. <i>Sensors and Actuators B: Chemical</i> , 2021 , 332, 129444	8.5	33
311	Microwave-assisted synthesis of La/ZnO hollow spheres for trace-level H ₂ S detection. <i>Sensors and Actuators B: Chemical</i> , 2021 , 334, 129514	8.5	5
310	Investigation of doping effects of different noble metals for ethanol gas sensors based on mesoporous InO. <i>Nanotechnology</i> , 2021 , 32,	3.4	8
309	Highly efficient MoS ₂ /rGO electrocatalysts for triiodide reduction as Pt-free counter electrode for dye-sensitized solar cells. <i>Solar Energy</i> , 2021 , 220, 788-795	6.8	3
308	Novel quaternary oxide semiconductor for the application of gas sensors with long-term stability. <i>Journal of Colloid and Interface Science</i> , 2021 , 592, 186-194	9.3	2
307	N-pentanol sensor based on ZnO nanorods functionalized with Au catalysts. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129888	8.5	7
306	Gas sensor towards n-butanol at low temperature detection: Hierarchical flower-like Ni-doped Co ₃ O ₄ based on solvent-dependent synthesis. <i>Sensors and Actuators B: Chemical</i> , 2021 , 328, 129028	8.5	40
305	Mixed potential type acetone sensor based on GDC used for breath analysis. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128846	8.5	11
304	A TPA-DCPP organic semiconductor film-based room temperature NH ₃ sensor for insight into the sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128940	8.5	5
303	Construction of multienzyme-hydrogel sensor with smartphone detector for on-site monitoring of organophosphorus pesticide. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128922	8.5	18
302	SnO ₂ /ZnSnO ₃ double-shelled hollow microspheres based high-performance acetone gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 332, 129212	8.5	18
301	Biosensors based on fluorescence carbon nanomaterials for detection of pesticides. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 134, 116126	14.6	41

300	The influence of different ZnO nanostructures on NO ₂ sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129145	8.5	22
299	Room temperature flexible NH ₃ sensor based on polyaniline coated Rh-doped SnO ₂ hollow nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2021 , 330, 129313	8.5	15
298	Triethylamine sensing with a mixed potential sensor based on Ce _{0.8} Gd _{0.2} O _{1.95} solid electrolyte and La _{1-x} Sr _x MnO ₃ (x = 0.1, 0.2, 0.3) sensing electrodes. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128830	8.5	7
297	Flexible resistive NO ₂ gas sensor of three-dimensional crumpled MXene Ti ₃ C ₂ T _x /ZnO spheres for room temperature application. <i>Sensors and Actuators B: Chemical</i> , 2021 , 326, 128828	8.5	76
296	High sensitivity and low detection limit of acetone sensor based on NiO/Zn ₂ SnO ₄ p-n heterojunction octahedrons. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129912	8.5	14
295	Preparation of Ce-doped SnO ₂ cuboids with enhanced 2-butanone sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2021 , 341, 130039	8.5	10
294	Solvent-Dependent Synthesis of Okra-Shaped Co ₃ O ₄ for Acetone Gas Detection at Low Operation Temperatures. <i>ACS Applied Electronic Materials</i> , 2021 , 3, 3400-3410	4	1
293	In-situ generated TiO ₂ /Fe ₂ O ₃ heterojunction arrays for batch manufacturing of conductometric acetone gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2021 , 340, 129926	8.5	19
292	Sn doping effect on NiO hollow nanofibers based gas sensors about the humidity dependence for triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , 2021 , 340, 129971	8.5	29
291	Solvent-controlled synthesis of full-color carbon dots and its application as a fluorescent food-tasting sensor for specific recognition of jujube species. <i>Sensors and Actuators B: Chemical</i> , 2021 , 342, 129963	8.5	3
290	MOF-Derived Mesoporous and Hierarchical Hollow-Structured InO-NiO Composites for Enhanced Triethylamine Sensing. <i>ACS Sensors</i> , 2021 , 6, 3451-3461	9.2	8
289	Gas Sensor Based on Cobalt-Doped 3D Inverse Opal SnO ₂ for Air Quality Monitoring. <i>Sensors and Actuators B: Chemical</i> , 2021 , 130807	8.5	6
288	Unexpected and enhanced electrostatic adsorption capacity of oxygen vacancy-rich cobalt-doped In ₂ O ₃ for high-sensitive MEMS toluene sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 342, 129949	8.5	10
287	Co-PBA MOF-derived hierarchical hollow Co ₃ O ₄ @NiO microcubes functionalized with Pt for superior H ₂ S sensing. <i>Sensors and Actuators B: Chemical</i> , 2021 , 342, 130028	8.5	8
286	Ultra-fast and low detection limit of H ₂ S sensor based on hydrothermal synthesized Cu ₇ S ₄ -CuO microflowers. <i>Sensors and Actuators B: Chemical</i> , 2021 , 350, 130847	8.5	3
285	High-performance ethanol sensor of wrinkled microspheres by spray pyrolysis. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130309	8.5	3
284	YSZ-based acetone sensor using a Cd ₂ SnO ₄ sensing electrode for exhaled breath detection in medical diagnosis. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130321	8.5	5
283	Based Nafion gas sensor utilizing Pt-MO _x (MO _x = SnO ₂ , In ₂ O ₃ , CuO) sensing electrode for CH ₃ OH detection at room temperature in FCVs. <i>Sensors and Actuators B: Chemical</i> , 2021 , 346, 130543	8.5	2

282	Ethanol sensor using gadolinia-doped ceria solid electrolyte and double perovskite structure sensing material. <i>Sensors and Actuators B: Chemical</i> , 2021 , 349, 130771	8.5	8
281	A Red-Emissive Fluorescent Probe with a Compact Single-Benzene-Based Skeleton for Cell Imaging of Lipid Droplets. <i>Advanced Optical Materials</i> , 2020 , 8, 1902123	8.1	16
280	Polyaniline @ porous nanosphere SnO ₂ /Zn ₂ SnO ₄ nanohybrid for selective room temperature flexible NH ₃ sensor. <i>Sensors and Actuators B: Chemical</i> , 2020 , 317, 128218	8.5	18
279	Stabilized zirconia-based solid state electrochemical gas sensor coupled with CdTiO ₃ for acetylene detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 316, 128199	8.5	5
278	High-performance acetone gas sensor based on Ru-doped SnO ₂ nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128292	8.5	53
277	Hydrothermal synthesis of Au@SnO ₂ hierarchical hollow microspheres for ethanol detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 319, 128299	8.5	25
276	Highly sensitive detection of Pb and Cu based on ZIF-67/MWCNT/Nafion-modified glassy carbon electrode. <i>Analytica Chimica Acta</i> , 2020 , 1124, 166-175	6.6	19
275	Sb-doped three-dimensional ZnFe ₂ O ₄ macroporous spheres for N-butanol chemiresistive gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128384	8.5	19
274	Acetone sensors with high stability to humidity changes based on Ru-doped NiO flower-like microspheres. <i>Sensors and Actuators B: Chemical</i> , 2020 , 313, 127965	8.5	41
273	Ultrathin BiVO ₄ nanosheets sensing electrode for isopropanol sensor based on pyrochlore-Gd ₂ Zr ₂ O ₇ solid state electrolyte. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128478	8.5	5
272	Design of Red Emissive Carbon Dots: Robust Performance for Analytical Applications in Pesticide Monitoring. <i>Analytical Chemistry</i> , 2020 , 92, 3198-3205	7.8	63
271	Stabilized zirconia-based acetone sensor utilizing Fe ₂ TiO ₅ -TiO ₂ sensing electrode for noninvasive diagnosis of diabetics. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128489	8.5	9
270	Fast detection of alcohols by novel sea cucumber-like indium tungsten oxide. <i>Sensors and Actuators B: Chemical</i> , 2020 , 319, 128158	8.5	5
269	Amperometric H ₂ S sensor based on a Pt-Ni alloy electrode and a proton conducting membrane. <i>Sensors and Actuators B: Chemical</i> , 2020 , 311, 127900	8.5	7
268	Detection of low concentration acetone utilizing semiconductor gas sensor. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 5478-5484	2.1	3
267	Nafion-based methanol gas sensor for fuel cell vehicles. <i>Sensors and Actuators B: Chemical</i> , 2020 , 311, 127905	8.5	11
266	Cobalt-doped ZnO nanoparticles derived from zeolite imidazole frameworks: Synthesis, characterization, and application for the detection of an exhaled diabetes biomarker. <i>Journal of Colloid and Interface Science</i> , 2020 , 569, 358-365	9.3	16
265	Highly dispersed Metal-Organic-Framework-Derived Pt nanoparticles on three-dimensional macroporous ZnO for trace-level H ₂ S sensing. <i>Sensors and Actuators B: Chemical</i> , 2020 , 309, 127802	8.5	29

264	Interface interaction of MoS ₂ nanosheets with DNA based aptameric biosensor for carbohydrate antigen 15B detection. <i>Microchemical Journal</i> , 2020 , 155, 104675	4.8	16
263	Pyrochlore Ca-doped Gd ₂ Zr ₂ O ₇ solid state electrolyte type sensor coupled with ZnO sensing electrode for sensitive detection of HCHO. <i>Sensors and Actuators B: Chemical</i> , 2020 , 309, 127768	8.5	9
262	Xylene gas sensing properties of hydrothermal synthesized SnO ₂ -Co ₃ O ₄ microstructure. <i>Sensors and Actuators B: Chemical</i> , 2020 , 310, 127780	8.5	32
261	Highly sensitive C ₂ H ₂ gas sensor based on Ag modified ZnO nanorods. <i>Ceramics International</i> , 2020 , 46, 15764-15771	5.1	13
260	Mixed potential type ppb-level acetaldehyde gas sensor based on stabilized zirconia electrolyte and a NiTiO ₃ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128329	8.5	6
259	Visible light activated excellent NO ₂ sensing based on 2D/2D ZnO/g-C ₃ N ₄ heterojunction composites. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127287	8.5	47
258	Ni-based tantalate sensing electrode for fast and low detection limit of acetone sensor combining stabilized zirconia. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127375	8.5	9
257	Compact and planar type rapid response ppb-level SO ₂ sensor based on stabilized zirconia and SrMoO ₄ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2020 , 307, 127655	8.5	5
256	Revealing the relationship between the Au decoration method and the enhanced acetone sensing performance of a mesoporous In ₂ O ₃ -based gas sensor. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 78-88	7.1	28
255	Insight into the effect of the continuous testing and aging on the SO sensing characteristics of a YSZ (Yttria-stabilized Zirconia)-based sensor utilizing ZnGaO and Pt electrodes. <i>Journal of Hazardous Materials</i> , 2020 , 388, 121772	12.8	6
254	Interface passivation and electron transport improvement via employing calcium fluoride for polymer solar cells. <i>Journal of Colloid and Interface Science</i> , 2020 , 562, 142-148	9.3	4
253	Microwave-assisted hydrothermal synthesis of Pt/SnO ₂ gas sensor for CO detection. <i>Chinese Chemical Letters</i> , 2020 , 31, 2029-2032	8.1	9
252	A dense diffusion barrier limiting current oxygen sensor for detecting full concentration range. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127521	8.5	5
251	UV-activated ultrasensitive and fast reversible ppb NO ₂ sensing based on ZnO nanorod modified by constructing interfacial electric field with In ₂ O ₃ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127498	8.5	36
250	Mixed potential type H ₂ S sensor based on stabilized zirconia and a Co ₂ SnO ₄ sensing electrode for halitosis monitoring. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128587	8.5	10
249	Hierarchical flower-like NiCo ₂ O ₄ applied in n-butanol detection at low temperature. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128577	8.5	13
248	Preparation of Pd/PdO loaded WO ₃ microspheres for H ₂ S detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128629	8.5	30
247	Au@ZnO functionalized three-dimensional macroporous WO ₃ : A application of selective H ₂ S gas sensor for exhaled breath biomarker detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 324, 128725	8.5	24

246	The DNA controllable peroxidase mimetic activity of MoS nanosheets for constructing a robust colorimetric biosensor. <i>Nanoscale</i> , 2020 , 12, 19420-19428	7.7	24
245	YSZ-based solid electrolyte type sensor utilizing ZnMoO ₄ sensing electrode for fast detection of ppb-level H ₂ S. <i>Sensors and Actuators B: Chemical</i> , 2020 , 302, 127205	8.5	11
244	Carbon dots decorated hierarchical litchi-like In ₂ O ₃ nanospheres for highly sensitive and selective NO ₂ detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127272	8.5	20
243	Mixed potential gas phase sensor using YSZ solid electrolyte and spinel-type oxides AMn ₂ O ₄ (A = Co, Zn and Cd) sensing electrodes. <i>Sensors and Actuators B: Chemical</i> , 2020 , 302, 127206	8.5	13
242	Pt-Cr ₂ O ₃ -WO ₃ composite nanofibers as gas sensors for ultra-high sensitive and selective xylene detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 300, 127008	8.5	27
241	AuRh Alloy Nanocrystal-Decorated WO ₃ for Enhanced Detection of <i>n</i> -Butanol. <i>ACS Sensors</i> , 2019 , 4, 2662-2670	8.5	19
240	Fuel cell type H ₂ S sensor utilizing Pt-Sn-C/Nafion sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2019 , 299, 126972	8.5	9
239	Study on highly selective sensing behavior of ppb-level oxidizing gas sensors based on Zn ₂ SnO ₄ nanoparticles immobilized on reduced graphene oxide under humidity conditions. <i>Sensors and Actuators B: Chemical</i> , 2019 , 285, 590-600	8.5	42
238	High performance flexible dye-sensitized solar cells base on multiple functional optimizations. <i>Solar Energy</i> , 2019 , 180, 423-428	6.8	5
237	Mixed-potential type triethylamine sensor based on NASICON utilizing SmMO ₃ (M = Al, Cr, Co) sensing electrodes. <i>Sensors and Actuators B: Chemical</i> , 2019 , 284, 110-117	8.5	9
236	A rapid-response room-temperature planar type gas sensor based on DPA-Ph-DBPzDCN for the sensitive detection of NH ₃ . <i>Journal of Materials Chemistry A</i> , 2019 , 7, 4744-4750	13	21
235	Fabrication of highly sensitive and selective room-temperature nitrogen dioxide sensors based on the ZnO nanoflowers. <i>Sensors and Actuators B: Chemical</i> , 2019 , 287, 191-198	8.5	60
234	Aluminum-doped NiO nanofibers as chemical sensors for selective and sensitive methanol detection. <i>Analytical Methods</i> , 2019 , 11, 575-581	3.2	23
233	Mixed potential type acetone sensor based on Ce _{0.8} Gd _{0.2} O _{1.95} and Bi _{0.5} La _{0.5} FeO ₃ sensing electrode used for the detection of diabetic ketosis. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126688	8.5	9
232	Direct growth of NiO films on Al ₂ O ₃ ceramics by electrochemical deposition and its excellent H ₂ S sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126619	8.5	15
231	NASICON-based gas sensor utilizing MMnO ₃ (M: Gd, Sm, La) sensing electrode for triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 295, 56-64	8.5	17
230	On-site monitoring of thiram via aggregation-induced emission enhancement of gold nanoclusters based on electronic-eye platform. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126641	8.5	27
229	Solid state electrolyte type gas sensor using stabilized zirconia and MTiO ₃ (M: Zn, Co and Ni)-SE for detection of low concentration of SO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126644	8.5	17

228	YSZ-based mixed-potential type highly sensitive acetylene sensor based on porous SnO ₂ /Zn ₂ SnO ₄ as sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2019 , 293, 166-172	8.5	12
227	Graphene quantum dot-functionalized three-dimensional ordered mesoporous ZnO for acetone detection toward diagnosis of diabetes. <i>Nanoscale</i> , 2019 , 11, 11496-11504	7.7	50
226	Enhanced resistive acetone sensing by using hollow spherical composites prepared from MoO and InO. <i>Mikrochimica Acta</i> , 2019 , 186, 359	5.8	11
225	Highly-sensitivity acetone sensors based on spinel-type oxide (NiFe ₂ O ₄) through optimization of porous structure. <i>Sensors and Actuators B: Chemical</i> , 2019 , 291, 266-274	8.5	55
224	Highly sensitive sensors based on quasi-2D rGO/SnS ₂ hybrid for rapid detection of NO ₂ gas. <i>Sensors and Actuators B: Chemical</i> , 2019 , 291, 216-225	8.5	43
223	Ti ₃ C ₂ MXene quantum dots/TiO ₂ inverse opal heterojunction electrode platform for superior photoelectrochemical biosensing. <i>Sensors and Actuators B: Chemical</i> , 2019 , 289, 131-137	8.5	52
222	Design and preparation of the WO ₃ hollow spheres@ PANI conducting films for room temperature flexible NH ₃ sensing device. <i>Sensors and Actuators B: Chemical</i> , 2019 , 289, 252-259	8.5	51
221	Protein-Inorganic Hybrid Nanoflower-Rooted Agarose Hydrogel Platform for Point-of-Care Detection of Acetylcholine. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 11857-11864	9.5	39
220	Dispersed WO ₃ nanoparticles with porous nanostructure for ultrafast toluene sensing. <i>Sensors and Actuators B: Chemical</i> , 2019 , 289, 195-206	8.5	34
219	Fluorometric and colorimetric analysis of carbamate pesticide via enzyme-triggered decomposition of Gold nanoclusters-anchored MnO ₂ nanocomposite. <i>Sensors and Actuators B: Chemical</i> , 2019 , 290, 640-647	8.5	33
218	Template-free synthesis of cubic-rhombohedral-In ₂ O ₃ flower for ppb level acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 290, 459-466	8.5	22
217	Realizing the Control of Electronic Energy Level Structure and Gas-Sensing Selectivity over Heteroatom-Doped InO Spheres with an Inverse Opal Microstructure. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 9600-9611	9.5	44
216	High-response mixed-potential type planar YSZ-based NO ₂ sensor coupled with CoTiO ₃ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2019 , 287, 185-190	8.5	23
215	Room temperature gas sensor based on tin dioxide@ polyaniline nanocomposite assembled on flexible substrate: ppb-level detection of NH ₃ . <i>Sensors and Actuators B: Chemical</i> , 2019 , 299, 126970	8.5	37
214	Understanding the noble metal modifying effect on In ₂ O ₃ nanowires: highly sensitive and selective gas sensors for potential early screening of multiple diseases. <i>Nanoscale Horizons</i> , 2019 , 4, 1361-1371	10.8	40
213	Design of highly sensitive and selective xylene gas sensor based on Ni-doped MoO ₃ nano-pompon. <i>Sensors and Actuators B: Chemical</i> , 2019 , 299, 126888	8.5	47
212	Design of SnO ₂ @Air@TiO ₂ hierarchical urchin-like double-hollow nanospheres for high performance dye-sensitized solar cells. <i>Solar Energy</i> , 2019 , 189, 412-420	6.8	8
211	Integrating Target-Responsive Hydrogels with Smartphone for On-Site ppb-Level Quantitation of Organophosphate Pesticides. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 27605-27614	9.5	47

210	Au anchored three-dimensional macroporous NiO@CuO inverse opals for in-situ sensing of hydrogen peroxide secretion from living cells. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126729	8.5	7
209	Ultrasonic spray pyrolysis synthesis of three-dimensional ZnFe ₂ O ₄ -based macroporous spheres for excellent sensitive acetone gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2019 , 297, 126755	8.5	40
208	Fluorescent hydrogel test kit coordination with smartphone: Robust performance for on-site dimethoate analysis. <i>Biosensors and Bioelectronics</i> , 2019 , 145, 111706	11.8	20
207	Hydrothermal and sintering synthesis of porous sheet-like NiO for xylene gas sensor. <i>Materials Research Express</i> , 2019 , 6, 1150e6	1.7	3
206	Highly selective and stable mixed-potential type gas sensor based on stabilized zirconia and Cd ₂ V ₂ O ₇ sensing electrode for NH ₃ detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 279, 213-222	8.5	31
205	Gas sniffer (YSZ-based electrochemical gas phase sensor) toward acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2019 , 278, 1-7	8.5	28
204	Acetone sensing with a mixed potential sensor based on Ce _{0.8} Gd _{0.2} O _{1.95} solid electrolyte and Sr ₂ MMoO ₆ (M: Fe, Mg, Ni) sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2019 , 284, 751-758	8.5	12
203	Highly selective and sensitive xylene gas sensor fabricated from NiO/NiCr ₂ O ₄ p-p nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2019 , 284, 305-315	8.5	60
202	Sensitive fluorescence sensor for point-of-care detection of trypsin using glutathione-stabilized gold nanoclusters. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 366-372	8.5	24
201	Highly efficient ethanol gas sensor based on hierarchical SnO ₂ /Zn ₂ SnO ₄ porous spheres. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 339-346	8.5	67
200	Switchable fluorescence immunoassay using gold nanoclusters anchored cobalt oxyhydroxide composite for sensitive detection of imidacloprid. <i>Sensors and Actuators B: Chemical</i> , 2019 , 283, 207-214	8.5	35
199	Preparation of silver-loaded titanium dioxide hedgehog-like architecture composed of hundreds of nanorods and its fast response to xylene. <i>Journal of Colloid and Interface Science</i> , 2019 , 536, 215-223	9.3	26
198	One step synthesis of branched SnO ₂ /ZnO heterostructures and their enhanced gas-sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 415-423	8.5	117
197	Ultrasensitive gas sensor based on hollow tungsten trioxide-nickel oxide (WO ₃ -NiO) nanoflowers for fast and selective xylene detection. <i>Journal of Colloid and Interface Science</i> , 2019 , 535, 458-468	9.3	63
196	Sensitive sensing of enzyme-regulated biocatalytic reactions using gold nanoclusters-melanin-like polymer nanosystem. <i>Sensors and Actuators B: Chemical</i> , 2019 , 279, 281-288	8.5	6
195	Excellent gas sensing of hierarchical urchin-shaped Zn doped cadmium sulfide. <i>Journal of Alloys and Compounds</i> , 2019 , 773, 299-304	5.7	13
194	A highly sensitive and moisture-resistant gas sensor for diabetes diagnosis with Pt@In ₂ O ₃ nanowires and a molecular sieve for protection. <i>NPG Asia Materials</i> , 2018 , 10, 293-308	10.3	81
193	The mixed potential type gas sensor based on stabilized zirconia and molybdate MMoO ₄ (M: Ni, Co and Zn) sensing electrode aiming at detecting triethylamine. <i>Sensors and Actuators B: Chemical</i> , 2018 , 267, 430-437	8.5	20

192	High-response and low-temperature nitrogen dioxide gas sensor based on gold-loaded mesoporous indium trioxide. <i>Journal of Colloid and Interface Science</i> , 2018 , 524, 368-378	9.3	27
191	The preparation of reduced graphene oxide-encapsulated Fe ₂ O ₃ hybrid and its outstanding NO ₂ gas sensing properties at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2018 , 261, 252-263	8.5	71
190	Yellow-Emissive Carbon Dot-Based Optical Sensing Platforms: Cell Imaging and Analytical Applications for Biocatalytic Reactions. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7737-7744	9.5	63
189	Self-Assembly Template Driven 3D Inverse Opal Microspheres Functionalized with Catalyst Nanoparticles Enabling a Highly Efficient Chemical Sensing Platform. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 5835-5844	9.5	46
188	Pt-In ₂ O ₃ mesoporous nanofibers with enhanced gas sensing performance towards ppb-level NO ₂ at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2018 , 260, 927-936	8.5	55
187	Rational design of 3D inverse opal heterogeneous composite microspheres as excellent visible-light-induced NO sensors at room temperature. <i>Nanoscale</i> , 2018 , 10, 4841-4851	7.7	54
186	Rational synthesis of molybdenum disulfide nanoparticles decorated reduced graphene oxide hybrids and their application for high-performance NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 260, 508-518	8.5	32
185	Anchoring ultrafine Pd nanoparticles and SnO nanoparticles on reduced graphene oxide for high-performance room temperature NO sensing. <i>Journal of Colloid and Interface Science</i> , 2018 , 514, 599-608	9.3	41
184	Mixed-potential-type NO ₂ sensors based on stabilized zirconia and CeO ₂ -B ₂ O ₃ (B = Fe, Cr) binary nanocomposites sensing electrodes. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 793-804	8.5	16
183	Oxygen vacancy engineering for enhanced sensing performances: A case of SnO ₂ nanoparticles-reduced graphene oxide hybrids for ultrasensitive ppb-level room-temperature NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 812-822	8.5	79
182	High performance mixed-potential-type Zirconia-based NO ₂ sensor with self-organizing surface structures fabricated by low energy ion beam etching. <i>Sensors and Actuators B: Chemical</i> , 2018 , 263, 445-451	8.5	14
181	Enhanced gas sensing properties of monodisperse Zn ₂ SnO ₄ octahedron functionalized by PdO nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 302-310	8.5	48
180	Humidity sensor based on solution processible microporous silica nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 131-138	8.5	23
179	Highly sensitive and selective triethylamine gas sensor based on porous SnO ₂ /Zn ₂ SnO ₄ composites. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 213-220	8.5	76
178	Preparation and gas-sensing performances of ZnO/CuO rough nanotubular arrays for low-working temperature H ₂ S detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 254, 834-841	8.5	70
177	Mixed potential type sensor based on stabilized zirconia and Co _{1-x} Zn _x Fe ₂ O ₄ sensing electrode for detection of acetone. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 1173-1181	8.5	30
176	Hydrothermal synthesis of Ce-doped hierarchical flower-like In ₂ O ₃ microspheres and their excellent gas-sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 1211-1219	8.5	70
175	Enhanced nitrogen oxide sensing performance based on tin-doped tungsten oxide nanoplates by a hydrothermal method. <i>Journal of Colloid and Interface Science</i> , 2018 , 512, 740-749	9.3	15

174	Sub-ppb SO ₂ gas sensor based on NASICON and La _x Sm _{1-x} FeO ₃ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 648-655	8.5	31
173	Ultrasensitive and low detection limit of toluene gas sensor based on SnO ₂ -decorated NiO nanostructure. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 3505-3515	8.5	66
172	Superior acetone gas sensor based on electrospun SnO ₂ nanofibers by Rh doping. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 861-869	8.5	151
171	Preparation of Au-loaded TiO ₂ pecan-kernel-like and its enhanced toluene sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 2240-2247	8.5	30
170	Facile synthesis of nitrogen and sulfur co-doped carbon dots for multiple sensing capacities: alkaline fluorescence enhancement effect, temperature sensing, and selective detection of Fe ³⁺ ions. <i>New Journal of Chemistry</i> , 2018 , 42, 13147-13156	3.6	24
169	3D inverse opal nanostructured multilayer films of two-component heterostructure composites: A new-generation synthetic route and potential application as high-performance acetone detector. <i>Sensors and Actuators B: Chemical</i> , 2018 , 276, 262-270	8.5	22
168	Facile synthesis of controllable TiO ₂ composite nanotubes via templating route: Highly sensitive detection of toluene by double driving from Pt@ZnO NPs. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 1676-1686	8.5	24
167	Gas sensor based on samarium oxide loaded mulberry-shaped tin oxide for highly selective and sub ppm-level acetone detection. <i>Journal of Colloid and Interface Science</i> , 2018 , 531, 74-82	9.3	23
166	Nanosheet-assembled NiO microspheres modified by Sn ²⁺ ions isovalent interstitial doping for xylene gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2018 , 269, 210-222	8.5	44
165	APTES-functionalized thin-walled porous WO ₃ nanotubes for highly selective sensing of NO ₂ in a polluted environment. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10976-10989	13	74
164	The facile synthesis of MoO ₃ microsheets and their excellent gas-sensing performance toward triethylamine: high selectivity, excellent stability and superior repeatability. <i>New Journal of Chemistry</i> , 2018 , 42, 15111-15120	3.6	48
163	Solution-processed SnO ₂ nanoparticle interfacial layers for efficient electron transport in ZnO-based polymer solar cells. <i>Organic Electronics</i> , 2018 , 62, 373-381	3.5	14
162	Enhanced room temperature gas sensor based on Au-loaded mesoporous In ₂ O ₃ nanospheres@polyaniline core-shell nanohybrid assembled on flexible PET substrate for NH ₃ detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 276, 526-533	8.5	58
161	A fluorescent biosensor based on molybdenum disulfide nanosheets and protein aptamer for sensitive detection of carcinoembryonic antigen. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 185-190	8.5	50
160	The role of Ce doping in enhancing sensing performance of ZnO-based gas sensor by adjusting the proportion of oxygen species. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 991-998	8.5	85
159	Room temperature high performance NH ₃ sensor based on GO-rambutan-like polyaniline hollow nanosphere hybrid assembled to flexible PET substrate. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 726-734	8.5	40
158	3.Ceramic Gas Sensing Materials for Diagnosis of Exhaled Breath. <i>Denki Kagaku</i> , 2018 , 86, 104-111	0	
157	Enhanced hydrogen sulfide sensing properties of Pt-functionalized Fe ₂ O ₃ nanowires prepared by one-step electrospinning. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 1015-1023	8.5	38

156	CeO ₂ -based mixed potential type acetone sensor using MFeO ₃ (M: Bi, La and Sm) sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2018 , 276, 489-498	8.5	29
155	Facile synthesis of La-doped In ₂ O ₃ hollow microspheres and enhanced hydrogen sulfide sensing characteristics. <i>Sensors and Actuators B: Chemical</i> , 2018 , 276, 413-420	8.5	41
154	Novel Self-Assembly Route Assisted Ultra-Fast Trace Volatile Organic Compounds Gas Sensing Based on Three-Dimensional Opal Microspheres Composites for Diabetes Diagnosis. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 32913-32921	9.5	28
153	Fabrication of flexible room-temperature NO ₂ sensors by direct laser writing of In ₂ O ₃ and graphene oxide composites. <i>Sensors and Actuators B: Chemical</i> , 2018 , 277, 114-120	8.5	28
152	Solvothermal synthesis of porous CuFe ₂ O ₄ nanospheres for high performance acetone sensor. <i>Sensors and Actuators B: Chemical</i> , 2018 , 270, 538-544	8.5	30
151	Ultra-sensitive sensing platform based on Pt-ZnO-In ₂ O ₃ nanofibers for detection of acetone. <i>Sensors and Actuators B: Chemical</i> , 2018 , 272, 185-194	8.5	59
150	Metal-organic frameworks derived tin-doped cobalt oxide yolk-shell nanostructures and their gas sensing properties. <i>Journal of Colloid and Interface Science</i> , 2018 , 528, 53-62	9.3	30
149	Nafion-based amperometric H ₂ S sensor using Pt-Rh/C sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 635-641	8.5	21
148	Ultrafast-response stabilized zirconia-based mixed potential type triethylamine sensor utilizing CoMoO ₄ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2018 , 272, 433-440	8.5	18
147	Acetone gas sensor based on NiO/ZnO hollow spheres: Fast response and recovery, and low (ppb) detection limit. <i>Journal of Colloid and Interface Science</i> , 2017 , 495, 207-215	9.3	143
146	Hierarchical Assembly of FeO Nanorods on Multiwall Carbon Nanotubes as a High-Performance Sensing Material for Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8919-8928	9.5	80
145	Detection of Methanol with Fast Response by Monodispersed Indium Tungsten Oxide Ellipsoidal Nanospheres. <i>ACS Sensors</i> , 2017 , 2, 648-654	9.2	28
144	Flower-like ZnO hollow microspheres loaded with CdO nanoparticles as high performance sensing material for gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2017 , 250, 692-702	8.5	61
143	Ultrasensitive and low detection limit of nitrogen dioxide gas sensor based on flower-like ZnO hierarchical nanostructure modified by reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2017 , 249, 715-724	8.5	82
142	Study on TiO ₂ -SnO ₂ core-shell heterostructure nanofibers with different work function and its application in gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2017 , 248, 812-819	8.5	102
141	Enhanced NO ₂ gas sensing properties by Ag-doped hollow urchin-like In ₂ O ₃ hierarchical nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2017 , 252, 418-427	8.5	44
140	Flower-like InO modified by reduced graphene oxide sheets serving as a highly sensitive gas sensor for trace NO detection. <i>Journal of Colloid and Interface Science</i> , 2017 , 504, 206-213	9.3	85
139	Highly sensitive gas sensor based on stabilized zirconia and CdMoO ₄ sensing electrode for detection of acetone. <i>Sensors and Actuators B: Chemical</i> , 2017 , 248, 9-18	8.5	25

138	Fabrication of well-ordered porous array mounted with gold nanoparticles and enhanced sensing properties for mixed potential-type zirconia-based NH ₃ sensor. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 1083-1091	8.5	27
137	Reduced graphene oxide/Fe ₂ O ₃ composite nanofibers for application in gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2017 , 244, 233-242	8.5	97
136	Enhanced sensing response towards NO ₂ based on ordered mesoporous Zr-doped In ₂ O ₃ with low operating temperature. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 806-813	8.5	43
135	Octahedral-Like CuO/InO Mesocages with Double-Shell Architectures: Rational Preparation and Application in Hydrogen Sulfide Detection. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 44632-44640	9.5	38
134	Synthesis and NO ₂ gas-sensing properties of coral-like indium oxide via a facile solvothermal method. <i>RSC Advances</i> , 2017 , 7, 49273-49278	3.7	8
133	Facile synthesis and the enhanced sensing properties of Pt-loaded Fe ₂ O ₃ porous nanospheres. <i>Sensors and Actuators B: Chemical</i> , 2017 , 252, 1153-1162	8.5	42
132	The design of excellent xylene gas sensor using Sn-doped NiO hierarchical nanostructure. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 1152-1162	8.5	103
131	Porous FeO microflowers: Synthesis, structure, and enhanced acetone sensing performances. <i>Journal of Colloid and Interface Science</i> , 2017 , 505, 1039-1046	9.3	24
130	One-pot synthesis of In doped NiO nanofibers and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 584-591	8.5	53
129	Enhanced gas sensing properties to acetone vapor achieved by Fe ₂ O ₃ particles ameliorated with reduced graphene oxide sheets. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 904-914	8.5	90
128	High-performance reduced graphene oxide-based room-temperature NO ₂ sensors: A combined surface modification of SnO ₂ nanoparticles and nitrogen doping approach. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 269-279	8.5	79
127	Horseshoe-shaped SnO ₂ with annulus-like mesoporous for ethanol gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2017 , 240, 1321-1329	8.5	62
126	Highly sensitive amperometric Nafion-based CO sensor using Pt/C electrodes with different kinds of carbon materials. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 696-703	8.5	28
125	Sub-ppm YSZ-based mixed potential type acetone sensor utilizing columbite type composite oxide sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 928-937	8.5	21
124	Stabilized zirconia-based mixed potential type sensors utilizing MnNb ₂ O ₆ sensing electrode for detection of low-concentration SO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 1024-1031	8.5	47
123	Effect of the matrix plasticization behavior on mechanical properties of PVC/ABS blends. <i>Journal of Polymer Engineering</i> , 2017 , 37, 239-245	1.4	8
122	NH ₃ gas sensing performance enhanced by Pt-loaded on mesoporous WO ₃ . <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 473-481	8.5	122
121	Organic-inorganic hybrid materials based on mesoporous silica derivatives for humidity sensing. <i>Sensors and Actuators B: Chemical</i> , 2017 , 248, 803-811	8.5	18

120	Dual functional N- and S-co-doped carbon dots as the sensor for temperature and Fe ³⁺ ions. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 1272-1280	8.5	125
119	High-temperature NO ₂ gas sensor based on stabilized zirconia and CoTa ₂ O ₆ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 240, 148-157	8.5	37
118	Improvement of NO ₂ sensing characteristic for mixed potential type gas sensor based on YSZ and Rh/Co ₃ V ₂ O ₈ sensing electrode. <i>RSC Advances</i> , 2017 , 7, 49440-49445	3.7	7
117	YSZ-based NO ₂ sensor utilizing hierarchical In ₂ O ₃ electrode. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 698-706	8.5	33
116	Template-free synthesis of hierarchical ZnFe ₂ O ₄ yolk-shell microspheres for high-sensitivity acetone sensors. <i>Nanoscale</i> , 2016 , 8, 5446-53	7.7	101
115	Microwave assisted synthesis of hierarchical Pd/SnO ₂ nanostructures for CO gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 257-263	8.5	93
114	Design of Fe ₂ O ₃ nanorods functionalized tubular NiO nanostructure for discriminating toluene molecules. <i>Scientific Reports</i> , 2016 , 6, 26432	4.9	34
113	Synthesis of Co-doped SnO ₂ nanofibers and their enhanced gas-sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016 , 236, 425-432	8.5	85
112	Fabrication of Well-Ordered Three-Phase Boundary with Nanostructure Pore Array for Mixed Potential-Type Zirconia-Based NO ₂ Sensor. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16752-60	9.5	33
111	Low operating temperature toluene sensor based on novel Fe ₂ O ₃ /SnO ₂ heterostructure nanowire arrays. <i>RSC Advances</i> , 2016 , 6, 52604-52610	3.7	23
110	Mixed-potential type NO _x sensor using stabilized zirconia and MoO ₃ /In ₂ O ₃ nanocomposites. <i>Ceramics International</i> , 2016 , 42, 12503-12507	5.1	32
109	Facile synthesis and gas sensing properties of the flower-like NiO-decorated ZnO microstructures. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 294-301	8.5	64
108	Improvement of NO ₂ gas sensing performance based on discoid tin oxide modified by reduced graphene oxide. <i>Sensors and Actuators B: Chemical</i> , 2016 , 227, 419-426	8.5	86
107	A pulse-driven sensor based on ordered mesoporous Ag ₂ O/SnO ₂ with improved H ₂ S-sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2016 , 228, 529-538	8.5	32
106	A low temperature operating gas sensor with high response to NO ₂ based on ordered mesoporous Ni-doped In ₂ O ₃ . <i>New Journal of Chemistry</i> , 2016 , 40, 2376-2382	3.6	32
105	High specific surface area urchin-like hierarchical ZnO-TiO ₂ architectures: Hydrothermal synthesis and photocatalytic properties. <i>Materials Letters</i> , 2016 , 175, 52-55	3.3	30
104	High performance mixed potential type acetone sensor based on stabilized zirconia and NiNb ₂ O ₆ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2016 , 229, 200-208	8.5	47
103	Three-dimensional flake-flower Co/Sn oxide composite and its excellent ethanol sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016 , 230, 17-24	8.5	15

102	Effect of the dispersants on the performance of fuel cell type CO sensor with Pt/C/Nafion electrodes. <i>Sensors and Actuators B: Chemical</i> , 2016 , 230, 61-69	8.5	27
101	Hierarchical nanorod-flowers indium oxide microspheres and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2016 , 227, 547-553	8.5	32
100	Preparation of Ag-loaded mesoporous WO ₃ and its enhanced NO ₂ sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2016 , 225, 544-552	8.5	99
99	Design of Superior Ethanol Gas Sensor Based on Al-Doped NiO Nanorod-Flowers. <i>ACS Sensors</i> , 2016 , 1, 131-136	9.2	245
98	Hydrothermal synthesis and gas-sensing properties of flower-like Sn ₃ O ₄ . <i>Sensors and Actuators B: Chemical</i> , 2016 , 224, 128-133	8.5	47
97	High-temperature stabilized zirconia-based sensors utilizing Mn ₂ O ₃ (M: Co, Ni and Zn) sensing electrodes for detection of NO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2016 , 232, 523-530	8.5	28
96	Au-loaded mesoporous WO ₃ : Preparation and n-butanol sensing performances. <i>Sensors and Actuators B: Chemical</i> , 2016 , 236, 67-76	8.5	67
95	Enhanced Gas Sensing Properties of SnO ₂ Hollow Spheres Decorated with CeO ₂ Nanoparticles Heterostructure Composite Materials. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 6669-77	9.5	201
94	Highly sensitive mixed-potential type ethanol sensors based on stabilized zirconia and ZnNb ₂ O ₆ sensing electrode. <i>RSC Advances</i> , 2016 , 6, 27197-27204	3.7	4
93	Design of Ag@C@SnO ₂ @TiO ₂ yolk-shell nanospheres with enhanced photoelectric properties for dye sensitized solar cells. <i>Journal of Power Sources</i> , 2016 , 318, 49-56	8.9	17
92	3D TiO ₂ /ZnO composite nanospheres as an excellent electron transport anode for efficient dye-sensitized solar cells. <i>RSC Advances</i> , 2016 , 6, 51320-51326	3.7	11
91	Hierarchical core/shell ZnO/NiO nanoheterojunctions synthesized by ultrasonic spray pyrolysis and their gas-sensing performance. <i>CrystEngComm</i> , 2016 , 18, 8101-8107	3.3	24
90	Mesoporous ZnFe ₂ O ₄ prepared through hard template and its acetone sensing properties. <i>Materials Letters</i> , 2016 , 183, 378-381	3.3	33
89	Double-Shell Architectures of ZnFe ₂ O ₄ Nanosheets on ZnO Hollow Spheres for High-Performance Gas Sensors. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17811-8	9.5	106
88	Mixed potential type acetone sensor using stabilized zirconia and Mn ₂ O ₃ (M: Zn, Co and Ni) sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 673-680	8.5	52
87	Nanosheet-assembled ZnFe ₂ O ₄ hollow microspheres for high-sensitive acetone sensor. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 15414-21	9.5	197
86	Facile synthesis and gas sensing properties of La ₂ O ₃ /WO ₃ nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 434-442	8.5	48
85	Highly sensitive and humidity-independent ethanol sensors based on In ₂ O ₃ nanoflower/SnO ₂ nanoparticle composites. <i>RSC Advances</i> , 2015 , 5, 52252-52258	3.7	30

84	Highly enhanced NO ₂ sensing performances of Cu-doped In ₂ O ₃ hierarchical flowers. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 297-304	8.5	29
83	Highly Enhanced Sensing Properties for ZnO Nanoparticle-Decorated Round-Edged Fe ₃ O ₄ Hexahedrons. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8743-9	9.5	56
82	One-pot synthesis of hierarchical WO ₃ hollow nanospheres and their gas sensing properties. <i>RSC Advances</i> , 2015 , 5, 29698-29703	3.7	22
81	Synthesis, characterization and gas sensing properties of porous flower-like indium oxide nanostructures. <i>RSC Advances</i> , 2015 , 5, 30297-30302	3.7	16
80	Mixed-potential-type YSZ-based sensor with nano-structured NiO and porous TPB processed with pore-formers using coating technique. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1321-1329	8.5	17
79	Enhanced sensitive and selective xylene sensors using W-doped NiO nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1475-1482	8.5	71
78	Hierarchical Assembly of Fe ₃ O ₄ Nanosheets on SnO ₂ Hollow Nanospheres with Enhanced Ethanol Sensing Properties. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 19119-25	9.5	79
77	Highly sensitive acetone gas sensor based on porous ZnFe ₂ O ₄ nanospheres. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 577-583	8.5	160
76	Facile synthesis of hollow In ₂ O ₃ microspheres and their gas sensing performances. <i>RSC Advances</i> , 2015 , 5, 4609-4614	3.7	14
75	Au@In ₂ O ₃ core-shell composites: a metal-semiconductor heterostructure for gas sensing applications. <i>RSC Advances</i> , 2015 , 5, 545-551	3.7	50
74	Ultrasensitive and low detection limit of acetone gas sensor based on W-doped NiO hierarchical nanostructure. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 59-67	8.5	106
73	High performance mixed-potential type NO ₂ sensors based on three-dimensional TPB and Co ₃ V ₂ O ₈ sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 121-127	8.5	33
72	Vitamin C-assisted synthesis and gas sensing properties of coaxial In ₂ O ₃ nanorod bundles. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 68-74	8.5	39
71	Ultrasensitive and ultrasensitive detection of H ₂ S using electrospun CuO-loaded In ₂ O ₃ nanofiber sensors assisted by pulse heating. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 934-942	8.5	105
70	Facile synthesis and gas sensing properties of In ₂ O ₃ /WO ₃ heterojunction nanofibers. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 622-629	8.5	87
69	Nanosheets assembled hierarchical flower-like WO ₃ nanostructures: Synthesis, characterization, and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2015 , 210, 75-81	8.5	93
68	Enhanced chlorine sensing performance of the sensor based NAISCON and Cr-series spinel-type oxide electrode with aging treatment. <i>Sensors and Actuators B: Chemical</i> , 2014 , 198, 26-32	8.5	14
67	Novel cage-like Fe ₂ O ₃ /SnO ₂ composite nanofibers by electrospinning for rapid gas sensing properties. <i>RSC Advances</i> , 2014 , 4, 27552-27555	3.7	34

66	Hollow zinc oxide microspheres functionalized by Au nanoparticles for gas sensors. <i>RSC Advances</i> , 2014 , 4, 28005	3.7	30
65	Monodisperse TiO ₂ mesoporous spheres with core-shell structure: candidate photoanode materials for enhanced efficiency dye sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 23396	3.7	17
64	Microwave hydrothermal synthesis and gas sensing application of porous ZnO core-shell microstructures. <i>RSC Advances</i> , 2014 , 4, 32538	3.7	34
63	Sub-ppm H ₂ S sensor based on NASICON and CoCr ₂ Mn _x O ₄ sensing electrode. <i>RSC Advances</i> , 2014 , 4, 55334-55340	3.7	12
62	Design of Au@ZnO yolk-shell nanospheres with enhanced gas sensing properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 18661-7	9.5	190
61	Growth of SnO ₂ nanowire arrays by ultrasonic spray pyrolysis and their gas sensing performance. <i>RSC Advances</i> , 2014 , 4, 43429-43435	3.7	32
60	Gas sensing properties of flower-like ZnO prepared by a microwave-assisted technique. <i>RSC Advances</i> , 2014 , 4, 47319-47324	3.7	16
59	Hydrothermally growth of novel hierarchical structures titanium dioxide for high efficiency dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014 , 268, 19-24	8.9	19
58	Hierarchical Fe ₂ O ₃ /NiO composites with a hollow structure for a gas sensor. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 12031-7	9.5	220
57	Hierarchical flower-like WO ₃ nanostructures and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2014 , 204, 224-230	8.5	101
56	Highly sensitive mixed-potential-type NO ₂ sensor with YSZ processed using femtosecond laser direct writing technology. <i>Sensors and Actuators B: Chemical</i> , 2014 , 198, 110-113	8.5	37
55	Toluene sensor combining NASICON with ZnTiO ₃ electrode. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 1103-1108	8.5	4
54	Porous ZnO/ZnCo ₂ O ₄ hollow spheres: synthesis, characterization, and applications in gas sensing. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17683-17690	13	148
53	One-step synthesis and gas sensing properties of hierarchical Cd-doped SnO ₂ nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 32-39	8.5	106
52	Humidity-sensing properties of urchinlike CuO nanostructures modified by reduced graphene oxide. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3888-95	9.5	142
51	Hollow SnO ₂ /Fe ₂ O ₃ spheres with a double-shell structure for gas sensors. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 1302-1308	13	132
50	NASICON-based H ₂ sensor using CoCrMnO ₄ insensitive reference electrode and buried au sensing electrode. <i>Chemical Research in Chinese Universities</i> , 2014 , 30, 965-970	2.2	
49	Enhancement of NO ₂ gas sensing response based on ordered mesoporous Fe-doped In ₂ O ₃ . <i>Sensors and Actuators B: Chemical</i> , 2014 , 191, 806-812	8.5	118

48	NASICON-based acetone sensor using three-dimensional three-phase boundary and Cr-based spinel oxide sensing electrode. <i>Solid State Ionics</i> , 2014 , 262, 283-287	3.3	15
47	Cu-doped Fe_2O_3 hierarchical microcubes: Synthesis and gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2014 , 193, 616-622	8.5	97
46	High Performance Mixed-Potential Type NO_x Sensor Based On Stabilized Zirconia and Oxide Electrode. <i>Solid State Ionics</i> , 2014 , 262, 292-297	3.3	48
45	Flower-like WO_3 architectures synthesized via a microwave-assisted method and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 734-740	8.5	66
44	Novel three-dimensional TiO_2 nanomesh synthesized by a one-pot hydrothermal method for application in dye sensitized solar cells. <i>RSC Advances</i> , 2013 , 3, 23389	3.7	11
43	The effects of sintering temperature of MnCr_2O_4 nanocomposite on the NO_2 sensing property for YSZ-based potentiometric sensor. <i>Sensors and Actuators B: Chemical</i> , 2013 , 177, 397-403	8.5	64
42	Mixed-potential-type NO_2 sensor using stabilized zirconia and $\text{Cr}_2\text{O}_3/\text{WO}_3$ nanocomposites. <i>Sensors and Actuators B: Chemical</i> , 2013 , 180, 90-95	8.5	53
41	High-performance gas sensing achieved by mesoporous tungsten oxide mesocrystals with increased oxygen vacancies. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8653	13	55
40	Controlled synthesis of hierarchical Sn-doped Fe_2O_3 with novel sheaf-like architectures and their gas sensing properties. <i>RSC Advances</i> , 2013 , 3, 7112	3.7	19
39	Template-free synthesis and gas sensing properties of hierarchical hollow ZnO microspheres. <i>CrystEngComm</i> , 2013 , 15, 7438	3.3	53
38	NASICON-based potentiometric Cl_2 sensor combining NASICON with Cr_2O_3 sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2013 , 180, 66-70	8.5	23
37	Template-free microwave-assisted synthesis of ZnO hollow microspheres and their application in gas sensing. <i>CrystEngComm</i> , 2013 , 15, 2949	3.3	73
36	Template-free synthesis of novel In_2O_3 nanostructures and their application to gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2013 , 185, 32-38	8.5	32
35	Preparation and gas sensing properties of hierarchical flower-like In_2O_3 microspheres. <i>Sensors and Actuators B: Chemical</i> , 2013 , 176, 405-412	8.5	73
34	Novel NASICON-based H_2 sensor with insensitive reference electrode and buried Au sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2013 , 185, 77-83	8.5	9
33	Progress in NASICON-based mixed-potential type gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2013 , 187, 522-532	8.5	8
32	Hierarchical $\text{Fe}_2\text{O}_3/\text{SnO}_2$ semiconductor composites: Hydrothermal synthesis and gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2013 , 182, 336-343	8.5	118
31	One-step synthesis and gas sensing characteristics of urchin-like In_2O_3 . <i>Sensors and Actuators B: Chemical</i> , 2013 , 186, 61-66	8.5	28

30	Tripartite Layered Photoanode from Hierarchical Anatase TiO ₂ Urchin-Like Spheres and P25: A Candidate for Enhanced Efficiency Dye Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 24150-24156	3.8	46
29	Preparation of NiO nanoparticles in microemulsion and its gas sensing performance. <i>Materials Letters</i> , 2012 , 68, 168-170	3.3	116
28	UV-enhanced room temperature NO ₂ sensor using ZnO nanorods modified with SnO ₂ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2012 , 162, 82-88	8.5	224
27	Synthesis of hierarchical ZnO orientation-ordered film by chemical bath deposition and its gas sensing properties. <i>Materials Letters</i> , 2012 , 81, 145-147	3.3	18
26	Facile synthesis and gas-sensing properties of monodisperse β -Fe ₂ O ₃ discoid crystals. <i>RSC Advances</i> , 2012 , 2, 9824	3.7	28
25	UV-activated room temperature metal oxide based gas sensor attached with reflector. <i>Sensors and Actuators B: Chemical</i> , 2012 , 169, 291-296	8.5	40
24	Gas sensing with hollow β -Fe ₂ O ₃ urchin-like spheres prepared via template-free hydrothermal synthesis. <i>CrystEngComm</i> , 2012 , 14, 8335	3.3	37
23	Novel Zn-doped SnO ₂ hierarchical architectures: synthesis, characterization, and gas sensing properties. <i>CrystEngComm</i> , 2012 , 14, 1701-1708	3.3	59
22	Hydrothermal synthesis of 3D urchin-like β -Fe ₂ O ₃ nanostructure for gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 52-57	8.5	106
21	Porous SnO ₂ hierarchical nanosheets: hydrothermal preparation, growth mechanism, and gas sensing properties. <i>CrystEngComm</i> , 2011 , 13, 3718	3.3	163
20	Ordered mesoporous Pd/SnO ₂ synthesized by a nanocasting route for high hydrogen sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 604-608	8.5	75
19	Synthesis of novel SnO ₂ /ZnSnO ₃ core-shell microspheres and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 606-611	8.5	47
18	Dispersive SnO ₂ nanosheets: Hydrothermal synthesis and gas-sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 779-783	8.5	75
17	Mixed-potential-type zirconia-based NO ₂ sensor with high-performance three-phase boundary. <i>Sensors and Actuators B: Chemical</i> , 2011 , 158, 1-8	8.5	95
16	Synthesis and gas sensing properties of bundle-like β -Fe ₂ O ₃ nanorods. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 368-374	8.5	67
15	One-Pot Synthesis and Gas Sensitivities of SnO ₂ Hollow Microspheres. <i>Sensor Letters</i> , 2011 , 9, 856-860	0.9	5
14	New type of ammonia/toluene sensor combining NASICON with a couple of oxide electrodes. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 355-359	8.5	21
13	Improved NH ₃ , C ₂ H ₅ OH, and CH ₃ COCH ₃ sensing properties of SnO ₂ nanofibers by adding block copolymer P123. <i>Sensors and Actuators B: Chemical</i> , 2009 , 141, 174-178	8.5	54

12	Growth and selective acetone detection based on ZnO nanorod arrays. <i>Sensors and Actuators B: Chemical</i> , 2009 , 143, 93-98	8.5	167
11	Solid-state potentiometric SO ₂ sensor combining NASICON with V ₂ O ₅ -doped TiO ₂ electrode. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 25-30	8.5	58
10	Solid-state potentiometric H ₂ S sensor combining NASICON with Pr ₆ O ₁₁ -doped SnO ₂ electrode. <i>Sensors and Actuators B: Chemical</i> , 2007 , 125, 544-549	8.5	46
9	Progress in mixed-potential type devices based on solid electrolyte for sensing redox gases. <i>Solid State Ionics</i> , 2000 , 136-137, 533-542	3.3	128
8	Selective detection of NO by using an amperometric sensor based on stabilized zirconia and oxide electrode. <i>Solid State Ionics</i> , 1999 , 117, 283-290	3.3	74
7	Highly selective CO sensor using stabilized zirconia and a couple of oxide electrodes. <i>Sensors and Actuators B: Chemical</i> , 1998 , 47, 84-91	8.5	166
6	High-temperature potentiometric/amperometric NO _x sensors combining stabilized zirconia with mixed-metal oxide electrode. <i>Sensors and Actuators B: Chemical</i> , 1998 , 52, 169-178	8.5	145
5	High-temperature sensors for NO and NO ₂ based on stabilized zirconia and spinel-type oxide electrodes. <i>Journal of Materials Chemistry</i> , 1997 , 7, 1445-1449		124
4	Stabilized zirconia-based sensor using oxide electrode for detection of NO _x in high-temperature combustion-exhausts. <i>Solid State Ionics</i> , 1996 , 86-88, 1069-1073	3.3	141
3	Sensing characteristics and mechanisms of hydrogen sulfide sensor using stabilized zirconia and oxide sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 1996 , 34, 367-372	8.5	66
2	High-temperature hydrogen sensor based on stabilized zirconia and a metal oxide electrode. <i>Sensors and Actuators B: Chemical</i> , 1996 , 35, 130-135	8.5	158
1	The Introduction of Defects in Ti ₃ C ₂ T _x and Ti ₃ C ₂ T _x -Assisted Reduction of Graphene Oxide for Highly Selective Detection of ppb-Level NO ₂ . <i>Advanced Functional Materials</i> , 2108959	15.6	4