

# Camilla Cecilia Bäckelman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3174842/publications.pdf>

Version: 2024-02-01

33  
papers

842  
citations

567281

15  
h-index

501196

28  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1356  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of recurrence in patients with colon cancer stage II and III: A systematic review and meta-analysis of recent literature. <i>Acta Oncologica</i> , 2015, 54, 5-16.	1.8	270
2	The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. <i>Scientific Reports</i> , 2019, 9, 19997.	3.3	97
3	Serum MMP-8 and TIMP-1 predict prognosis in colorectal cancer. <i>BMC Cancer</i> , 2018, 18, 679.	2.6	59
4	Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. <i>Scientific Reports</i> , 2019, 9, 12553.	3.3	31
5	High serum MMP-14 predicts worse survival in gastric cancer. <i>PLoS ONE</i> , 2018, 13, e0208800.	2.5	28
6	Mortality Following Bariatric Surgery Compared to Other Common Operations in Finland During a 5-Year Period (2009–2013). A Nationwide Registry Study. <i>Obesity Surgery</i> , 2017, 27, 2444-2451.	2.1	27
7	Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 163-168.	3.4	25
8	Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926.	1.8	25
9	CA125: A superior prognostic biomarker for colorectal cancer compared to CEA, CA19-9 or CA242. <i>Tumor Biology</i> , 2021, 43, 57-70.	1.8	23
10	Toll-like receptor 2 and Toll-like receptor 4 predict favorable prognosis in local pancreatic cancer. <i>Tumor Biology</i> , 2018, 40, 101042831880118.	1.8	22
11	Podocalyxin as a Prognostic Marker in Gastric Cancer. <i>PLoS ONE</i> , 2015, 10, e0145079.	2.5	21
12	Factors predicting a failed primary repair of obstetric anal sphincter injury. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1063-1069.	2.8	21
13	The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 705-715.	2.8	18
14	Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 178.	4.4	17
15	A prognostic model for colorectal cancer based on CEA and a 48-multiplex serum biomarker panel. <i>Scientific Reports</i> , 2021, 11, 4287.	3.3	17
16	Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. <i>PLoS ONE</i> , 2018, 13, e0193125.	2.5	17
17	High PROX1 expression in gastric cancer predicts better survival. <i>PLoS ONE</i> , 2017, 12, e0183868.	2.5	16
18	High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005.	2.8	16

#	ARTICLE	IF	CITATIONS
19	L1TD1 - a prognostic marker for colon cancer. <i>BMC Cancer</i> , 2019, 19, 727.	2.6	11
20	Mucin 16 and kallikrein 13 as potential prognostic factors in colon cancer: Results of an oncological 92-multiplex immunoassay. <i>Tumor Biology</i> , 2019, 41, 101042831986072.	1.8	11
21	High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. <i>Cancer Biology and Therapy</i> , 2020, 21, 826-831.	3.4	9
22	Long-term survival among colorectal cancer patients in Finland, 1991–2015: a nationwide population-based registry study. <i>BMC Cancer</i> , 2022, 22, 356.	2.6	9
23	Impact of sphincter lesions and delayed sphincter repair on sacral neuromodulation treatment outcomes for faecal incontinence: results from a Finnish national cohort study. <i>International Journal of Colorectal Disease</i> , 2018, 33, 1709-1714.	2.2	8
24	High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 589-600.	1.9	8
25	Need for adjuvant chemotherapy after colon cancer surgery – has it decreased?. <i>Acta Oncologica</i> , 2017, 56, 629-633.	1.8	6
26	Tumor-associated trypsin inhibitor (TATI) and tumor-associated trypsin-2 (TAT-2) predict outcomes in gastric cancer. <i>Acta Oncologica</i> , 2020, 59, 681-688.	1.8	6
27	The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 790-801.	1.9	6
28	Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+ to CD3+ ratio remains debatable. <i>Tumor Biology</i> , 2022, 44, 37-52.	1.8	5
29	Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. <i>Oncology</i> , 2020, 98, 643-652.	1.9	4
30	TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. <i>Oncology</i> , 2020, 99, 1-9.	1.9	3
31	TATI, TAT-2, and CRP as Prognostic Factors in Colorectal Cancer. <i>Oncology</i> , 2022, 100, 22-30.	1.9	3
32	Ovarian Cancers with Low CIP2A Tumor Expression Constitute an APR-246-Sensitive Disease Subtype. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 1236-1245.	4.1	2
33	Prognostic significance of serum MMP-8, -9, and TIMP-1 in colorectal cancer. <i>Annals of Oncology</i> , 2017, 28, iii7-iii8.	1.2	1