

Mitchell P Wilson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3176028/publications.pdf>

Version: 2024-02-01

32
papers

418
citations

933447

10
h-index

752698

20
g-index

32
all docs

32
docs citations

32
times ranked

767
citing authors

#	ARTICLE	IF	CITATIONS
1	Management of tandem occlusions in acute ischemic stroke – intracranial versus extracranial first and extracranial stenting versus angioplasty alone: a systematic review and meta-analysis. <i>Journal of NeuroInterventional Surgery</i> , 2018, 10, 721-728.	3.3	112
2	Coronavirus disease 2019 (COVID-19) in neurology and neurosurgery: A scoping review of the early literature. <i>Clinical Neurology and Neurosurgery</i> , 2020, 193, 105866.	1.4	59
3	Abdominal imaging findings in patients with SARS-CoV-2 infection: a scoping review. <i>Abdominal Radiology</i> , 2021, 46, 1249-1255.	2.1	44
4	Accuracy of liver and spleen stiffness on magnetic resonance elastography for detecting portal hypertension: a systematic review and meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 32, 237-245.	1.6	32
5	Diagnostic accuracy of 99mTc-sestamibi SPECT/CT for detecting renal oncocytomas and other benign renal lesions: a systematic review and meta-analysis. <i>Abdominal Radiology</i> , 2020, 45, 2532-2541.	2.1	30
6	Diagnostic accuracy and inter-observer reliability of the O-RADS scoring system among staff radiologists in a North American academic clinical setting. <i>Abdominal Radiology</i> , 2021, 46, 4967-4973.	2.1	24
7	Diagnostic accuracy of dual-energy CT for the detection of bone marrow edema in the appendicular skeleton: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 1558-1568.	4.5	16
8	Diagnostic Performance of MRI in the Detection of Renal Lipid-Poor Angiomyolipomas: A Systematic Review and Meta-Analysis. <i>Radiology</i> , 2020, 296, 511-520.	7.3	13
9	Solid Hypoechoic Adnexal Lesions with Acoustic Shadowing Warrant an MRI Recommendation in the O-RADS Risk Stratification and Management System. <i>Radiology</i> , 2020, 296, E11-E13.	7.3	13
10	Diagnostic Accuracy of MRI for the Detection of Malignant Peripheral Nerve Sheath Tumors: A Systematic Review and Meta-Analysis. <i>American Journal of Roentgenology</i> , 2021, 217, 31-39.	2.2	12
11	Diagnostic Accuracy of Limited MRI Protocols for Detecting Radiographically Occult Hip Fractures: A Systematic Review and Meta-Analysis. <i>American Journal of Roentgenology</i> , 2020, 215, 559-567.	2.2	9
12	Diagnostic accuracy of dual-energy CT for detecting bone marrow edema in patients with acute knee injuries: a systematic review and meta-analysis. <i>Skeletal Radiology</i> , 2021, 50, 871-879.	2.0	8
13	Increasing the Appeal of Neurosurgery to Qualified Medical Students in Canada. <i>Canadian Journal of Neurological Sciences</i> , 2012, 39, 667-669.	0.5	7
14	A review of clinical and MR imaging features of renal lipid-poor angiomyolipomas. <i>Abdominal Radiology</i> , 2021, 46, 2072-2078.	2.1	5
15	A review of 99mTc-sestamibi SPECT/CT for renal oncocytomas: A modified diagnostic algorithm. <i>Intractable and Rare Diseases Research</i> , 2022, 11, 46-51.	0.9	5
16	Communicating hydrocephalus caused by an unruptured perimedullary arteriovenous fistula in the lumbar region of an infant. <i>Journal of Neurosurgery: Pediatrics</i> , 2013, 11, 346-349.	1.3	4
17	Radiographic Features of a Benign Mixed Brenner Tumor and Mucinous Cystadenoma: A Rarely Identified Ovarian Neoplasm on Imaging. <i>Journal of Clinical Imaging Science</i> , 2020, 10, 22.	1.1	4
18	Benign adrenal and suprarenal retroperitoneal schwannomas can mimic aggressive adrenal malignancies: case report and review of the literature. <i>Intractable and Rare Diseases Research</i> , 2020, 9, 156-162.	0.9	4

#	ARTICLE	IF	CITATIONS
19	Thirty-day readmission rate as a surrogate marker for quality of care in neurosurgical patients: a single-center Canadian experience. <i>Journal of Neurosurgery</i> , 2019, 130, 1692-1698.	1.6	3
20	Epipericardial fat necrosis: an uncommon self-limiting cause of pleuritic chest pain. <i>Cmaj</i> , 2019, 191, E1378-E1381.	2.0	3
21	Canadian Radiology Medical Student Interest Groups: What They Are and How We Can Help Them Improve. <i>Canadian Association of Radiologists Journal</i> , 2020, 71, 154-160.	2.0	3
22	The utility of magnetic resonance elastography for native renal fibrosis is questionable and necessitates future research with rigorous methodology. <i>Translational Research</i> , 2020, 221, 110-111.	5.0	2
23	More Studies are Needed Evaluating the Diagnostic Accuracy of Magnetic Resonance Elastography for Allograft Renal Transplant Rejection. <i>Korean Journal of Radiology</i> , 2020, 21, 1024.	3.4	2
24	Insufficient History Supplied on Radiology Requisitions Rarely Results in Medico-Legal Complaints in Canada. <i>Canadian Association of Radiologists Journal</i> , 2020, 71, 81-82.	2.0	1
25	Ultrasound for Neurogenic Thoracic Outlet Obstruction Remains Theoretical. <i>Diagnostics</i> , 2020, 10, 205.	2.6	1
26	Clarifying Postcontrast Enhancement Sequences for Implementation and Interpretation of the ACR Ovarian-Adnexal Reporting and Data Systems MRI Risk Stratification and Management System. <i>Journal of the American College of Radiology</i> , 2021, 18, 1594.	1.8	1
27	Effect of training on resident inter-reader agreement with American College of Radiology Thyroid Imaging Reporting and Data System. <i>World Journal of Radiology</i> , 2022, 14, 19-29.	1.1	1
28	Comments on: "Thoracic outlet syndrome: diagnostic accuracy of MRI" of A Hardy, C Poug�s, G Wavreille, H Behal, X Demondion, G Lefebvre published in <i>Orthop Traumatol Surg Res OTSR</i> . 2019;105(8):1563-9. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 991-992.	2.0	0
29	Magnetic resonance elastography could serve as a non-invasive quantitative screening study in the post-Fontan patient population. <i>Abdominal Radiology</i> , 2020, 45, 3378-3379.	2.1	0
30	The Diagnostic Accuracy of Knee Ultrasound for Anterior Cruciate Ligament and Posterior Cruciate Ligament Injuries Is Likely Overestimated. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 75-76.	0.6	0
31	Tips for improving consistency of thyroid nodule interpretation with ACR TI-RADS. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudo�, Szopi�ska</i> , 2022, 22, 51-56.	1.2	0
32	Diagnostic accuracy and inter-reader reliability of the MRI Liver Imaging Reporting and Data System (version 2018) risk stratification and management system. <i>South African Journal of Radiology</i> , 2022, 26, .	0.3	0