

Nan Peng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3179478/nan-peng-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,242

citations

21

h-index

34

g-index

65

ext. papers

1,680

ext. citations

6.3

avg, IF

4.54

L-index

#	Paper	IF	Citations
62	Comprehensive utilization of palm kernel cake for producing mannose and manno-oligosaccharide mixture and yeast culture.. <i>Applied Microbiology and Biotechnology</i> , 2022 , 106, 1045	5.7	0
61	Unraveling the composition and succession of microbial community and its relationship to flavor substances during Xin-flavor baijiu brewing.. <i>International Journal of Food Microbiology</i> , 2022 , 372, 109679	5.8	0
60	Bacterial and Archaeal Water and Sediment Communities of Two Hot Spring Streams in Tengchong, Yunnan Province, China. <i>Diversity</i> , 2022 , 14, 381	2.5	0
59	Cellulosic ethanol production by consortia of Scheffersomyces stipitis and engineered Zymomonas mobilis. <i>Biotechnology for Biofuels</i> , 2021 , 14, 221	7.8	2
58	Detection of viable and total fungal community in zaopei of Chinese strong-flavor baijiu using PMA combined with qPCR and HTS based on ITS2 region. <i>BMC Microbiology</i> , 2021 , 21, 274	4.5	4
57	Endogenous CRISPR-assisted microhomology-mediated end joining enables rapid genome editing in Zymomonas mobilis. <i>Biotechnology for Biofuels</i> , 2021 , 14, 208	7.8	4
56	Characteristics of the Microbial Community in the Production of Chinese Rice-Flavor Baijiu and Comparisons With the Microflora of Other Flavors of Baijiu. <i>Frontiers in Microbiology</i> , 2021 , 12, 673670	5.7	1
55	Study on microbial communities and higher alcohol formations in the fermentation of Chinese Xiaoqu Baijiu produced by traditional and new mechanical technologies. <i>Food Research International</i> , 2021 , 140, 109876	7	12
54	CRISPR-mediated host genomic DNA damage is efficiently repaired through microhomology-mediated end joining in Zymomonas mobilis. <i>Journal of Genetics and Genomics</i> , 2021 , 48, 115-122	4	5
53	High-Efficiency Genome Editing Based on Endogenous CRISPR-Cas System Enhances Cell Growth and Lactic Acid Production in Pediococcus acidilactici. <i>Applied and Environmental Microbiology</i> , 2021 , 87, e0094821	4.8	5
52	Reprogramming Mycobacterium tuberculosis CRISPR System for Gene Editing and Genome-wide RNA Interference Screening.. <i>Genomics, Proteomics and Bioinformatics</i> , 2021 ,	6.5	1
51	Phage Therapy: Consider the Past, Embrace the Future. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7654	2.6	1
50	Detection of Viable and Total Bacterial Community in the Pit Mud of Chinese Strong-Flavor Liquor Using Propidium Monoazide Combined With Quantitative PCR and 16S rRNA Gene Sequencing. <i>Frontiers in Microbiology</i> , 2020 , 11, 896	5.7	4
49	Algal Growth Enhances Light-Mediated Limitation of Bacterial Nitrification in an Aquaculture System. <i>Water, Air, and Soil Pollution</i> , 2020 , 231, 1	2.6	4
48	Enhanced lactic acid production by Bacillus coagulans through simultaneous saccharification, biodetoxification, and fermentation. <i>Biofuels, Bioproducts and Biorefining</i> , 2020 , 14, 533-543	5.3	5
47	Characterisation and comparison of the microflora of traditional and pure culture xiaoqu during the baijiu liquor brewing process. <i>Journal of the Institute of Brewing</i> , 2020 , 126, 213-220	2	13
46	sp. nov., a bacterium isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6188-6194	2.2	4

45	Analysis of bacterial communities in pit mud from Zhijiang Baijiu distillery using denaturing gradient gel electrophoresis and high-throughput sequencing. <i>Journal of the Institute of Brewing</i> , 2020 , 126, 90-97	2	5
44	Pararticibacter amylolyticus gen. nov., sp. nov., Isolated from a Rotten Hemp Rope, and Reclassification of Pedobacter tournemirensis as Pararticibacter tournemirensis comb. nov. <i>Current Microbiology</i> , 2020 , 77, 320-326	2.4	3
43	Aminoglycoside Antibiotics Inhibit Mycobacteriophage Infection. <i>Antibiotics</i> , 2020 , 9,	4.9	6
42	Heterologous expression of AHL lactonase AiiK by <i>Lactobacillus casei</i> MCJ11 with great quorum quenching ability against <i>Aeromonas hydrophila</i> AH-1 and AH-4. <i>Microbial Cell Factories</i> , 2020 , 19, 191	6.4	3
41	High-Titer Lactic Acid Production by PA204 from Corn Stover through Fed-Batch Simultaneous Saccharification and Fermentation. <i>Microorganisms</i> , 2020 , 8,	4.9	9
40	Developmental, Dietary, and Geographical Impacts on Gut Microbiota of Red Swamp Crayfish (). <i>Microorganisms</i> , 2020 , 8,	4.9	11
39	A CRISPR-associated factor Csa3a regulates DNA damage repair in Crenarchaeon <i>Sulfolobus islandicus</i> . <i>Nucleic Acids Research</i> , 2020 , 48, 9681-9693	20.1	2
38	CRISPR-Associated Factor Csa3b Regulates CRISPR Adaptation and Cmr-Mediated RNA Interference in. <i>Frontiers in Microbiology</i> , 2020 , 11, 2038	5.7	3
37	Endogenous CRISPR-Cas System-Based Genome Editing and Antimicrobials: Review and Prospects. <i>Frontiers in Microbiology</i> , 2019 , 10, 2471	5.7	24
36	A seed motif for target RNA capture enables efficient immune defence by a type III-B CRISPR-Cas system. <i>RNA Biology</i> , 2019 , 16, 1166-1178	4.8	12
35	Bio-detoxification Bacteria Isolated from Dye-Polluted Soils Promote Lactic Acid Production from Ammonia Pretreated Corn Stover. <i>Applied Biochemistry and Biotechnology</i> , 2019 , 189, 129-143	3.2	5
34	Cas4 Nucleases Can Effect Specific Integration of CRISPR Spacers. <i>Journal of Bacteriology</i> , 2019 , 201,	3.5	21
33	Insights into the post-translational modifications of archaeal Sis10b (Alba): lysine-16 is methylated, not acetylated, and this does not regulate transcription or growth. <i>Molecular Microbiology</i> , 2018 , 109, 192	4.1	10
32	Diversity and Contributions to Nitrogen Cycling and Carbon Fixation of Soil Salinity Shaped Microbial Communities in Tarim Basin. <i>Frontiers in Microbiology</i> , 2018 , 9, 431	5.7	55
31	Type III CRISPR-Cas System: Introduction And Its Application for Genetic Manipulations. <i>Current Issues in Molecular Biology</i> , 2018 , 26, 1-14	2.9	11
30	Single-cell Protein and Xylitol Production by a Novel Yeast Strain <i>Candida intermedia</i> FL023 from Lignocellulosic Hydrolysates and Xylose. <i>Applied Biochemistry and Biotechnology</i> , 2018 , 185, 163-178	3.2	22
29	Biodetoxification of Phenolic Inhibitors from Lignocellulose Pretreatment using LAM0618 and Subsequent Lactic Acid Fermentation. <i>Molecules</i> , 2018 , 23,	4.8	9
28	Genetic technologies for extremely thermophilic microorganisms of <i>Sulfolobus</i> , the only genetically tractable genus of crenarchaea. <i>Science China Life Sciences</i> , 2017 , 60, 370-385	8.5	39

27	Changes in microbial community during fermentation of high-temperature Daqu used in the production of Chinese Baiyunbian liquor. <i>Journal of the Institute of Brewing</i> , 2017 , 123, 594-599	2	22
26	Coupling transcriptional activation of CRISPR-Cas system and DNA repair genes by Csa3a in <i>Sulfolobus islandicus</i> . <i>Nucleic Acids Research</i> , 2017 , 45, 8978-8992	20.1	42
25	Low molecular weight chitosan is an effective antifungal agent against <i>Botryosphaeria</i> sp. and preservative agent for pear (<i>Pyrus</i>) fruits. <i>International Journal of Biological Macromolecules</i> , 2017 , 95, 1135-1143	7.9	33
24	Cmr1 enables efficient RNA and DNA interference of a III-B CRISPR-Cas system by binding to target RNA and crRNA. <i>Nucleic Acids Research</i> , 2017 , 45, 11305-11314	20.1	18
23	A type III-B CRISPR-Cas effector complex mediating massive target DNA destruction. <i>Nucleic Acids Research</i> , 2017 , 45, 1983-1993	20.1	51
22	Harnessing Type I and Type III CRISPR-Cas systems for genome editing. <i>Nucleic Acids Research</i> , 2016 , 44, e34	20.1	117
21	Comparison of high-titer lactic acid fermentation from NaOH- and NH ₄ HO-pretreated corncob by <i>Bacillus coagulans</i> using simultaneous saccharification and fermentation. <i>Scientific Reports</i> , 2016 , 6, 37245	4.9	23
20	Optimization of <i>Saccharomyces boulardii</i> production in solid-state fermentation with response surface methodology. <i>Biotechnology and Biotechnological Equipment</i> , 2016 , 30, 173-179	1.6	8
19	Heterologous Expression and Characterization of a Thermostable Exo- β -Glucosaminidase from <i>Aspergillus oryzae</i> . <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 347-55	3.3	1
18	Purification and Identification of Antioxidant Peptides from Enzymatic Hydrolysate of <i>Spirulina platensis</i> . <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 1216-23	3.3	31
17	Effects of a probiotic (<i>Bacillus subtilis</i> FY99-01) on the bacterial community structure and composition of shrimp (<i>Litopenaeus vannamei</i> , Boone) culture water assessed by denaturing gradient gel electrophoresis and high-throughput sequencing. <i>Aquaculture Research</i> , 2016 , 47, 857-869	1.9	24
16	Anaerobic and sequential aerobic production of high-titer ethanol and single cell protein from NaOH-pretreated corn stover by a genome shuffling-modified <i>Saccharomyces cerevisiae</i> strain. <i>Bioresource Technology</i> , 2016 , 218, 623-30	11	9
15	High-titer lactic acid production by <i>Lactobacillus pentosus</i> FL0421 from corn stover using fed-batch simultaneous saccharification and fermentation. <i>Bioresource Technology</i> , 2016 , 214, 74-80	11	58
14	A novel polysaccharide from mycelia of cultured <i>Phellinus linteus</i> displays antitumor activity through apoptosis. <i>Carbohydrate Polymers</i> , 2015 , 124, 90-7	10.3	51
13	Archaeal extrachromosomal genetic elements. <i>Microbiology and Molecular Biology Reviews</i> , 2015 , 79, 117-52	13.2	45
12	Dietary <i>Enterococcus faecalis</i> LAB31 improves growth performance, reduces diarrhea, and increases fecal <i>Lactobacillus</i> number of weaned piglets. <i>PLoS ONE</i> , 2015 , 10, e0116635	3.7	32
11	High-titer lactic acid production from NaOH-pretreated corn stover by <i>Bacillus coagulans</i> LA204 using fed-batch simultaneous saccharification and fermentation under non-sterile condition. <i>Bioresource Technology</i> , 2015 , 182, 251-257	11	71
10	Transcriptional regulator-mediated activation of adaptation genes triggers CRISPR de novo spacer acquisition. <i>Nucleic Acids Research</i> , 2015 , 43, 1044-55	20.1	45

9	Isolation, characterization, and antitumor activity of a novel heteroglycan from cultured mycelia of <i>Cordyceps sinensis</i> . <i>Planta Medica</i> , 2014 , 80, 1107-12	3.1	16
8	Conversion of yellow wine lees into high-protein yeast culture by solid-state fermentation. <i>Biotechnology and Biotechnological Equipment</i> , 2014 , 28, 843-849	1.6	7
7	Mitsuaria chitosanase with unrevealed important amino acid residues: characterization and enhanced production in <i>Pichia pastoris</i> . <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 171-9	5.7	12
6	Genetic determinants of PAM-dependent DNA targeting and pre-crRNA processing in <i>Sulfolobus islandicus</i> . <i>RNA Biology</i> , 2013 , 10, 738-48	4.8	42
5	The <i>Sulfolobus</i> initiator element is an important contributor to promoter strength. <i>Journal of Bacteriology</i> , 2013 , 195, 5216-22	3.5	14
4	A synthetic arabinose-inducible promoter confers high levels of recombinant protein expression in hyperthermophilic archaeon <i>Sulfolobus islandicus</i> . <i>Applied and Environmental Microbiology</i> , 2012 , 78, 5630-7	4.8	69
3	Archaeal promoter architecture and mechanism of gene activation. <i>Biochemical Society Transactions</i> , 2011 , 39, 99-103	5.1	20
2	An upstream activation element exerting differential transcriptional activation on an archaeal promoter. <i>Molecular Microbiology</i> , 2009 , 74, 928-39	4.1	64
1	Aminoglycoside antibiotics inhibit mycobacteriophage infection		2