
## Deborah Bell-Pedersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3180479/publications.pdf Version: 2024-02-01



DERODAH RELL-DEDEDSEN

#	Article	IF	CITATIONS
1	The genome sequence of the filamentous fungus Neurospora crassa. Nature, 2003, 422, 859-868.	13.7	1,528
2	Sequencing of Aspergillus nidulans and comparative analysis with A. fumigatus and A. oryzae. Nature, 2005, 438, 1105-1115.	13.7	1,250
3	Circadian rhythms from multiple oscillators: lessons from diverse organisms. Nature Reviews Genetics, 2005, 6, 544-556.	7.7	1,205
4	Lessons from the Genome Sequence of Neurospora crassa : Tracing the Path from Genomic Blueprint to Multicellular Organism. Microbiology and Molecular Biology Reviews, 2004, 68, 1-108.	2.9	572
5	Guidelines for Genome-Scale Analysis of Biological Rhythms. Journal of Biological Rhythms, 2017, 32, 380-393.	1.4	237
6	The Neurospora circadian clock-controlled gene, ccg-2, is allelic to eas and encodes a fungal hydrophobin required for formation of the conidial rodlet layer Genes and Development, 1992, 6, 2382-2394.	2.7	213
7	Transcription Factors in Light and Circadian Clock Signaling Networks Revealed by Genomewide Mapping of Direct Targets for Neurospora White Collar Complex. Eukaryotic Cell, 2010, 9, 1549-1556.	3.4	187
8	Distinct <i>cis</i> -Acting Elements Mediate Clock, Light, and Developmental Regulation of the <i>Neurospora crassa eas</i> ( <i>ccg-2</i> ) Gene. Molecular and Cellular Biology, 1996, 16, 513-521.	1.1	163
9	Intron mobility in the T-even phages: High frequency inheritance of group I introns promoted by intron open reading frames. Cell, 1989, 56, 455-465.	13.5	142
10	Circadian clock-controlled genes isolated from Neurospora crassa are late night- to early morning-specific. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 13096-13101.	3.3	142
11	vvd Is Required for Light Adaptation of Conidiation-Specific Genes of Neurospora crassa, but Not Circadian Conidiation. Fungal Genetics and Biology, 2001, 32, 169-181.	0.9	134
12	The Neurospora crassa pheromone precursor genes are regulated by the mating type locus and the circadian clock. Molecular Microbiology, 2002, 45, 795-804.	1.2	133
13	Multiple oscillators regulate circadian gene expression in Neurospora. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 13597-13602.	3.3	132
14	Analysis of clock-regulated genes in <i>Neurospora</i> reveals widespread posttranscriptional control of metabolic potential. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 16995-17002.	3.3	131
15	Circadian Rhythms in Neurospora crassa and Other Filamentous Fungi. Eukaryotic Cell, 2006, 5, 1184-1193.	3.4	124
16	Intron mobility in phage T4 is dependent upon a distinctive class of endonucleases and independent of DNA sequences encoding the intron core: mechanistic and evolutionary implications. Nucleic Acids Research, 1990, 18, 3763-3770.	6.5	118
17	Overexpression of White Collar-1 (WC-1) activates circadian clock-associated genes, but is not sufficient to induce most light-regulated gene expression in Neurospora crassa. Molecular Microbiology, 2002, 45, 917-931.	1.2	93
18	Transcriptional Profiling of the Chick Pineal Gland, a Photoreceptive Circadian Oscillator and Pacemaker. Molecular Endocrinology, 2003, 17, 2084-2095.	3.7	88

#	Article	IF	CITATIONS
19	Genome-Wide Characterization of Light-Regulated Genes in <i>Neurospora crassa</i> . G3: Genes, Genomes, Genetics, 2014, 4, 1731-1745.	0.8	82
20	Analysis of Expressed Sequence Tags From Two Starvation, Time-of-Day-Specific Libraries of <i>Neurospora crassa</i> Reveals Novel Clock-Controlled Genes. Genetics, 2001, 157, 1057-1065.	1.2	82
21	Circadian rhythmicity mediated by temporal regulation of the activity of p38 MAPK. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 18223-18228.	3.3	80
22	Diverse Roles for MAPK Signaling in Circadian Clocks. Advances in Genetics, 2013, 84, 1-39.	0.8	76
23	A Circadian Oscillator in Aspergillus spp . Regulates Daily Development and Gene Expression. Eukaryotic Cell, 2003, 2, 231-237.	3.4	74
24	A site-specific endonuclease and co-conversion of flanking exons associated with the mobile td intron of phage T4. Gene, 1989, 82, 119-126.	1.0	71
25	Genes within genes: independent expression of phage T4 intron open reading frames and the genes in which they reside Genes and Development, 1988, 2, 1791-1799.	2.7	69
26	Transcriptional response to glucose starvation and functional analysis of a glucose transporter of Neurospora crassa. Fungal Genetics and Biology, 2004, 41, 1104-1119.	0.9	66
27	The Rhythms of Life: Circadian Output Pathways in Neurospora. Journal of Biological Rhythms, 2006, 21, 432-444.	1.4	63
28	I-TevI, the endonuclease encoded by the mobile td intron, recognizes binding and cleavage domains on its DNA target Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 7719-7723.	3.3	62
29	The Neurospora crassa OS MAPK pathway-activated transcription factor ASL-1 contributes to circadian rhythms in pathway responsive clock-controlled genes. Fungal Genetics and Biology, 2012, 49, 180-188.	0.9	60
30	Circadian rhythms. Brain Research Reviews, 1993, 18, 315-333.	9.1	59
31	Circadian and light-induced expression of luciferase in Neurospora crassa. Fungal Genetics and Biology, 2003, 38, 327-332.	0.9	57
32	A connection between MAPK pathways and circadian clocks. Cell Cycle, 2008, 7, 2630-2634.	1.3	56
33	Neurospora Clock-Controlled Gene 9 ( ccg-9 ) Encodes Trehalose Synthase: Circadian Regulation of Stress Responses and Development. Eukaryotic Cell, 2002, 1, 33-43.	3.4	54
34	From The Cover: Assignment of an essential role for the Neurospora frequency gene in circadian entrainment to temperature cycles. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2210-2215.	3.3	53
35	Two Circadian Timing Circuits in Neurospora crassa Cells Share Components and Regulate Distinct Rhythmic Processes. Journal of Biological Rhythms, 2006, 21, 159-168.	1.4	53
36	Circadian Activation of the Mitogen-Activated Protein Kinase MAK-1 Facilitates Rhythms in Clock-Controlled Genes in Neurospora crassa. Eukaryotic Cell, 2013, 12, 59-69.	3.4	53

#	Article	IF	CITATIONS
37	Circadian rhythms in fungi. Journal of Genetics, 1996, 75, 387-401.	0.4	51
38	The Neurospora Transcription Factor ADV-1 Transduces Light Signals and Temporal Information to Control Rhythmic Expression of Genes Involved in Cell Fusion. G3: Genes, Genomes, Genetics, 2017, 7, 129-142.	0.8	47
39	Circadian clock regulation of mRNA translation through eukaryotic elongation factor eEF-2. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 9605-9610.	3.3	46
40	Understanding Circadian Rhythmicity in Neurospora crassa: From Behavior to Genes and Back Again. Fungal Genetics and Biology, 2000, 29, 1-18.	0.9	45
41	The inconsistent distribution of introns in the T-even phages indicates recent genetic exchanges. Nucleic Acids Research, 1989, 17, 301-315.	6.5	42
42	A Novel Cryptochrome-Dependent Oscillator in <i>Neurospora crassa</i> . Genetics, 2015, 199, 233-245.	1.2	40
43	The Neurospora circadian clock: simple or complex?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2001, 356, 1697-1709.	1.8	36
44	Direct Transcriptional Control of a p38 MAPK Pathway by the Circadian Clock in Neurospora crassa. PLoS ONE, 2011, 6, e27149.	1.1	36
45	Regulation of Gene Expression in <i>Neurospora crassa</i> with a Copper Responsive Promoter. G3: Genes, Genomes, Genetics, 2013, 3, 2273-2280.	0.8	34
46	Inhibition of p38 MAPK activity leads to cell type-specific effects on the molecular circadian clock and time-dependent reduction of glioma cell invasiveness. BMC Cancer, 2018, 18, 43.	1.1	32
47	Circadian clock control of elF2α phosphorylation is necessary for rhythmic translation initiation. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 10935-10945.	3.3	32
48	The Genetics of Circadian Rhythms in Neurospora. Advances in Genetics, 2011, 74, 55-103.	0.8	30
49	Translation Initiation from Conserved Non-AUG Codons Provides Additional Layers of Regulation and Coding Capacity. MBio, 2017, 8, .	1.8	25
50	Distinct Signaling Pathways from the Circadian Clock Participate in Regulation of Rhythmic Conidiospore Development in Neurospora crassa. Eukaryotic Cell, 2002, 1, 273-280.	3.4	23
51	A transcription terminator in the thymidylate synthase (thyA) structural gene of Escherichia coli and construction of a viable thyA::Kmr deletion. Journal of Bacteriology, 1991, 173, 1193-1200.	1.0	20
52	Effects of altered Clock gene expression on the pacemaker properties of SCN2.2 cells and oscillatory properties of NIH/3T3 cells. Neuroscience, 2004, 127, 989-999.	1.1	19
53	Complexity of the <i>Neurospora crassa</i> Circadian Clock System: Multiple Loops and Oscillators. Cold Spring Harbor Symposia on Quantitative Biology, 2007, 72, 345-351.	2.0	19
54	Genetic interactions between clock mutations inNeurospora crassa: can they help us to understand complexity?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2001, 356, 1717-1724.	1.8	18

#	Article	IF	CITATIONS
55	Structure of the translating <i>Neurospora</i> ribosome arrested by cycloheximide. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	18
56	The Neurospora circadian clock regulates a transcription factor that controls rhythmic expression of the output eas(ccg-2) gene. Molecular Microbiology, 2002, 41, 897-909.	1.2	16
57	A Genetic Selection for Circadian Output Pathway Mutations in Neurospora crassa. Genetics, 2004, 167, 119-129.	1.2	16
58	The cell free protein synthesis system from the model filamentous fungus Neurospora crassa. Methods, 2018, 137, 11-19.	1.9	12
59	Circadian clock regulation of the glycogen synthase (gsn) gene by WCC is critical for rhythmic glycogen metabolism inNeurospora crassa. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 10435-10440.	3.3	12
60	Keeping pace with Neurospora circadian rhythms. Microbiology (United Kingdom), 1998, 144, 1699-1711.	0.7	8
61	Circadian Clock Control of Translation Initiation Factor elF2α Activity Requires elF2γ-Dependent Recruitment of Rhythmic PPP-1 Phosphatase in <i>Neurospora crassa</i> . MBio, 2021, 12, .	1.8	7
62	Chapter 2 The genetic and molecular dissection of a prototypic circadian system. Progress in Brain Research, 1996, 111, 11-27.	0.9	5
63	The Genetic Basis of the Circadian Clock: Identification of <i>frq</i> and FRQ as Clock Components in <i>Neurospora</i> . Novartis Foundation Symposium, 1995, 183, 3-25.	1.2	4
64	A ras-1 <sup>bd</sup> Mauriceville strain for mapping mutations in Oak Ridge ras-1 <sup>bd</sup> strains. Fungal Genetics Reports, 2006, 53, 30-33.	0.6	2
65	Molecular Genetics of Circadian Rhythms in Neurospora Crassa. Applied Mycology and Biotechnology, 2003, 3, 43-63.	0.3	1
66	Circadian Rhythms. , 2014, , 442-466.		1
67	The 2009 George W. Beadle Award. Genetics, 2009, 181, 831-833.	1.2	1
68	Introduction to special edition on fungal photobiology. Fungal Genetics and Biology, 2010, 47, 879-880.	0.9	0
69	Circadian gene selection for time-to-event phenotype by integrating CNV and RNAseq data. Chemometrics and Intelligent Laboratory Systems, 2021, 212, 104276.	1.8	Ο
70	Circadian Rhythms in Neurospora crassa. , 2002, , .		0
71	A site-specific endonuclease and co-conversion of flanking exons associated with the mobile td intron of phage T4**Presented at the Albany Conference on â€~RNA: Catalysis, Splicing, Evolution'. Rensselaerville, N.Y. (U.S.A.), 22-25 September, 1988 , 1989, , 119-126.		0