

Daohong Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3180597/publications.pdf>

Version: 2024-02-01

140
papers

4,428
citations

109137

35
h-index

133063

59
g-index

144
all docs

144
docs citations

144
times ranked

4280
citing authors

#	ARTICLE	IF	CITATIONS
1	High-performance flexible self-powered strain sensor based on carbon nanotube/ZnSe/CoSe ₂ nanocomposite film electrodes. <i>Nano Research</i> , 2022, 15, 170-178.	5.8	33
2	Designing Advanced Aqueous Zinc-Ion Batteries: Principles, Strategies, and Perspectives. <i>Energy and Environmental Materials</i> , 2022, 5, 823-851.	7.3	69
3	Battery-type hollow Prussian blue analogues for asymmetric supercapacitors. <i>Dalton Transactions</i> , 2022, 51, 1032-1040.	1.6	10
4	Closed-Loop Recyclable Fully Bio-Based Epoxy Vitrimers from Ferulic Acid-Derived Hyperbranched Epoxy Resin. <i>Macromolecules</i> , 2022, 55, 595-607.	2.2	108
5	High valence state metal-ion doped Fe-Ni layered double hydroxides for oxygen evolution electrocatalysts and asymmetric supercapacitors. <i>Materials Advances</i> , 2022, 3, 1816-1824.	2.6	15
6	Controllability on topological structures and properties of hyperbranched epoxy resins. <i>Progress in Organic Coatings</i> , 2022, 165, 106735.	1.9	4
7	Polysulfide Regulation by Hypervalent Iodine Compounds for Durable and Sustainable Lithium-Sulfur Battery. <i>Small</i> , 2022, 18, e2106716.	5.2	14
8	Preparation and Recycling of High-Performance Carbon Nanotube Films. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 3851-3861.	3.2	2
9	Metal organic framework derived P-doping CoS@C with sulfide defect to boost high-performance asymmetric supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 624, 385-393.	5.0	28
10	Defect engineering of P doped Fe ₇ S ₈ porous nanoparticles for high-performance asymmetric supercapacitor and oxygen evolution electrocatalyst. <i>Journal of Colloid and Interface Science</i> , 2022, 617, 84-93.	5.0	19
11	Closed-loop recycling and fabrication of hydrophilic CNT films with high performance. <i>Nanotechnology Reviews</i> , 2022, 11, 1827-1841.	2.6	0
12	Building a flexible and applicable sodium ion full battery based on self-supporting large-scale CNT films intertwined with ultra-long cycling NiCo ₂ S ₄ . <i>Nanoscale</i> , 2022, 14, 10226-10235.	2.8	6
13	Toughness and its mechanisms in epoxy resins. <i>Progress in Materials Science</i> , 2022, 130, 100977.	16.0	130
14	High Mechanical Strength of Shape-Memory Hyperbranched Epoxy Resins. <i>ACS Applied Polymer Materials</i> , 2022, 4, 5574-5582.	2.0	8
15	Hyperbranched polymers containing epoxy and imide structure. <i>Progress in Organic Coatings</i> , 2021, 151, 106031.	1.9	7
16	Co@N-CNT/MXenes <i>in situ</i> grown on carbon nanotube film for multifunctional sensors and flexible supercapacitors. <i>Nanoscale</i> , 2021, 13, 14460-14468.	2.8	22
17	Enhancing the long-term Na-storage cyclability of conversion-type iron selenide composite by construction of 3D inherited hyperbranched polymer buffering matrix. <i>Nano Research</i> , 2021, 14, 3952-3960.	5.8	7
18	In-situ constructing uniform polymer network for iron oxide microspheres: A novel approach to improve the cycling stability of the conversion electrodes through chemical interaction. <i>Journal of Power Sources</i> , 2021, 489, 229510.	4.0	6

#	ARTICLE	IF	CITATIONS
19	High performance flexible supercapacitor based on metal-organic-framework derived CoSe ₂ nanosheets on carbon nanotube film. <i>Journal of Power Sources</i> , 2021, 490, 229517.	4.0	51
20	Co ₃ O ₄ Nanowire Arrays Grown on Carbon Nanotube-Based Films for Fischer-Tropsch Synthesis. <i>ACS Applied Nano Materials</i> , 2021, 4, 7811-7819.	2.4	2
21	Closed-Loop Recycling of Both Resin and Fiber from High-Performance Thermoset Epoxy/Carbon Fiber Composites. <i>ACS Macro Letters</i> , 2021, 10, 1113-1118.	2.3	56
22	Recent Advances in Heterostructure Engineering for Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2003689.	10.2	269
23	Iridium Nanoparticles Confined within Partially Carbonized Hyperbranched Polymers for Selective Hydrogenation of Nitroarenes at Room Temperature. <i>ACS Applied Nano Materials</i> , 2021, 4, 13995-14003.	2.4	2
24	Preparation of mesoporous aluminosilicates with tunable morphologies and their effects on Fischer-Tropsch synthesis performance. <i>Journal of Porous Materials</i> , 2020, 27, 217-223.	1.3	1
25	Tuning the morphology of melamine-induced tetraphenylethene self-assemblies for melamine detecting. <i>Organic Electronics</i> , 2020, 76, 105476.	1.4	7
26	A bio-based hyperbranched flame retardant for epoxy resins. <i>Chemical Engineering Journal</i> , 2020, 381, 122719.	6.6	207
27	Amino-Ended Hyperbranched Polyamide Modified SBA-15 as Support for Highly Efficient Cobalt Fischer-Tropsch Synthesis Catalyst. <i>Macromolecular Research</i> , 2020, 28, 228-233.	1.0	2
28	Construction of extensible and flexible supercapacitors from covalent organic framework composite membrane electrode. <i>Chemical Engineering Journal</i> , 2020, 387, 124071.	6.6	42
29	Sodium-storage performance of CuS microspheres with hydroxyl hyperbranched polyamide additive. <i>Materials Letters</i> , 2020, 262, 127181.	1.3	10
30	CNT yarn-based supercapacitors. , 2020, , 243-270.		8
31	Recyclable thermoset hyperbranched polymers containing reversible hexahydro-s-triazine. <i>Nature Sustainability</i> , 2020, 3, 29-34.	11.5	102
32	Preparation of Epoxy Resins with Excellent Comprehensive Performance by Thiol-Epoxy Click Reaction. <i>Progress in Organic Coatings</i> , 2020, 139, 105436.	1.9	16
33	Flexible asymmetric supercapacitors and electrocatalytic water splitting based on CoNiSe ₂ /CoNiSe ₂ nanoflowers. <i>Materials Letters</i> , 2020, 276, 128245.	1.3	8
34	One-pot synthesis of multifunctional electrocatalyst for hydrogen evolution, oxygen evolution and oxygen reduction. <i>ChemCatChem</i> , 2020, 12, 5534-5539.	1.8	4
35	The versatility of hyperbranched epoxy resins containing hexahydro-s-triazine on diglycidyl ether of bisphenol-A composites. <i>Composites Part B: Engineering</i> , 2020, 196, 108109.	5.9	29
36	Degradable and recyclable bio-based thermoset epoxy resins. <i>Green Chemistry</i> , 2020, 22, 4187-4198.	4.6	70

#	ARTICLE	IF	CITATIONS
37	A multifunctional supercapacitor based on 2D nanosheets on a flexible carbon nanotube film. Dalton Transactions, 2020, 49, 9312-9321.	1.6	11
38	Flexible Supercapacitors Fabricated by Growing Porous NiCo ₂ O ₄ In Situ on a Carbon Nanotube Film Using a Hyperbranched Polymer Template. ACS Applied Energy Materials, 2020, 3, 4043-4050.	2.5	14
39	AIEE based α -turn-on fluorescent sensor for Al ³⁺ ions and induced tetraphenylethene self-assemblies. Organic Electronics, 2020, 85, 105820.	1.4	11
40	Assembled NiS nanoneedles anode for Na-ion batteries: Enhanced the performance by organic hyperbranched polymer electrode additives. Journal of Power Sources, 2020, 451, 227796.	4.0	27
41	Flexible high-energy asymmetric supercapacitors based on PANI@CNT-graphene and NiCo ₂ O ₄ @N-C electrode. Materials Letters, 2020, 272, 127859.	1.3	7
42	Synthesis of degradable hyperbranched epoxy resins with high tensile, elongation, modulus and low-temperature resistance. Composites Part B: Engineering, 2020, 192, 108005.	5.9	47
43	Amino-terminated hyperbranched polyamide regulating Cu ₂ S twin-daffodil with enhanced sodium-storage performance. Materials Chemistry and Physics, 2020, 248, 122934.	2.0	5
44	Epoxidation of agricultural byproduct konjac fly powder and utilization in toughening and strengthening epoxy resin. Industrial Crops and Products, 2020, 146, 112161.	2.5	14
45	Toughening benzoxazine/epoxy thermosets through control of interfacial interactions and morphologies by hyperbranched polymeric ionic liquids. Journal of Molecular Liquids, 2019, 291, 111251.	2.3	19
46	Load transfer of thiol-ended hyperbranched polymers to improve simultaneously strength and longation of CNTs/epoxy nanocomposites. European Polymer Journal, 2019, 120, 109254.	2.6	13
47	Simultaneous Improvement on Strength, Modulus, and Elongation of Carbon Nanotube Films Functionalized by Hyperbranched Polymers. ACS Applied Materials & Interfaces, 2019, 11, 36278-36285.	4.0	45
48	Preparation of nanocomposites with epoxy resins and thiol-functionalized carbon nanotubes by thiol-ene click reaction. Polymer Testing, 2019, 77, 105912.	2.3	14
49	Tuning morphology and functionality of two-component self-assembly induced by H-bond and π - π stacking. Dyes and Pigments, 2019, 170, 107586.	2.0	20
50	Synthesis of renewable and self-curable thermosetting hyperbranched polymers by a click reaction. Progress in Organic Coatings, 2019, 134, 189-196.	1.9	14
51	Incorporation of hyperbranched polyamide-functionalized graphene oxide into epoxy for improving interfacial and mechanical properties. Polymer International, 2019, 68, 1492-1501.	1.6	7
52	Functionalized carbon nanotube films by thiol-ene click reaction. Applied Surface Science, 2019, 486, 144-152.	3.1	22
53	Fabrication of halloysite nanotubes/reduced graphene oxide hybrids for epoxy composites with improved thermal and mechanical properties. Polymer Testing, 2019, 76, 473-480.	2.3	47
54	Constructing hyperbranched polymers as a stable elastic framework for copper sulfide nanoplates for enhancing sodium-storage performance. Nanoscale, 2019, 11, 7188-7198.	2.8	20

#	ARTICLE	IF	CITATIONS
55	Products selectivity and reaction stability of cobalt-based Fischer-Tropsch catalysts affected by glow discharge plasma treatment and silica structure. <i>Catalysis Today</i> , 2019, 337, 139-146.	2.2	9
56	Flexible supercapacitors based on carbon nanotube-MnO ₂ nanocomposite film electrode. <i>Chemical Engineering Journal</i> , 2019, 371, 145-153.	6.6	173
57	Monitoring mitochondrial ATP in live cells: An ATP multisite-binding fluorescence turn-on probe. <i>Dyes and Pigments</i> , 2019, 163, 559-563.	2.0	17
58	The precise effect of degree of branching of epoxy-ended hyperbranched polymers on intrinsic property and performance. <i>Progress in Organic Coatings</i> , 2019, 127, 157-167.	1.9	14
59	Controllability of epoxy equivalent weight and performance of hyperbranched epoxy resins. <i>Composites Part B: Engineering</i> , 2019, 160, 615-625.	5.9	58
60	Preparation of hyperbranched polymeric ionic liquids for epoxy resin with simultaneous improvement of strength and toughness. <i>Polymer</i> , 2019, 164, 154-162.	1.8	31
61	Synthesis and application of epoxy-ended hyperbranched polymers. <i>Chemical Engineering Journal</i> , 2018, 343, 283-302.	6.6	176
62	Influence of vinyl-terminated hyperbranched polyester on performance of films obtained by UV-initiated thiol-ene click reaction of A ₂ +B ₃ system. <i>Journal of Coatings Technology Research</i> , 2018, 15, 1049-1057.	1.2	3
63	Self-Humidified Pt Electrocatalyst Fabricated from Hydrophilic Molecules Coating with Enhanced Fuel Cell Performance. <i>Energy Technology</i> , 2018, 6, 1813-1819.	1.8	1
64	A high-performance hybrid Mg ²⁺ /Li ⁺ battery based on hierarchical copper sulfide microflowers conversion cathode. <i>Electrochimica Acta</i> , 2018, 263, 168-175.	2.6	28
65	Novel core/shell CoSe ₂ @PPy nanoflowers for high-performance fiber asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10361-10369.	5.2	76
66	Simultaneous toughening and strengthening of diglycidyl ether of bisphenol-A using epoxy-ended hyperbranched polymers obtained from thiol-ene click reaction. <i>Polymer Engineering and Science</i> , 2018, 58, 1703-1709.	1.5	18
67	Dramatic toughness enhancement of benzoxazine/epoxy thermosets with a novel hyperbranched polymeric ionic liquid. <i>Chemical Engineering Journal</i> , 2018, 334, 1371-1382.	6.6	93
68	A high performance asymmetric supercapacitor based on <i>in situ</i> prepared CuCo ₂ O ₄ nanowires and PPy nanoparticles on a two-ply carbon nanotube yarn. <i>Dalton Transactions</i> , 2018, 47, 17146-17152.	1.6	27
69	A dynamic stretchable and self-healable supercapacitor with a CNT/graphene/PANI composite film. <i>Nanoscale</i> , 2018, 10, 22329-22334.	2.8	65
70	Solvothermal synthesis and characterization of nanocrystalline vanadium-chromium composite oxides and catalytic ammoxidation of 2,6-dichlorotoluene. <i>Chinese Journal of Catalysis</i> , 2018, 39, 1814-1820.	6.9	13
71	Toughening benzoxazines with hyperbranched polymeric ionic liquids: Effect of cations and anions. <i>Reactive and Functional Polymers</i> , 2018, 133, 37-44.	2.0	9
72	Synthesis of Recyclable Hyperbranched Polymers with High Efficiency of Promoting Degradation of Epoxy Resins. <i>ChemistrySelect</i> , 2018, 3, 4873-4883.	0.7	7

#	ARTICLE	IF	CITATIONS
73	Fabrication of hollow nanorod electrodes based on RuO ₂ //Fe ₂ O ₃ for an asymmetric supercapacitor. Dalton Transactions, 2018, 47, 7747-7753.	1.6	25
74	Intelligent Metal Carbonyl Metal-Organic Framework Nanocomplex for Fluorescent Traceable H ₂ O ₂ -Triggered CO Delivery. Chemistry - A European Journal, 2018, 24, 11667-11674.	1.7	47
75	A Methylene-bridged salicylaldiminato tridentate [ONS] binuclear titanium complex for ethylene-norbornene copolymerization. Journal of Macromolecular Science - Pure and Applied Chemistry, 2018, 55, 489-495.	1.2	8
76	Wearable supercapacitors based on conductive cotton yarns. Journal of Materials Science, 2018, 53, 14586-14597.	1.7	23
77	Synthesis and Degradation Mechanism of Self-Cured Hyperbranched Epoxy Resins from Natural Citric Acid. ACS Omega, 2018, 3, 8141-8148.	1.6	17
78	Synthesis of epoxy-ended hyperbranched polyesters with reinforcing and toughening function for diglycidyl ether of bisphenol-A. Polymer Composites, 2018, 39, E2046.	2.3	15
79	Flexible Asymmetric Threadlike Supercapacitors Based on NiCo ₂ Se ₄ Nanosheet and NiCo ₂ O ₄ /Polypyrrole Electrodes. ChemSusChem, 2017, 10, 1427-1435.	3.6	59
80	TiO ₂ crystalline structure and electrochemical performance in two-ply yarn CNT/TiO ₂ asymmetric supercapacitors. Journal of Materials Science, 2017, 52, 7733-7743.	1.7	27
81	Fiber-shaped Supercapacitor and Electrocatalyst Containing of Multiple Carbon Nanotube Yarns and One Platinum Wire. Electrochimica Acta, 2017, 245, 69-78.	2.6	23
82	In Situ Grown Fe ₂ O ₃ Single Crystallites on Reduced Graphene Oxide Nanosheets as High Performance Conversion Anode for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 19900-19907.	4.0	97
83	Facile synthesis of novel CuCo ₂ S ₄ nanospheres for coaxial fiber supercapacitors. RSC Advances, 2017, 7, 29933-29937.	1.7	31
84	Fabrication of Supercapacitors from NiCo ₂ O ₄ Nanowire/Carbon-Nanotube Yarn for Ultraviolet Photodetectors and Portable Electronics. Energy Technology, 2017, 5, 1449-1456.	1.8	28
85	Synthesis of a Degradable High-Performance Epoxy-Ended Hyperbranched Polyester. ACS Omega, 2017, 2, 1350-1359.	1.6	41
86	Preparation of SBA-15 with penetrating pores and their performance in Fischer-Tropsch synthesis. New Journal of Chemistry, 2017, 41, 14109-14115.	1.4	7
87	Preparation of Mesoporous Silica from Electrolytic Manganese Slags by Using Amino-Ended Hyperbranched Polyamide as Template. ACS Sustainable Chemistry and Engineering, 2017, 5, 10258-10265.	3.2	21
88	CHAPTER 11. Flexible Two-dimensional Nanomaterials for Lithium-ion Batteries Applications. RSC Smart Materials, 2017, , 294-333.	0.1	0
89	Influence of the molecular weights of amino-ended hyperbranched polyamide template on the morphology of self-assembled ZnS nanoparticles. Macromolecular Research, 2016, 24, 892-899.	1.0	4
90	Preparation of epoxy-ended hyperbranched polymers with precisely controllable degree of branching by thiol-ene Michael addition. Journal of Applied Polymer Science, 2016, 133, .	1.3	8

#	ARTICLE	IF	CITATIONS
91	Highly efficient preparation of hyperbranched epoxy resins by UV-initiated thiol-ene click reaction. <i>Progress in Organic Coatings</i> , 2016, 101, 178-185.	1.9	30
92	Amino-ended hyperbranched polyamide as template for tuning the morphology of self-assembled ZnS particles. <i>Materials Chemistry and Physics</i> , 2016, 184, 162-171.	2.0	8
93	High performance two-ply carbon nanocomposite yarn supercapacitors enhanced with a platinum filament and in situ polymerized polyaniline nanowires. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3828-3834.	5.2	42
94	Preparation and properties of phosphorous-nitrogen containing UV-curable polymeric coatings based on thiol-ene click reaction. <i>Progress in Organic Coatings</i> , 2016, 90, 21-27.	1.9	45
95	Effects of the carboxyl-ended hyperbranched polyester/platinum complex molecular weight on hydrosilylation activity and self-assembled morphology. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	2
96	A novel method for preparation of epoxy resins using thiol-ene click reaction. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	6
97	Electrospun porous CuCo ₂ O ₄ nanowire network electrode for asymmetric supercapacitors. <i>RSC Advances</i> , 2015, 5, 96448-96454.	1.7	77
98	High Performance Carbon Nanotube Yarn Supercapacitors with a Surface-Oxidized Copper Current Collector. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25835-25842.	4.0	42
99	Chemical functionalization for improving dispersion and interfacial bonding of halloysite nanotubes in epoxy nanocomposites. <i>High Performance Polymers</i> , 2014, 26, 734-743.	0.8	24
100	Self-Assembly of Amido-Ended Hyperbranched Polyester Films with a Highly Ordered Dendritic Structure. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 16375-16383.	4.0	12
101	Metallic conductivity transition of carbon nanotube yarns coated with silver particles. <i>Nanotechnology</i> , 2014, 25, 275702.	1.3	17
102	Core-Spun Carbon Nanotube Yarn Supercapacitors for Wearable Electronic Textiles. <i>ACS Nano</i> , 2014, 8, 4571-4579.	7.3	228
103	Effects of humidity conditions at fabrication on the interfacial shear strength of flax/unsaturated polyester composites. <i>Composites Part B: Engineering</i> , 2014, 60, 186-192.	5.9	52
104	Dendritic polyamidoamine-grafted halloysite nanotubes for fabricating toughened epoxy composites. <i>Iranian Polymer Journal (English Edition)</i> , 2013, 22, 501-510.	1.3	31
105	Hybrid self-assembly and fractal dimension dependence of a carboxyl-ended hyperbranched polyester/ferric complex. <i>Materials Chemistry and Physics</i> , 2013, 142, 513-520.	2.0	4
106	Environment-friendly synthesis and performance of a novel hyperbranched epoxy resin with a silicone skeleton. <i>RSC Advances</i> , 2013, 3, 3095.	1.7	38
107	The effect of molecular weight of hyperbranched epoxy resins with a silicone skeleton on performance. <i>RSC Advances</i> , 2013, 3, 9522.	1.7	41
108	2D Self-assembly of an amido-ended hyperbranched polyester induced by platinum ion coordination effect. <i>RSC Advances</i> , 2013, 3, 17073.	1.7	4

#	ARTICLE	IF	CITATIONS
109	A facile method for the preparation of thermally remendable cross-linked polyphosphazenes. Journal of Polymer Science Part A, 2013, 51, 1205-1214.	2.5	20
110	Hybrid Self-Assembly, Crystal, and Fractal Behavior of a Carboxy-Ended Hyperbranched Polyester/Copper Complex. Macromolecular Chemistry and Physics, 2013, 214, 370-377.	1.1	11
111	Poly (methyl methacrylate) grafted halloysite nanotubes and its epoxy acrylate composites by ultraviolet curing method. Journal of Reinforced Plastics and Composites, 2013, 32, 713-725.	1.6	34
112	2D Self-Assembly of an Amido-Ended Hydrophilic Hyperbranched Polyester by Copper Ion Induction. Macromolecular Chemistry and Physics, 2013, 214, 1724-1733.	1.1	5
113	Facile Method to Prepare Micron-Sized Pd/Polystyrene Composite Particles and Investigation on Their Catalytic Properties. Nanoscience and Nanotechnology Letters, 2013, 5, 384-391.	0.4	1
114	Hybrid Self-Assembly, Crystal Behavior and Catalytic Activity of Carboxyl-Ended Hyperbranched Polyester/Platinum Complex. Science of Advanced Materials, 2013, 5, 647-655.	0.1	2
115	A Facile method to Prepare Monodispersed CdS/SiO ₂ Composite Microspheres and Investigation on Their Photocatalytic Properties. Photochemistry and Photobiology, 2012, 88, 1433-1441.	1.3	8
116	Effect of preparation method on halloysite supported cobalt catalysts for Fischer-Tropsch synthesis. Journal of Natural Gas Chemistry, 2012, 21, 426-430.	1.8	24
117	Thermal Degradation Properties of Hyperbranched Poly (Trimellitic Anhydride Diethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.9	7
118	A highly sensitive sensor based on hollow particles for the detection, adsorption and removal of Hg ²⁺ ions. Journal of Materials Chemistry, 2012, 22, 24102.	6.7	54
119	Preparation and characterization of a novel hyperbranched polyphosphate ester. Materials Chemistry and Physics, 2012, 137, 154-159.	2.0	8
120	Surface Hybrid Self-Assembly, Mechanism, and Crystalline Behavior of a Carboxyl-Ended Hyperbranched Polyester/Platinum Complex. Langmuir, 2012, 28, 16772-16781.	1.6	9
121	Synthesis of allyl-Ended hyperbranched organic silicone resin by halloysite-supported platinum catalyst. Journal of Applied Polymer Science, 2012, 126, 1580-1584.	1.3	13
122	Synthesis of heterogeneous shape-controllable nano-hyperbranched polymer/Pt(0) catalyst with high catalytic activity in hydrosilylation. Macromolecular Research, 2012, 20, 549-551.	1.0	8
123	Facile method to prepare Pd/Polystyrene composite microspheres and investigation on their catalytic properties. Iranian Polymer Journal (English Edition), 2012, 21, 335-341.	1.3	2
124	Preparation of hyperbranched epoxy resin containing nitrogen heterocycle and its toughened and reinforced composites. Journal of Applied Polymer Science, 2012, 123, 3261-3269.	1.3	37
125	A Facile Method for Preparation of Monodispersed Au/Polystyrene Composite Microspheres and Investigation on Their Properties. Science of Advanced Materials, 2012, 4, 941-948.	0.1	0
126	Preparation of high-performance flame-retardant hybrid material by hyperbranched polyphosphate ester. Polymer Composites, 2011, 32, 36-43.	2.3	27

#	ARTICLE	IF	CITATIONS
127	TOUGHNESS AND REINFORCEMENT OF LINEAR UNSATURATED POLYESTER RESINS BY UNSATURATED HYPERBRANCHED POLYMER AND MECHANISM ANALYSIS. Functional Materials Letters, 2011, 04, 351-355.	0.7	11
128	The Effect of Hyperbranched Polyester Epoxy Resin on the Curing Kinetics and Thermal Degradation Kinetics of the Diglycidyl Ether of Bisphenol-A Epoxy Resin. Polymer-Plastics Technology and Engineering, 2010, 49, 1182-1187.	1.9	7
129	Effect of Hyperbranched Poly (Trimellitic Anhydride Ethylene Glycol) Epoxy (HTME) on Thermal Degradation Activation Energies of HTME/Diglycidyl Ether of Bisphenol-A Epoxy Hybrid Resin by Kissinger and Flynn's Ozawa Method. Polymer-Plastics Technology and Engineering, 2010, 49, 128-135.	1.9	4
130	Synthesis and Characterization of Low Viscosity Aromatic Hyperbranched Poly(trimellitic anhydride) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2010, 47, 957-964.	1.2	10
131	Synthesis and Characterization of Low Viscosity Aromatic Hyperbranched Poly(trimellitic anhydride) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2010, 47, 957-964.	1.1	25
132	Kinetics of curing and thermal degradation of hyperbranched epoxy (HTDE)/diglycidyl ether of bisphenol-A epoxy hybrid resin. Journal of Thermal Analysis and Calorimetry, 2009, 98, 819-824.	2.0	16
133	Synthesis and characterization of low viscosity aromatic hyperbranched polyester epoxy resin. Macromolecular Research, 2009, 17, 289-295.	1.0	25
134	Physical and mechanical properties of dental nanocomposites composed of aliphatic epoxy resin and epoxidized aromatic hyperbranched polymers. Polymer Composites, 2009, 30, 176-181.	2.3	32
135	Toughness and reinforcement of diglycidyl ether of bisphenol-A by hyperbranched poly(trimellitic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2010, 47, 957-964.	2.3	48
136	Study on Curing Kinetics and Thermal Degradation Kinetics of Hyperbranched Poly(Trimellitic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Polymer-Plastics Technology and Engineering, 2008, 47, 1220-1226.	1.9	5
137	Bisphenol-A epoxy resin reinforced and toughened by hyperbranched epoxy resin. Frontiers of Chemical Engineering in China, 2007, 1, 349-354.	0.6	4
138	Study on the Performance of Diglycidyl Ether of Bisphenol-A/Hyperbranched Aromatic Polyester Epoxy Resin (HTME) System and Their Toughness Mechanism. Polymer-Plastics Technology and Engineering, 2006, 45, 1005-1011.	1.9	26
139	Synthesis of novel low-viscosity liquid epoxidized aromatic hyperbranched polymers. European Polymer Journal, 2006, 42, 711-714.	2.6	60
140	Toughness and strength improvement of diglycidyl ether of bisphenol-A by low viscosity liquid hyperbranched epoxy resin. Journal of Applied Polymer Science, 2006, 101, 2504-2511.	1.3	148