

Ruth A Keri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3180704/ruth-a-keri-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

4,344
citations

36
h-index

64
g-index

152
ext. papers

4,876
ext. citations

6.7
avg. IF

5.28
L-index

#	Paper	IF	Citations
92	FOXA1: A Pioneer of Nuclear Receptor Action in Breast Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
91	promotes expression of and in enhancing breast cancer stemness and metastasis. <i>Genes and Diseases</i> , 2021 , 8, 493-508	6.6	9
90	Comprehensive characterization of protein-protein interactions perturbed by disease mutations. <i>Nature Genetics</i> , 2021 , 53, 342-353	36.3	27
89	TGF- β /Activin signaling promotes CDK7 inhibitor resistance in triple-negative breast cancer cells through upregulation of multidrug transporters. <i>Journal of Biological Chemistry</i> , 2021 , 297, 101162	5.4	0
88	KLF4 defines the efficacy of the epidermal growth factor receptor inhibitor, erlotinib, in triple-negative breast cancer cells by repressing the EGFR gene. <i>Breast Cancer Research</i> , 2020 , 22, 66	8.3	5
87	The transcriptional repressor BCL11A promotes breast cancer metastasis. <i>Journal of Biological Chemistry</i> , 2020 , 295, 11707-11719	5.4	8
86	JAM-A functions as a female microglial tumor suppressor in glioblastoma. <i>Neuro-Oncology</i> , 2020 , 22, 1591-1601	1	15
85	LIN9 and NEK2 Are Core Regulators of Mitotic Fidelity That Can Be Therapeutically Targeted to Overcome Taxane Resistance. <i>Cancer Research</i> , 2020 , 80, 1693-1706	10.1	10
84	Hormone Effects on Tumors 2020 , 667-693		1
83	A Viral Nanoparticle Cancer Vaccine Delays Tumor Progression and Prolongs Survival in a HER2 Tumor Mouse Model. <i>Advanced Therapeutics</i> , 2019 , 2, 1800139	4.9	17
82	The Activin Social Network: Activin, Inhibin, and Follistatin in Breast Development and Cancer. <i>Endocrinology</i> , 2019 , 160, 1097-1110	4.8	5
81	A new view of the mammary epithelial hierarchy and its implications for breast cancer initiation and metastasis. <i>Journal of Cancer Metastasis and Treatment</i> , 2019 , 5,	3.8	3
80	Targeting BCL-xL improves the efficacy of bromodomain and extra-terminal protein inhibitors in triple-negative breast cancer by eliciting the death of senescent cells. <i>Journal of Biological Chemistry</i> , 2019 , 294, 875-886	5.4	31
79	The membrane tethered matrix metalloproteinase MT1-MMP triggers an outside-in DNA damage response that impacts chemo- and radiotherapy responses of breast cancer. <i>Cancer Letters</i> , 2019 , 443, 115-124	9.9	11
78	A breast multi-disciplinary genomic tumor board is feasible and can provide timely and impactful recommendations. <i>Breast Journal</i> , 2018 , 24, 676-677	1.2	
77	Hypothalamic-Pituitary-Mammary Gland (HPM) Axis 2018 , 798-807		2
76	Expression of LC3B and FIP200/Atg17 in brain metastases of breast cancer. <i>Journal of Neuro-Oncology</i> , 2018 , 140, 237-248	4.8	6

75	Targeting bromodomain and extraterminal proteins in breast cancer. <i>Pharmacological Research</i> , 2018 , 129, 156-176	10.2	26
74	A Bioengineered Positive Control for Rapid Detection of the Ebola Virus by Reverse Transcription Loop-Mediated Isothermal Amplification (RT-LAMP). <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 452-459	5.5	8
73	Regulatory cross-talk determines the cellular levels of 53BP1 protein, a critical factor in DNA repair. <i>Journal of Biological Chemistry</i> , 2017 , 292, 5992-6003	5.4	15
72	Follistatin is a metastasis suppressor in a mouse model of HER2-positive breast cancer. <i>Breast Cancer Research</i> , 2017 , 19, 66	8.3	15
71	Hotspots of aberrant enhancer activity punctuate the colorectal cancer epigenome. <i>Nature Communications</i> , 2017 , 8, 14400	17.4	63
70	Mitotic Vulnerability in Triple-Negative Breast Cancer Associated with LIN9 Is Targetable with BET Inhibitors. <i>Cancer Research</i> , 2017 , 77, 5395-5408	10.1	16
69	Mutant p53 dictates the oncogenic activity of c-Abl in triple-negative breast cancers. <i>Cell Death and Disease</i> , 2017 , 8, e2899	9.8	8
68	A review of the carcinogenic potential of bisphenol A. <i>Reproductive Toxicology</i> , 2016 , 59, 167-82	3.4	241
67	c-Abl inhibits breast cancer tumorigenesis through reactivation of p53-mediated p21 expression. <i>Oncotarget</i> , 2016 , 7, 72777-72794	3.3	13
66	Bioengineering of Tobacco Mosaic Virus to Create a Non-Infectious Positive Control for Ebola Diagnostic Assays. <i>Scientific Reports</i> , 2016 , 6, 23803	4.9	14
65	Bromodomain and Extraterminal Protein Inhibition Blocks Growth of Triple-negative Breast Cancers through the Suppression of Aurora Kinases. <i>Journal of Biological Chemistry</i> , 2016 , 291, 23756-23768	5.4	37
64	Supplemental Online Pharmacology Modules Increase Recognition and Production Memory in a Hybrid Problem-Based Learning (PBL) Curriculum. <i>Medical Science Educator</i> , 2015 , 25, 261-269	0.7	1
63	Germline Heterozygous Variants in SEC23B Are Associated with Cowden Syndrome and Enriched in Apparently Sporadic Thyroid Cancer. <i>American Journal of Human Genetics</i> , 2015 , 97, 661-76	11	51
62	GABA(A) receptor pi (GABRP) stimulates basal-like breast cancer cell migration through activation of extracellular-regulated kinase 1/2 (ERK1/2). <i>Journal of Biological Chemistry</i> , 2014 , 289, 24102-13	5.4	42
61	Combined SFK/mTOR inhibition prevents rapamycin-induced feedback activation of AKT and elicits efficient tumor regression. <i>Cancer Research</i> , 2014 , 74, 4762-71	10.1	28
60	Hypomethylation of the MMP7 promoter and increased expression of MMP7 distinguishes the basal-like breast cancer subtype from other triple-negative tumors. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 25-40	4.4	20
59	Biodistribution and clearance of a filamentous plant virus in healthy and tumor-bearing mice. <i>Nanomedicine</i> , 2014 , 9, 221-35	5.6	100
58	UbcH7 regulates 53BP1 stability and DSB repair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 17456-61	11.5	30

57	Biodistribution and clearance of a filamentous plant virus in healthy and tumor-bearing mice. <i>Nanomedicine</i> , 2014 , 9, 221-235	5.6	48
56	On-command drug release from nanochains inhibits growth of breast tumors. <i>Pharmaceutical Research</i> , 2014 , 31, 1460-8	4.5	12
55	FOXA1 represses the molecular phenotype of basal breast cancer cells. <i>Oncogene</i> , 2013 , 32, 554-63	9.2	98
54	The HER2- and heregulin β (HRG)-inducible TNFR superfamily member Fn14 promotes HRG-driven breast cancer cell migration, invasion, and MMP9 expression. <i>Molecular Cancer Research</i> , 2013 , 11, 393-404	6.6	33
53	FOXC1 is enriched in the mammary luminal progenitor population, but is not necessary for mouse mammary ductal morphogenesis. <i>Biology of Reproduction</i> , 2013 , 89, 10	3.9	9
52	FOXA1: a transcription factor with parallel functions in development and cancer. <i>Bioscience Reports</i> , 2012 , 32, 113-30	4.1	129
51	The forkhead box transcription factor FOXC1 promotes breast cancer invasion by inducing matrix metalloprotease 7 (MMP7) expression. <i>Journal of Biological Chemistry</i> , 2012 , 287, 24631-40	5.4	69
50	Imaging metastasis using an integrin-targeting chain-shaped nanoparticle. <i>ACS Nano</i> , 2012 , 6, 8783-95	16.7	114
49	Enhanced delivery of chemotherapy to tumors using a multicomponent nanochain with radio-frequency-tunable drug release. <i>ACS Nano</i> , 2012 , 6, 4157-68	16.7	137
48	Overexpression of follistatin in the mouse epididymis disrupts fluid resorption and sperm transit in testicular excurrent ducts. <i>Biology of Reproduction</i> , 2012 , 87, 41	3.9	9
47	Krüppel-like factor 4 inhibits tumorigenic progression and metastasis in a mouse model of breast cancer. <i>Neoplasia</i> , 2011 , 13, 601-10	6.4	91
46	Myosin II isoform switching mediates invasiveness after TGF- β -induced epithelial-mesenchymal transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17991-6	11.5	75
45	Bisphenol A increases mammary cancer risk in two distinct mouse models of breast cancer. <i>Biology of Reproduction</i> , 2011 , 85, 490-7	3.9	84
44	Kruppel-like factor 4 inhibits epithelial-to-mesenchymal transition through regulation of E-cadherin gene expression. <i>Journal of Biological Chemistry</i> , 2010 , 285, 16854-63	5.4	119
43	HER2/ErbB2-induced breast cancer cell migration and invasion require p120 catenin activation of Rac1 and Cdc42. <i>Journal of Biological Chemistry</i> , 2010 , 285, 29491-501	5.4	60
42	FOXA1 is an essential determinant of ER α expression and mammary ductal morphogenesis. <i>Development (Cambridge)</i> , 2010 , 137, 2045-54	6.6	156
41	Aberrant expression of LMO4 induces centrosome amplification and mitotic spindle abnormalities in breast cancer cells. <i>Journal of Pathology</i> , 2010 , 222, 271-81	9.4	17
40	Bisphenol A Increases Mammary Cancer Risk in Multiple Murine Models of Breast Cancer.. <i>Biology of Reproduction</i> , 2010 , 83, 75-75	3.9	

39	The double-stranded RNA-binding protein, PACT, is required for postnatal anterior pituitary proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 10696-701	11.5	22
38	Intrinsic bias in breast cancer gene expression data sets. <i>BMC Cancer</i> , 2009 , 9, 214	4.8	2
37	LMO4 is an essential mediator of ErbB2/HER2/Neu-induced breast cancer cell cycle progression. <i>Oncogene</i> , 2009 , 28, 3608-18	9.2	37
36	Ovarian hyperstimulation induces centrosome amplification and aneuploid mammary tumors independently of alterations in p53 in a transgenic mouse model of breast cancer. <i>Oncogene</i> , 2008 , 27, 1759-66	9.2	8
35	Cell cycle correlated genes dictate the prognostic power of breast cancer gene lists. <i>BMC Medical Genomics</i> , 2008 , 1, 11	3.7	58
34	An evaluation of evidence for the carcinogenic activity of bisphenol A. <i>Reproductive Toxicology</i> , 2007 , 24, 240-52	3.4	212
33	The pleiotropic effects of excessive luteinizing hormone secretion in transgenic mice. <i>Seminars in Reproductive Medicine</i> , 2007 , 25, 360-7	1.4	
32	Rapamycin inhibits multiple stages of c-Neu/ErbB2 induced tumor progression in a transgenic mouse model of HER2-positive breast cancer. <i>Molecular Cancer Therapeutics</i> , 2007 , 6, 2188-97	6.1	40
31	Increases in luteinizing hormone are associated with declines in cognitive performance. <i>Molecular and Cellular Endocrinology</i> , 2007 , 269, 107-11	4.4	87
30	Splice variants of mlAP1 have an enhanced ability to inhibit apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 348, 1174-83	3.4	9
29	Sustained trophism of the mammary gland is sufficient to accelerate and synchronize development of ErbB2/Neu-induced tumors. <i>Oncogene</i> , 2006 , 25, 3325-34	9.2	23
28	EB1089, a vitamin D receptor agonist, reduces proliferation and decreases tumor growth rate in a mouse model of hormone-induced mammary cancer. <i>Cancer Letters</i> , 2005 , 229, 205-15	9.9	17
27	Gene expression profiling of cancer progression reveals intrinsic regulation of transforming growth factor-beta signaling in ErbB2/Neu-induced tumors from transgenic mice. <i>Oncogene</i> , 2005 , 24, 5173-90	9.2	58
26	Signaling through 3',5'-cyclic adenosine monophosphate and phosphoinositide-3 kinase induces sodium/iodide symporter expression in breast cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5196-203	5.6	23
25	Obesity in transgenic female mice with constitutively elevated luteinizing hormone secretion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E812-8	6	20
24	High levels of luteinizing hormone analog stimulate gonadal and adrenal tumorigenesis in mice transgenic for the mouse inhibin-alpha-subunit promoter/Simian virus 40 T-antigen fusion gene. <i>Oncogene</i> , 2003 , 22, 3269-78	9.2	36
23	Consequences of elevated luteinizing hormone on diverse physiological systems: use of the LHbetaCTP transgenic mouse as a model of ovarian hyperstimulation-induced pathophysiology. <i>Endocrine Reviews</i> , 2003 , 58, 343-75		29
22	Ovulatory surges of human CG prevent hormone-induced granulosa cell tumor formation leading to the identification of tumor-associated changes in the transcriptome. <i>Molecular Endocrinology</i> , 2002 , 16, 1230-42		27

21	Ovarian hyperstimulation by LH leads to mammary gland hyperplasia and cancer predisposition in transgenic mice. <i>Endocrinology</i> , 2002 , 143, 3671-80	4.8	27
20	Experimental evidence that changes in oocyte growth influence meiotic chromosome segregation. <i>Human Reproduction</i> , 2002 , 17, 1171-80	5.7	109
19	A single Pitx1 binding site is essential for activity of the LHBeta promoter in transgenic mice. <i>Molecular Endocrinology</i> , 2001 , 15, 734-46		77
18	A Single Pitx1 Binding Site Is Essential for Activity of the LH Promoter in Transgenic Mice. <i>Molecular Endocrinology</i> , 2001 , 15, 734-746		52
17	Glycoprotein Hormones 2001 , 261-295		
16	LH Hypersecreting Mice: A Model for Ovarian Granulosa Cell Tumors. <i>Growth Hormone</i> , 2001 , 59-78		
15	An NF-Y binding site is important for basal, but not gonadotropin-releasing hormone-stimulated, expression of the luteinizing hormone beta subunit gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 13082-8	5.4	23
14	Luteinizing hormone induction of ovarian tumors: oligogenic differences between mouse strains dictates tumor disposition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 383-7	11.5	77
13	Elevated luteinizing hormone induces expression of its receptor and promotes steroidogenesis in the adrenal cortex. <i>Journal of Clinical Investigation</i> , 2000 , 105, 633-41	15.9	110
12	Transgenic mice with chronically elevated luteinizing hormone are infertile due to anovulation, defects in uterine receptivity, and midgestation pregnancy failure. <i>Endocrinology</i> , 1999 , 140, 2592-601	4.8	36
11	Characterization of the equine glycoprotein hormone alpha-subunit gene reveals divergence in the mechanism of pituitary and placental expression. <i>Biology of Reproduction</i> , 1997 , 57, 1104-14	3.9	10
10	A steroidogenic factor-1 binding site is required for activity of the luteinizing hormone beta subunit promoter in gonadotropes of transgenic mice. <i>Journal of Biological Chemistry</i> , 1996 , 271, 10782-5	5.4	116
9	Implementing transgenic and embryonic stem cell technology to study gene expression, cell-cell interactions and gene function. <i>Biology of Reproduction</i> , 1995 , 52, 246-57	3.9	44
8	The proximal promoter of the bovine luteinizing hormone beta-subunit gene confers gonadotrope-specific expression and regulation by gonadotropin-releasing hormone, testosterone, and 17 beta-estradiol in transgenic mice. <i>Molecular Endocrinology</i> , 1994 , 8, 1807-1816		34
7	Gonadotrope- and thyrotrope-specific expression of the human and bovine glycoprotein hormone alpha-subunit genes is regulated by distinct cis- acting elements. <i>Molecular Endocrinology</i> , 1992 , 6, 1745-1755		32
6	Estradiol Inhibition of Expression of the Human Glycoprotein Hormone β Subunit Gene Through an ERE-Independent Mechanism 1992 , 109-119		
5	Estradiol inhibits transcription of the human glycoprotein hormone alpha-subunit gene despite the absence of a high affinity binding site for estrogen receptor. <i>Molecular Endocrinology</i> , 1991 , 5, 725-33		57
4	Targeted ablation of pituitary gonadotropes in transgenic mice. <i>Molecular Endocrinology</i> , 1991 , 5, 2025-36		97

- 3 Different combinations of regulatory elements may explain why placenta-specific expression of the glycoprotein hormone alpha-subunit gene occurs only in primates and horses. *Biology of Reproduction*, **1991**, 44, 231-7 3.9 29
- 2 CRE-binding proteins interact cooperatively to enhance placental-specific expression of the glycoprotein hormone alpha-subunit gene. *Annals of the New York Academy of Sciences*, **1989**, 564, 77-85^{6.5} 13
- 1 ITGA2 is a target of miR-206 promoting cancer stemness and lung metastasis through enhanced ACLY and CCND1 expression in triple negative breast cancer 1