
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/318076/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	<i>MET</i> amplification occurs with or without <i>T790M</i> mutations in <i>EGFR</i> mutant lung tumors with acquired resistance to gefitinib or erlotinib. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20932-20937.	3.3	1,557
2	Osimertinib in Resected <i>EGFR</i> -Mutated Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2020, 383, 1711-1723.	13.9	1,042
3	First-line ceritinib versus platinum-based chemotherapy in advanced ALK -rearranged non-small-cell lung cancer (ASCEND-4): a randomised, open-label, phase 3 study. Lancet, The, 2017, 389, 917-929.	6.3	919
4	Clinical activity of afatinib in patients with advanced non-small-cell lung cancer harbouring uncommon EGFR mutations: a combined post-hoc analysis of LUX-Lung 2, LUX-Lung 3, and LUX-Lung 6. Lancet Oncology, The, 2015, 16, 830-838.	5.1	786
5	MicroRNA Signature Predicts Survival and Relapse in Lung Cancer. Cancer Cell, 2008, 13, 48-57.	7.7	754
6	Detection and Dynamic Changes of <i>EGFR</i> Mutations from Circulating Tumor DNA as a Predictor of Survival Outcomes in NSCLC Patients Treated with First-line Intercalated Erlotinib and Chemotherapy. Clinical Cancer Research, 2015, 21, 3196-3203.	3.2	427
7	Effectiveness of Tyrosine Kinase Inhibitors on "Uncommon―Epidermal Growth Factor Receptor Mutations of Unknown Clinical Significance in Non–Small Cell Lung Cancer. Clinical Cancer Research, 2011, 17, 3812-3821.	3.2	413
8	<i>Mycobacterium abscessus</i> Complex Infections in Humans. Emerging Infectious Diseases, 2015, 21, 1638-46.	2.0	368
9	Sialylation and fucosylation of epidermal growth factor receptor suppress its dimerization and activation in lung cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 11332-11337.	3.3	347
10	Lung Cancer with Epidermal Growth Factor Receptor Exon 20 Mutations Is Associated with Poor Gefitinib Treatment Response. Clinical Cancer Research, 2008, 14, 4877-4882.	3.2	294
11	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. Nature Genetics, 2012, 44, 1330-1335.	9.4	286
12	Intercalated combination of chemotherapy and erlotinib for patients with advanced stage non-small-cell lung cancer (FASTACT-2): a randomised, double-blind trial. Lancet Oncology, The, 2013, 14, 777-786.	5.1	280
13	Low serum level of high-density lipoprotein cholesterol is a poor prognostic factor for severe sepsis*. Critical Care Medicine, 2005, 33, 1688-1693.	0.4	277
14	Pulmonary Sequelae in Convalescent Patients after Severe Acute Respiratory Syndrome: Evaluation with Thin-Section CT. Radiology, 2005, 236, 1067-1075.	3.6	275
15	SpecificEGFRMutations Predict Treatment Outcome of Stage IIIB/IV Patients With Chemotherapy-Naive Non–Small-Cell Lung Cancer Receiving First-Line Gefitinib Monotherapy. Journal of Clinical Oncology, 2008, 26, 2745-2753.	0.8	249
16	Fucosyltransferase 8 as a functional regulator of nonsmall cell lung cancer. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 630-635.	3.3	214
17	The mechanism of acquired resistance to irreversible EGFR tyrosine kinase inhibitor-afatinib in lung adenocarcinoma patients. Oncotarget, 2016, 7, 12404-12413.	0.8	209
18	Randomized, Placebo-Controlled, Phase II Study of Sequential Erlotinib and Chemotherapy As First-Line Treatment for Advanced Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2009, 27, 5080-5087.	0.8	208

#	Article	IF	CITATIONS
19	Comparison of epidermal growth factor receptor mutations between primary and corresponding metastatic tumors in tyrosine kinase inhibitor-naive non-small-cell lung cancer. Annals of Oncology, 2009, 20, 696-702.	0.6	206
20	Vascular Endothelial Growth Factor 189 mRNA Isoform Expression Specifically Correlates With Tumor Angiogenesis, Patient Survival, and Postoperative Relapse in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2001, 19, 432-441.	0.8	204
21	Transcription Repressor Slug Promotes Carcinoma Invasion and Predicts Outcome of Patients with Lung Adenocarcinoma. Clinical Cancer Research, 2005, 11, 8070-8078.	3.2	201
22	First-Line Erlotinib Therapy Until and Beyond Response Evaluation Criteria in Solid Tumors Progression in Asian Patients With Epidermal Growth Factor Receptor Mutation–Positive Non–Small-Cell Lung Cancer. JAMA Oncology, 2016, 2, 305.	3.4	201
23	Temporal changes in cytokine/chemokine profiles and pulmonary involvement in severe acute respiratory syndrome. Respirology, 2006, 11, 715-722.	1.3	198
24	Clinical Manifestations, Laboratory Findings, and Treatment Outcomes of SARS Patients. Emerging Infectious Diseases, 2004, 10, 818-824.	2.0	192
25	Acquired BRAF V600E Mutation as Resistant Mechanism after Treatment with Osimertinib. Journal of Thoracic Oncology, 2017, 12, 567-572.	0.5	188
26	Polymorphism of the angiotensin-converting enzyme gene affects the outcome of acute respiratory distress syndrome*. Critical Care Medicine, 2006, 34, 1001-1006.	0.4	180
27	The 5p15.33 Locus Is Associated with Risk of Lung Adenocarcinoma in Never-Smoking Females in Asia. PLoS Genetics, 2010, 6, e1001051.	1.5	168
28	Severe Community-Acquired Pneumonia due to Acinetobacter baumannii. Chest, 2001, 120, 1072-1077.	0.4	164
29	Interleukin-8 Messenger Ribonucleic Acid Expression Correlates with Tumor Progression, Tumor Angiogenesis, Patient Survival, and Timing of Relapse in Non–Small-Cell Lung Cancer. American Journal of Respiratory and Critical Care Medicine, 2000, 162, 1957-1963.	2.5	153
30	Epidermal growth factor receptor mutations in needle biopsy/aspiration samples predict response to gefitinib therapy and survival of patients with advanced nonsmall cell lung cancer. International Journal of Cancer, 2006, 118, 963-969.	2.3	151
31	Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors for Non–Small-Cell Lung Cancer Patients with Leptomeningeal Carcinomatosis. Journal of Thoracic Oncology, 2015, 10, 1754-1761.	0.5	145
32	Ultrasonographic Evaluation of Pulmonary Consolidation. The American Review of Respiratory Disease, 1992, 146, 757-762.	2.9	144
33	Radiotherapy in Lung Adenocarcinoma with Brain Metastases: Effects of Activating Epidermal Growth Factor Receptor Mutations on Clinical Response. Clinical Cancer Research, 2008, 14, 162-168.	3.2	140
34	Correlation of total VEGF mRNA and protein expression with histologic type, tumor angiogenesis, patient survival and timing of relapse in non-small-cell lung cancer. International Journal of Cancer, 2000, 89, 475-483.	2.3	133
35	Outcomes in patients with non-small-cell lung cancer and acquired Thr790Met mutation treated with osimertinib: a genomic study. Lancet Respiratory Medicine,the, 2018, 6, 107-116.	5.2	121
36	Effects of exercise training on exercise capacity in patients with non-small cell lung cancer receiving targeted therapy. Supportive Care in Cancer, 2012, 20, 3169-3177.	1.0	120

#	Article	IF	CITATIONS
37	Ultrasound-Guided Pleural Biopsy with Tru-Cut Needle. Chest, 1991, 100, 1328-1333.	0.4	116
38	Fluoroquinolone resistance in Mycobacterium tuberculosis isolates: associated genetic mutations and relationship to antimicrobial exposure. Journal of Antimicrobial Chemotherapy, 2007, 59, 860-865.	1.3	112
39	Frequent epidermal growth factor receptor gene mutations in malignant pleural effusion of lung adenocarcinoma. European Respiratory Journal, 2008, 32, 924-930.	3.1	112
40	Exploring the heterogeneity of effects of corticosteroids on acute respiratory distress syndrome: a systematic review and meta-analysis. Critical Care, 2014, 18, R63.	2.5	111
41	Thymidylate synthase and dihydrofolate reductase expression in non-small cell lung carcinoma: The association with treatment efficacy of pemetrexed. Lung Cancer, 2011, 74, 132-138.	0.9	103
42	Aberrant p53 Expression Correlates With Expression of Vascular Endothelial Growth Factor mRNA and Interleukin-8 mRNA and Neoangiogenesis in Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2002, 20, 900-910.	0.8	100
43	EML4-ALK Translocation Predicts Better Outcome in Lung Adenocarcinoma Patients with Wild-Type EGFR. Journal of Thoracic Oncology, 2012, 7, 98-104.	0.5	99
44	Factors influencing visibility and diagnostic yield of transbronchial biopsy using endobronchial ultrasound in peripheral pulmonary lesions. Respirology, 2009, 14, 859-864.	1.3	97
45	Immunogenicity, reactogenicity and safety of an inactivated quadrivalent influenza vaccine candidate versus inactivated trivalent influenza vaccine: a phase III, randomized trial in adults aged ≥18Âyears. BMC Infectious Diseases, 2013, 13, 343.	1.3	95
46	Mitofusins regulate lipid metabolism to mediate the development of lung fibrosis. Nature Communications, 2019, 10, 3390.	5.8	93
47	Ultrasound-Guided Core Biopsy of Thoracic Tumors. The American Review of Respiratory Disease, 1992, 146, 763-767.	2.9	92
48	US-guided Transthoracic Cutting Biopsy for Peripheral Thoracic Lesions Less than 3 cm in Diameter. Radiology, 2000, 217, 685-691.	3.6	91
49	Timing of tracheostomy as a determinant of weaning success in critically ill patients: a retrospective study. Critical Care, 2005, 9, R46.	2.5	91
50	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	1.4	90
51	Identification of Five Driver Gene Mutations in Patients with Treatment-NaÃ ⁻ ve Lung Adenocarcinoma in Taiwan. PLoS ONE, 2015, 10, e0120852.	1.1	88
52	Epidermal Growth Factor Receptor Mutations in Small Cell Lung Cancer: A Brief Report. Journal of Thoracic Oncology, 2011, 6, 195-198.	0.5	87
53	Diabetes mellitus and latent tuberculosis infection: a systemic review and meta-analysis. Clinical Infectious Diseases, 2017, 64, ciw836.	2.9	84
54	Comparison of OK-432 and mitomycin C pleurodesis for malignant pleural effusion caused by lung cancer. A Randomized Trial. Cancer, 1992, 69, 674-679.	2.0	83

#	Article	IF	CITATIONS
55	Survival of lung adenocarcinoma patients with malignant pleural effusion. European Respiratory Journal, 2013, 41, 1409-1418.	3.1	83
56	Pandrug-Resistant <i>Acinetobacter baumannii</i> Causing Nosocomial Infections in a University Hospital, Taiwan. Emerging Infectious Diseases, 2002, 8, 827-832.	2.0	79
57	Symptoms, psychological distress, and supportive care needs in lung cancer patients. Supportive Care in Cancer, 2011, 19, 1743-1751.	1.0	79
58	In-Hospital and One-Year Mortality and Their Predictors in Patients Hospitalized for First-Ever Chronic Obstructive Pulmonary Disease Exacerbations: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e114866.	1.1	79
59	Recommendations and guidelines for the treatment of pneumonia in Taiwan. Journal of Microbiology, Immunology and Infection, 2019, 52, 172-199.	1.5	78
60	Changes in B-type natriuretic peptide improve weaning outcome predicted by spontaneous breathing trial. Critical Care Medicine, 2008, 36, 1421-1426.	0.4	77
61	R331W Missense Mutation of Oncogene <i>YAP1</i> Is a Germline Risk Allele for Lung Adenocarcinoma With Medical Actionability. Journal of Clinical Oncology, 2015, 33, 2303-2310.	0.8	77
62	Overexpression of Placenta Growth Factor Contributes to the Pathogenesis of Pulmonary Emphysema. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 505-511.	2.5	76
63	Ultrasound-guided Aspiration Biopsy of Small Peripheral Pulmonary Nodules. Chest, 1992, 101, 926-930.	0.4	75
64	Pulmonary Infection and Colonization with Nontuberculous Mycobacteria, Taiwan, 2000–2012. Emerging Infectious Diseases, 2014, 20, 1382-1385.	2.0	75
65	Serodiagnosis of Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 906-911.	2.5	74
66	Distribution according to histologic type and outcome by gender and age group in Taiwanese patients with lung carcinoma. Cancer, 2005, 103, 2566-2574.	2.0	74
67	Evaluation of Ultrasonically Guided Biopsies of Mediastinal Masses. Chest, 1991, 100, 399-405.	0.4	73
68	Ultrasound Study in Unilateral Hemithorax Opacification: Image Comparison with Computed Tomography. The American Review of Respiratory Disease, 1993, 147, 430-434.	2.9	73
69	Advanced non-small cell lung cancer in patients aged 45 years or younger: outcomes and prognostic factors. BMC Cancer, 2012, 12, 241.	1.1	73
70	Inhibition of Bleomycin-Induced Pulmonary Fibrosis by Okam Extract J201. Chest, 2004, 126, 889S.	0.4	72
71	<scp>G</scp> enetic variants associated with longer telomere length are associated with increased lung cancer risk among neverâ€smoking women in Asia: a report from the female lung cancer consortium in Asia. International Journal of Cancer, 2015, 137, 311-319.	2.3	72
72	Role of the renin-angiotensin system in ventilator-induced lung injury: an in vivo study in a rat model. Thorax, 2007, 62, 527-535.	2.7	71

#	Article	IF	CITATIONS
73	Good Response to Gefitinib in Lung Adenocarcinoma of Complex Epidermal Growth Factor Receptor (<i>EGFR</i>) Mutations with the Classical Mutation Pattern. Oncologist, 2008, 13, 1276-1284.	1.9	70
74	Risk factors of hepatitis during Anti-tuberculous treatment and implications of hepatitis virus load. Journal of Infection, 2011, 62, 448-455.	1.7	70
75	Hepatotoxicity due to first-line anti-tuberculosis drugs: a five-year experience in a Taiwan medical centre. International Journal of Tuberculosis and Lung Disease, 2013, 17, 934-939.	0.6	70
76	Clinical and the Prognostic Characteristics of Lung Adenocarcinoma Patients with ROS1 Fusion in Comparison with Other Driver Mutations in East Asian Populations. Journal of Thoracic Oncology, 2014, 9, 1171-1179.	0.5	70
77	Total cyclooxygenaseâ€2 mRNA levels correlate with vascular endothelial growth factor mRNA levels, tumor angiogenesis and prognosis in nonâ€small cell lung cancer patients. International Journal of Cancer, 2005, 115, 545-555.	2.3	67
78	First- or Second-line Therapy with Gefitinib Produces Equal Survival in Non–Small Cell Lung Cancer. American Journal of Respiratory and Critical Care Medicine, 2008, 178, 847-853.	2.5	66
79	Percutaneous Computed Tomography-Guided Coaxial Core Biopsy for Small Pulmonary Lesions with Ground-Glass Attenuation. Journal of Thoracic Oncology, 2012, 7, 143-150.	0.5	65
80	Efficacy of Pemetrexed-Based Chemotherapy in Patients with ROS1 Fusion–Positive Lung Adenocarcinoma Compared with in Patients Harboring Other Driver Mutations in East Asian Populations. Journal of Thoracic Oncology, 2016, 11, 1140-1152.	0.5	64
81	ldiopathic pulmonary fibrosis in Taiwan – A population-based study. Respiratory Medicine, 2012, 106, 1566-1574.	1.3	63
82	Severe Lymphopenia Is Associated with Elevated Plasma Interleukin-15 Levels and Increased Mortality During Severe Sepsis. Shock, 2015, 43, 569-575.	1.0	63
83	Mutations in <i>gyrA</i> and <i>gyrB</i> among Fluoroquinolone- and Multidrug-Resistant Mycobacterium tuberculosis Isolates. Antimicrobial Agents and Chemotherapy, 2016, 60, 2090-2096.	1.4	63
84	Clinical Outcomes in Non–Small Cell Lung Cancers Harboring Different Exon 19 Deletions in EGFR. Clinical Cancer Research, 2012, 18, 3470-3477.	3.2	62
85	Decreased serum level of lipoprotein cholesterol is a poor prognostic factor for patients with severe community-acquired pneumonia that required intensive care unit admission. Journal of Critical Care, 2015, 30, 506-510.	1.0	62
86	A rare constellation of empyema, lung abscess, and mediastinal abscess as a complication of endobronchial ultrasound-guided transbronchial needle aspiration. European Journal of Cardio-thoracic Surgery, 2011, 40, 264-265.	0.6	61
87	CNS infections caused by Mycobacterium abscessus complex: clinical features and antimicrobial susceptibilities of isolates. Journal of Antimicrobial Chemotherapy, 2012, 67, 222-225.	1.3	61
88	Evaluating pleural ADA, ADA2, IFN-Î ³ and IGRA for diagnosing tuberculous pleurisy. Journal of Infection, 2013, 67, 294-302.	1.7	61
89	Coexistence of EGFR T790M mutation and common activating mutations in pretreatment non-small cell lung cancer: A systematic review and meta-analysis. Lung Cancer, 2016, 94, 46-53.	0.9	60
90	Ultrasonographically guided biopsy of thoracic tumors. A comparison of large-bore cutting biopsy with fine-needle aspiration. Cancer, 1992, 69, 2553-2560.	2.0	59

#	Article	IF	CITATIONS
91	Inhaled nitric oxide therapy and risk of renal dysfunction: a systematic review and meta-analysis of randomized trials. Critical Care, 2015, 19, 137.	2.5	58
92	EGFR mutation, smoking, and gender in advanced lung adenocarcinoma. Oncotarget, 2017, 8, 98384-98393.	0.8	58
93	Admissions to intensive care unit of HIV-infected patients in the era of highly active antiretroviral therapy: etiology and prognostic factors. Critical Care, 2011, 15, R202.	2.5	56
94	Effectiveness of Telemonitoring in Patients with Chronic Obstructive Pulmonary Disease in Taiwan-A Randomized Controlled Trial. Scientific Reports, 2016, 6, 23797.	1.6	56
95	Clinical outcomes and secondary epidermal growth factor receptor (EGFR) T790M mutation among firstâ€line gefitinib, erlotinib and afatinibâ€treated nonâ€small cell lung cancer patients with activating EGFR mutations. International Journal of Cancer, 2019, 144, 2887-2896.	2.3	56
96	Association between programmed death-ligand 1 expression, immune microenvironments, and clinical outcomes in epidermal growth factor receptor mutant lung adenocarcinoma patients treated with tyrosine kinase inhibitors. European Journal of Cancer, 2020, 124, 110-122.	1.3	56
97	The diagnostic and prognostic effectiveness of F-18 sodium fluoride PET-CT in detecting bone metastases for hepatocellular carcinoma patients. Nuclear Medicine Communications, 2010, 31, 637-645.	0.5	55
98	Increased Plasma Acetylcarnitine in Sepsis Is Associated With Multiple Organ Dysfunction and Mortality: A Multicenter Cohort Study. Critical Care Medicine, 2019, 47, 210-218.	0.4	55
99	Survival outcome and predictors of gefitinib antitumor activity in East Asian chemonaive patients with advanced nonsmall cell lung cancer. Cancer, 2006, 107, 1873-1882.	2.0	54
100	Mycobacterium tuberculosis and polymorphonuclear pleural effusion: Incidence and clinical pointers. Respiratory Medicine, 2009, 103, 820-826.	1.3	54
101	Development of Renal Cysts after Crizotinib Treatment in Advanced ALK-Positive Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2014, 9, 1720-1725.	0.5	54
102	Emergence of disseminated infections due to nontuberculous mycobacteria in non-HIV-infected patients, including immunocompetent and immunocompromised patients in a university hospital in Taiwan. Journal of Infection, 2006, 53, 77-84.	1.7	53
103	Factors influencing time to smear conversion in patients with smearâ€positive pulmonary tuberculosis. Respirology, 2009, 14, 1012-1019.	1.3	53
104	Secondâ€line treatments after firstâ€line gefitinib therapy in advanced nonsmall cell lung cancer. International Journal of Cancer, 2010, 126, 247-255.	2.3	53
105	Acute kidney injury due to anti-tuberculosis drugs: a five-year experience in an aging population. BMC Infectious Diseases, 2014, 14, 23.	1.3	53
106	Extensively drug-resistant Stenotrophomonas maltophilia in a tertiary care hospital in Taiwan: microbiologic characteristics, clinical features, and outcomes. Diagnostic Microbiology and Infectious Disease, 2008, 60, 205-210.	0.8	52
107	Application and comparison of scoring indices to predict outcomes in patients with healthcare-associated pneumonia. Critical Care, 2011, 15, R32.	2.5	52
108	Genetic Polymorphism of XRCC1 Arg399Gln Is Associated With Survival in Non–Small-Cell Lung Cancer Patients Treated With Gemcitabine/Platinum. Journal of Thoracic Oncology, 2012, 7, 973-981.	0.5	52

#	Article	IF	CITATIONS
109	Microbiological Persistence in Patients With Mycobacterium avium Complex Lung Disease: The Predictors and the Impact on Radiographic Progression. Clinical Infectious Diseases, 2017, 65, 927-934.	2.9	52
110	Sialyl Lewis antigens: association with MUC5AC protein and correlation with post-operative recurrence of non-small cell lung cancer. Lung Cancer, 2005, 47, 59-67.	0.9	51
111	Glycoproteomics analysis to identify a glycoform on haptoglobin associated with lung cancer. Proteomics, 2011, 11, 2162-2170.	1.3	51
112	Dynamic contrastâ€enhanced MRI in advanced nonsmallâ€cell lung cancer patients treated with firstâ€line bevacizumab, gemcitabine, and cisplatin. Journal of Magnetic Resonance Imaging, 2012, 36, 387-396.	1.9	51
113	A Correlative Biomarker Analysis of the Combination of Bevacizumab and Carboplatin-Based Chemotherapy for Advanced Nonsquamous Non–Small-Cell Lung Cancer: Results of the Phase II Randomized ABIGAIL Study (BO21015). Journal of Thoracic Oncology, 2014, 9, 848-855.	0.5	51
114	Including Total EGFR Staining in Scoring Improves EGFR Mutations Detection by Mutation-Specific Antibodies and EGFR TKIs Response Prediction. PLoS ONE, 2011, 6, e23303.	1.1	50
115	Clinical Characteristics and Prognosis of Nontuberculous Mycobacterial Lung Disease with Different Radiographic Patterns. Lung, 2011, 189, 467-474.	1.4	50
116	High levels of serum macrophage migration inhibitory factor and interleukin 10 are associated with a rapidly fatal outcome in patients with severe sepsis. International Journal of Infectious Diseases, 2014, 20, 13-17.	1.5	50
117	Association between GWAS-identified lung adenocarcinoma susceptibility loci andEGFRmutations in never-smoking Asian women, and comparison with findings from Western populations. Human Molecular Genetics, 2016, 26, ddw414.	1.4	50
118	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. Human Molecular Genetics, 2016, 25, 620-629.	1.4	50
119	The unmet supportive care needs—what advanced lung cancer patients' caregivers need and related factors. Supportive Care in Cancer, 2016, 24, 2999-3009.	1.0	50
120	Overexpression ofMUC5 genes is associated with early post-operative metastasis in non-small-cell lung cancer. , 1996, 69, 457-465.		48
121	Changes of Heart Rate Variability During Ventilator Weaning. Chest, 2003, 123, 1222-1228.	0.4	47
122	Glycoproteomic analysis of WGAâ€bound glycoprotein biomarkers in sera from patients with lung adenocarcinoma. Electrophoresis, 2009, 30, 1206-1220.	1.3	47
123	Diabetes mellitus in patients with chronic obstructive pulmonary disease-The impact on mortality. PLoS ONE, 2017, 12, e0175794.	1.1	47
124	Validity of ICD9-CM codes to diagnose chronic obstructive pulmonary disease from National Health Insurance claim data in Taiwan. International Journal of COPD, 2018, Volume 13, 3055-3063.	0.9	47
125	Metformin use mitigates the adverse prognostic effect of diabetes mellitus in chronic obstructive pulmonary disease. Respiratory Research, 2019, 20, 69.	1.4	47
126	Increased expression of placenta growth factor in COPD. Thorax, 2008, 63, 500-506.	2.7	46

#	Article	IF	CITATIONS
127	Safety of Fluoroquinolone Use in Patients with Hepatotoxicity Induced by Antiâ€Tuberculosis Regimens. Clinical Infectious Diseases, 2009, 48, 1526-1533.	2.9	46
128	Trends and predictors of changes in pulmonary function after treatment for pulmonary tuberculosis. Clinics, 2011, 66, 549-556.	0.6	46
129	COPD in Taiwan: a National Epidemiology Survey. International Journal of COPD, 2015, 10, 2459.	0.9	46
130	Clinical and prognostic implications of RET rearrangements in metastatic lung adenocarcinoma patients with malignant pleural effusion. Lung Cancer, 2015, 88, 208-214.	0.9	46
131	Comparison between COPD Assessment Test (CAT) and modified Medical Research Council (mMRC) dyspnea scores for evaluation of clinical symptoms, comorbidities and medical resources utilization in COPD patients. Journal of the Formosan Medical Association, 2019, 118, 429-435.	0.8	46
132	Pulmonary tuberculosis in allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2001, 27, 1293-1297.	1.3	45
133	Dissemination of a Clone of Unusual Phenotype of Pandrug-Resistant Acinetobacter baumannii at a University Hospital in Taiwan. Journal of Clinical Microbiology, 2004, 42, 1759-1763.	1.8	45
134	Statins do not improve short-term survival in an oriental population with sepsis. American Journal of Emergency Medicine, 2007, 25, 494-501.	0.7	45
135	Good response to pemetrexed in patients of lung adenocarcinoma with epidermal growth factor receptor (EGFR) mutations. Lung Cancer, 2011, 72, 333-339.	0.9	45
136	Impact of non-tuberculous mycobacteria on pulmonary function decline in chronic obstructive pulmonary disease. International Journal of Tuberculosis and Lung Disease, 2012, 16, 539-545.	0.6	45
137	RNA is favourable for analysing EGFR mutations in malignant pleural effusion of lung cancer. European Respiratory Journal, 2012, 39, 677-684.	3.1	45
138	Bcl-2-Like Protein 11 Deletion Polymorphism Predicts Survival in Advanced Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2014, 9, 1385-1392.	0.5	45
139	Anxiety, depression and related factors in family caregivers of newly diagnosed lung cancer patients before first treatment. Psycho-Oncology, 2013, 22, 2617-2623.	1.0	44
140	Rhabdomyolysis associated with probable SARS. American Journal of Medicine, 2003, 115, 421-422.	0.6	43
141	EGFR intron 1 dinucleotide repeat polymorphism is associated with the occurrence of skin rash with gefitinib treatment. Lung Cancer, 2009, 64, 346-351.	0.9	43
142	Treatment outcome of patients with isoniazid mono-resistant tuberculosis. Clinical Microbiology and Infection, 2015, 21, 59-68.	2.8	43
143	Afatinib induces apoptosis in NSCLC without EGFR mutation through Elk-1-mediated suppression of CIP2A. Oncotarget, 2015, 6, 2164-2179.	0.8	43
144	Clinical Significance of Thyroid Transcription Factor-1 in Advanced Lung Adenocarcinoma Under Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Treatment. Chest, 2012, 141, 420-428.	0.4	42

#	Article	IF	CITATIONS
145	Quality of Life and Related Factors in Patients With Newly Diagnosed Advanced Lung Cancer: A Longitudinal Study. Oncology Nursing Forum, 2014, 41, E44-E55.	0.5	42
146	Frequent <i>EGFR</i> mutations in nonsmall cell lung cancer presenting with miliary intrapulmonary carcinomatosis. European Respiratory Journal, 2013, 41, 417-424.	3.1	41
147	Factors responsible for poor sleep quality in patients with chronic obstructive pulmonary disease. BMC Pulmonary Medicine, 2016, 16, 118.	0.8	41
148	Tumor PD-L1 Expression and Clinical Outcomes in Advanced-stage Non-Small Cell Lung Cancer Patients Treated with Nivolumab or Pembrolizumab: Real-World Data in Taiwan. Journal of Cancer, 2018, 9, 1813-1820.	1.2	41
149	Clinical Spectrum of Tuberculosis in Older Patients. Journal of the American Geriatrics Society, 1995, 43, 256-260.	1.3	40
150	Transthoracic needle biopsy of thoracic tumours by a colour Doppler ultrasound puncture guiding device Thorax, 1995, 50, 1258-1263.	2.7	40
151	Use of High-Dose Inhaled Corticosteroids is Associated With Pulmonary Tuberculosis in Patients With Chronic Obstructive Pulmonary Disease. Medicine (United States), 2010, 89, 53-61.	0.4	40
152	Performance assessment of the Capilia TB assay and the BD ProbeTec ET system for rapid culture confirmation of Mycobacterium tuberculosis. Diagnostic Microbiology and Infectious Disease, 2007, 59, 395-399.	0.8	39
153	Adrenal insufficiency in prolonged critical illness. Critical Care, 2008, 12, R65.	2.5	39
154	Genetic variant in TP63 on locus 3q28 is associated with risk of lung adenocarcinoma among never-smoking females in Asia. Human Genetics, 2012, 131, 1197-1203.	1.8	39
155	Conventional Weaning Parameters Do Not Predict Extubation Outcome in Intubated Subjects Requiring Prolonged Mechanical Ventilation. Respiratory Care, 2013, 58, 1307-1314.	0.8	39
156	Effectiveness of Treatments for Advanced Non–Small-Cell Lung Cancer With Exon 20 Insertion Epidermal Growth Factor Receptor Mutations. Clinical Lung Cancer, 2019, 20, e620-e630.	1.1	39
157	<p>Clinical characteristics, treatment outcomes, and prognostic factors of Pneumocystis pneumonia in non-HIV-infected patients</p> . Infection and Drug Resistance, 2019, Volume 12, 1457-1467.	1.1	39
158	Invasive Infections of Aggregatibacter (Actinobacillus) Actinomycetemcomitans. Journal of Microbiology, Immunology and Infection, 2010, 43, 491-497.	1.5	38
159	Antimicrobial drug-resistant microbes associated with hospitalized community-acquired and healthcare-associated pneumonia: A multi-center study in Taiwan. Journal of the Formosan Medical Association, 2013, 112, 31-40.	0.8	38
160	Advanced non-small cell lung cancer in the elderly: The impact of age and comorbidities on treatment modalities and patient prognosis. Journal of Geriatric Oncology, 2015, 6, 38-45.	0.5	38
161	The Use of Sub-Mental Ultrasonography for Identifying Patients with Severe Obstructive Sleep Apnea. PLoS ONE, 2013, 8, e62848.	1.1	37
162	PHOX2B Mutation-Confirmed Congenital Central Hypoventilation Syndrome in a Chinese Family. Chest, 2009, 135, 537-544.	0.4	36

#	Article	IF	CITATIONS
163	Successful Erlotinib Rechallenge after Gefitinib-Induced Acute Interstitial Pneumonia. Journal of Thoracic Oncology, 2010, 5, 1105-1106.	0.5	36
164	Life expectancies and incidence rates of patients under prolonged mechanical ventilation: a population-based study during 1998 to 2007 in Taiwan. Critical Care, 2011, 15, R107.	2.5	36
165	Twoâ€month breathingâ€based walking improves anxiety, depression, dyspnoea and quality of life in chronic obstructive pulmonary disease: A randomised controlled study. Journal of Clinical Nursing, 2019, 28, 3632-3640.	1.4	36
166	Characteristics of young lung cancer: Analysis of Taiwan's nationwide lung cancer registry focusing on epidermal growth factor receptor mutation and smoking status. Oncotarget, 2016, 7, 46628-46635.	0.8	36
167	Quantification of VECF mRNA Expression in Non-Small Cell Lung Cancer Using a Real-Time Quantitative Reverse Transcription-PCR Assay and a Comparison with Quantitative Competitive Reverse Transcription-PCR. Laboratory Investigation, 2000, 80, 1671-1680.	1.7	35
168	Trajectories of caregiver burden and related factors in family caregivers of patients with lung cancer. Psycho-Oncology, 2018, 27, 1493-1500.	1.0	35
169	Elastase induced lung epithelial cell apoptosis and emphysema through placenta growth factor. Cell Death and Disease, 2013, 4, e793-e793.	2.7	34
170	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). Human Genetics, 2015, 134, 333-341.	1.8	34
171	Attenuation of lymphocyte immune responses during Mycobacterium avium complex-induced lung disease due to increasing expression of programmed death-1 on lymphocytes. Scientific Reports, 2017, 7, 42004.	1.6	34
172	Nontuberculous mycobacteria pulmonary infection in medical intensive care unit: the incidence, patient characteristics, and clinical significance. Intensive Care Medicine, 2008, 34, 2194-2201.	3.9	33
173	Clustered Genomic Alterations in Chromosome 7p Dictate Outcomes and Targeted Treatment Responses of Lung Adenocarcinoma With <i>EGFR</i> -Activating Mutations. Journal of Clinical Oncology, 2011, 29, 3435-3442.	0.8	33
174	Multi-gene analyses from waste brushing specimens for patients with peripheral lung cancer receiving EBUS-assisted bronchoscopy. Lung Cancer, 2013, 82, 420-425.	0.9	33
175	The Role of PIK3CA Mutations among Lung Adenocarcinoma Patients with Primary and Acquired Resistance to EGFR Tyrosine Kinase Inhibition. Scientific Reports, 2016, 6, 35249.	1.6	33
176	Lung adenocarcinoma patients of young age have lower <i>EGFR</i> mutation rate and poorer efficacy of EGFR tyrosine kinase inhibitors. ERJ Open Research, 2017, 3, 00092-2016.	1.1	33
177	Comparative effects of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers on the risk of pneumonia and severe exacerbations in patients with COPD. International Journal of COPD, 2018, Volume 13, 867-874.	0.9	33
178	Predictive Factors of Gefitinib Antitumor Activity in East Asian Advanced Non-small Cell Lung Cancer Patients. Journal of Thoracic Oncology, 2006, 1, 520-525.	0.5	32
179	Skin and soft-tissue infection caused by non-tuberculous mycobacteria in Taiwan, 1997–2008. Epidemiology and Infection, 2011, 139, 121-129.	1.0	32
180	Effusion Immunocytochemistry as an Alternative Approach for the Selection of First-Line Targeted Therapy in Advanced Lung Adenocarcinoma. Journal of Thoracic Oncology, 2012, 7, 993-1000.	0.5	32

#	Article	IF	CITATIONS
181	Application of heart-rate variability in patients undergoing weaning from mechanical ventilation. Critical Care, 2014, 18, R21.	2.5	32
182	Elastase induces lung epithelial cell autophagy through placental growth factor. Autophagy, 2014, 10, 1509-1521.	4.3	32
183	The association between inhaled corticosteroid and pneumonia in COPD patients: the improvement of patients' life quality with COPD in Taiwan (IMPACT) study. International Journal of COPD, 2016, Volume 11, 2775-2783.	0.9	31
184	Inhaled nitric oxide and the risk of renal dysfunction in patients with acute respiratory distress syndrome: a propensity-matched cohort study. Critical Care, 2016, 20, 389.	2.5	31
185	Real-World Data on Prognostic Factors for Overall Survival in EGFR Mutation-Positive Advanced Non-Small Cell Lung Cancer Patients Treated with First-Line Gefitinib. Oncologist, 2017, 22, 1075-1083.	1.9	31
186	Incidence of hepatitis B reactivation during epidermal growth factor receptor tyrosine kinase inhibitor treatment in non–small-cell lung cancer patients. European Journal of Cancer, 2019, 117, 107-115.	1.3	31
187	SP110b Controls Host Immunity and Susceptibility to Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 369-382.	2.5	31
188	Hemoglobin Levels and Weaning Outcome of Mechanical Ventilation in Difficult-To-Wean Patients: A Retrospective Cohort Study. PLoS ONE, 2013, 8, e73743.	1.1	31
189	Ultrasonography and ultrasonographically guided fine-needle aspiration biopsy of impalpable cervical lymph nodes in patients with non-small cell lung cancer. Cancer, 1992, 70, 1111-1114.	2.0	30
190	Imprint cytology improves accuracy of computed tomography-guided percutaneous transthoracic needle biopsy. European Respiratory Journal, 2008, 31, 54-61.	3.1	30
191	Intracardiac extension of lung cancer via the pulmonary vein. Thorax, 2008, 63, 1122-1122.	2.7	30
192	Gefitinib Therapy in Patients With Advanced Non-Small Cell Lung Cancer With or Without Testing for Epidermal Growth Factor Receptor (EGFR) Mutations. Medicine (United States), 2011, 90, 159-167.	0.4	30
193	Decline in rates of acquired multidrug-resistant tuberculosis after implementation of the directly observed therapy, short course (DOTS) and DOTS-Plus programmes in Taiwan. Journal of Antimicrobial Chemotherapy, 2013, 68, 1910-1916.	1.3	30
194	Efficacy and adverse events of high-frequency oscillatory ventilation in adult patients with acute respiratory distress syndrome: a meta-analysis. Critical Care, 2014, 18, R102.	2.5	30
195	Longitudinal Analysis of Severe Acute Respiratory Syndrome (SARS) Coronavirus-Specific Antibody in SARS Patients. Vaccine Journal, 2005, 12, 1455-1457.	3.2	29
196	Genetic Polymorphisms of Cytochrome P450 and Matrix Metalloproteinase in Chronic Obstructive Pulmonary Disease. Biochemical Genetics, 2009, 47, 591-601.	0.8	29
197	Safety of rifabutin replacing rifampicin in the treatment of tuberculosis: a single-centre retrospective cohort study. Journal of Antimicrobial Chemotherapy, 2014, 69, 790-796.	1.3	29
198	High serum levels of procalcitonin and soluble TREM-1 correlated with poor prognosis in pulmonary tuberculosis. Journal of Infection, 2014, 68, 440-447.	1.7	29

#	Article	IF	CITATIONS
199	CIP2A mediates erlotinib-induced apoptosis in non-small cell lung cancer cells without EGFR mutation. Lung Cancer, 2014, 85, 152-160.	0.9	29
200	Epidermal growth factor receptor mutation predicts favorable outcomes in non-small cell lung cancer patients with brain metastases treated with stereotactic radiosurgery. Radiotherapy and Oncology, 2018, 126, 368-374.	0.3	29
201	Chemotherapy Response in East Asian Non-small Cell Lung Cancer Patients Harboring Wild-Type or Activating Mutation of Epidermal Growth Factor Receptors. Journal of Thoracic Oncology, 2010, 5, 1424-1429.	0.5	28
202	Risk Factors of Pneumothorax after Endobronchial Ultrasound-Guided Transbronchial Biopsy for Peripheral Lung Lesions. PLoS ONE, 2012, 7, e49125.	1.1	28
203	Diagnostic role of inflammatory and antiâ€inflammatory cytokines and effector molecules of cytotoxic <scp>T</scp> lymphocytes in tuberculous pleural effusion. Respirology, 2015, 20, 147-154.	1.3	28
204	Expression of Notch Gene and Its Impact on Survival of Patients with Resectable Non-small Cell Lung Cancer. Journal of Cancer, 2017, 8, 1292-1300.	1.2	28
205	Ultrasound guided pericardial drainage and intrapericardial instillation of mitomycin C for malignant pericardial effusion Thorax, 1994, 49, 594-595.	2.7	27
206	Management of Tension Pneumatocele With High-Frequency Oscillatory Ventilation. Chest, 2002, 121, 284-286.	0.4	27
207	Clinical significance of isolation of nontuberculous mycobacteria in pulmonary tuberculosis patients. Respiratory Medicine, 2009, 103, 1484-1491.	1.3	27
208	Factors Associated with Lung Function Decline in Patients with Non-Tuberculous Mycobacterial Pulmonary Disease. PLoS ONE, 2013, 8, e58214.	1.1	27
209	Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. PLoS ONE, 2013, 8, e69556.	1.1	27
210	TD-19, an Erlotinib Derivative, Induces Epidermal Growth Factor Receptor Wild-Type Nonsmall-Cell Lung Cancer Apoptosis through CIP2A-Mediated Pathway. Journal of Pharmacology and Experimental Therapeutics, 2014, 351, 352-358.	1.3	27
211	Effect of Tracheostomy on Weaning Parameters in Difficult-to-Wean Mechanically Ventilated Patients: A Prospective Observational Study. PLoS ONE, 2015, 10, e0138294.	1.1	27
212	Anaplastic Lymphoma Kinase (ALK) Kinase Domain Mutation Following ALK Inhibitor(s) Failure in Advanced ALK Positive Non–Small-Cell Lung Cancer: Analysis and Literature Review. Clinical Lung Cancer, 2016, 17, e77-e94.	1.1	27
213	MMP-12 activates protease-activated receptor-1, upregulates placenta growth factor, and leads to pulmonary emphysema. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2018, 315, L432-L442.	1.3	27
214	Final Overall Survival and Other Efficacy and Safety Results From ASCEND-3: Phase II Study ofÂCeritinib in ALKi-Naive Patients With ALK-Rearranged NSCLC. Journal of Thoracic Oncology, 2020, 15, 609-617.	0.5	27
215	Air-polluted environmental heavy metal exposure increase lung cancer incidence and mortality: A population-based longitudinal cohort study. Science of the Total Environment, 2022, 810, 152186.	3.9	27
216	Clinical features of pandrug-resistant Acinetobacter baumannii bacteremia at a university hospital in Taiwan. Journal of the Formosan Medical Association, 2003, 102, 601-6.	0.8	27

#	Article	IF	CITATIONS
217	Application of Mucin Quantitative Competitive Reverse Transcription Polymerase Chain Reaction in Assisting the Diagnosis of Malignant Pleural Effusion. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 1312-1318.	2.5	26
218	Acquired Gefitinib-Resistant Mutation of EGFR in a Chemonaive Lung Adenocarcinoma Harboring Gefitinib-Sensitive Mutation L858R. PLoS Medicine, 2005, 2, e269.	3.9	26
219	Cytologically Proven Meningeal Carcinomatosis in Patients with Lung Cancer: Clinical Observation of 34 Cases. Journal of the Formosan Medical Association, 2008, 107, 851-856.	0.8	26
220	Measurement of quality of life using EQ-5D in patients on prolonged mechanical ventilation: comparison of patients, family caregivers, and nurses. Quality of Life Research, 2010, 19, 721-727.	1.5	26
221	Different Efficacies of Erlotinib and Gefitinib in Taiwanese Patients with Advanced Non-small Cell Lung Cancer: A Retrospective Multicenter Study. Journal of Thoracic Oncology, 2011, 6, 148-155.	0.5	26
222	Mixed infection with Beijing and non-Beijing strains in pulmonary tuberculosis in Taiwan: prevalence, risk factors, and dominant strain. Clinical Microbiology and Infection, 2011, 17, 1239-1245.	2.8	26
223	Plasma Biomarkers Can Predict Treatment Response in Tuberculosis Patients. Medicine (United States), 2015, 94, e1628.	0.4	26
224	QuantiFERON-TB Gold Plus Is a More Sensitive Screening Tool than QuantiFERON-TB Gold In-Tube for Latent Tuberculosis Infection among Older Adults in Long-Term Care Facilities. Journal of Clinical Microbiology, 2018, 56, .	1.8	26
225	Combining MAD and CPAP as an effective strategy for treating patients with severe sleep apnea intolerant to high-pressure PAP and unresponsive to MAD. PLoS ONE, 2017, 12, e0187032.	1.1	26
226	High efficacy of erlotinib in Taiwanese NSCLC patients in an expanded access program study previously treated with chemotherapy. Lung Cancer, 2008, 62, 78-84.	0.9	25
227	Lower gastrointestinal tract tuberculosis: an important but neglected disease. International Journal of Colorectal Disease, 2009, 24, 1175-1180.	1.0	25
228	Elevation of telomerase activity positively correlates to poor prognosis of patients with non-small cell lung cancer. Cancer Letters, 2006, 240, 148-156.	3.2	24
229	Antimicrobial resistance of bacterial isolates from respiratory care wards in Taiwan: a horizontal surveillance study. International Journal of Antimicrobial Agents, 2008, 31, 420-426.	1.1	24
230	Sero-Diagnosis of Mycobacterium avium Complex Lung Disease Using Serum Immunoglobulin A Antibody against Glycopeptidolipid Antigen in Taiwan. PLoS ONE, 2013, 8, e80473.	1.1	24
231	Heparin coâ€factor <scp>II</scp> enhances cell motility and promotes metastasis in nonâ€small cell lung cancer. Journal of Pathology, 2015, 235, 50-64.	2.1	24
232	Cryptococcosis and tuberculosis co-infection at a university hospital in Taiwan, 1993–2006. Infection, 2010, 38, 373-379.	2.3	23
233	PIGF mediates neutrophil elastase-induced airway epithelial cell apoptosis and emphysema. Respiratory Research, 2014, 15, 106.	1.4	23
234	The identification of the TRPM8 channel on primary culture of human nasal epithelial cells and its response to cooling. Medicine (United States), 2017, 96, e7640.	0.4	23

#	Article	IF	CITATIONS
235	Non-small cell lung cancer harbouring non-resistant uncommon EGFR mutations: Mutation patterns, effectiveness of epidermal growth factor receptor-tyrosine kinase inhibitors and prognostic factors. European Journal of Cancer, 2019, 119, 77-86.	1.3	23
236	Fucosyltransferase 4 shapes oncogenic glycoproteome to drive metastasis of lung adenocarcinoma. EBioMedicine, 2020, 57, 102846.	2.7	23
237	Community-Acquired Thoracic Empyema in Older People. Journal of the American Geriatrics Society, 2005, 53, 1203-1209.	1.3	22
238	Predictive Factors of Gefitinib Antitumor Activity in East Asian Advanced Non-small Cell Lung Cancer Patients. Journal of Thoracic Oncology, 2006, 1, 520-525.	0.5	22
239	Octogenarians with Advanced Non-small Cell Lung Cancer: Treatment Modalities, Survival, and Prognostic Factors. Journal of Thoracic Oncology, 2010, 5, 82-89.	0.5	22
240	Neoadjuvant Chemotherapy With Docetaxel-Cisplatin in Patients With Stage III N2 Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2013, 14, 418-424.	1.1	22
241	Autoantibody prevalence in active tuberculosis: reactive or pathognomonic?. BMJ Open, 2013, 3, e002665.	0.8	22
242	Comparison of the Prevalence of Latent Tuberculosis Infection among Non-Dialysis Patients with Severe Chronic Kidney Disease, Patients Receiving Dialysis, and the Dialysis-Unit Staff: A Cross-Sectional Study. PLoS ONE, 2015, 10, e0124104.	1.1	22
243	Predictive factors for EGFR -tyrosine kinase inhibitor retreatment in patients with EGFR -mutated non-small-cell lung cancer – A multicenter retrospective SEQUENCE study. Lung Cancer, 2017, 104, 58-64.	0.9	22
244	Psychological distress and coping strategies among women with incurable lung cancer: a qualitative study. Supportive Care in Cancer, 2018, 26, 989-996.	1.0	22
245	Lung Sequestration. Chest, 1992, 102, 1880-1882.	0.4	21
246	Clinical Characteristics and Outcomes of Lung Cancer with Pulmonary Embolism. Oncology, 2009, 77, 100-106.	0.9	21
247	The Prognostic Value of the Simplified Comorbidity Score in the Treatment of Small Cell Lung Carcinoma. Journal of Thoracic Oncology, 2011, 6, 378-383.	0.5	21
248	Mycobacterial peritonitis: difference between non-tuberculous mycobacteria and Mycobacterium tuberculosis. Clinical Microbiology and Infection, 2012, 18, 246-252.	2.8	21
249	Cost per QALY (Quality-Adjusted Life Year) and Lifetime Cost of Prolonged Mechanical Ventilation in Taiwan. PLoS ONE, 2012, 7, e44043.	1.1	21
250	Association of <i>BIM</i> Deletion Polymorphism With Intrinsic Resistance to EGFR Tyrosine Kinase Inhibitors in Patients With Lung Adenocarcinoma. JAMA Oncology, 2016, 2, 826.	3.4	21
251	The Clinical Significance of Programmed Death-1, Regulatory T Cells and Myeloid Derived Suppressor Cells in Patients with Nontuberculous Mycobacteria-Lung Disease. Journal of Clinical Medicine, 2019, 8, 736.	1.0	21
252	Endobronchial Ultrasound-Guided Transbronchial Biopsy of Peripheral Pulmonary Lesions: How Many Specimens Are Necessary?. Respiration, 2012, 84, 128-134.	1.2	20

#	Article	IF	CITATIONS
253	Dynamic changes in positive interferon-gamma release assay in a dialysis population: An observational cohort study. Journal of Infection, 2013, 67, 529-535.	1.7	20
254	GM2-Activator Protein: A New Biomarker for Lung Cancer. Journal of Thoracic Oncology, 2015, 10, 102-109.	0.5	20
255	Durability of Weaning Success for Liberation from Invasive Mechanical Ventilation: An Analysis of a Nationwide Database. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 792-795.	2.5	20
256	Impact of selective and nonselective beta-blockers on the risk of severe exacerbations in patients with COPD. International Journal of COPD, 2017, Volume 12, 2987-2996.	0.9	20
257	Asynchronous Thoraco-abdominal Motion Contributes to Decreased 6-Minute Walk Test in Patients With COPD. Respiratory Care, 2013, 58, 320-326.	0.8	19
258	Interferon-gamma release assay and Rifampicin therapy for household contacts of tuberculosis. Journal of Infection, 2012, 64, 291-298.	1.7	19
259	Apoptosis-associated biomarkers in tuberculosis: promising for diagnosis and prognosis prediction. BMC Infectious Diseases, 2013, 13, 45.	1.3	19
260	Gender-Based Impact of Epidermal Growth Factor Receptor Mutation in Patients With Nonsmall Cell Lung Cancer and Previous Tuberculosis. Medicine (United States), 2015, 94, e444.	0.4	19
261	<i>EGFR</i> mutation and lobar location of lung adenocarcinoma. Carcinogenesis, 2016, 37, 157-162.	1.3	19
262	Transthoracic Ultrasound Elastography in Pulmonary Lesions and Diseases. Ultrasound in Medicine and Biology, 2017, 43, 145-152.	0.7	19
263	Outcomes of cancer therapy administered to treatment-naÃ ⁻ ve lung cancer patients in the intensive care unit. Journal of Cancer, 2017, 8, 1995-2003.	1.2	19
264	Treatment effectiveness and tolerability of afatinib at different doses in patients with EGFR-mutated lung adenocarcinoma: How low can we go?. European Journal of Cancer, 2018, 103, 32-40.	1.3	19
265	Predictors of Early Onset Multiple Organ Dysfunction in Major Burn Patients with Ventilator Support: Experience from A Mass Casualty Explosion. Scientific Reports, 2018, 8, 10939.	1.6	19
266	Dispositional mindfulness, self ompassion, and compassion from others as moderators between stress and depression in caregivers of patients with lung cancer. Psycho-Oncology, 2019, 28, 1498-1505.	1.0	19
267	Cranial Irradiation for Patients with Epidermal Growth Factor Receptor (EGFR) Mutant Lung Cancer Who Have Brain Metastases in the Era of a New Generation of EGFR Inhibitors. Oncologist, 2019, 24, e1417-e1425.	1.9	19
268	Inappropriate Peak Inspiratory Flow Rate with Dry Powder Inhaler in Chronic Obstructive Pulmonary Disease. Scientific Reports, 2020, 10, 7271.	1.6	19
269	ASCEND-7: Efficacy and Safety of Ceritinib Treatment in Patients with <i>ALK</i> Positive Non–Small Cell Lung Cancer Metastatic to the Brain and/or Leptomeninges. Clinical Cancer Research, 2022, 28, 2506-2516.	3.2	19
270	Candida glabrata fungaemia in a tertiary centre in Taiwan: antifungal susceptibility and outcomes. International Journal of Antimicrobial Agents, 2009, 34, 236-239.	1.1	18

#	Article	IF	CITATIONS
271	Moxifloxacin Improves Treatment Outcomes in Patients with Ofloxacin-Resistant Multidrug-Resistant Tuberculosis. Antimicrobial Agents and Chemotherapy, 2016, 60, 4708-4716.	1.4	18
272	Tumor marker analyses from the phase III, placebo-controlled, FASTACT-2 study of intercalated erlotinib with gemcitabine/platinum in the first-line treatment of advanced non-small-cell lung cancer. Lung Cancer, 2016, 98, 1-8.	0.9	18
273	Severe Sepsis and Septic Shock. Shock, 2016, 45, 518-524.	1.0	18
274	Severe exacerbation and pneumonia in COPD patients treated with fixed combinations of inhaled corticosteroid and long-acting beta2 agonist. International Journal of COPD, 2017, Volume 12, 2477-2485.	0.9	18
275	Clinical factors associated with treatment outcomes in EGFR mutant non-small cell lung cancer patients with brain metastases: a case-control observational study. BMC Cancer, 2019, 19, 1006.	1.1	18
276	Complex EGFR mutations with secondary T790M mutation confer shorter osimertinib progression-free survival and overall survival in advanced non-small cell lung cancer. Lung Cancer, 2020, 145, 1-9.	0.9	18
277	Influence of first-line chemotherapy and EGFR mutations on second-line gefitinib in advanced non-small cell lung cancer. Lung Cancer, 2010, 67, 348-354.	0.9	17
278	Evaluation of the Cobas TaqMan MTB real-time PCR assay for direct detection of Mycobacterium tuberculosis in respiratory specimens. Journal of Medical Microbiology, 2013, 62, 1160-1164.	0.7	17
279	Rapid Sputum Multiplex Detection of the M. tuberculosis Complex (MTBC) and Resistance Mutations for Eight Antibiotics by Nucleotide MALDI-TOF MS. Scientific Reports, 2017, 7, 41486.	1.6	17
280	Best Response According to RECIST During First-line EGFR-TKI Treatment Predicts Survival in EGFR Mutation-positive Non–Small-cell Lung Cancer Patients. Clinical Lung Cancer, 2018, 19, e361-e372.	1.1	17
281	The Impact of Sepsis on the Outcomes of COPD Patients: A Population-Based Cohort Study. Journal of Clinical Medicine, 2018, 7, 393.	1.0	17
282	IGFBP7 Drives Resistance to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibition in Lung Cancer. Cancers, 2019, 11, 36.	1.7	17
283	EGFR-Mutant SCLC Exhibits Heterogeneous Phenotypes and Resistance to Common Antineoplastic Drugs. Journal of Thoracic Oncology, 2019, 14, 513-526.	0.5	17
284	Association of Programmed Death-Ligand 1 Expression with Fusion Variants and Clinical Outcomes in Patients with Anaplastic Lymphoma Kinase-Positive Lung Adenocarcinoma Receiving Crizotinib. Oncologist, 2020, 25, 702-711.	1.9	17
285	Olmutinib in T790Mâ€positive non–small cell lung cancer after failure of firstâ€line epidermal growth factor receptorâ€tyrosine kinase inhibitor therapy: A global, phase 2 study. Cancer, 2021, 127, 1407-1416.	2.0	17
286	High Mortality in Severe Sepsis and Septic Shock Patients with Do-Not-Resuscitate Orders in East Asia. PLoS ONE, 2016, 11, e0159501.	1.1	17
287	Predictive factors of gefitinib antitumor activity in East Asian advanced non-small cell lung cancer patients. Journal of Thoracic Oncology, 2006, 1, 520-5.	0.5	17
288	Tuberculosis antigen A60 serodiagnosis in tuberculous infection: Application in extrapulmonary and smear-negative pulmonary tuberculosis. Respirology, 1996, 1, 145-151.	1.3	16

#	Article	IF	CITATIONS
289	Digital infarcts showing microangiopathy in adult dermatomyositis suggest severe pulmonary involvement and poor prognosis. British Journal of Dermatology, 2004, 150, 1214-1216.	1.4	16
290	Mycobacterial arthritis of large joints: Table 1. Annals of the Rheumatic Diseases, 2009, 68, 1504-1505.	0.5	16
291	Central Venous Oxygen Saturation Under Non-Protocolized Resuscitation Is Not Related to Survival in Severe Sepsis or Septic Shock. Shock, 2012, 38, 584-591.	1.0	16
292	Gefitinib-Related Interstitial Lung Disease in Taiwanese Patients With Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2013, 14, 55-61.	1.1	16
293	Incidence and management of metabolic acidosis with sodium bicarbonate in the ICU: An international observational study. Critical Care, 2021, 25, 45.	2.5	16
294	Epigenetic modulation of immune synaptic-cytoskeletal networks potentiates γδT cell-mediated cytotoxicity in lung cancer. Nature Communications, 2021, 12, 2163.	5.8	16
295	Performance Assessment of the DR. TBDR/NTM IVD Kit for Direct Detection of Mycobacterium tuberculosis Isolates, Including Rifampin-Resistant Isolates, and Nontuberculous Mycobacteria. Journal of Clinical Microbiology, 2012, 50, 3398-3401.	1.8	15
296	Risk factors for Mycobacterium chelonae-abscessus pulmonary disease persistence and deterioration. Journal of Infection, 2012, 64, 228-230.	1.7	15
297	Epidemiology and Outcome of Severe Sepsis and Septic Shock in Surgical Intensive Care Units in Northern Taiwan. Medicine (United States), 2015, 94, e2136.	0.4	15
298	Risk of Tuberculosis Among Patients on Dialysis. Medicine (United States), 2016, 95, e3813.	0.4	15
299	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. Genomics, 2020, 112, 1223-1232.	1.3	15
300	Risk of active tuberculosis among COPD patients treated with fixed combinations of long-acting beta2 agonists and inhaled corticosteroids. BMC Infectious Diseases, 2020, 20, 706.	1.3	15
301	The effectiveness of afatinib in patients with lung adenocarcinoma harboring complex epidermal growth factor receptor mutation. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592094615.	1.4	15
302	Autophagy in fibroblasts induced by cigarette smoke extract promotes invasion in lung cancer cells. International Journal of Cancer, 2020, 147, 2587-2596.	2.3	15
303	A randomized placebo-controlled phase III study of intercalated erlotinib with gemcitabine/platinum in first-line advanced non-small cell lung cancer (NSCLC): FASTACT-II Journal of Clinical Oncology, 2012, 30, 7519-7519.	0.8	15
304	Quantitative Analysis of mRNA Encoding MUC1, MUC2, and MUC5AC Genes: A Correlation between Specific Mucin Gene Expression and Sialomucin Expression in Non–Small Cell Lung Cancer. American Journal of Respiratory Cell and Molecular Biology, 1998, 18, 643-652.	1.4	14
305	High dose tamoxifen plus cisplatin and etoposide in the treatment of patients with advanced, inoperable nonsmall cell lung carcinoma. , 1999, 86, 415-420.		14
306	Gemcitabine plus conventional-dose epirubicin versus gemcitabine plus cisplatin as first-line chemotherapy for stage IIIB/IV non-small cell lung carcinoma—A randomized phase II trial. Lung Cancer, 2008, 62, 334-343.	0.9	14

#	Article	IF	CITATIONS
307	Management of Severe Community-acquired Septic Meningitis in Adults: From Emergency Department to Intensive Care Unit. Journal of the Formosan Medical Association, 2009, 108, 112-118.	0.8	14
308	In-hospital outcome of patients with culture-confirmed tuberculous pleurisy: clinical impact of pulmonary involvement. BMC Infectious Diseases, 2011, 11, 46.	1.3	14
309	Prior EGFR tyrosine-kinase inhibitor therapy did not influence the efficacy of subsequent pemetrexed plus platinum in advanced chemonaïve patients with EGFR-mutant lung adenocarcinoma. OncoTargets and Therapy, 2014, 7, 799.	1.0	14
310	Effects of acute critical illnesses on the performance of interferon-gamma release assay. Scientific Reports, 2016, 6, 19972.	1.6	14
311	Decreased T helper 17 cells in tuberculosis is associated with increased percentages of programmed death ligand 1, T helper 2 and regulatory T cells. Respiratory Research, 2017, 18, 128.	1.4	14
312	Health-Related Quality of Life Outcomes in Patients with Resected Epidermal Growth Factor Receptor–Mutated Non–Small Cell Lung Cancer Who Received Adjuvant Osimertinib in the Phase III ADAURA Trial. Clinical Cancer Research, 2022, 28, 2286-2296.	3.2	14
313	Identification of trophinin as an enhancer for cell invasion and a prognostic factor for early stage lung cancer. European Journal of Cancer, 2007, 43, 782-790.	1.3	13
314	Predictive factors warrant screening for obstructive sleep apnea in COPD: a Taiwan National Survey. International Journal of COPD, 2016, 11, 665.	0.9	13
315	Gefitinib or erlotinib in previously treated non–smallâ€cell lung cancer patients: a cohort study in Taiwan. Cancer Medicine, 2017, 6, 1563-1572.	1.3	13
316	Combined effect of ERCC1 and ERCC2 polymorphisms on overall survival in non-squamous non-small-cell lung cancer patients treated with first-line pemetrexed/platinum. Lung Cancer, 2018, 118, 90-96.	0.9	13
317	Latent Tuberculosis Infection Increases in Kidney Transplantation Recipients Compared With Transplantation Candidates: A Neglected Perspective in Tuberculosis Control. Clinical Infectious Diseases, 2020, 71, 914-923.	2.9	13
318	ASPIRATION: Phase II study of continued erlotinib beyond RECIST progression in Asian patients (pts) with epidermal growth factor receptor (<i>EGFR</i>) mutation-positive non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2012, 30, TPS7614-TPS7614.	0.8	13
319	Elevated Serum Levels of Mucin-associated Antigen in Patients with Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1453-1457.	2.5	12
320	Revisit of 1997 TNM Staging System—Survival Analysis of 1112 Lung Cancer Patients in Taiwan. Japanese Journal of Clinical Oncology, 2007, 37, 9-15.	0.6	12
321	Antibody Responses to Pneumococcal Polysaccharide Vaccine in Taiwanese Patients with Chronic Obstructive Pulmonary Disease. Journal of the Formosan Medical Association, 2007, 106, 196-203.	0.8	12
322	Concomitant Pulmonary Tuberculosis in Hospitalized Healthcare-Associated Pneumonia in a Tuberculosis Endemic Area: A Multi-center Retrospective Study. PLoS ONE, 2012, 7, e36832.	1.1	12
323	Prognostic value of plasma <scp>N</scp> â€ŧerminal pro <scp>B</scp> â€ŧype natriuretic peptide levels in pneumonia patients requiring intensive care unit admission. Respirology, 2013, 18, 933-941.	1.3	12
324	MINI01.01: Whole Body and Intracranial Efficacy ofÂCeritinib in ALK-inhibitor NaÃ⁻ve Patients with ALK+ NSCLC and Brain Metastases: Results of ASCEND 1 and 3. Journal of Thoracic Oncology, 2016, 11, S256.	0.5	12

#	Article	IF	CITATIONS
325	Evaluation of the automated Becton Dickinson MAX real-time PCR platform for detection of <i>Pneumocystis jirovecii</i> . Future Microbiology, 2017, 12, 29-37.	1.0	12
326	Interleukin 23/interleukin 17 axis activated by Mycobacterium avium complex (MAC) is attenuated in patients with MAC-lung disease. Tuberculosis, 2018, 110, 7-14.	0.8	12
327	Clinical characteristics of bacteraemia caused by Burkholderia cepacia complex species and antimicrobial susceptibility of the isolates in a medical centre in Taiwan. International Journal of Antimicrobial Agents, 2018, 51, 357-364.	1.1	12
328	Timely diagnosis and treatment of sleep apnea reduce cardiovascular sequelae in patients with myocardial infarction. PLoS ONE, 2018, 13, e0201493.	1.1	12
329	Driver mutations of young lung adenocarcinoma patients with malignant pleural effusion. Genes Chromosomes and Cancer, 2018, 57, 513-521.	1.5	12
330	Clinical Trajectories and Causes of Death in Septic Patients with a Low APACHE II Score. Journal of Clinical Medicine, 2019, 8, 1064.	1.0	12
331	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. Environment International, 2021, 147, 105975.	4.8	12
332	A phase II study of oral vinorelbine in combination with cisplatin conducted in Taiwan in patients with unresectable localized or metastatic non-small cell lung carcinoma. Lung Cancer, 2007, 56, 89-95.	0.9	11
333	Predictors of toxicity of weekly docetaxel in chemotherapy-treated non-small cell lung cancers. Lung Cancer, 2008, 60, 92-97.	0.9	11
334	Lung Adenocarcinoma with Good Response to Erlotinib after Gefitinib Treatment Failure and Acquired T790M Mutation. Journal of Thoracic Oncology, 2008, 3, 451-452.	0.5	11
335	Estimation of Quality-Adjusted Life Expectancy in Patients Under Prolonged Mechanical Ventilation. Value in Health, 2011, 14, 347-353.	0.1	11
336	Elevated placenta growth factor predicts pneumonia in patients with chronic obstructive pulmonary disease under inhaled corticosteroids therapy. BMC Pulmonary Medicine, 2011, 11, 46.	0.8	11
337	Signal Transducer and Activator of Transcription 3 as Molecular Therapy for Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2014, 9, 488-496.	0.5	11
338	Preadmission tracheostomy is associated with better outcomes in patients with prolonged mechanical ventilation in the postintensive care respiratory care setting. Journal of the Formosan Medical Association, 2017, 116, 169-176.	0.8	11
339	National survey of ABC (A1C, blood pressure, cholesterol) of Diabetes Health Promotion Institutes in Taiwan: 2002–2018. Journal of the Formosan Medical Association, 2018, 117, 952-954.	0.8	11
340	NLRP3 inflammasome is attenuated in patients with Mycobacterium avium complex lung disease and correlated with decreased interleukin-11² response and host susceptibility. Scientific Reports, 2019, 9, 12534.	1.6	11
341	Risk of Sepsis and Mortality Among Patients With Chronic Obstructive Pulmonary Disease Treated With Angiotensin-Converting Enzyme Inhibitors or Angiotensin Receptor Blockers. Critical Care Medicine, 2019, 47, e14-e20.	0.4	11
342	Effect of β-Blocker in Treatment-NaÃ⁻ve Patients With Advanced Lung Adenocarcinoma Receiving First-Generation EGFR-TKIs. Frontiers in Oncology, 2020, 10, 583529.	1.3	11

#	Article	IF	CITATIONS
343	Multiâ€kinase framework promotes proliferation and invasion of lung adenocarcinoma through activation of dynaminâ€related protein 1. Molecular Oncology, 2021, 15, 560-578.	2.1	11
344	Prognostic Characteristics and Immunotherapy Response of Patients With Nonsquamous NSCLC With Kras Mutation in East Asian Populations: A Single-Center Cohort Study in Taiwan. JTO Clinical and Research Reports, 2021, 2, 100140.	0.6	11
345	Detection of EGFR-activating mutations from plasma DNA as a potent predictor of survival outcomes in FASTACT 2: A randomized phase III study on intercalated combination of erlotinib (E) and chemotherapy (C) Journal of Clinical Oncology, 2013, 31, 8021-8021.	0.8	11
346	Performance Assessment of the BluePoint MycoID Plus Kit for Identification of Mycobacterium tuberculosis, Including Rifampin- and Isoniazid-resistant Isolates, and Nontuberculous Mycobacteria. PLoS ONE, 2015, 10, e0125016.	1.1	11
347	Outcome of Coal Worker's Pneumoconiosis With Acute Respiratory Failure. Chest, 2004, 125, 1052-1058.	0.4	10
348	Use of soluble triggering receptor expressed on myeloid cells-1 in non-tuberculous mycobacterial lung disease. International Journal of Tuberculosis and Lung Disease, 2011, 15, 1415-1420.	0.6	10
349	Estimated Creatinine Clearance Rate Is Associated With the Treatment Effectiveness and Toxicity of Pemetrexed As Continuation Maintenance Therapy for Advanced Nonsquamous Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2015, 16, e131-e140.	1.1	10
350	Clinical features of patients with bacteraemia caused by Mycobacterium avium complex species and antimicrobial susceptibility of the isolates at a medical centre in Taiwan, 2008–2014. International Journal of Antimicrobial Agents, 2017, 50, 35-40.	1.1	10
351	High incidence of fluoroquinolone resistance and effect of efflux pump inhibitors on moxifloxacin resistance among Mycobacterium tuberculosis isolates causing urinary tract infection in Taiwan. International Journal of Antimicrobial Agents, 2017, 50, 491-495.	1.1	10
352	Outcomes of research biopsies in clinical trials of EGFR mutation-positive non-small cell lung cancer patients pretreated with EGFR-tyrosine kinase inhibitors. Journal of the Formosan Medical Association, 2018, 117, 326-331.	0.8	10
353	Experience improves the performance of endobronchial ultrasound-guided transbronchial biopsy for peripheral pulmonary lesions: A learning curve at a medical centre. PLoS ONE, 2017, 12, e0179719.	1.1	10
354	Astrocyte-elevated gene-1 confers resistance to pemetrexed in non-small cell lung cancer by upregulating thymidylate synthase expression. Oncotarget, 2017, 8, 61901-61916.	0.8	10
355	Clinical outcomes and toxicity predictors of thoracic re-irradiation for locoregionally recurrent lung cancer. Clinical and Translational Radiation Oncology, 2020, 22, 76-82.	0.9	10
356	Alteration of ocular surface mucins in MUC5AC-DTA transgenic mice. Molecular Vision, 2009, 15, 108-19.	1.1	10
357	Pasteurization is effective against multidrug-resistant bacteria. American Journal of Infection Control, 2006, 34, 320-322.	1.1	9
358	The evolution of drug-resistant microorganisms in patients with prolonged mechanical ventilation. American Journal of Infection Control, 2009, 37, 231-236.	1.1	9
359	Kommerell diverticulum, right-sided aorta, and left aberrant subclavian artery in a patient with dysphagia. Journal of Thoracic and Cardiovascular Surgery, 2010, 139, e97-e98.	0.4	9
360	Enzyme-linked immunospot assay for interferon-gamma to support the diagnosis of tuberculosis in diabetic patients. Scandinavian Journal of Infectious Diseases, 2010, 42, 752-756.	1.5	9

#	Article	IF	CITATIONS
361	Non-surgical Management of Giant Lung Bullae During Mechanical Ventilation. Respiratory Care, 2011, 56, 1614-1616.	0.8	9
362	Outcome Correlation of Smear-Positivity for Acid-Fast Bacilli at the Fifth Month of Treatment in Non-Multidrug–Resistant TB. Chest, 2013, 143, 1725-1732.	0.4	9
363	Effect of Weekend Admissions on the Treatment Process and Outcomes of Internal Medicine Patients. Medicine (United States), 2016, 95, e2643.	0.4	9
364	Significant Clinical Factors Associated with Long-term Mortality in Critical Cancer Patients Requiring Prolonged Mechanical Ventilation. Scientific Reports, 2017, 7, 2148.	1.6	9
365	Seroprevalence Surveys for Anti-SARS-CoV-2 Antibody in Different Populations in Taiwan With Low Incidence of COVID-19 in 2020 and Severe Outbreaks of SARS in 2003. Frontiers in Immunology, 2021, 12, 626609.	2.2	9
366	Higher frequency but random distribution of EGFR mutation subtypes in familial lung cancer patients. Oncotarget, 2016, 7, 53299-53308.	0.8	9
367	Malposition of a Sengstaken–Blakemore Tube. New England Journal of Medicine, 2005, 352, e7.	13.9	8
368	Survival of stage IIIB/IV non-small cell lung cancer patients who received chemotherapy but did not participate in clinical trials. Lung Cancer, 2005, 48, 275-280.	0.9	8
369	Use of Cetuximab After Failure of Gefitinib in Patients With Advanced Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2010, 11, 257-263.	1.1	8
370	Favorable Response to Gefitinib Treatment of Lung Adenocarcinoma With Coexisting Germline and Somatic Epidermal Growth Factor Receptor Mutations. Journal of Clinical Oncology, 2010, 28, e701-e703.	0.8	8
371	Pemetrexed for Heavily Pretreated Patients With Advanced Non-small Cell Lung Cancer. Journal of the Formosan Medical Association, 2010, 109, 338-344.	0.8	8
372	Hemothorax in a Medical Intensive Care Unit: Incidence, Comorbidity and Prognostic Factors. Journal of the Formosan Medical Association, 2010, 109, 574-581.	0.8	8
373	Serum Soluble Triggering Receptor Expressed on Myeloid Cells-1 in Acute Respiratory Distress Syndrome: A Prospective Observational Cohort Study. Journal of the Formosan Medical Association, 2010, 109, 800-809.	0.8	8
374	Safety and immunogenicity of a split-virion AS03A-adjuvanted A/Indonesia/05/2005 (H5N1) vaccine in Taiwanese adults. Journal of the Formosan Medical Association, 2012, 111, 333-339.	0.8	8
375	Cautious Application of Pleural N-Terminal Pro-B-Type Natriuretic Peptide in Diagnosis of Congestive Heart Failure Pleural Effusions among Critically III Patients. PLoS ONE, 2014, 9, e115301.	1.1	8
376	Current advances of endobronchial ultrasonography in the diagnosis and staging of lung cancer. Journal of Thoracic Disease, 2016, 8, S690-S696.	0.6	8
377	Acquisition of <i>Mycobacterium abscessus</i> among ventilator-dependent patients in Taiwan chronic respiratory care facilities. Future Microbiology, 2016, 11, 491-500.	1.0	8
378	Radial endobronchial ultrasound-guided transbronchial biopsy for peripheral pulmonary malignancy: biopsy- or brushing-first?. BMC Pulmonary Medicine, 2019, 19, 193.	0.8	8

#	Article	IF	CITATIONS
379	Atypical cells in pathology of endobronchial ultrasound-guided transbronchial biopsy of peripheral pulmonary lesions: incidence and clinical significance. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 1783-1788.	1.3	8
380	Anidulafungin as an alternative treatment for Pneumocystis jirovecii pneumonia in patients who cannot tolerate trimethoprim/sulfamethoxazole. International Journal of Antimicrobial Agents, 2020, 55, 105820.	1.1	8
381	Clinical course and risk factors of mortality in Mycobacterium avium complex lung disease without initial treatment. Respiratory Medicine, 2020, 171, 106070.	1.3	8
382	Nivolumab safety and efficacy in advanced, platinum-resistant, non-small cell lung cancer, radical radiotherapy-ineligible patients: A phase II study in Taiwan. Journal of the Formosan Medical Association, 2020, 119, 1817-1826.	0.8	8
383	The impact on incident tuberculosis by kidney function impairment status: analysis of severity relationship. Respiratory Research, 2020, 21, 51.	1.4	8
384	Clinical features and treatment outcomes of Mycobacterium chimaera lung disease and antimicrobial susceptibility of the mycobacterial isolates. Journal of Infection, 2020, 80, 437-443.	1.7	8
385	Blood tryptase and thymic stromal lymphopoietin levels predict the risk of exacerbation in severe asthma. Scientific Reports, 2021, 11, 8425.	1.6	8
386	Effectiveness of Nationwide COPD Pay-for-Performance Program on COPD Exacerbations in Taiwan. International Journal of COPD, 2021, Volume 16, 2869-2881.	0.9	8
387	Predicting results of mycobacterial culture on sputum smear reversion after anti-tuberculous treatment: a case control study. BMC Infectious Diseases, 2010, 10, 48.	1.3	7
388	The trend and the disease prediction of vascular endothelial growth factor and placenta growth factor in nontuberculous mycobacterial lung disease. Scientific Reports, 2016, 6, 37266.	1.6	7
389	Population-Based Cohort Study Reveals Distinct Associations Between Female Lung Cancer and Breast Cancer in Taiwan. JCO Clinical Cancer Informatics, 2018, 2, 1-14.	1.0	7
390	Major comorbidities lead to the risk of adverse cardiovascular events in chronic obstructive pulmonary disease patients using inhaled long-acting bronchodilators: a case-control study. BMC Pulmonary Medicine, 2019, 19, 233.	0.8	7
391	Peak-Inspiratory-Flow-Rate Guided Inhalation Therapy Reduce Severe Exacerbation of COPD. Frontiers in Pharmacology, 2021, 12, 704316.	1.6	7
392	Dynamic Changes in Prognosis with Elapsed Time on Ventilators among Mechanically Ventilated Patients. Annals of the American Thoracic Society, 2020, 17, 729-735.	1.5	7
393	Risk of sepsis among patients with COPD treated with fixed combinations of inhaled corticosteroids and long-acting Beta2 agonists. Aging, 2019, 11, 6863-6871.	1.4	7
394	Incidence and Significance of Clinically Abnormal Events in a Tertiary Referral Medical Center: Implementation of the Clinical Alert System (CAS). Journal of the Formosan Medical Association, 2008, 107, 396-403.	0.8	6
395	Immunogenicity and safety of an AS03A-adjuvanted H5N1 influenza vaccine in a Taiwanese population. Journal of the Formosan Medical Association, 2011, 110, 780-786.	0.8	6
396	Soluble triggering receptor expressed on myeloid cells-1 as an infection marker for patients with neutropenic fever*. Critical Care Medicine, 2011, 39, 993-999.	0.4	6

#	Article	IF	CITATIONS
397	Prospective Evaluation of Procalcitonin, Soluble Triggering Receptor Expressed on Myeloid Cells-1 and C-Reactive Protein in Febrile Patients with Autoimmune Diseases. PLoS ONE, 2016, 11, e0153938.	1.1	6
398	Inflammatory markers and clinical characteristics for predicting persistent positivity of interferon gamma release assay in dialysis population. Scientific Reports, 2016, 6, 34577.	1.6	6
399	The value of repeat radial-probe endobronchial ultrasound-guided transbronchial biopsy after initial non-diagnostic results in patients with peripheral pulmonary lesions. BMC Pulmonary Medicine, 2017, 17, 132.	0.8	6
400	A rare epidermal growth factor receptor H773L/V774M compound mutation in advanced nonâ€smallâ€cell lung cancer with poor response to epidermal growth factor receptor tyrosine kinase inhibitor. Respirology Case Reports, 2019, 7, e00425.	0.3	6
401	Weaning outcome of solid cancer patients requiring mechanical ventilation in the intensive care unit. Journal of the Formosan Medical Association, 2019, 118, 995-1004.	0.8	6
402	Impact of patient-centred and family-centred care meetings on intensive care and resource utilisation in patients with terminal illness: a single-centre retrospective observational study in Taiwan. BMJ Open, 2019, 9, e021561.	0.8	6
403	Establishing Aspergillus-Specific IgG Cut-Off Level for Chronic Pulmonary Aspergillosis Diagnosis: Multicenter Prospective Cohort Study. Journal of Fungi (Basel, Switzerland), 2021, 7, 480.	1.5	6
404	8. The Adjuvanted Recombinant Zoster Vaccine (RZV) Confers Long-term Protection Against Herpes Zoster: Interim Results of an Extension Study (ZOSTER-049) of Two Clinical Trials (ZOE-50 and ZOE-70). Open Forum Infectious Diseases, 2020, 7, S4-S5.	0.4	6
405	Disease Progression in Patients With Nontuberculous Mycobacterial Lung Disease of Nodular Bronchiectatic (NB) Pattern: The Roles of Cavitary NB and Soluble Programmed Death Protein-1. Clinical Infectious Diseases, 2022, 75, 239-247.	2.9	6
406	Long-term remission of hepatic hydrothorax after OK-432 pleurodesis. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 1367-1369.	0.4	5
407	Alarmingly decreasing rates of amoxicillin-clavulanate susceptibility among clinical isolates of Haemophilus influenzae from 2001 to 2009 in a medical center in Taiwan. Journal of Infection, 2011, 62, 185-187.	1.7	5
408	Lung cancer mimicking pulmonary tuberculosis in a TB-endemic country: the role of early invasive diagnostic procedures. Lung Cancer Management, 2015, 4, 9-16.	1.5	5
409	Predictive Modelling of Lung Function using Emphysematous Density Distribution. Scientific Reports, 2019, 9, 19763.	1.6	5
410	Usefulness of Xpert MTB/RIF Ultra to Rapidly Diagnose Sputum Smear-Negative Pulmonary Tuberculosis Using Bronchial Washing Fluid. Frontiers in Microbiology, 2020, 11, 588963.	1.5	5
411	Matrix Metalloprotease-7 Mediates Nucleolar Assembly and Intra-nucleolar Cleaving p53 in Gefitinib-Resistant Cancer Stem Cells. IScience, 2020, 23, 101600.	1.9	5
412	The adjuvanted recombinant zoster vaccine is efficacious and safe in Asian adults ≥ 50 years of age: a sub-cohort analysis of the ZOE-50 and ZOE-70 randomized trials. Human Vaccines and Immunotherapeutics, 2021, 17, 2050-2057.	1.4	5
413	The Short- and Long-term Causal Relationships Between Self-compassion, Trait Mindfulness, Caregiver Stress, and Depressive Symptoms in Family Caregivers of Patients with Lung Cancer. Mindfulness, 2021, 12, 1812-1821.	1.6	5
414	Successful Treatment of a Critically III COVID-19 Patient Using Continuous Renal Replacement Therapy With Enhanced Cytokine Removal and Tocilizumab: A Case Report. Frontiers in Medicine, 2021, 8, 649583.	1.2	5

#	Article	IF	CITATIONS
415	Endobronchial ultrasound-guided transbronchial biopsy with or without a guide sheath for peripheral pulmonary malignancy. ERJ Open Research, 2021, 7, 00267-2021.	1.1	5
416	Tyrosine Kinase Inhibitors Improved Survival of Critically Ill EGFR-Mutant Lung Cancer Patients Undergoing Mechanical Ventilation. Biomedicines, 2021, 9, 1416.	1.4	5
417	Nebulized fenoterol versus IV aminophylline treatment of acute severe asthma. American Journal of Emergency Medicine, 1995, 13, 677-680.	0.7	4
418	Relapse of SARS upon tapering corticosteroid. Intensive Care Medicine, 2004, 30, 1240-1241.	3.9	4
419	Malpositioning of the chest tube across the anterior mediastinum is risky in chronic obstructive pulmonary disease patients with pneumothorax. Interactive Cardiovascular and Thoracic Surgery, 2011, 13, 109-111.	0.5	4
420	Direct Observation Therapy–Plus Can Prevent Acquired Resistance to Fluoroquinolones Among Patients With Multidrug-Resistant Tuberculosis in Taiwan. Clinical Infectious Diseases, 2013, 56, 1054-1055.	2.9	4
421	Identification of nontuberculous mycobacteria in MGIT by matrix-assisted laser desorption/ionization mass spectrometry. Future Microbiology, 2016, 11, 1025-1033.	1.0	4
422	Letter from Taiwan. Respirology, 2018, 23, 535-537.	1.3	4
423	Prognostic value of the mitogen response in the interferon-Î ³ release assay in patients with culture-confirmed tuberculosis. Respiratory Medicine, 2019, 158, 49-54.	1.3	4
424	Advanced physical examination training course improves medical students' confidence in physical examination. Journal of the Formosan Medical Association, 2019, 118, 1416-1422.	0.8	4
425	CD4 response of QuantiFERON-TB Gold Plus for positive consistency of latent tuberculosis infection in patients on dialysis. Scientific Reports, 2020, 10, 21367.	1.6	4
426	Different clinical features of patients with pulmonary disease caused by various Mycobacterium avium–intracellulare complex subspecies and antimicrobial susceptibility. International Journal of Infectious Diseases, 2020, 98, 33-40.	1.5	4
427	Clinical factors associated with treatment toxicity of pemetrexed plus platinum in elderly patients with non-small cell lung cancer. Journal of the Formosan Medical Association, 2020, 119, 1506-1513.	0.8	4
428	Completion and Adverse Drug Events of Latent Tuberculosis Infection Treatment in Patients Receiving Dialysis: Predictors and Impacts of Different Regimens in a Prospective Cohort Study. Antimicrobial Agents and Chemotherapy, 2021, 65, .	1.4	4
429	Ceritinib Efficacy and Safety in Treatment-Naive Asian Patients With Advanced ALK-Rearranged NSCLC: An ASCEND-4 Subgroup Analysis. JTO Clinical and Research Reports, 2021, 2, 100131.	0.6	4
430	Incidence of chronic thromboembolic pulmonary hypertension in Taiwan. Journal of the Formosan Medical Association, 2021, 120, 1740-1748.	0.8	4
431	Treatment Options of First-Line Tyrosine Kinase Inhibitors and Subsequent Systemic Chemotherapy Agents for Advanced EGFR Mutant Lung Adenocarcinoma Patients: Implications From Taiwan Cancer Registry Cohort. Frontiers in Oncology, 2020, 10, 590356.	1.3	4
432	Imaging patterns and prognosis of patients with gefitinib-related interstitial lung disease. International Journal of Clinical Pharmacology and Therapeutics, 2011, 49, 587-593.	0.3	4

#	Article	IF	CITATIONS
433	Efficacy/safety of entrectinib in patients (pts) with <i>ROS1</i> -positive <i> (ROS1</i> +) advanced/metastatic NSCLC from the Blood First Assay Screening Trial (BFAST) Journal of Clinical Oncology, 2022, 40, LBA9023-LBA9023.	0.8	4
434	Lung Abscess due to <i>Clostridium baratii</i> Infection in a Patient with Invasive Pulmonary Aspergillosis. Journal of Clinical Microbiology, 2008, 46, 1153-1154.	1.8	3
435	Shortness of breath while lying down: a woman with orthopneic asthma. Cmaj, 2011, 183, 77-79.	0.9	3
436	Epidemiologic surveillance to detect false-positive Mycobacterium tuberculosis cultures. Diagnostic Microbiology and Infectious Disease, 2012, 73, 343-349.	0.8	3
437	Influence of patient and provider factors on the workload of on-call physicians. Medicine (United) Tj ETQq1 1	0.784314 rgB	BT <u>{</u> Overlock
438	Mono- and poly-functional T cells in nontuberculous mycobacteria lung disease patients: Implications in analyzing risk of disease progression. Cytokine, 2019, 120, 176-185.	1.4	3
439	Pulmonary pleomorphic carcinoma with pembrolizumab monotherapy. Respirology Case Reports, 2020, 8, e0597.	0.3	3
440	Gastrointestinal complications are associated with a poor outcome in non-critically ill pneumonia patients. BMC Gastroenterology, 2020, 20, 383.	0.8	3
441	Bullous Parametric Response Map for Functional Localization of COPD. Journal of Digital Imaging, 2022, 35, 115.	1.6	3
442	Successful Treatment of Intractable Hemothorax with Recombinant Factor VIIa in a Nonhemophilic Patient. Journal of the Formosan Medical Association, 2006, 105, 765-769.	0.8	2
443	Outcome of advanced nonsmall cell lung cancer patients receiving gemcitabine and weekly paclitaxel as first-line treatment. Lung Cancer, 2008, 60, 215-221.	0.9	2
444	Small-Cell Lung Carcinoma Presenting With Otalgia and Hearing Impairment. Journal of Clinical Oncology, 2008, 26, 4690-4692.	0.8	2
445	Endobronchial ultrasonographically guided transbronchial needle aspiration in mediastinal abscesses. Journal of Thoracic and Cardiovascular Surgery, 2013, 145, e54-e57.	0.4	2
446	After-hours physician care for patients with do-not-resuscitate orders: An observational cohort study. Palliative Medicine, 2014, 28, 281-287.	1.3	2
447	Improving tuberculosis diagnostics with biomarkers. Current Biomarker Findings, 2015, , 13.	0.4	2
448	P3.02a-025 PROs With Ceritinib Versus Chemotherapy in Patients With Previously Untreated ALK-rearranged Nonsquamous NSCLC (ASCEND-4). Journal of Thoracic Oncology, 2017, 12, S1176-S1177.	0.5	2
449	Impact of prior pulmonary tuberculosis in treatment outcomes of HCAP and CAP patients in intensive care units. Journal of Microbiology, Immunology and Infection, 2019, 52, 320-328.	1.5	2
450	Trait mindfulness and depressive symptoms in non-small cell lung cancer patients: the mediating roles of quality of life and meaning in life. Psychology and Health, 2020, 36, 1-13.	1.2	2

#	Article	IF	CITATIONS
451	Comparing Patient Characteristics, Clinical Outcomes, and Biomarkers of Severe Asthma Patients in Taiwan. Biomedicines, 2021, 9, 764.	1.4	2
452	P3-158: A prospective study assessing tumor response of gefitinib in chemonaive good performance advanced stage nonsmall cell lung cancer (NSCLC) patients with different types of Epidermal Growth Factor Receptor (EGFR) mutations. Journal of Thoracic Oncology, 2007, 2, S746-S747.	0.5	2
453	A phase I dose-defining study for MK-2206 combined with gefitinib in NSCLC population enriched with EGFR mutation Journal of Clinical Oncology, 2014, 32, e19013-e19013.	0.8	2
454	Small Cell Lung Cancer and Acromegaly. , 2005, 15, 370-373.		1
455	Empyema Thoracis fromSalmonellaCholeraesuis. Emerging Infectious Diseases, 2005, 11, 1493-1494.	2.0	1
456	Cystic form of pulmonary sequestration. Cmaj, 2011, 183, 1050-1050.	0.9	1
457	Nonâ€human immunodeficiency virus <scp> <i>Pneumocystis jiroveci</i> </scp> pneumonia. Respirology, 2013, 18, 191-192.	1.3	1
458	Correlation analysis between pulmonary function test parameters and CT image parameters of emphysema. , 2016, , .		1
459	Coexistence of the BRAF Mutation and EGFR Exon 20ÂInsertion in a Patient with Lung Adenocarcinoma. Journal of Thoracic Oncology, 2017, 12, e94-e95.	0.5	1
460	Miliary Pulmonary Nodules: An Unusual Presentation of Leptospirosis. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 1334-1335.	2.5	1
461	Risks of Pneumonia in COPD Patients with New-Onset Atrial Fibrillation. Journal of Clinical Medicine, 2018, 7, 229.	1.0	1
462	Consecutive Emergence of Typical Acquired Resistance to EGFR Tyrosine Kinase Inhibitors in a Patient With Metastatic Pulmonary Squamous Cell Carcinoma. Journal of Oncology Practice, 2019, 15, 115-118.	2.5	1
463	Ultrasonographically guided biopsy of thoracic tumors. A comparison of large-bore cutting biopsy with fine-needle aspiration. , 1992, 69, 2553.		1
464	A plain language summary of results from the ADAURA study: osimertinib after surgery for patients who have early-stage EGFR-mutated non-small cell lung cancer. Future Oncology, 2021, 17, 4827-4835.	1.1	1
465	Subsequent Antituberculous Treatment may not be Mandatory among Surgically Resected Culture-Negative Pulmonary Granulomas: a Retrospective Nationwide Multicenter Cohort Study. Open Forum Infectious Diseases, 2021, 8, ofab565.	0.4	1
466	The Long-Term and Mediating Effects of Mindfulness Integrated with Body-Mind-Spirit Group Therapy on Depressive Symptoms and Quality of Life Among Non-small Cell Lung Cancer Patients. Mindfulness, 2022, 13, 351-361.	1.6	1
467	Prediction of Mandibular Advancement Device Response Using CPAP Pressure in Different Polysomnographic Phenotypes. Nature and Science of Sleep, 2022, Volume 14, 517-529.	1.4	1
468	Cooley's anemia. European Journal of Haematology, 2009, 82, 408-409.	1.1	0

#	ARTICLE	IF	CITATIONS
469	Response to: "Antimicrobial drug-resistant microbes have a higher risk of health care-associated pneumonia in easternÂTaiwanâ€: Journal of the Formosan Medical Association, 2015, 114, 675-676.	0.8	0
470	Young Man With Hoarseness and Dyspnea. Journal of Emergency Medicine, 2015, 49, e85-e86.	0.3	0
471	P2.01-089 Predictive Value of AEG-1 Expression on Tumor Response by Liquid Biopsy in NSCLC Patients Treated with Chemotherapy. Journal of Thoracic Oncology, 2017, 12, S842.	0.5	0
472	MA03.03 High Risk for Second Primary Lung Cancer in Taiwanese Early-Onset Female Breast Cancer Patients. Journal of Thoracic Oncology, 2017, 12, S353-S354.	0.5	0
473	0503 Rem Predominant Obstructive Sleep Apnea And Hypertension: A Cross-sectional Study In Clinical Sample. Sleep, 2019, 42, A201-A202.	0.6	0
474	Author reply to Letter to Editor "Weaning outcome of solid cancer patients requiring mechanical ventilation in the ICU: Other factors to explore― Journal of the Formosan Medical Association, 2019, 118, 1678-1679.	0.8	0
475	0475 Prevalence And Clinical Features Of Undiagnosed Obesity Hypoventilation Syndrome In Patients Admitted To Intensive Critical Care Unit: A Prospective Study. Sleep, 2019, 42, A190-A191.	0.6	0
476	0539 The Effect Of Continuous Positive Airway Pressure Treatment On Abdominal Adiposity In Severe Obstructive Sleep Apnea: Evidence From Randomized, Active Controlled Trials. Sleep, 2019, 42, A215-A216.	0.6	0
477	449 The Effects of Positional and Sleep Stage Dependency on Mandibular Advancement Device Treatment Outcome in Obstructive Sleep Apnea. Sleep, 2021, 44, A177-A178.	0.6	0
478	Serial Plasma Cell-Free Circulating Tumor DNA Tests Identify Genomic Alterations for Early Prediction of Osimertinib Treatment Outcome in EGFR T790M–Positive NSCLC. JTO Clinical and Research Reports, 2021, 2, 100099.	0.6	0
479	Unusual dyspnoea in a patient with liver cirrhosis. BMJ Case Reports, 2009, 2009, bcr0620080250-bcr0620080250.	0.2	0
480	BIM deletion polymorphism to predict systemic treatment outcome in advanced non-small cell lung cancer Journal of Clinical Oncology, 2013, 31, 8055-8055.	0.8	0
481	IGFBP-7 to confer resistance to the epidermal growth factor receptor tyrosine kinase inhibitor Journal of Clinical Oncology, 2017, 35, e20572-e20572.	0.8	0