

# Jun Peng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3181334/publications.pdf>

Version: 2024-02-01

157  
papers

3,149  
citations

172207

29  
h-index

276539

41  
g-index

161  
all docs

161  
docs citations

161  
times ranked

3597  
citing authors

#	ARTICLE	IF	CITATIONS
1	Auto-activation of the Apoptosis Protein Bax Increases Mitochondrial Membrane Permeability and Is Inhibited by Bcl-2*. Journal of Biological Chemistry, 2006, 281, 14764-14775.	1.6	129
2	Baicalein reverses hypoxia-induced 5-FU resistance in gastric cancer AGS cells through suppression of glycolysis and the PTEN/Akt/HIF-1 $\alpha$ signaling pathway. Oncology Reports, 2015, 33, 457-463.	1.2	75
3	Hedyotis diffusa Willd Inhibits Colorectal Cancer Growth in Vivo via Inhibition of STAT3 Signaling Pathway. International Journal of Molecular Sciences, 2012, 13, 6117-6128.	1.8	73
4	Bcl-2 Homodimerization Involves Two Distinct Binding Surfaces, a Topographic Arrangement That Provides an Effective Mechanism for Bcl-2 to Capture Activated Bax. Journal of Biological Chemistry, 2004, 279, 43920-43928.	1.6	70
5	Nitidine chloride inhibits hepatocellular carcinoma cell growth in vivo through the suppression of the JAK1/STAT3 signaling pathway. International Journal of Molecular Medicine, 2013, 32, 79-84.	1.8	61
6	Scutellaria barbata D. Don Inhibits Tumor Angiogenesis via Suppression of Hedgehog Pathway in a Mouse Model of Colorectal Cancer. International Journal of Molecular Sciences, 2012, 13, 9419-9430.	1.8	60
7	Electro-acupuncture at points of Zusanli and Quchi exerts anti-apoptotic effect through the modulation of PI3K/Akt signaling pathway. Neuroscience Letters, 2014, 558, 14-19.	1.0	60
8	Opposing Roles of Wnt Inhibitors IGFBP-4 and Dkk1 in Cardiac Ischemia by Differential Targeting of LRP5/6 and $\beta$ -catenin. Circulation, 2016, 134, 1991-2007.	1.6	57
9	Cancer Stem Cell Marker DCLK1 Correlates with Tumorigenic Immune Infiltrates in the Colon and Gastric Adenocarcinoma Microenvironments. Cancers, 2020, 12, 274.	1.7	53
10	EBF1-Mediated Upregulation of Ribosome Assembly Factor PNO1 Contributes to Cancer Progression by Negatively Regulating the p53 Signaling Pathway. Cancer Research, 2019, 79, 2257-2270.	0.4	49
11	Qualitative and Quantitative Analysis of the Major Constituents in Shexiang Tongxin Dropping Pill by HPLC-Q-TOF-MS/MS and UPLC-QqQ-MS/MS. Molecules, 2015, 20, 18597-18619.	1.7	44
12	Hedyotis diffusa Willd. extract suppresses proliferation and induces apoptosis via IL-6-inducible STAT3 pathway inactivation in human colorectal cancer cells. Oncology Letters, 2015, 9, 1962-1970.	0.8	43
13	tBid Elicits a Conformational Alteration in Membrane-bound Bcl-2 Such That It Inhibits Bax Pore Formation. Journal of Biological Chemistry, 2006, 281, 35802-35811.	1.6	41
14	<i>Scutellaria Barbata</i> D Don Inhibits Colorectal Cancer Growth via Suppression of Multiple Signaling Pathways. Integrative Cancer Therapies, 2014, 13, 240-248.	0.8	41
15	Synergistic effect of kaempferol and 5-fluorouracil on the growth of colorectal cancer cells by regulating the PI3K/Akt signaling pathway. Molecular Medicine Reports, 2019, 20, 728-734.	1.1	41
16	Baicalein inhibits migration and invasion of gastric cancer cells through suppression of the TGF- $\beta$ 2 signaling pathway. Molecular Medicine Reports, 2014, 10, 1999-2003.	1.1	39
17	Pien Tze Huang inhibits metastasis of human colorectal carcinoma cells via modulation of TGF- $\beta$ 1/ZEB/miR-200 signaling network. International Journal of Oncology, 2015, 46, 685-690.	1.4	39
18	Poly (dopamine) coated superparamagnetic iron oxide nanocluster for noninvasive labeling, tracking and targeted delivery of adipose tissue-derived stem cells. Scientific Reports, 2016, 6, 18746.	1.6	39

#	ARTICLE	IF	CITATIONS
19	Oleanolic acid modulates multiple intracellular targets to inhibit colorectal cancer growth. <i>International Journal of Oncology</i> , 2015, 47, 2247-2254.	1.4	37
20	Cell division cycle associated 5 promotes colorectal cancer progression by activating the ERK signaling pathway. <i>Oncogenesis</i> , 2019, 8, 19.	2.1	37
21	Hedyotis Diffusa Willd extract induces apoptosis via activation of the mitochondrion-dependent pathway in human colon carcinoma cells. <i>International Journal of Oncology</i> , 2010, 37, 1331-8.	1.4	35
22	Effects of Pien Tze Huang (三七黄) on angiogenesis in vivo and in vitro. <i>Chinese Journal of Integrative Medicine</i> , 2012, 18, 431-436.	0.7	35
23	Pien Tze Huang (三七黄)-induced apoptosis in human colon cancer HT-29 cells is associated with regulation of the Bcl-2 family and activation of caspase 3. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 685-690.	0.7	34
24	Pien Tze Huang suppresses IL-6-inducible STAT3 activation in human colon carcinoma cells through induction of SOCS3. <i>Oncology Reports</i> , 2012, 28, 2125-2130.	1.2	34
25	Scutellaria barbata D. Don induces G1/S arrest via modulation of p53 and Akt pathways in human colon carcinoma cells. <i>Oncology Reports</i> , 2013, 29, 1623-1628.	1.2	34
26	Pien Tze Huang inhibits tumor angiogenesis in a mouse model of colorectal cancer via suppression of multiple cellular pathways. <i>Oncology Reports</i> , 2013, 30, 1701-1706.	1.2	33
27	Pien Tze Huang inhibits liver metastasis by targeting TGF- $\beta^2$ signaling in an orthotopic model of colorectal cancer. <i>Oncology Reports</i> , 2015, 33, 1922-1928.	1.2	33
28	Pien Tze Huang inhibits the proliferation of colorectal cancer cells by increasing the expression of miR-34c-5p. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3901-3907.	0.8	33
29	Qingda granule attenuates angiotensin II-induced cardiac hypertrophy and apoptosis and modulates the PI3K/AKT pathway. <i>Biomedicine and Pharmacotherapy</i> , 2021, 133, 111022.	2.5	33
30	Pien Tze Huang inhibits tumor cell proliferation and promotes apoptosis via suppressing the STAT3 pathway in a colorectal cancer mouse model. <i>International Journal of Oncology</i> , 2012, 40, 1569-74.	1.4	32
31	Inhibitory effects of Hedyotis diffusa Willd. on colorectal cancer stem cells. <i>Oncology Letters</i> , 2016, 11, 3875-3881.	0.8	31
32	Scutellaria barbata D. Don inhibits migration and invasion of colorectal cancer cells via suppression of PI3K/AKT and TGF- $\beta^2$ /Smad signaling pathways. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 5527-5534.	0.8	31
33	Pien Tze Huang suppresses the stem-like side population in colorectal cancer cells. <i>Molecular Medicine Reports</i> , 2014, 9, 261-266.	1.1	30
34	Chloroform fraction of Scutellaria barbata D. Don promotes apoptosis and suppresses proliferation in human colon cancer cells. <i>Molecular Medicine Reports</i> , 2014, 9, 701-706.	1.1	29
35	Scutellaria barbata D. Don inhibits colorectal cancer growth via suppression of Wnt/ $\beta^2$ -catenin signaling pathway. <i>Chinese Journal of Integrative Medicine</i> , 2017, 23, 858-863.	0.7	29
36	Scutellaria barbata D. Don inhibits 5-fluorouracil resistance in colorectal cancer by regulating PI3K/AKT pathway. <i>Oncology Reports</i> , 2017, 38, 2293-2300.	1.2	29

#	ARTICLE	IF	CITATIONS
37	Electroacupuncture Inhibits Apoptosis of Peri-Ischemic Regions via Modulating p38, Extracellular Signal-Regulated Kinase (ERK1/2), and c-Jun N Terminal Kinases (JNK) in Cerebral Ischemia-Reperfusion-Injured Rats. <i>Medical Science Monitor</i> , 2018, 24, 4395-4404.	0.5	29
38	A novel integrated system using patient-derived glioma cerebral organoids and xenografts for disease modeling and drug screening. <i>Cancer Letters</i> , 2021, 500, 87-97.	3.2	29
39	Hedyotis diffusa Willd overcomes 5-fluorouracil resistance in human colorectal cancer HCT-8/5-FU cells by downregulating the expression of P-glycoprotein and ATP-binding cassette subfamily G member 2. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1845-1850.	0.8	28
40	Oleanolic acid inhibits colorectal cancer angiogenesis in vivo and in vitro via suppression of STAT3 and Hedgehog pathways. <i>Molecular Medicine Reports</i> , 2016, 13, 5276-5282.	1.1	28
41	Tuft and Cancer Stem Cell Marker DCLK1: A New Target to Enhance Anti-Tumor Immunity in the Tumor Microenvironment. <i>Cancers</i> , 2020, 12, 3801.	1.7	28
42	Patrinia scabiosaefolia inhibits colorectal cancer growth through suppression of tumor angiogenesis. <i>Oncology Reports</i> , 2013, 30, 1439-1443.	1.2	27
43	Pien Tze Huang Overcomes Multidrug Resistance and Epithelial-Mesenchymal Transition in Human Colorectal Carcinoma Cells via Suppression of TGF- $\beta$ Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-10.	0.5	27
44	Ethanol extract of <i>Cirsium japonicum</i> attenuates hepatic lipid accumulation via AMPK activation in human HepG2 cells. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 79-84.	0.8	27
45	Opposing needling promotes behavior recovery and exerts neuroprotection via the cAMP/PKA/CREB signal transduction pathway in transient MCAO rats. <i>Molecular Medicine Reports</i> , 2016, 13, 2060-2070.	1.1	27
46	Oligomerization of membrane-bound Bcl-2 is involved in its pore formation induced by tBid. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 1145-1153.	2.2	26
47	Ursolic acid suppresses the invasive potential of colorectal cancer cells by regulating the TGF- $\beta$ 1/ZEB1/miR-200c signaling pathway. <i>Oncology Letters</i> , 2019, 18, 3274-3282.	0.8	26
48	Treatment of benign prostatic hyperplasia with <i>Croton membranaceus</i> in an experimental animal model. <i>Journal of Ethnopharmacology</i> , 2014, 157, 90-98.	2.0	25
49	<i>Scutellaria barbata</i> D. Don inhibits growth and induces apoptosis by suppressing IL-6-inducible STAT3 pathway activation in human colorectal cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1602-1608.	0.8	25
50	<i>Patrinia scabiosaefolia</i> inhibits the proliferation of colorectal cancer in vitro and in vivo via G1/S cell cycle arrest. <i>Oncology Reports</i> , 2015, 33, 856-860.	1.2	25
51	Pien-Tze-Huang protects cerebral ischemic injury by inhibiting neuronal apoptosis in acute ischemic stroke rats. <i>Journal of Ethnopharmacology</i> , 2018, 219, 117-125.	2.0	25
52	Qingjie Fuzheng Granule attenuates 5-fluorouracil-induced intestinal mucosal damage. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109223.	2.5	25
53	Nitidine chloride inhibits hepatic cancer growth via modulation of multiple signaling pathways. <i>BMC Cancer</i> , 2014, 14, 729.	1.1	24
54	<i>Hedyotis diffusa</i> Willd suppresses metastasis in 5-fluorouracil-resistant colorectal cancer cells by regulating the TGF- $\beta$ signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 16, 7752-7758.	1.1	24

#	ARTICLE	IF	CITATIONS
55	Patrinia scabiosaefolia extract suppresses proliferation and promotes apoptosis by inhibiting the STAT3 pathway in human multiple myeloma cells. <i>Molecular Medicine Reports</i> , 2011, 4, 313-8.	1.1	22
56	Pien Tze Huang inhibits the proliferation, and induces the apoptosis and differentiation of colorectal cancer stem cells via suppression of the Notch1 pathway. <i>Oncology Reports</i> , 2016, 35, 511-517.	1.2	22
57	Protective effects of Shexiang Tongxin Dropping Pill on pituitrin-induced acute myocardial ischemia in rats. <i>Molecular Medicine Reports</i> , 2017, 16, 3125-3132.	1.1	22
58	Cardiac biomarkers, cardiac injury, and comorbidities associated with severe illness and mortality in coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 1071-1100.	1.3	22
59	Electroacupuncture promotes neural cell proliferation in vivo through activation of the ERK1/2 signaling pathway. <i>International Journal of Molecular Medicine</i> , 2014, 33, 1547-1553.	1.8	21
60	Livistona chinensis seeds inhibit hepatocellular carcinoma angiogenesis in vivo via suppression of the Notch pathway. <i>Oncology Reports</i> , 2014, 31, 1723-1728.	1.2	21
61	Qingda granule attenuates cardiac fibrosis via suppression of the TGF- $\beta$ 1/Smad2/3 signaling pathway in vitro and in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2021, 137, 111318.	2.5	20
62	Pien Tze Huang inhibits the proliferation of human colon carcinoma cells by arresting G1/S cell cycle progression. <i>Oncology Letters</i> , 2012, 4, 767-770.	0.8	19
63	Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1237-1242.	0.8	19
64	Interactions of Bovine Serum Albumin with Anti-Cancer Compounds Using a ProteOn XPR36 Array Biosensor and Molecular Docking. <i>Molecules</i> , 2016, 21, 1706.	1.7	19
65	Identification and quantification of the anti-inflammatory constituents in Pian-Tze-Huang by liquid chromatography combined with quadrupole time-of-flight and triple quadrupole mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1027, 27-39.	1.2	19
66	Pien Tze Huang suppresses VEGF-C-mediated lymphangiogenesis in colorectal cancer. <i>Oncology Reports</i> , 2016, 36, 3568-3576.	1.2	19
67	Spica Prunellae extract suppresses the growth of human colon carcinoma cells by targeting multiple oncogenes via activating miR-34a. <i>Oncology Reports</i> , 2017, 38, 1895-1901.	1.2	19
68	Baicalin alleviates H <sub>2</sub> O <sub>2</sub> -induced injury of H9c2 cardiomyocytes through suppression of the Wnt/ $\beta$ -catenin signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 16, 9251-9255.	1.1	19
69	Hedyotis diffusa Willd inhibits proliferation and induces apoptosis of 5-FU resistant colorectal cancer cells by regulating the PI3K/AKT signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 17, 358-365.	1.1	19
70	Ligustrazine inhibits platelet activation via suppression of the Akt pathway. <i>International Journal of Molecular Medicine</i> , 2019, 43, 575-582.	1.8	19
71	Patrinia scabiosaefolia induces mitochondrial-dependent apoptosis in a mouse model of colorectal cancer. <i>Oncology Reports</i> , 2013, 30, 897-903.	1.2	18
72	Pien Tze Huang Inhibits Hypoxia-Induced Angiogenesis via HIF-1 $\alpha$ /VEGF-A Pathway in Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-8.	0.5	18

#	ARTICLE	IF	CITATIONS
73	Chloroform fraction of <i>Scutellaria barbata</i> D. Don inhibits the growth of colorectal cancer cells by activating miR-34a. <i>Oncology Reports</i> , 2017, 37, 3695-3701.	1.2	18
74	Rapid simultaneous determination of twelve major components in Pien Tze Huang by ultra-performance liquid chromatography coupled with triple quadrupole mass spectrometry. <i>Journal of Separation Science</i> , 2013, 36, 3866-3873.	1.3	17
75	Pien Tze Huang alleviates 5-fluorouracil-induced intestinal mucositis in CT-26 tumor-bearing mice. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 2291-2297.	0.8	17
76	Babao Dan induces gastric cancer cell apoptosis via regulating MAPK and NF- $\kappa$ B signaling pathways. <i>Journal of International Medical Research</i> , 2019, 47, 5106-5119.	0.4	17
77	Qingxuan Jiangya Decoction Reverses Vascular Remodeling by Inducing Vascular Smooth Muscle Cell Apoptosis in Spontaneously Hypertensive Rats. <i>Molecules</i> , 2016, 21, 956.	1.7	16
78	Qingxuan Jiangya Decoction Mitigates Renal Interstitial Fibrosis in Spontaneously Hypertensive Rats by Regulating Transforming Growth Factor- $\beta$ 1/Smad Signaling Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-8.	0.5	16
79	Alkaloids from <i>Nelumbinis Plumula</i> (AFNP) ameliorate aortic remodeling via RhoA/ROCK pathway. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108651.	2.5	16
80	Qingda granule inhibits angiotensin $\text{Ang II}$ induced VSMCs proliferation through MAPK and PI3K/AKT pathways. <i>Journal of Ethnopharmacology</i> , 2020, 258, 112767.	2.0	16
81	Curcumin attenuates hypoxia/reoxygenation-induced myocardial injury. <i>Molecular Medicine Reports</i> , 2019, 20, 4821-4830.	1.1	16
82	Simultaneous quantification six active compounds in rat plasma by UPLC-MS/MS and its application to a pharmacokinetic study of Pien-Tze-Huang. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1061-1062, 314-321.	1.2	15
83	Chemical Composition, Anticancer, Anti-neuroinflammatory, and Antioxidant Activities of the Essential Oil of <i>Patrinia scabiosaefolia</i> . <i>Chinese Journal of Integrative Medicine</i> , 2018, 24, 207-212.	0.7	15
84	Transcription Factor EBF1 Over-Expression Suppresses Tumor Growth in vivo and in vitro via Modulation of the PNO1/p53 Pathway in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 1035.	1.3	15
85	LRP6 Ectodomain Prevents SDF-1/CXCR4-Induced Breast Cancer Metastasis to Lung. <i>Clinical Cancer Research</i> , 2019, 25, 4832-4845.	3.2	14
86	Deletion of low-density lipoprotein-related receptor 5 inhibits liver Cancer cell proliferation via destabilizing Nucleoporin 37. <i>Cell Communication and Signaling</i> , 2019, 17, 174.	2.7	14
87	Anlotinib Overcomes Multiple Drug Resistant Colorectal Cancer Cells via Inactivating PI3K/AKT Pathway. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2021, 21, 1987-1995.	0.9	14
88	Pien Tze Huang ameliorates DSS-induced colonic inflammation in a mouse colitis model through inhibition of the IL-6/STAT3 pathway. <i>Molecular Medicine Reports</i> , 2018, 18, 1113-1119.	1.1	13
89	Death-associated protein kinase 1 suppresses hepatocellular carcinoma cell migration and invasion by upregulation of DEAD-box helicase 20. <i>Cancer Science</i> , 2020, 111, 2803-2813.	1.7	13
90	Pien Tze Huang induces apoptosis and inhibits proliferation of 5-fluorouracil-resistant colorectal carcinoma cells via increasing miR-22 expression. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3533-3540.	0.8	12

#	ARTICLE	IF	CITATIONS
91	Pien Tze Huang inhibits the growth of hepatocellular carcinoma cells by upregulating miR-16 expression. <i>Oncology Letters</i> , 2017, 14, 8132-8137.	0.8	12
92	Antihypertensive and Vasodilatory Effects of Qingda Granules by Suppression of Calcium Influx and the AKT Pathway. <i>Journal of Cardiovascular Pharmacology</i> , 2019, 74, 549-557.	0.8	12
93	Qingda granules attenuate hypertensive cardiac remodeling and inflammation in spontaneously hypertensive rats. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110367.	2.5	12
94	Qingda granule exerts neuroprotective effects against ischemia/reperfusion-induced cerebral injury via lncRNA GAS5/miR-137 signaling pathway. <i>International Journal of Medical Sciences</i> , 2021, 18, 1687-1698.	1.1	12
95	Qing Hua Chang Yin inhibits the LPS-induced activation of the IL-6/STAT3 signaling pathway in human intestinal Caco-2 cells. <i>International Journal of Molecular Medicine</i> , 2015, 35, 1133-1137.	1.8	11
96	Qingxuan Jiangya Decoction (æ¸¸çœ©é™Ž¸æ±±) Prevents Blood Pressure Elevation and Ameliorates Vascular Structural Remodeling via Modulating TGF-Î² 1/Smad Pathway in Spontaneously Hypertensive Rats. <i>Chinese Journal of Integrative Medicine</i> , 2020, 26, 180-187.	0.7	11
97	Huoxin pill attenuates myocardial infarction-induced apoptosis and fibrosis via suppression of p53 and TGF-Î² 1/Smad2/3 pathways. <i>Biomedicine and Pharmacotherapy</i> , 2020, 130, 110618.	2.5	11
98	Baicalin attenuates angiotensin II-induced blood pressure elevation and modulates MLCK/p-MLC signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2021, 143, 112124.	2.5	11
99	Total alkaloids of <i>Rubus alceifolius</i> Poir inhibit tumor angiogenesis through suppression of the Notch signaling pathway in a mouse model of hepatocellular carcinoma. <i>Molecular Medicine Reports</i> , 2015, 11, 357-361.	1.1	10
100	Spica Prunellae Extract Enhances Fluorouracil Sensitivity of 5-Fluorouracil-Resistant Human Colon Carcinoma HCT-8/5-FU Cells via TOP2 $\alpha$ and miR-494. <i>BioMed Research International</i> , 2019, 2019, 1-12.	0.9	10
101	Babao Dan inhibits the migration and invasion of gastric cancer cells by suppressing epithelial-mesenchymal transition through the TGF-Î²/Smad pathway. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092559.	0.4	10
102	Hedyotis diffusa Willd. inhibits VEGF-mediated lymphangiogenesis in colorectal cancer via multiple signaling pathways. <i>Oncology Reports</i> , 2019, 42, 1225-1236.	1.2	10
103	Qingjie Fuzheng Granules regulates cancer cell proliferation, apoptosis and tumor angiogenesis in colorectal cancer xenograft mice via Sonic Hedgehog pathway. <i>Journal of Gastrointestinal Oncology</i> , 2020, 11, 1123-1134.	0.6	10
104	Huoxin pill prevents acute myocardial ischaemia injury via inhibition of Wnt/Î²-catenin signaling. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 11053-11062.	1.6	10
105	Xiongshao Capsule (èŠžèŠèf¸âŠ) promotes angiogenesis of HUVEC via enhancing cell proliferation and up-regulating the expression of bFGF and VEGF. <i>Chinese Journal of Integrative Medicine</i> , 2011, 17, 840-846.	0.7	9
106	Qianliening capsule inhibits benign prostatic hyperplasia angiogenesis via the HIF-1Î± signaling pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 118-124.	0.8	9
107	Comparative proteomics network analysis of proteins responsible for ursolic acid-induced cytotoxicity in colorectal cancer cells. <i>Tumor Biology</i> , 2017, 39, 101042831769501.	0.8	9
108	Chloroform extract of Hedyotis diffusa Willd inhibits viability of human colorectal cancer cells via suppression of AKT and ERK signaling pathways. <i>Oncology Letters</i> , 2017, 14, 7923-7930.	0.8	9

#	ARTICLE	IF	CITATIONS
109	A Traditional Chinese Medicine Herb Mixture Qingjie Fuzheng Granules Inhibits Hepatocellular Carcinoma Cells Growth by Inducing Apoptosis. <i>Journal of Evidence-based Integrative Medicine</i> , 2018, 23, 2515690X1878963.	1.4	9
110	Bear Bile Powder Inhibits Growth of Hepatocellular Carcinoma via Suppressing STAT3 Signaling Pathway in Mice. <i>Chinese Journal of Integrative Medicine</i> , 2020, 26, 370-374.	0.7	9
111	Qingda Granule Attenuates Angiotensin II-Induced Renal Apoptosis and Activation of the p53 Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 770863.	1.6	9
112	Ethyl acetate extract of <i>Hypericum japonicum</i> induces apoptosis via the mitochondria-dependent pathway in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 4851-4858.	1.1	8
113	<i>Patrinia scabiosaefolia</i> Inhibits Growth of 5-FU-Resistant Colorectal Carcinoma Cells via Induction of Apoptosis and Suppression of AKT Pathway. <i>Chinese Journal of Integrative Medicine</i> , 2019, 25, 116-121.	0.7	8
114	Pien Tze Huang (三七) Overcomes Doxorubicin Resistance and Inhibits Epithelial-Mesenchymal Transition in MCF-7/ADR Cells. <i>Chinese Journal of Integrative Medicine</i> , 2019, 25, 598-603.	0.7	8
115	Pretreatment of Huoxue Jiedu Formula Ameliorates Myocardial Ischaemia/Reperfusion Injury by Decreasing Autophagy via Activation of the PI3K/AKT/mTOR Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 608790.	1.6	8
116	Kuanxiong aerosol inhibits apoptosis and attenuates isoproterenol-induced myocardial injury through the mitogen-activated protein kinase pathway. <i>Journal of Ethnopharmacology</i> , 2021, 269, 113757.	2.0	8
117	<i>Artemisia capillaris</i> formula inhibits hepatic steatosis via an miR-122-induced decrease in fatty acid synthase expression in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2016, 13, 4751-4758.	1.1	8
118	Down-Regulating HAUS6 Suppresses Cell Proliferation by Activating the p53/p21 Pathway in Colorectal Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 772077.	1.8	8
119	Qualitative and quantitative analysis of the major constituents in Jin Gan Mao tablet by high-performance liquid chromatography with diode array detection and quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Separation Science</i> , 2014, 37, 3497-3508.	1.3	7
120	Protective effects and mechanisms of total alkaloids of <i>Rubus alceaefolius</i> Poir on non-alcoholic fatty liver disease in rats. <i>Molecular Medicine Reports</i> , 2014, 10, 1758-1764.	1.1	7
121	Bear bile powder inhibits angiogenesis in vivo and in vitro. <i>Chinese Journal of Integrative Medicine</i> , 2015, 21, 369-375.	0.7	7
122	Xinhuang Tablets Improve Intestinal Barrier Function via Regulating Epithelial Tight Junctions in Dextran Sulfate Sodium-Induced Ulcerative Colitis Mice. <i>Journal of Medicinal Food</i> , 2021, 24, 33-39.	0.8	7
123	Network pharmacology-based analysis in determining the mechanisms of Huoxin pill in protecting against myocardial infarction. <i>Pharmaceutical Biology</i> , 2021, 59, 1189-1200.	1.3	7
124	Prognostic and immunological roles of Fc fragment of IgG binding protein in colorectal cancer. <i>Oncology Letters</i> , 2021, 22, 526.	0.8	7
125	Qingda Granule Attenuates Angiotensin II-Induced Blood Pressure and Inhibits Ca <sup>2+</sup> /ERK Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 688877.	1.6	7
126	<i>Uncaria Rhynchophylla</i> attenuates angiotensin II-induced myocardial fibrosis via suppression of the RhoA/ROCK1 pathway. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112607.	2.5	7



#	ARTICLE	IF	CITATIONS
127	Qianliening capsule (qianliening capsule) inhibits human prostate cell growth via induction of mitochondrion-dependent cell apoptosis. Chinese Journal of Integrative Medicine, 2012, 18, 824-830.	0.7	6
128	Ethanol extract of Tulipa edulis Bak induces apoptosis in SGC-7901 human gastric carcinoma cells via the mitochondrial signaling pathway. Oncology Letters, 2015, 10, 2371-2377.	0.8	6
129	Shexiang Tongxin Dropping Pill (Shexiang Tongxin Dropping Pill) Protects against Na2S2O4-Induced Hypoxia-Reoxygenation Injury in H9c2 Cells. Chinese Journal of Integrative Medicine, 2019, 25, 439-445.	0.7	6
130	Babao Dan Alleviates 5-Fluorouracil-Induced Intestinal Damage via Wnt/ $\beta$ -Catenin Pathway. Chinese Journal of Integrative Medicine, 2022, 28, 1000-1006.	0.7	6
131	Babao Dan Reverses Multiple-Drug Resistance in Gastric Cancer Cells via Triggering Apoptosis and Autophagy and Inhibiting PI3K/AKT/mTOR Signaling. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-13.	0.5	6
132	Bear bile powder (bear bile powder) induces apoptosis of human hepatocellular carcinoma cells via mitochondrion-dependent pathway. Chinese Journal of Integrative Medicine, 2014, 20, 123-129.	0.7	5
133	Inhibition of the signal transducer and activator of transcription 3 signaling pathway by Qianliening capsules suppresses the growth and induces the apoptosis of human prostate cells. Molecular Medicine Reports, 2015, 11, 2207-2214.	1.1	5
134	Preconditioning with Gua Lou Gui Zhi decoction enhances H2O2-induced Nrf2/HO-1 activation in PC12 cells. Experimental and Therapeutic Medicine, 2015, 10, 877-884.	0.8	5
135	Inhibition of Hepatocellular Carcinoma by Total Alkaloids of <i>Rubus alceifolius</i> Poir Involves Suppression of Hedgehog Signaling. Integrative Cancer Therapies, 2015, 14, 394-401.	0.8	5
136	IGFBP4 enhances VEGF-induced angiogenesis in a mouse model of myocardial infarction. Journal of Cellular and Molecular Medicine, 2020, 24, 9466-9471.	1.6	5
137	Huoxin Pill (Huoxin Pill) Attenuates Cardiac Fibrosis by Suppressing TGF- $\beta$ 1/Smad2/3 Pathway in Isoproterenol-Induced Heart Failure Rats. Chinese Journal of Integrative Medicine, 2021, 27, 424-431.	0.7	5
138	Huoxin Pill inhibits isoproterenol-induced transdifferentiation and collagen synthesis in cardiac fibroblasts through the TGF- $\beta$ /Smads pathway. Journal of Ethnopharmacology, 2021, 275, 114061.	2.0	5
139	Babao Dan is a robust anti-tumor agent via inhibiting wnt/ $\beta$ -catenin activation and cancer cell stemness. Journal of Ethnopharmacology, 2021, 280, 114449.	2.0	5
140	Five extracellular matrix-associated genes upregulated in oral tongue squamous cell carcinoma: An integrated bioinformatics analysis. Oncology Letters, 2019, 18, 5959-5967.	0.8	5
141	Ribosome assembly factor PNO1 is associated with progression and promotes tumorigenesis in triple-negative breast cancer. Oncology Reports, 2022, 47, .	1.2	5
142	Total Alkaloids of <i>Rubus alceifolius</i> Poir Shows Anti-Angiogenic Activity In Vivo and In Vitro. Integrative Cancer Therapies, 2014, 13, 520-528.	0.8	4
143	Identification of Cysteine Protease Inhibitor CST2 as a Potential Biomarker for Colorectal Cancer. Journal of Cancer, 2021, 12, 5144-5152.	1.2	4
144	Simultaneous Separation and Analysis of Five Compounds in <i>Cibotium barometz</i> by Micellar Electrokinetic Chromatography with Large-Volume Sample Stacking. Separations, 2021, 8, 147.	1.1	4

#	ARTICLE	IF	CITATIONS
145	Prevention of systemic inflammation and neuroprotective effects of Qingda granules against angiotensin II-mediated hypertension. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2020, 33, 469-479.	0.2	4
146	Huoxin Pill Attenuates Cardiac Inflammation by Suppression of TLR4/NF- $\kappa$ B in Acute Myocardial Ischemia Injury Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-9.	0.5	3
147	Therapeutic Effects of Different Animal Bile Powders on Lipid Metabolism Disorders and Their Composition Analysis. <i>Chinese Journal of Integrative Medicine</i> , 2022, 28, 918-923.	0.7	3
148	The cytosolic domain of Bcl-2 forms small pores in model mitochondrial outer membrane after acidic pH-induced membrane association. <i>Shengwu Yixue Gongchengxue Zazhi/Journal of Biomedical Engineering</i> , 2009, 26, 130-7.	0.5	3
149	Pharmacodynamic Mechanism of Kuanxiong Aerosol for Vasodilation and Improvement of Myocardial Ischemia. <i>Chinese Journal of Integrative Medicine</i> , 2022, 28, 319-329.	0.7	2
150	Reverse engineering a predictive signature characterized by proliferation, DNA damage, and immune escape from stage I lung adenocarcinoma recurrence. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 638-653.	0.9	1
151	The Bax BH3 peptide H2-H3 promotes apoptosis by inhibiting Bcl-2's pore-forming and anti-Bax activities in the membrane. <i>Shengwu Yixue Gongchengxue Zazhi/Journal of Biomedical Engineering</i> , 2009, 26, 829-35.	0.5	1
152	The cytosolic domain of Bcl-2 oligomerizes to form pores in model mitochondrial outer membrane at acidic pH. <i>Shengwu Yixue Gongchengxue Zazhi/Journal of Biomedical Engineering</i> , 2009, 26, 631-7.	0.5	1
153	Role of MicroRNAs and their corresponding ACE2/Apelin signaling pathways in hypertension. <i>Microbial Pathogenesis</i> , 2022, 162, 105361.	1.3	1
154	Swimming attenuates tumor growth in CT-26 tumor-bearing mice and suppresses angiogenesis by mediating the HIF-1 $\alpha$ /VEGFA pathway. <i>Open Life Sciences</i> , 2022, 17, 121-130.	0.6	1
155	Chloroform fraction of <i>Serratulae chinensis</i> S. Moore suppresses proliferation and induces apoptosis via the phosphatidylinositide 3-kinase/Akt pathway in human gastric cancer cells. <i>Oncology Letters</i> , 2018, 15, 8871-8877.	0.8	0
156	Targeting NUFIP1 Suppresses Growth and Induces Senescence of Colorectal Cancer Cells. <i>Frontiers in Oncology</i> , 2021, 11, 681425.	1.3	0
157	Upregulation of SNTB1 correlates with poor prognosis and promotes cell growth by negative regulating PKN2 in colorectal cancer. <i>Cancer Cell International</i> , 2021, 21, 547.	1.8	0