
Margaret A Pallotta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3181768/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Major Locus on Wheat Chromosome 7B Associated With Late-Maturity α-Amylase Encodes a Putative ent-Copalyl Diphosphate Synthase. Frontiers in Plant Science, 2021, 12, 637685.	3.6	12
2	Wheat <i>ms5</i> maleâ€sterility is induced by recessive homoeologous A and D genome nonâ€specific lipid transfer proteins. Plant Journal, 2019, 99, 673-685.	5.7	31
3	Diversity in boron toxicity tolerance of Australian barley (Hordeum vulgare L.) genotypes. BMC Plant Biology, 2015, 15, 231.	3.6	15
4	Molecular basis of adaptation to high soil boron in wheat landraces and elite cultivars. Nature, 2014, 514, 88-91.	27.8	106
5	Germanium as a tool to dissect boron toxicity effects in barley and wheat. Functional Plant Biology, 2013, 40, 618.	2.1	26
6	The scutellar vascular bundle–specific promoter of the wheat HDâ€Zip IV transcription factor shows similar spatial and temporal activity in transgenic wheat, barley and rice. Plant Biotechnology Journal, 2012, 10, 43-53.	8.3	15
7	A SOS3 homologue maps to HvNax4, a barley locus controlling an environmentally sensitive Na+ exclusion trait. Journal of Experimental Botany, 2011, 62, 1201-1216.	4.8	65
8	Construction of a barley bacterial artificial chromosome library suitable for cloning genes for boron tolerance, sodium exclusion and high grain zinc content . Plant Breeding, 2010, 129, 291-296.	1.9	14
9	Characterization of the wheat endosperm transfer cell-specific protein TaPR60. Plant Molecular Biology, 2009, 71, 81-98.	3.9	46
10	Genes and traits associated with chromosome 2H and 5H regions controlling sensitivity of reproductive tissues to frost in barley. Theoretical and Applied Genetics, 2009, 118, 1465-1476.	3.6	24
11	Physical analysis of the complex rye (Secale cereale L.) Alt4 aluminium (aluminum) tolerance locus using a whole-genome BAC library of rye cv. Blanco. Theoretical and Applied Genetics, 2009, 119, 695-704.	3.6	13
12	Multiple genetic loci for zinc uptake and distribution in barley (<i>Hordeum vulgare</i>). New Phytologist, 2009, 184, 168-179.	7.3	60
13	An <i>ALMT1</i> Gene Cluster Controlling Aluminum Tolerance at the <i>Alt4</i> Locus of Rye (<i>Secale cereale</i> L.). Genetics, 2008, 179, 669-682.	2.9	137
14	Boron-Toxicity Tolerance in Barley Arising from Efflux Transporter Amplification. Science, 2007, 318, 1446-1449.	12.6	422
15	A barley activation tagging system. Plant Molecular Biology, 2007, 64, 329-347.	3.9	72
16	New eSSR and gSSR markers added to Australian barley maps. Australian Journal of Agricultural Research, 2006, 57, 953.	1.5	14
17	Construction of a genetic linkage map using MFLP and identification of molecular markers linked to domestication genes in narrow-leafed lupin (Lupinus angustifolius L.). Cellular and Molecular Biology Letters, 2005, 10, 331-44.	7.0	57
18	Mapping of a QTL contributing to cereal cyst nematode tolerance and resistance in wheat. Australian Journal of Agricultural Research, 2003, 54, 731.	1.5	18

#	Article	IF	CITATIONS
19	Mapping of the root lesion nematode (Pratylenchus neglectus) resistance gene RInn1 in wheat. Theoretical and Applied Genetics, 2002, 104, 874-879.	3.6	87
20	Genetic markers for manganese efficiency in durum wheat. Plant Breeding, 2002, 121, 224-227.	1.9	10
21	RFLP mapping of manganese efficiency in barley. Theoretical and Applied Genetics, 2000, 101, 1100-1108.	3.6	157
22	RFLP markers associated with Sr22 and recombination between chromosome 7A of bread wheat and the diploid species Triticum boeoticum. Theoretical and Applied Genetics, 1994, 89-89, 1039-1045.	3.6	62
23	Variation at the Nor loci in triticale derived from tissue culture. Theoretical and Applied Genetics, 1986, 71, 637-643.	3.6	108
24	Somaclonal variation in wheat: genetic and cytogenetic characterisation of alcohol dehydrogenase 1 mutants. Theoretical and Applied Genetics, 1986, 72, 644-653.	3.6	63