

Emmilia Hodak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3183291/emmilia-hodak-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121 papers	2,461 citations	32 h-index	45 g-index
133 ext. papers	3,082 ext. citations	3.4 avg, IF	5.12 L-index

#	Paper	IF	Citations
121	The Bacteriology of Skin Lesions in Patients with Hidradenitis Suppurativa Is Associated with Previous Antibiotic Treatment in the Community Setting: A Referral Center Experience.. <i>Dermatology</i> , 2022 , 1-13	4.4	0
120	Early rituximab treatment is associated with increased and sustained remission in pemphigus patients: A retrospective cohort of 99 patients.. <i>Dermatologic Therapy</i> , 2022 , e15397	2.2	1
119	New developments in skin-directed treatments of cutaneous T-cell lymphoma.. <i>Presse Medicale</i> , 2022 , 104125	2.2	0
118	Chlormethine Gel Versus Chlormethine Ointment for Treatment of Patients with Mycosis Fungoides: A Post-Hoc Analysis of Clinical Trial Data.. <i>American Journal of Clinical Dermatology</i> , 2022 , 1	7.1	0
117	The trichoscopic features of hair shaft anomalies induced by epidermal growth factor receptor inhibitors: A case series. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1178-1184	4.5	1
116	Reply to: Comment on "Association of bullous pemphigoid with malignancy: A systematic review and meta-analysis". <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, e345	4.5	
115	Clinical approach to skin eruptions induced by anti-TNF agents among patients with inflammatory bowel diseases: insights from a multidisciplinary IBD-DERMA clinic. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211053112	4.7	0
114	Treating pediatric cutaneous Leishmania tropica with systemic liposomal amphotericin B: A retrospective, single-center study. <i>Dermatologic Therapy</i> , 2021 , e15185	2.2	0
113	Hidradenitis suppurativa and atopic dermatitis: A 2-way association. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1473-1479	4.5	5
112	Treatment of Pemphigus Vulgaris and Foliaceus with Adjuvant Rituximab Compared to Immunosuppression Alone: Real-Life Experience. <i>Dermatology</i> , 2021 , 237, 179-184	4.4	2
111	Isolated solar angioedema: A systematic review of the literature. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021 , 37, 431-438	2.4	0
110	Low-Dose Acitretin for Secondary Prevention of Keratinocyte Carcinomas in Solid-Organ Transplant Recipients. <i>Dermatology</i> , 2021 , 1-6	4.4	1
109	Chlormethine Gel for the Treatment of Skin Lesions in All Stages of Mycosis Fungoides Cutaneous T-Cell Lymphoma: A Narrative Review and International Experience. <i>Dermatology and Therapy</i> , 2021 , 11, 1085-1106	4	5
108	Reply to: Comments on "Hidradenitis suppurativa and atopic dermatitis: A two-way association". <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, e389-e390	4.5	
107	Post hoc Analysis of a Randomized, Controlled, Phase 2 Study to Assess Response Rates with Chlormethine/Mechlorethamine Gel in Patients with Stage IA-IIA Mycosis Fungoides. <i>Dermatology</i> , 2021 , 1-11	4.4	3
106	Is lymph node core-needle biopsy an alternative to excisional biopsy for the accurate staging of mycosis fungoides/Sézary syndrome and predicting the survival of patients?. <i>British Journal of Dermatology</i> , 2021 , 185, 251-252	4	
105	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIP) study. <i>British Journal of Dermatology</i> , 2021 , 184, 722-730	4	14

104	Should we be imaging lymph nodes at initial diagnosis of early-stage mycosis fungoides? Results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIP) international study. <i>British Journal of Dermatology</i> , 2021 , 184, 524-531	4	4
103	Cancer-Associated Fibroblasts in Mycosis Fungoides Promote Tumor Cell Migration and Drug Resistance through CXCL12/CXCR4. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 619-627.e2	4.3	15
102	Hidradenitis suppurativa is associated with hypothyroidism and hyperthyroidism: a large-scale population-based study. <i>International Journal of Dermatology</i> , 2021 , 60, 321-326	1.7	1
101	Treatment of Bullous Pemphigoid in People Aged 80 Years and Older: A Systematic Review of the Literature. <i>Drugs and Aging</i> , 2021 , 38, 125-136	4.7	1
100	Topical and systemic retinoids for the treatment of cutaneous viral warts: A systematic review and meta-analysis. <i>Dermatologic Therapy</i> , 2021 , 34, e14637	2.2	1
99	Topical and Systemic Retinoids for the Treatment of Genital Warts: A Systematic Review and Meta-Analysis. <i>Dermatology</i> , 2021 , 237, 389-395	4.4	1
98	A case of hydroa vacciniforme in an adult patient. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021 , 37, 195-197	2.4	0
97	Clinical features of genetic cutaneous porphyrias in Israel: A nationwide survey. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021 , 37, 236-242	2.4	0
96	Laser Treatment for Non-Melanoma Skin Cancer: A Systematic Review and Meta-Analysis. <i>American Journal of Clinical Dermatology</i> , 2021 , 22, 25-38	7.1	4
95	1064-nm Q-switched fractional Nd:YAG laser is safe and effective for the treatment of post-surgical facial scars. <i>Lasers in Medical Science</i> , 2021 , 36, 871-874	3.1	2
94	Treatment of Pemphigus with Rituximab: Real-Life Experience in a Cohort of 117 Patients in Israel. <i>Dermatology</i> , 2021 , 237, 450-456	4.4	2
93	The association between hidradenitis suppurativa and male and female infertility: A population-based study. <i>Australasian Journal of Dermatology</i> , 2021 , 62, e223-e227	1.3	1
92	1540-nm fractional erbium: Glass laser is a safe and effective modality for nonablative facial rejuvenation. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 1679-1683	2.5	1
91	Inherited genetic late-onset erythropoietic protoporphyria: A systematic review of the literature. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021 , 37, 374-379	2.4	1
90	Greater disease burden of variegate porphyria than hereditary coproporphyria: An Israeli nationwide study of neurocutaneous porphyrias. <i>Molecular Genetics and Metabolism Reports</i> , 2021 , 26, 100707	1.8	2
89	Real-life experience with chlormethine gel for early-stage mycosis fungoides with emphasis on types and management of cutaneous side-effects. <i>Journal of Dermatological Treatment</i> , 2021 , 1-7	2.8	2
88	Multicentric EORTC retrospective study shows efficacy of brentuximab vedotin in patients who have mycosis fungoides and Sjögren syndrome with variable CD30 positivity. <i>British Journal of Dermatology</i> , 2021 , 185, 1035-1044	4	0
87	Mycosis fungoides-derived exosomes promote cell motility and are enriched with microRNA-155 and microRNA-1246, and their plasma-cell-free expression may serve as a potential biomarker for disease burden. <i>British Journal of Dermatology</i> , 2021 , 185, 999-1012	4	2

86	Combined pulsed dye laser and systemic retinoids for the treatment of hypertrophic resistant warts among organ transplant patients. <i>Lasers in Medical Science</i> , 2020 , 35, 1653-1657	3.1	4
85	Synergistic cytotoxic activity of cannabinoids from against cutaneous T-cell lymphoma (CTCL) and. <i>Oncotarget</i> , 2020 , 11, 1141-1156	3.3	12
84	Self-administered daylight-activated photodynamic therapy for the treatment of hand eczema: A prospective proof-of-concept study. <i>Dermatologic Therapy</i> , 2020 , 33, e14329	2.2	3
83	Stage IA mycosis fungoides should be treated until proven otherwise. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, e19-e20	4.5	1
82	Dupilumab-induced ocular surface disease (DIOSD) in patients with atopic dermatitis: clinical presentation, risk factors for development and outcomes of treatment with tacrolimus ointment. <i>British Journal of Ophthalmology</i> , 2020 , 104, 776-779	5.5	21
81	Acquired erythropoietic protoporphyria: A systematic review of the literature. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020 , 36, 29-33	2.4	7
80	Epidemiology of cutaneous porphyria in Israel: a nationwide cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 184-187	4.6	4
79	-induced follicular mucinosis of the head and neck mimicking folliculotropic mycosis fungoides. <i>JAAD Case Reports</i> , 2020 , 6, 266-272	1.4	3
78	Mycosis fungoides: A great imitator. <i>Clinics in Dermatology</i> , 2019 , 37, 255-267	3	30
77	Skin Microbiome Compositional Changes in Atopic Dermatitis Accompany Dead Sea Climatotherapy. <i>Photochemistry and Photobiology</i> , 2019 , 95, 1446-1453	3.6	9
76	The diagnostic accuracy of dermoscopy for basal cell carcinoma: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 1380-1388	4.5	38
75	Idiopathic Papular Dermatitis in the Spectrum of Chronic Papular Eruptions (Subacute Prurigo): Reappraisal and Diagnostic Algorithm. <i>Dermatology</i> , 2019 , 235, 205-212	4.4	1
74	Active Tuberculosis in Patients with Psoriasis Receiving Biologic Therapy: A Systematic Review. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 483-491	7.1	17
73	Retinoic acid receptor agonist as monotherapy for early-stage mycosis fungoides: does it work?. <i>Journal of Dermatological Treatment</i> , 2019 , 30, 258-263	2.8	7
72	Daylight photodynamic therapy for the treatment of actinic cheilitis. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019 , 35, 11-16	2.4	13
71	Acne and obesity: A nationwide study of 600,404 adolescents. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 723-729	4.5	7
70	Cutaneous presentations of omphalomesenteric duct remnant: A systematic review of the literature. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1120-1126	4.5	6
69	Rituximab and Omalizumab for the Treatment of Bullous Pemphigoid: A Systematic Review of the Literature. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 209-216	7.1	48

68	Unilesional mycosis fungoides is associated with increased expression of microRNA-17~92 and T helper 1 skewing. <i>British Journal of Dermatology</i> , 2019 , 180, 1123-1134	4	4
67	Grover disease and bullous pemphigoid: a clinicopathological study of six cases. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 524-527	1.8	4
66	The PROCLIP international registry of early-stage mycosis fungoides identifies substantial diagnostic delay in most patients. <i>British Journal of Dermatology</i> , 2019 , 181, 350-357	4	66
65	Blood classification and blood response criteria in mycosis fungoides and S�ary syndrome using flow cytometry: recommendations from the EORTC cutaneous lymphoma task force. <i>European Journal of Cancer</i> , 2018 , 93, 47-56	7.5	61
64	Omalizumab for the Treatment of Solar Urticaria: Case Series and Systematic Review of the Literature. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1198-1204.e3	5.4	26
63	Are Biologics Efficacious in Atopic Dermatitis? A Systematic Review and Meta-Analysis. <i>American Journal of Clinical Dermatology</i> , 2018 , 19, 145-165	7.1	46
62	AN-7, a butyric acid prodrug, sensitizes cutaneous T-cell lymphoma cell lines to doxorubicin via inhibition of DNA double strand breaks repair. <i>Investigational New Drugs</i> , 2018 , 36, 1-9	4.3	12
61	Identification of a unique Staphylococcus aureus ribosomal signature in severe atopic dermatitis. <i>British Journal of Dermatology</i> , 2018 , 179, 1222-1224	4	4
60	Developments in the understanding of blood involvement and stage in mycosis fungoides/Sezary syndrome. <i>European Journal of Cancer</i> , 2018 , 101, 278-280	7.5	7
59	Efficacy of pulsed dye laser treatment for common warts is not influenced by the causative HPV type: a prospective study. <i>Lasers in Medical Science</i> , 2018 , 33, 773-777	3.1	3
58	Psychological stress and psoriasis: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2018 , 178, 1044-1055	4	30
57	Primary cutaneous lymphomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2018 , 29, iv30-iv40	10.3	99
56	Treatment of Early Folliculotropic Mycosis Fungoides with Special Focus on Psoralen plus Ultraviolet A. <i>Acta Dermato-Venereologica</i> , 2018 , 98, 951-955	2.2	6
55	Oncogenic role of microRNA-155 in mycosis fungoides: an in vitro and xenograft mouse model study. <i>British Journal of Dermatology</i> , 2017 , 177, 791-800	4	17
54	Venous thromboembolism in patients with pemphigus: A cohort study. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 256-260	4.5	6
53	Hidradenitis Suppurativa Is Associated with Familial Mediterranean Fever-A Population-Based Study. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2019-2021	4.3	13
52	Risk for hepatitis B and C virus reactivation in patients with psoriasis on biologic therapies: A retrospective cohort study and systematic review of the literature. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 88-97.e5	4.5	63
51	Association of bullous pemphigoid with malignancy: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 691-699	4.5	32

50	Biologic drug survival in Israeli psoriasis patients. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 662-669.e1	4.5	39
49	Pediatric mycosis fungoides: a study of the human leukocyte antigen system among Israeli Jewish patients. <i>Archives of Dermatological Research</i> , 2017 , 309, 851-856	3.3	2
48	Global patterns of care in advanced stage mycosis fungoides/Sezary syndrome: a multicenter retrospective follow-up study from the Cutaneous Lymphoma International Consortium. <i>Annals of Oncology</i> , 2017 , 28, 2517-2525	10.3	58
47	Early clinical manifestations of Sezary syndrome: A multicenter retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 719-727	4.5	25
46	Is There a Role for Opportunistic Infection Prophylaxis in Pemphigus? An Expert Survey. <i>American Journal of Clinical Dermatology</i> , 2017 , 18, 127-132	7.1	3
45	Paediatric primary cutaneous marginal zone B-cell lymphoma: does it differ from its adult counterpart?. <i>British Journal of Dermatology</i> , 2017 , 176, 1010-1020	4	18
44	Widespread morbilliform rash due to sorafenib or vemurafenib treatment for advanced cancer; experience of a tertiary dermato-oncology clinic. <i>International Journal of Dermatology</i> , 2016 , 55, 473-8	1.7	4
43	Treatments for Cutaneous Lichen Planus: A Systematic Review and Meta-Analysis. <i>American Journal of Clinical Dermatology</i> , 2016 , 17, 11-22	7.1	34
42	The Therapeutic Potential of AN-7, a Novel Histone Deacetylase Inhibitor, for Treatment of Mycosis Fungoides/Sezary Syndrome Alone or with Doxorubicin. <i>PLoS ONE</i> , 2016 , 11, e0146115	3.7	9
41	New insights into folliculotropic mycosis fungoides (FMF): A single-center experience. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 347-55	4.5	59
40	Unilesional folliculotropic mycosis fungoides: a unique variant of cutaneous lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 25-9	4.6	21
39	The role of adjuvant therapy in pemphigus: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 264-71	4.5	53
38	Vismodegib for radiation-induced multiple basal cell carcinomas (BCCs) of the scalp. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 799-801	4.5	8
37	Phototherapy of Mycosis Fungoides. <i>Dermatologic Clinics</i> , 2015 , 33, 697-702	4.2	11
36	Erythrodermic mycosis fungoides and Sezary syndrome treated with extracorporeal photopheresis as part of a multimodality regimen: A single-centre experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2382-9	4.6	7
35	Diagnosis and classification of pemphigus and bullous pemphigoid. <i>Autoimmunity Reviews</i> , 2014 , 13, 477-81	13.6	104
34	Response to: "Tumor stage mycosis fungoides in nonblood-related family members". <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1002-3	4.5	
33	Juvenile mycosis fungoides: cutaneous T-cell lymphoma with frequent follicular involvement. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 993-1001	4.5	59

32	Blue-gray mucocutaneous discoloration: a new adverse effect of ezogabine. <i>JAMA Dermatology</i> , 2014 , 150, 984-9	5.1	57
31	Role of bath psoralen plus ultraviolet A in early-stage mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 536-41	4.5	21
30	Opportunistic infections in patients with pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 284-92	4.5	32
29	miR-155 is involved in tumor progression of mycosis fungoides. <i>Experimental Dermatology</i> , 2013 , 22, 431-3	4	33
28	New insights into associated co-morbidities in patients with cutaneous T-cell lymphoma (mycosis fungoides). <i>Acta Dermato-Venereologica</i> , 2013 , 93, 451-5	2.2	19
27	Hyperpigmented mycosis fungoides: an unusual variant of cutaneous T-cell lymphoma with a frequent CD8+ phenotype. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, 69-75	4.5	24
26	NB-UVB (311-312 nm)-induced lentigines in patients with mycosis fungoides: a new adverse effect of phototherapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 1158-62	4.6	6
25	Idiopathic guttate hypomelanosis-like lesions in patients with mycosis fungoides: a new adverse effect of phototherapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 1026-30	4.6	7
24	Anetodermic primary cutaneous B-cell lymphoma: a unique clinicopathological presentation of lymphoma possibly associated with antiphospholipid antibodies. <i>Archives of Dermatology</i> , 2010 , 146, 175-82		17
23	Primary anetoderma and antiphospholipid antibodies--review of the literature. <i>Clinical Reviews in Allergy and Immunology</i> , 2007 , 32, 162-6	12.3	28
22	CD4/CD8 double-negative epidermotropic cutaneous T-cell lymphoma: an immunohistochemical variant of mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2006 , 55, 276-84	4.5	88
21	Familial mycosis fungoides: report of 6 kindreds and a study of the HLA system. <i>Journal of the American Academy of Dermatology</i> , 2005 , 52, 393-402	4.5	39
20	Cytokine gene polymorphisms in patch-stage mycosis fungoides. <i>Acta Dermato-Venereologica</i> , 2005 , 85, 109-12	2.2	8
19	Alefcept: a review of the literature and practical guidelines for management. <i>Dermatologic Therapy</i> , 2004 , 17, 383-92	2.2	15
18	Ichthyosiform mycosis fungoides: an atypical variant of cutaneous T-cell lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2004 , 50, 368-74	4.5	35
17	Juvenile mycosis fungoides diagnosed before 18 years of age. <i>Acta Dermato-Venereologica</i> , 2003 , 83, 451-6	2.2	52
16	Climatotherapy at the Dead Sea is a remittive therapy for psoriasis: combined effects on epidermal and immunologic activation. <i>Journal of the American Academy of Dermatology</i> , 2003 , 49, 451-7	4.5	45
15	Primary anetoderma: a cutaneous sign of antiphospholipid antibodies. <i>Lupus</i> , 2003 , 12, 564-8	2.6	25

14	Mycosis fungoides: HLA class II associations among Ashkenazi and non-Ashkenazi Jewish patients. <i>British Journal of Dermatology</i> , 2001 , 145, 974-80	4	40
13	Vitiligo-like leucoderma during photochemotherapy for mycosis fungoides. <i>British Journal of Dermatology</i> , 2001 , 145, 1008-14	4	23
12	Unilesional mycosis fungoides: a study of seven cases. <i>Dermatology</i> , 2000 , 201, 300-6	4.4	52
11	Follicular cutaneous T-cell lymphoma: a clinicopathological study of nine cases. <i>British Journal of Dermatology</i> , 1999 , 141, 315-22	4	51
10	Screening patch tests for pigmented contact dermatitis in Israel. <i>Contact Dermatitis</i> , 1999 , 40, 155-7	2.7	20
9	Lupus miliaris disseminatus faciei--the DNA of <i>Mycobacterium tuberculosis</i> is not detectable in active lesions by polymerase chain reaction. <i>British Journal of Dermatology</i> , 1997 , 137, 614-9	4	30
8	Beneficial effect of granulocyte colony stimulating factor in scleromyxoedema associated with severe idiopathic neutropenia. <i>British Journal of Dermatology</i> , 1996 , 135, 626-629	4	2
7	The appearance of Kaposi sarcoma during corticosteroid therapy. <i>Cancer</i> , 1993 , 72, 1779-83	6.4	135
6	Facial pyogenic granuloma-like lesions under isotretinoin therapy. <i>International Journal of Dermatology</i> , 1992 , 31, 199-200	1.7	37
5	Immunologic abnormalities associated with primary anetoderma. <i>Archives of Dermatology</i> , 1992 , 128, 799-803		49
4	Primary anetoderma associated with a wide spectrum of autoimmune abnormalities. <i>Journal of the American Academy of Dermatology</i> , 1991 , 25, 415-8	4.5	39
3	Semicircular lipoatrophy--a pressure-induced lipoatrophy?. <i>Clinical and Experimental Dermatology</i> , 1990 , 15, 464-5	1.8	28
2	Etretinate treatment of the nevoid basal cell carcinoma syndrome. Therapeutic and chemopreventive effect. <i>International Journal of Dermatology</i> , 1987 , 26, 606-9	1.7	52
1	Etretinate-induced skeletal muscle damage. <i>British Journal of Dermatology</i> , 1987 , 116, 623-6	4	33