

Jiangfeng Ni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3184973/publications.pdf>

Version: 2024-02-01

95
papers

6,156
citations

46984

47
h-index

69214

77
g-index

95
all docs

95
docs citations

95
times ranked

6656
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-Supported Nanotube Arrays of Sulfur-Doped TiO ₂ Enabling Ultrastable and Robust Sodium Storage. <i>Advanced Materials</i> , 2016, 28, 2259-2265.	11.1	457
2	Hydrogenation Driven Conductive Na ₂ Ti ₃ O ₇ Nanoarrays as Robust Binder-Free Anodes for Sodium-Ion Batteries. <i>Nano Letters</i> , 2016, 16, 4544-4551.	4.5	235
3	Carbon Nanomaterials in Different Dimensions for Electrochemical Energy Storage. <i>Advanced Energy Materials</i> , 2016, 6, 1600278.	10.2	219
4	Superior Sodium Storage in Na ₂ Ti ₃ O ₇ Nanotube Arrays through Surface Engineering. <i>Advanced Energy Materials</i> , 2016, 6, 1502568.	10.2	219
5	Boosting Sodium Storage in TiO ₂ Nanotube Arrays through Surface Phosphorylation. <i>Advanced Materials</i> , 2018, 30, 1704337.	11.1	201
6	Ultrathin MoO ₂ nanosheets for superior lithium storage. <i>Nano Energy</i> , 2015, 11, 129-135.	8.2	199
7	Bismuth chalcogenide compounds Bi ₂ X ₃ (X=O, S, Se): Applications in electrochemical energy storage. <i>Nano Energy</i> , 2017, 34, 356-366.	8.2	179
8	Strongly Coupled Bi ₂ S ₃ @CNT Hybrids for Robust Lithium Storage. <i>Advanced Energy Materials</i> , 2014, 4, 1400798.	10.2	159
9	Bio-inspired engineering of Bi ₂ S ₃ -PPy yolk-shell composite for highly durable lithium and sodium storage. <i>Nano Energy</i> , 2017, 33, 213-220.	8.2	155
10	A modified ZrO ₂ -coating process to improve electrochemical performance of Li(Ni _{1/3} Co _{1/3} Mn _{1/3})O ₂ . <i>Journal of Power Sources</i> , 2009, 188, 538-545.	4.0	142
11	Carbon nanotube-based electrodes for flexible supercapacitors. <i>Nano Research</i> , 2020, 13, 1825-1841.	5.8	142
12	Phosphorus: An Anode of Choice for Sodium-Ion Batteries. <i>ACS Energy Letters</i> , 2018, 3, 1137-1144.	8.8	141
13	A high-performance hard carbon for Li-ion batteries and supercapacitors application. <i>Journal of Power Sources</i> , 2013, 223, 306-311.	4.0	135
14	Hydrothermal preparation of LiFePO ₄ nanocrystals mediated by organic acid. <i>Journal of Power Sources</i> , 2010, 195, 2877-2882.	4.0	133
15	Highly Reversible and Durable Na Storage in Niobium Pentoxide through Optimizing Structure, Composition, and Nanoarchitecture. <i>Advanced Materials</i> , 2017, 29, 1605607.	11.1	122
16	Highly Efficient Sodium Storage in Iron Oxide Nanotube Arrays Enabled by Built-in Electric Field. <i>Advanced Materials</i> , 2019, 31, e1902603.	11.1	120
17	Improved electrochemical performance of layered LiNi _{0.4} Co _{0.2} Mn _{0.4} O ₂ via Li ₂ ZrO ₃ coating. <i>Electrochimica Acta</i> , 2008, 53, 3075-3083.	2.6	111
18	Self-Supported 3D Array Electrodes for Sodium Microbatteries. <i>Advanced Functional Materials</i> , 2018, 28, 1704880.	7.8	108

#	ARTICLE	IF	CITATIONS
19	Preparation of ETFE-based anion exchange membrane to reduce permeability of vanadium ions in vanadium redox battery. <i>Journal of Membrane Science</i> , 2007, 297, 174-180.	4.1	107
20	One-pot facile fabrication of carbon-coated Bi ₂ S ₃ nanomeshes with efficient Li-storage capability. <i>Nano Research</i> , 2014, 7, 765-773.	5.8	105
21	Carbon nanotube-wired and oxygen-deficient MoO ₃ nanobelts with enhanced lithium-storage capability. <i>Journal of Power Sources</i> , 2014, 247, 90-94.	4.0	92
22	Three-Dimensional Microbatteries beyond Lithium Ion. <i>Matter</i> , 2020, 2, 1366-1376.	5.0	84
23	Branch-structured Bi ₂ S ₃ @CNT hybrids with improved lithium storage capability. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13854-13858.	5.2	82
24	Self-supported multicomponent CPO-27 MOF nanoarrays as high-performance anode for lithium storage. <i>Nano Energy</i> , 2019, 57, 711-717.	8.2	78
25	A high-performance LiCoPO ₄ /C core/shell composite for Li-ion batteries. <i>Electrochimica Acta</i> , 2012, 70, 349-354.	2.6	75
26	Na _{0.44} MnO ₂ @CNT electrodes for non-aqueous sodium batteries. <i>RSC Advances</i> , 2013, 3, 6650.	1.7	75
27	Carbon coated lithium cobalt phosphate for Li-ion batteries: Comparison of three coating techniques. <i>Journal of Power Sources</i> , 2013, 221, 35-41.	4.0	75
28	Effect of copper doping on LiMnPO ₄ prepared via hydrothermal route. <i>Journal of Power Sources</i> , 2011, 196, 6498-6501.	4.0	73
29	Grapecluster-like Fe ₃ O ₄ @C/CNT nanostructures with stable Li-storage capability. <i>Journal of Materials Chemistry A</i> , 2013, 1, 12879.	5.2	72
30	Durian-Inspired Design of Bismuth@Antimony Alloy Arrays for Robust Sodium Storage. <i>ACS Nano</i> , 2020, 14, 9117-9124.	7.3	71
31	Carbon nanotubes for flexible batteries: recent progress and future perspective. <i>National Science Review</i> , 2021, 8, nwaa261.	4.6	71
32	A review on integrating nano-carbons into polyanion phosphates and silicates for rechargeable lithium batteries. <i>Carbon</i> , 2015, 92, 15-25.	5.4	68
33	Materials Based on Antimony and Bismuth for Sodium Storage. <i>Chemistry - A European Journal</i> , 2018, 24, 13719-13727.	1.7	68
34	An Energetic CuS@Cu Battery System Based on CuS Nanosheet Arrays. <i>ACS Nano</i> , 2021, 15, 5420-5427.	7.3	66
35	Molybdenum-based materials for sodium-ion batteries. <i>Informa-Materially</i> , 2021, 3, 339-352.	8.5	65
36	Rooting binder-free tin nanoarrays into copper substrate via tin-copper alloying for robust energy storage. <i>Nature Communications</i> , 2020, 11, 1212.	5.8	64

#	ARTICLE	IF	CITATIONS
37	Oxygen-deficient Ta ₂ O ₅ nanoporous films as self-supported electrodes for lithium microbatteries. <i>Nano Energy</i> , 2018, 45, 407-412.	8.2	63
38	Pre-irradiation grafting of styrene and maleic anhydride onto PVDF membrane and subsequent sulfonation for application in vanadium redox batteries. <i>Journal of Power Sources</i> , 2008, 177, 617-623.	4.0	61
39	Regulation of Breathing CuO Nanoarray Electrodes for Enhanced Electrochemical Sodium Storage. <i>Advanced Functional Materials</i> , 2018, 28, 1707179.	7.8	61
40	Improved electrochemical performance of sol-gel method prepared Na ₄ Mn ₉ O ₁₈ in aqueous hybrid Na-ion supercapacitor. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1939-1944.	1.2	57
41	High-performance CNT-wired MoO ₃ nanobelts for Li-storage application. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4112.	5.2	57
42	Lithium Iron Orthosilicate Cathode: Progress and Perspectives. <i>ACS Energy Letters</i> , 2017, 2, 1771-1781.	8.8	57
43	Template-Free Construction of Self-Supported Sb Prisms with Stable Sodium Storage. <i>Advanced Energy Materials</i> , 2019, 9, 1901096.	10.2	57
44	Site-dependent electrochemical performance of Mg doped LiFePO ₄ . <i>Electrochemistry Communications</i> , 2014, 44, 4-7.	2.3	55
45	Cathode Architectures for Rechargeable Ion Batteries: Progress and Perspectives. <i>Advanced Materials</i> , 2020, 32, e2000288.	11.1	55
46	A high-performance hybrid supercapacitor with Li ₄ Ti ₅ O ₁₂ -C nano-composite prepared by in situ and ex situ carbon modification. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 2791-2796.	1.2	52
47	Improved electrochemical activity of LiMnPO ₄ by high-energy ball-milling. <i>Journal of Power Sources</i> , 2011, 196, 8104-8109.	4.0	48
48	Engineering Bi ₂ O ₃ -Bi ₂ S ₃ heterostructure for superior lithium storage. <i>Scientific Reports</i> , 2015, 5, 9307.	1.6	48
49	Electrospinning for flexible sodium-ion batteries. <i>Energy Storage Materials</i> , 2022, 45, 704-719.	9.5	48
50	Graphene wrapped ordered LiNi _{0.5} Mn _{1.5} O ₄ nanorods as promising cathode material for lithium-ion batteries. <i>Scientific Reports</i> , 2015, 5, 11958.	1.6	45
51	Electrospun Materials for Batteries Moving Beyond Lithium-Ion Technologies. <i>Electrochemical Energy Reviews</i> , 2022, 5, 211-241.	13.1	44
52	Controllable preparation and properties of composite materials based on ceria nanoparticles and carbon nanotubes. <i>Journal of Solid State Chemistry</i> , 2008, 181, 2620-2625.	1.4	42
53	One-pot synthesis of CNT-wired LiCo _{0.5} Mn _{0.5} PO ₄ nanocomposites. <i>Electrochemistry Communications</i> , 2013, 31, 84-87.	2.3	42
54	Pencil-Drawing Skin-Mountable Micro-Supercapacitors. <i>Small</i> , 2019, 15, e1804037.	5.2	42

#	ARTICLE	IF	CITATIONS
55	Flexible supercapacitors based on a polyaniline nanowire-infilled 10 nm-diameter carbon nanotube porous membrane by in situ electrochemical polymerization. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12602-12608.	5.2	41
56	Dual-doped Hematite Nanorod Arrays on Carbon Cloth as a Robust and Flexible Sodium Anode. <i>Advanced Functional Materials</i> , 2020, 30, 1910043.	7.8	39
57	Carbon nanotube directed three-dimensional porous Li ₂ FeSiO ₄ composite for lithium batteries. <i>Nano Research</i> , 2017, 10, 229-237.	5.8	37
58	3D porous hierarchical Li ₂ FeSiO ₄ /C for rechargeable lithium batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11782-11786.	5.2	36
59	Sandwich structured MoO ₂ @TiO ₂ @CNT nanocomposites with high-rate performance for lithium ion batteries. <i>Electrochimica Acta</i> , 2015, 163, 57-63.	2.6	35
60	Theoretical Simulation and Modeling of Three-Dimensional Batteries. <i>Cell Reports Physical Science</i> , 2020, 1, 100078.	2.8	34
61	Ultrastable Sodium Storage in MoO ₃ Nanotube Arrays Enabled by Surface Phosphorylation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37761-37767.	4.0	29
62	Freestanding nanosheets of 1T-2H hybrid MoS ₂ as electrodes for efficient sodium storage. <i>Journal of Materials Science and Technology</i> , 2021, 67, 237-242.	5.6	26
63	Investigation on a 3.2V LiCoPO ₄ /Li ₄ Ti ₅ O ₁₂ full battery. <i>Electrochemistry Communications</i> , 2013, 35, 1-4.	2.3	25
64	LiNi _{0.5} Mn _{1.5} O ₄ synthesized through ammonia-mediated carbonate precipitation. <i>Electrochimica Acta</i> , 2015, 176, 1029-1035.	2.6	22
65	Materials based on group IVA elements for alloying-type sodium storage. <i>Science China Chemistry</i> , 2018, 61, 1494-1502.	4.2	22
66	Application of materials based on group VB elements in sodium-ion batteries: A review. <i>Journal of Materials Science and Technology</i> , 2018, 34, 1969-1976.	5.6	20
67	Hierarchical Porous Sb Films on 3D Cu Substrate Have Promise for Stable Sodium Storage. <i>ACS Applied Energy Materials</i> , 2018, 1, 3598-3602.	2.5	18
68	Monolithic flexible supercapacitors drawn with nitrogen-doped carbon nanotube-graphene ink. <i>Materials Research Bulletin</i> , 2021, 139, 111266.	2.7	18
69	Filter paper templated synthesis of chain-structured Li ₄ Ti ₅ O ₁₂ /C composite for Li-ion batteries. <i>Materials Letters</i> , 2012, 78, 177-179.	1.3	17
70	Reduced graphene oxide decorated with Bi ₂ O _{2.33} nanodots for superior lithium storage. <i>Nano Research</i> , 2017, 10, 3690-3697.	5.8	16
71	Nature-inspired Cu ₂ O@CoO tree-like architecture for robust storage of sodium. <i>Journal of Materials Science and Technology</i> , 2020, 53, 126-131.	5.6	16
72	Structurally Durable Bimetallic Alloy Anodes Enabled by Compositional Gradients. <i>Advanced Science</i> , 2022, 9, e2201209.	5.6	16

#	ARTICLE	IF	CITATIONS
73	Effect of distribution, interface property and density of hydrogel-embedded vertically aligned carbon nanotube arrays on the properties of a flexible solid state supercapacitor. <i>Nanotechnology</i> , 2018, 29, 195405.	1.3	15
74	Boosting capacitive performance of nitrogen-doped carbon by atomically dispersed iron. <i>Journal of Power Sources</i> , 2022, 532, 231335.	4.0	15
75	TiO ₂ @C composite nanospheres with an optimized homogeneous structure for lithium-ion batteries. <i>New Journal of Chemistry</i> , 2014, 38, 3722-3728.	1.4	14
76	Editorial: Functional Materials for Next-Generation Rechargeable Batteries. <i>Functional Materials Letters</i> , 2018, 11, 1802001.	0.7	14
77	Carbon nanoflakes as a promising anode for sodium-ion batteries. <i>Functional Materials Letters</i> , 2018, 11, 1840011.	0.7	14
78	3D Vertical Arrays of Nanomaterials for Microscaled Energy Storage Devices. <i>Accounts of Materials Research</i> , 2021, 2, 1215-1226.	5.9	13
79	Understanding the Role of Topotactic Anion Exchange in the Robust Cu Ion Storage of CuS _{1-x} Se _x . <i>ACS Energy Letters</i> , 2022, 7, 1835-1841.	8.8	13
80	Pyroxene LiVSi ₂ O ₆ as an electrode material for Li-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 8322-8326.	4.0	12
81	A general approach towards carbon nanotube and iron oxide coaxial architecture and its lithium storage capability. <i>Journal of Power Sources</i> , 2015, 298, 138-143.	4.0	12
82	Temperature-driven structural evolution of carbon modified LiFePO ₄ in air. <i>RSC Advances</i> , 2015, 5, 30537-30541.	1.7	10
83	Jahn-Teller Effect Directed Bandgap Tuning of Birnessite for Pseudocapacitive Application. <i>Energy and Environmental Materials</i> , 2023, 6, .	7.3	10
84	Rooting Zn into metallic Na bulk for energetic metal anode. <i>Science China Materials</i> , 2022, 65, 1789-1796.	3.5	9
85	Electrochemically Anodized V ₂ O ₅ as an Efficient Sodium Cathode. <i>Energy & Fuels</i> , 2021, 35, 8358-8364.	2.5	8
86	Partially sulfurized MoO ₂ film for durable lithium storage. <i>Materials Research Bulletin</i> , 2017, 96, 360-364.	2.7	7
87	The Critical Role of Carbon Nanotubes in Bridging Academic Research to Commercialization of Lithium Batteries. <i>Chemical Record</i> , 2022, 22, .	2.9	7
88	Architecting core-shell nanosheets of MoS ₂ -polypyrrole on carbon cloth as a robust sodium anode. <i>Sustainable Materials and Technologies</i> , 2021, 28, e00255.	1.7	5
89	Designing PEDOT-modified V ₆ O ₁₃ nanosheet arrays for sodium storage. <i>Functional Materials Letters</i> , 0, , 2143001.	0.7	4
90	Anodic tantalum oxide: synthesis and energy-related applications. , 2020, , 305-319.		3

#	ARTICLE	IF	CITATIONS
91	Self-supported TiO ₂ @P nanotube arrays as high-performance anodes for sodium-ion batteries. Functional Materials Letters, 0, , .	0.7	2
92	Frontispiece: Materials Based on Antimony and Bismuth for Sodium Storage. Chemistry - A European Journal, 2018, 24, .	1.7	0
93	Heterostructure engineering of molybdenum chalcogenides for stable sodium storage. Materials Technology, 2018, 33, 543-547.	1.5	0
94	Back Cover Image. Informa [®] Materials, 2021, 3, .	8.5	0
95	Boosting Sodium Storage of Titanium Oxide through Homojunction Design. Batteries and Supercaps, 0, , .	2.4	0