
Abbas Ali Esmaeili

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3185252/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Green and Efficient Synthesis of Novel Polysubstituted 2-Pyrrolidinones under Catalyst and Solvent-Free Conditions. Polycyclic Aromatic Compounds, 2023, 43, 3535-3545.	2.6	1
2	Efficient and green synthesis of novel hexahydro-5H-thiazolo[2',3':2,3]pyrimido[4,5-b]quinoline derivatives. Molecular Diversity, 2023, 27, 477-486.	3.9	2
3	An efficient diastereoselective synthesis of novel fused 5H-furo[2,3-d]thiazolo[3,2-a]pyrimidin-5-ones via one-pot three-component reaction. Molecular Diversity, 2022, 26, 183-190.	3.9	4
4	Adsorptive Removal of Methylene Blue from Aqueous Solutions Using Magnetic Fe ₃ O ₄ @C-dots: Removal and kinetic studies. Separation Science and Technology, 2022, 57, 2005-2023.	2.5	8
5	Catalyst-free Facile Synthesis of Novel Fused Spiro[benzo[4,5]thiazolo[3,2- <i>a</i>]pyrano[2,3- <i>d</i>]pyrimidine-4,3'-indoline]-3-carbonitrile Derivatives <i>via</i> One-pot Three-Component Reaction. Organic Preparations and Procedures International. 2022. 54. 145-156.	1.3	1
6	Green Synthesis of Fluorescent Carbon Dots from Elaeagnus angustifolia and its Application as Tartrazine Sensor. Journal of Fluorescence, 2021, 31, 185-193.	2.5	26
7	Organobase-catalyzed one-pot three-component synthesisÂof novel pyrano[2,3-d][1,3]thiazolo[3,2-a]pyrimidine derivatives. Research on Chemical Intermediates, 2021, 47, 3537-3550.	2.7	3
8	An efficient synthesis of novel spiro[indole-3,8â€2-pyrano[2,3- <i>d</i>][1,3,4]thiadiazolo[3,2- <i>a</i>]pyrimidine derivatives <i>via</i> organobase-catalyzed three-component reaction of malononitrile, isatin and heterocyclic-1,3-diones. Journal of Sulfur Chemistry, 2021, 42, 628-644.	2.0	6
9	Straightforward and simple synthesis of novel pyranodipyrimidine derivatives <i>via</i> reaction of aromatic aldehydes and heterocyclic-1,3-dicarbonyl compound. Phosphorus, Sulfur and Silicon and the Related Elements, 2021, 196, 819-825.	1.6	5
10	Biomimetic hydrogenation of electron deficient olefins using in situ generated 2-arylbenzimidazoline: synthesis of novel 3-benzylbenzo[4,5]thiazolo[3,2-a]pyrimidin-4-ones. Molecular Diversity, 2021, , 1.	3.9	0
11	Synthesis of novel trifluoro methylated imidazothiadiazole derivatives via one-pot isocyanide-based three-component reaction under catalyst and solvent-free conditions. Phosphorus, Sulfur and Silicon and the Related Elements, 2021, 196, 1071-1077.	1.6	2
12	Preparation of Fe ₃ O ₄ @Câ€dots as a recyclable magnetic nanocatalyst using <scp><i>Elaeagnus angustifolia</i></scp> and its application for the green synthesis of formamidines. Applied Organometallic Chemistry, 2021, 35, e6387.	3.5	7
13	A simple and efficient synthesis of novel pyranothiadiazolopyrimidine derivatives by three component reactions in solvent-free conditions. Arkivoc, 2020, 2019, 211-223.	0.5	2
14	One-pot synthesis of 4-ethyl 2,3-dimethyl 1-(5-aryl-1,3,4-thiadiazol-2-yl)-5-oxo-2,5-dihydro-1H-pyrrole-2,3,4-tricarboxylate derivatives via intramolecular Wittig reaction. Journal of Chemical Research, 2020, 44, 403-409.	1.3	0
15	One-pot, catalyst-free synthesis of novel spiro[indole-3,4′-pyrano[2′,3′:4,5]pyrimido [2,1-b][1,3]benzothiazole] derivatives. Journal of Chemical Research, 2020, 44, 646-652.	1.3	6
16	Synthesis of novel spiro[benzo[4,5]thiazolo[3,2- a]chromeno[2,3- d]pyrimidine-14,3′-indoline]-1,2′,13(2	H) <u>Ti </u> ETQ	q0

17	The influence of two imidazolium-based ionic liquids on the structure and activity of glucose oxidase: Experimental and theoretical studies. International Journal of Biological Macromolecules, 2018, 114, 656-665.	7.5	16
18	Facile Construction of Novel Fused Chromeno[2,3-d]Thiazolo[3,2-a]Pyrimidine Derivatives in Biocompatible Ionic Liquid under Solvent-Free Conditions. Journal of Chemical Research, 2018, 42, 618-622.	1.3	7

#	Article	IF	CITATIONS
19	Convenient one-pot access to novel densely functionalized pyrano[2,3-d][1,3,4]thiadiazolo[3,2-a]pyrimidines via three component reaction. Research on Chemical Intermediates, 2017, 43, 4683-4696.	2.7	1
20	One-pot three component isocyanide-based reaction: Synthesis of novel tetracyclic fused furo[2′,3′:4,5]pyrimido[2,1- b][1,3]benzothiazole. Tetrahedron, 2017, 73, 2894-2900.	1.9	15
21	An efficient one-pot synthesis of highly functionalized benzylpyrazolyl pyrido[1,2-a]pyrimidine derivatives using CuFe2O4 nanoparticles under solvent-free conditions. Research on Chemical Intermediates, 2017, 43, 6817-6833.	2.7	10
22	A Facile and Diastereoselective access to Functionalised Benzopyrano[3,4-a] Quinolizines via a Pyridine-Based Three-Component Reaction. Journal of Chemical Research, 2017, 41, 688-692.	1.3	0
23	An Unexpected Diastereoselective Synthesis of Novel Substituted Pyridines via One-Pot, Four-Component Reaction. Synlett, 2016, 27, 1669-1673.	1.8	8
24	Efficient One-Pot Three-Component Synthesis of Novel Spiro(Indoline-3,7â€2-Thiazolo[3,2- <i>a</i>]Pyrimidine) Derivatives. Journal of Chemical Research, 2016, 40, 471-474.	1.3	3
25	Synthesis, characterization and biological evaluation of novel α, β unsaturated amides. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 161, 170-177.	3.9	1
26	Efficient synthesis of novel pyrano[2,3- d]pyrido[1,2- a]pyrimidine derivatives via isocyanide-based three-component reactions. Tetrahedron Letters, 2016, 57, 100-102.	1.4	28
27	Synthesis, Characterization and Fluorescence Properties of Zn(II) and Cu(II) Complexes: DNA Binding Study of Zn(II) Complex. Journal of Fluorescence, 2016, 26, 333-344.	2.5	5
28	Efficient synthesis of novel spiro[indole-3,6′-pyrano[2,3-d][1,3]thiazolo[3,2-a]pyrimidine derivatives through an organobase-catalyzed, three-component reaction. Tetrahedron, 2015, 71, 2458-2462.	1.9	23
29	Hydrogen storage by N-ethylcarbazol as a new liquid organic hydrogen carrier: A DFT study onÂtheÂmechanism. International Journal of Hydrogen Energy, 2015, 40, 5797-5806.	7.1	50
30	Diastereoselective synthesis of highly functionalized quinolizines via a pyridine-based three-component reaction and a DFT investigation on the reaction mechanism. Tetrahedron Letters, 2014, 55, 333-337.	1.4	13
31	Synthesis of Novel 1â€(Benzo[<i>d</i>]thiazolâ€2â€yl)â€1 <i>H</i> â€pyrrolâ€2(5 <i>H</i>)â€ones. Journal of Heterocyclic Chemistry, 2014, 51, 1791-1796.	2.6	3
32	Cellulose sulfuric acid as a bio-supported and efficient solid acid catalyst for synthesis of pyrazoles in aqueous medium. RSC Advances, 2014, 4, 61193-61199.	3.6	18
33	A facile access to highly functionalized triphenylphosphoranylidene succinimides through a three-component reaction and DFT investigation of the reaction mechanism. RSC Advances, 2014, 4, 37900.	3.6	4
34	Efficient synthesis of novel tricyclic fused pyranothiazolopyrimidine derivatives via isocyanide-based three-component reactions. Tetrahedron, 2014, 70, 8619-8623.	1.9	15
35	Niobium Pentachloride Catalyzed One-Pot Multicomponent Condensation Reaction of β-Naphthol, Aryl Aldehydes and Cyclic 1, 3-Dicarbonyl Compounds. Letters in Organic Chemistry, 2014, 11, 91-96.	0.5	11
36	A novel and efficient synthesis of 3,3-disubstituted indol-2-ones via Passerini three-component reactions in the presence of 4Ã molecular sieves. Tetrahedron Letters, 2013, 54, 406-408.	1.4	10

Abbas Ali Esmaeili

#	Article	IF	CITATIONS
37	An Efficient One-Pot Synthesis of Condensed Imidazoles Using Pentafluorophenylammonium Triflate as Novel, Metal-free and Reusable Catalyst. Asian Journal of Chemistry, 2013, 25, 3446-3448.	0.3	2
38	N,N′-Dipyridoxyl(1,8-diamino-3,6-dioxaoctane) Schiff-base: Synthesis, experimental and theoretical identification. Bulletin of the Chemical Society of Ethiopia, 2013, 27, .	1.1	1
39	Synthesis, characterization and interaction of N,N′-dipyridoxyl (1,4-butanediamine) Co(III) salen complex with DNA and HSA. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2012, 97, 74-82.	3.9	31
40	N,N′-dipyridoxyl(ethylenediamine) schiff-base ligand and its square-pyramidal copper(II) complex: Synthesis, experimental and theoretical characterization. Journal of Structural Chemistry, 2012, 53, 460-467.	1.0	28
41	An efficient synthesis of 3-cyano-3-benzoyloxyoxindoles via cyanoacylation of isatins in the presence of 4Ã molecular sieves. Tetrahedron Letters, 2012, 53, 5605-5607.	1.4	11
42	Diastereoselective synthesis of 5-iminooxazolines and their subsequent transformation to α,α-disubstituted dipeptide esters: a formal [4+1] cycloaddition reaction of cyclohexyl isocyanide and Z-alkyl-α-benzoyl amino-acrylates. Tetrahedron, 2012, 68, 8046-8051.	1.9	6
43	Synthesis and Theoretical Study of Intramolecular Hydrogen Bond at Two Possible Positions in Pyrazolo[1,2â€ <i>b</i>]phthalazine. Chinese Journal of Chemistry, 2012, 30, 779-784.	4.9	6
44	Three-component reactions of isocyanides, dialkyl acetylenedicarboxylates, and trans-cinnamoyl chlorides for the synthesis of highly functionalized 2-vinyl furans. Molecular Diversity, 2012, 16, 145-150.	3.9	8
45	An efficient regioselective synthesis of highly functionalized 3-oxo-2,3-dihydro-5H-thiazolo[3,2-a]pyrimidines via an isocyanide-based three-component reaction. Tetrahedron Letters, 2012, 53, 1351-1353.	1.4	24
46	Ionic Liquid Promoted Efficient Three-Component Synthesis of 2-Thioxo-2 <i>H</i> -Thiopyrans. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 2267-2273.	1.6	5
47	An efficient diastereoselective synthesis of spiro pyrido[2,1-b][1,3]oxazines via a novel pyridine-based three-component reaction. Tetrahedron Letters, 2011, 52, 4865-4867.	1.4	51
48	N,N′-dipyridoxyl Schiff bases: Synthesis, experimental and theoretical characterization. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2011, 83, 467-471.	3.9	41
49	Synthesis, experimental and theoretical characterization of N,N′-dipyridoxyl (1,4-butanediamine) Schiff-base ligand and its Cu(II) complex. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2011, 78, 1046-1050.	3.9	31
50	Facile Synthesis of Highly Substituted Iminocyclopentenes: A Novel Isocyanide-Based Three-Component Condensation Reaction. Synlett, 2011, 2011, 2307-2310.	1.8	5
51	Regioselective synthesis of highly-substituted biaryls by reaction of vinyl malononitriles with acetylenic esters. Tetrahedron, 2010, 66, 3575-3578.	1.9	19
52	A single-label phenylpyrrolocytidine provides a molecular beacon-like response reporting HIV-1 RT RNase H activity. Nucleic Acids Research, 2010, 38, 1048-1056.	14.5	49
53	An Efficient Synthesis of Highly Functionalized 4H-Pyrano[3,2-d]isoxazoles via Isocyanide-Based Three-Component Reaction. Synlett, 2010, 2010, 1477-1480.	1.8	19
54	Reaction of Isocyanides, Dialkyl Acetylenedicarboxylates, and α-Keto Lactones: Unexpected Participation of an Ester Carbonyl Group in the Isocyanide-Based Three-Component Reaction. Synthesis, 2009, 2009, 1635-1638.	2.3	27

#	Article	IF	CITATIONS
55	One-Pot, Three-Component Chemoselective Reaction of Isoquinolines, Dialkyl Acetylenedicarboxylates, and α-Ketolactones: An Unexpected Participation of an Ester Carbonyl Group in the 1,4-Dipolar Cycloaddition Reaction. Synlett, 2009, 2009, 2119-2122.	1.8	28
56	Synthesis, experimental and theoretical characterization of tetra dentate N,Nâ€2-dipyridoxyl (1,3-propylenediamine) salen ligand and its Co(III) complex. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2008, 71, 1341-1347.	3.9	41
57	Synthesis of Functionalized Sulfonamides via Multicomponent Reaction of Alkyl Isocyanide and Dialkyl Acetylenedicarboxylate with 4-Methylbenzenesulfonic Acid Monohydrate. Synthesis, 2007, 2007, 709-712.	2.3	19
58	A Novel Synthesis of Spiro-2,5-dihydro-1,2-λ5-oxaphospholes Using a Three-Component Reaction. Synlett, 2007, 2007, 1452-1454.	1.8	15
59	A Facile Oneâ€Pot Synthesis of Functionalized 1,5â€Dihydroâ€2 <i>H</i> â€{1]benzopyrano[2,3â€ <i>b</i>]pyridinâ€5â€ones. Helvetica Chimica Acta, 2007, 90,	1 <mark>7</mark> 912-171	<i>†</i> .
60	One-Pot Synthesis of Dialkyl Succinates Containing an α -Amino Group and a β-Ylide Moiety Using Electron-Deficient Acetylenic Esters. Phosphorus, Sulfur and Silicon and the Related Elements, 2006, 181, 527-532.	1.6	6
61	A new method for the synthesis of functionalized maleimides. Tetrahedron Letters, 2006, 47, 4469-4471.	1.4	53
62	Novel triiodide ion-selective polymeric membrane electrodes based on some transition metal–Schiff base complexes. Sensors and Actuators B: Chemical, 2006, 114, 928-935.	7.8	25
63	Three-component reactions involving zwitterionic intermediates for the construction of heterocyclic systems: one pot synthesis of highly functionalized Î ³ -iminolactones. Tetrahedron, 2005, 61, 4031-4034.	1.9	46
64	Three-Component Reactions Involving Zwitterionic Intermediates for the Construction of Heterocyclic Systems: One-Pot Synthesis of Highly Functionalized Î ³ -Iminolactones ChemInform, 2005, 36, no.	0.0	0
65	Solvent-Free Crossed Aldol Condensation of Cyclic Ketones with Aromatic Aldehydes Assisted by Microwave Irradiation. Monatshefte FÃ1⁄4r Chemie, 2005, 136, 571-576.	1.8	25
66	Synthesis of Dialkyl 9-Chloro-3H-pyrrolo[1,2-a]indole-2,3-dicarboxylates Mediated by Vinylphosphonium Salts ChemInform, 2003, 34, no.	0.0	0
67	Reaction Between Alkyl Isocyanides and Dialkyl Acetylenedicarboxylates in the Presence of N-Alkyl Isatins: Convenient Synthesis of Î ³ -Spiro-iminolactones ChemInform, 2003, 34, no.	0.0	0
68	New and efficient one-pot synthesis of functionalized Î ³ -spirolactones mediated by vinyltriphenylphosphonium salts. Tetrahedron, 2003, 59, 1169-1171.	1.9	46
69	One-pot synthesis of stable phosphonium ylides using 2-aminothiophenol. Tetrahedron, 2003, 59, 4785-4788.	1.9	36
70	Reaction between alkyl isocyanides and dialkyl acetylenedicarboxylates in the presence of N-alkyl isatins: convenient synthesis of γ-spiro-iminolactones. Tetrahedron, 2003, 59, 5545-5548.	1.9	55
71	lodination of Aromatic Compounds with lodine andn-Butyl- triphenylphosphonium Peroxodisulfate. Synthetic Communications, 2003, 33, 1319-1323.	2.1	7
72	A New and Efficient One-pot Synthesis of Trialkyl 6-tert-Butylamino-2H-pyran-2-one-3,4,5-tricarboxylates. Journal of Chemical Research Synopses, 1999, , 368-369.	0.3	20

#	Article	IF	CITATIONS
73	One-pot Three-component Synthesis of Novel 1,3,4-Thiadiazole-thiazolo[3,2-a]pyrimidine Derivatives Catalyzed by Molecular Iodine. Organic Preparations and Procedures International, 0, , 1-9.	1.3	1
74	Efficient synthesis of novel chromenopyrido[3,2-e]isothiazolo[2,3-a]pyrimidines via a non-catalytic one-pot three-component reaction. Research on Chemical Intermediates, 0, , 1.	2.7	0