## **Aurlien Lebreton**

## List of Publications by Citations

Source: https://exaly.com/author-pdf/3185264/aurelien-lebreton-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers
citations
12
h-index
19
g-index

67
ext. papers
413
d-index
4
avg, IF
L-index

| #  | Paper  | IF                                   | Citations |
|----|--|--------------------------------------|-----------|
| 52 | Natural history of patients with congenital dysfibrinogenemia. <i>Blood</i> , <b>2015</b> , 125, 553-61  | 2.2                                  | 101       |
| 51 | Increased factor VIII plays a significant role in plasma hypercoagulability phenotype of patients with cirrhosis. <i>Journal of Thrombosis and Haemostasis</i> , <b>2018</b> , 16, 1132-1140                               | 15.4                                 | 31        |
| 50 | Hypotheses behind the very rare cases of thrombosis with thrombocytopenia syndrome after SARS-CoV-2 vaccination. <i>Thrombosis Research</i> , <b>2021</b> , 203, 163-171   | 8.2                                  | 29        |
| 49 | Prospective evaluation of a rapid nanoparticle-based lateral flow immunoassay (STic Expert([] ) HIT) for the diagnosis of heparin-induced thrombocytopenia. <i>British Journal of Haematology</i> , <b>2014</b> , 166, 774 | - <b>8<sup>1</sup>2</b> <sup>5</sup> | 28        |
| 48 | Prevalence and epitope specificity of non-neutralising antibodies in a large cohort of haemophilia A patients without inhibitors. <i>Thrombosis and Haemostasis</i> , <b>2011</b> , 105, 954-61                            | 7                                    | 24        |
| 47 | Plasma hypercoagulability in the presence of thrombomodulin but not of activated protein C in patients with cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 916-924           | 4                                    | 18        |
| 46 | Successful pregnancy under fibrinogen substitution in a woman with congenital afibrinogenaemia complicated by a postpartum venous thrombosis. <i>Haemophilia</i> , <b>2015</b> , 21, e108-10                               | 3.3                                  | 16        |
| 45 | Hypercoagulability (thrombin generation) in patients with cirrhosis is detected with ST-Genesia.<br>Journal of Thrombosis and Haemostasis, <b>2020</b> , 18, 2177-2190   | 15.4                                 | 15        |
| 44 | Comparative Analysis of a French Prospective Series of 144 Patients with Heparin-Induced Thrombocytopenia (FRIGTIH) and the Literature. <i>Thrombosis and Haemostasis</i> , <b>2020</b> , 120, 1096-1107                   | 7                                    | 15        |
| 43 | Epicatechin influences primary hemostasis, coagulation and fibrinolysis. <i>Food and Function</i> , <b>2019</b> , 10, 7291-7298  | 6.1                                  | 15        |
| 42 | Discontinuous epitopes on the C2 domain of coagulation Factor VIII mapped by computer-designed synthetic peptides. <i>British Journal of Haematology</i> , <b>2011</b> , 155, 487-97                                       | 4.5                                  | 12        |
| 41 | Thrombin Generation and Cirrhosis: State of the Art and Perspectives. <i>Seminars in Thrombosis and Hemostasis</i> , <b>2020</b> , 46, 693-703   | 5.3                                  | 12        |
| 40 | Microparticle phenotypes are associated with driver mutations and distinct thrombotic risks in essential thrombocythemia. <i>Haematologica</i> , <b>2016</b> , 101, e365-8   | 6.6                                  | 11        |
| 39 | PEPOP 2.0: new approaches to mimic non-continuous epitopes. <i>BMC Bioinformatics</i> , <b>2019</b> , 20, 387  | 3.6                                  | 8         |
| 38 | Diagnosis of congenital fibrinogen disorders. <i>Annales De Biologie Clinique</i> , <b>2016</b> , 74, 405-12   | 0.4                                  | 8         |
| 37 | Favorable outcome of rivaroxaban-associated intracerebral hemorrhage reversed by 4-factor prothrombin complex concentrate: impact on thrombin generation. <i>A &amp; A Case Reports</i> , <b>2015</b> , 4, 151-4           |                                      | 7         |
| 36 | Computer-predicted peptides that mimic discontinuous epitopes on the A2 domain of factor VIII. <i>Haemophilia</i> , <b>2015</b> , 21, e193-201   | 3.3                                  | 7         |

## (2020-2013)

| 35 | Low Molecular Weight Heparin Induced Skin Necrosis without Platelet Fall Revealing Immunoallergic Heparin Induced Thrombocytopenia. <i>Case Reports in Hematology</i> , <b>2013</b> , 2013, 849168  | 0.7  | 6 |
|----|---|------|---|
| 34 | Determinants of adherence and consequences of the transition from adolescence to adulthood among young people with severe haemophilia (TRANSHEMO): study protocol for a multicentric French national observational cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e022409  | 3    | 6 |
| 33 | Dabigatran Level Before Reversal Can Predict Hemostatic Effectiveness of Idarucizumab in a Real-World Setting. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 599626   | 4.9  | 5 |
| 32 | Are low-density lipoprotein receptor-related protein 1 or non-neutralizing antibodies predictors of FVIII in vivo recovery in haemophilia A patients?. <i>Haemophilia</i> , <b>2014</b> , 20, e406-8  | 3.3  | 4 |
| 31 | Repeated early hemofiltration filters clotting and heparin-induced thrombocytopenia in ICU. <i>Journal of Clinical Monitoring and Computing</i> , <b>2015</b> , 29, 25-8  | 2    | 3 |
| 30 | Characteristics and outcomes of reversed patients admitted to an emergency department for VKA-related intramuscular hematoma. <i>American Journal of Emergency Medicine</i> , <b>2018</b> , 36, 1257-1261   | 2.9  | 3 |
| 29 | Gastrointestinal bleeding from angiodysplasia in von Willebrand disease: Improved diagnosis and outcome prediction using videocapsule on top of conventional endoscopy. <i>Journal of Thrombosis and Haemostasis</i> , <b>2021</b> , 19, 380-386                                      | 15.4 | 3 |
| 28 | In vitro assessment of edoxaban anticoagulant effect in pediatric plasma. <i>Thrombosis Research</i> , <b>2019</b> , 178, 112-118   | 8.2  | 2 |
| 27 | Analytical performance of a new immunoturbidimetric D-dimer assay and comparison with available assays <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2022</b> , 6, e12660   | 5.1  | 2 |
| 26 | Interlaboratory variability of activated protein C resistance using the ETP-based APC resistance assay. <i>Research and Practice in Thrombosis and Haemostasis</i> , <b>2021</b> , 5, e12612  | 5.1  | 2 |
| 25 | Long-Term Antithrombotic Treatments Prescribed for Cardiovascular Diseases in Patients with Hemophilia: Results from the French Registry. <i>Thrombosis and Haemostasis</i> , <b>2021</b> , 121, 287-296  | 7    | 2 |
| 24 | Impact of Epicatechin on the Procoagulant Activities of Microparticles. <i>Nutrients</i> , <b>2020</b> , 12,  | 6.7  | 2 |
| 23 | The centrifuge brake impacts neither routine coagulation assays nor platelet count in platelet-poor plasma. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, e185-e188   | 5.9  | 1 |
| 22 | Maluation de la rMersion par concentrIde complexes prothrombiniques et vitamine K des patients porteurs de prothBe valvulaire mBanique admis dans un service dDrgence suite Iun accident hBhorragique grave. <i>Annales Francaises De Medecine DpUrgence</i> , <b>2014</b> , 4, 82-88 | 0.2  | 1 |
| 21 | Les anticorps anti-FVIII et anti-FIX. Revue Francophone Des Laboratoires, 2012, 2012, 55-62   | Ο    | 1 |
| 20 | Are all heparins safe for on-pump heart surgery?. Expert Opinion on Drug Safety, 2016, 15, 897-901  | 4.1  | 1 |
| 19 | Measurements of eftrenonacog alfa by 19 different combinations reagents/instrument: A single-centre study. <i>Haemophilia</i> , <b>2020</b> , 26, 543-552   | 3.3  | О |
| 18 | Extrahepatic portal vein obstruction (EHPVO) in cirrhosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2020</b> , 44, 497-502   | 2.4  | O |

| 17 | Evaluation of a rapid centrifugation step (4500 g for 2 min) in coagulation assays to monitor direct oral anticoagulants. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 57, e37-e40 | 5.9              | О   |
|----|---|------------------|-----|
| 16 | Prospective Evaluation of a Rapid Nanoparticle-Based Lateral Flow Immunoassay (Stic Expert HIT🛛 ) for the Diagnosis of Heparin-Induced Thrombocytopenia. <i>Blood</i> , <b>2012</b> , 120, 1087-1087    | 2.2              | O   |
| 15 | Epicatechin Impact on Primary Hemostasis, Coagulation and Fibrinolysis. <i>Blood</i> , <b>2015</b> , 126, 4677-4677   | 2.2              | О   |
| 14 | Severe undernutrition increases bleeding risk on vitamin-K antagonists. Clinical Nutrition, 2021, 40, 223   | 37 <i>523</i> ,4 | 3 0 |
| 13 | Impact of epicatechin on fibrin clot structure. European Journal of Pharmacology, 2021, 893, 173830   | 5.3              | О   |
| 12 | Cirrhose et hthostase. Revue Francophone Des Laboratoires, 2017, 2017, 56-63  | Ο                |     |
| 11 | After the SIPPET study: Position paper of the CoMETH, the French society of haemophilia. <i>Haemophilia</i> , <b>2018</b> , 24, e55-e57   | 3.3              |     |
| 10 | HEhostase et cirrhose. <i>Revue Francophone Des Laboratoires</i> , <b>2014</b> , 2014, 65-72  | O                |     |
| 9  | Impact of pneumatic tube system transport for the monitoring of heparin therapy. <i>Thrombosis Research</i> , <b>2017</b> , 158, 35-37  | 8.2              |     |
| 8  | Dosage de l͡ːlomocyst͡ɪhe plasmatique, comparaison de deux mt͡lhodes : CLHP versus<br>immunonpht͡tht͡rie. <i>Immuno-Analyse Et Biologie Specialisee</i> , <b>2009</b> , 24, 155-159                     |                  |     |
| 7  | The Management of Cardiovascular Diseases in Patients with Hemophilia: The French Coche Registry. <i>Blood</i> , <b>2018</b> , 132, 5018-5018   | 2.2              |     |
| 6  | Measuring rFIX-Fc with 17 Different Combinations Coagulometers Reagents: A Single Center Study. <i>Blood</i> , <b>2018</b> , 132, 5016-5016   | 2.2              |     |
| 5  | Resistance to Thrombomodulin but Not to Activated Protein C in Cirrhotic Patients. <i>Blood</i> , <b>2014</b> , 124, 2839-2839  | 2.2              |     |
| 4  | Soluble Endothelial Protein C Receptor (sEPCR) Is Increased in Cirrhotic Patients. A Possible Role in Procoagulant Imbalance?. <i>Blood</i> , <b>2015</b> , 126, 1080-1080                              | 2.2              |     |
| 3  | Hypercoagulability in Cirrhotic Patients; Impact of Acquired Protein C Deficiency and Factor VIII Increase in Low Sensitivity to Thrombomodulin. <i>Blood</i> , <b>2016</b> , 128, 1420-1420            | 2.2              |     |
| 2  | Prevalence and Epitope Specificity of Non-Neutralizing Antibodies in Haemophilia A Patients without Inhibitors Using a Multiplex x-MAP Technology <i>Blood</i> , <b>2009</b> , 114, 3493-3493           | 2.2              |     |
| 1  | Stability Of Thrombin Generation In Cirrhotic Patients. <i>Blood</i> , <b>2013</b> , 122, 2361-2361   | 2.2              |     |