Aurlien Lebreton

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3185264/aurelien-lebreton-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52	413	12	19
papers	citations	h-index	g-index
67	570 ext. citations	4	3.46
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
52	Analytical performance of a new immunoturbidimetric D-dimer assay and comparison with available assays <i>Research and Practice in Thrombosis and Haemostasis</i> , 2022 , 6, e12660	5.1	2
51	Interlaboratory variability of activated protein C resistance using the ETP-based APC resistance assay. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021 , 5, e12612	5.1	2
50	Long-Term Antithrombotic Treatments Prescribed for Cardiovascular Diseases in Patients with Hemophilia: Results from the French Registry. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 287-296	7	2
49	Severe undernutrition increases bleeding risk on vitamin-K antagonists. <i>Clinical Nutrition</i> , 2021 , 40, 22	37 <i>₅26</i> ,43	3 0
48	Gastrointestinal bleeding from angiodysplasia in von Willebrand disease: Improved diagnosis and outcome prediction using videocapsule on top of conventional endoscopy. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 380-386	15.4	3
47	Impact of epicatechin on fibrin clot structure. European Journal of Pharmacology, 2021, 893, 173830	5.3	0
46	Hypotheses behind the very rare cases of thrombosis with thrombocytopenia syndrome after SARS-CoV-2 vaccination. <i>Thrombosis Research</i> , 2021 , 203, 163-171	8.2	29
45	Hypercoagulability (thrombin generation) in patients with cirrhosis is detected with ST-Genesia. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2177-2190	15.4	15
44	The centrifuge brake impacts neither routine coagulation assays nor platelet count in platelet-poor plasma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, e185-e188	5.9	1
43	Comparative Analysis of a French Prospective Series of 144 Patients with Heparin-Induced Thrombocytopenia (FRIGTIH) and the Literature. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 1096-1107	7	15
42	Measurements of eftrenonacog alfa by 19 different combinations reagents/instrument: A single-centre study. <i>Haemophilia</i> , 2020 , 26, 543-552	3.3	O
41	Extrahepatic portal vein obstruction (EHPVO) in cirrhosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020 , 44, 497-502	2.4	0
40	Dabigatran Level Before Reversal Can Predict Hemostatic Effectiveness of Idarucizumab in a Real-World Setting. <i>Frontiers in Medicine</i> , 2020 , 7, 599626	4.9	5
39	Impact of Epicatechin on the Procoagulant Activities of Microparticles. <i>Nutrients</i> , 2020 , 12,	6.7	2
38	Thrombin Generation and Cirrhosis: State of the Art and Perspectives. <i>Seminars in Thrombosis and Hemostasis</i> , 2020 , 46, 693-703	5.3	12
37	In vitro assessment of edoxaban anticoagulant effect in pediatric plasma. <i>Thrombosis Research</i> , 2019 , 178, 112-118	8.2	2
36	PEPOP 2.0: new approaches to mimic non-continuous epitopes. <i>BMC Bioinformatics</i> , 2019 , 20, 387	3.6	8

(2015-2019)

35	Epicatechin influences primary hemostasis, coagulation and fibrinolysis. <i>Food and Function</i> , 2019 , 10, 7291-7298	6.1	15
34	Characteristics and outcomes of reversed patients admitted to an emergency department for VKA-related intramuscular hematoma. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 1257-1261	2.9	3
33	Increased factor VIII plays a significant role in plasma hypercoagulability phenotype of patients with cirrhosis. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 1132-1140	15.4	31
32	After the SIPPET study: Position paper of the CoMETH, the French society of haemophilia. <i>Haemophilia</i> , 2018 , 24, e55-e57	3.3	
31	Evaluation of a rapid centrifugation step (4500 g for 2 min) in coagulation assays to monitor direct oral anticoagulants. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 57, e37-e40	5.9	0
30	The Management of Cardiovascular Diseases in Patients with Hemophilia: The French Coche Registry. <i>Blood</i> , 2018 , 132, 5018-5018	2.2	
29	Measuring rFIX-Fc with 17 Different Combinations Coagulometers Reagents: A Single Center Study. <i>Blood</i> , 2018 , 132, 5016-5016	2.2	
28	Determinants of adherence and consequences of the transition from adolescence to adulthood among young people with severe haemophilia (TRANSHEMO): study protocol for a multicentric French national observational cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e022409	3	6
27	Cirrhose et hthostase. Revue Francophone Des Laboratoires, 2017, 2017, 56-63	O	
26	Plasma hypercoagulability in the presence of thrombomodulin but not of activated protein C in patients with cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 916-924	4	18
25	Impact of pneumatic tube system transport for the monitoring of heparin therapy. <i>Thrombosis Research</i> , 2017 , 158, 35-37	8.2	
24	Microparticle phenotypes are associated with driver mutations and distinct thrombotic risks in essential thrombocythemia. <i>Haematologica</i> , 2016 , 101, e365-8	6.6	11
23	Hypercoagulability in Cirrhotic Patients; Impact of Acquired Protein C Deficiency and Factor VIII Increase in Low Sensitivity to Thrombomodulin. <i>Blood</i> , 2016 , 128, 1420-1420	2.2	
22	Diagnosis of congenital fibrinogen disorders. <i>Annales De Biologie Clinique</i> , 2016 , 74, 405-12	0.4	8
21	Are all heparins safe for on-pump heart surgery?. Expert Opinion on Drug Safety, 2016, 15, 897-901	4.1	1
20	Successful pregnancy under fibrinogen substitution in a woman with congenital afibrinogenaemia complicated by a postpartum venous thrombosis. <i>Haemophilia</i> , 2015 , 21, e108-10	3.3	16
19	Repeated early hemofiltration filters clotting and heparin-induced thrombocytopenia in ICU. <i>Journal of Clinical Monitoring and Computing</i> , 2015 , 29, 25-8	2	3
18	Natural history of patients with congenital dysfibrinogenemia. <i>Blood</i> , 2015 , 125, 553-61	2.2	101

17	Favorable outcome of rivaroxaban-associated intracerebral hemorrhage reversed by 4-factor prothrombin complex concentrate: impact on thrombin generation. <i>A & A Case Reports</i> , 2015 , 4, 151-4		7
16	Computer-predicted peptides that mimic discontinuous epitopes on the A2 domain of factor VIII. Haemophilia, 2015 , 21, e193-201	3.3	7
15	Soluble Endothelial Protein C Receptor (sEPCR) Is Increased in Cirrhotic Patients. A Possible Role in Procoagulant Imbalance?. <i>Blood</i> , 2015 , 126, 1080-1080	2.2	
14	Epicatechin Impact on Primary Hemostasis, Coagulation and Fibrinolysis. <i>Blood</i> , 2015 , 126, 4677-4677	2.2	О
13	Hithostase et cirrhose. <i>Revue Francophone Des Laboratoires</i> , 2014 , 2014, 65-72	Ο	
12	Are low-density lipoprotein receptor-related protein 1 or non-neutralizing antibodies predictors of FVIII in vivo recovery in haemophilia A patients?. <i>Haemophilia</i> , 2014 , 20, e406-8	3.3	4
11	Prospective evaluation of a rapid nanoparticle-based lateral flow immunoassay (STic Expert([]) HIT) for the diagnosis of heparin-induced thrombocytopenia. <i>British Journal of Haematology</i> , 2014 , 166, 774-	8¹2 ⁵	28
10	Maluation de la rMersion par concentride complexes prothrombiniques et vitamine K des patients porteurs de prothie valvulaire milanique admis dans un service di rgence suite i un accident hihorragique grave. <i>Annales Francaises De Medecine Di Urgence</i> , 2014 , 4, 82-88	0.2	1
9	Resistance to Thrombomodulin but Not to Activated Protein C in Cirrhotic Patients. <i>Blood</i> , 2014 , 124, 2839-2839	2.2	
8	Low Molecular Weight Heparin Induced Skin Necrosis without Platelet Fall Revealing Immunoallergic Heparin Induced Thrombocytopenia. <i>Case Reports in Hematology</i> , 2013 , 2013, 849168	0.7	6
7	Stability Of Thrombin Generation In Cirrhotic Patients. <i>Blood</i> , 2013 , 122, 2361-2361	2.2	
6	Les anticorps anti-FVIII et anti-FIX. Revue Francophone Des Laboratoires, 2012 , 2012, 55-62	0	1
5	Prospective Evaluation of a Rapid Nanoparticle-Based Lateral Flow Immunoassay (Stic Expert HIT[]) for the Diagnosis of Heparin-Induced Thrombocytopenia. <i>Blood</i> , 2012 , 120, 1087-1087	2.2	0
4	Prevalence and epitope specificity of non-neutralising antibodies in a large cohort of haemophilia A patients without inhibitors. <i>Thrombosis and Haemostasis</i> , 2011 , 105, 954-61	7	24
3	Discontinuous epitopes on the C2 domain of coagulation Factor VIII mapped by computer-designed synthetic peptides. <i>British Journal of Haematology</i> , 2011 , 155, 487-97	4.5	12
2	Dosage de lEomocystine plasmatique, comparaison de deux mEhodes : CLHP versus immunonBhlEhErie. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2009 , 24, 155-159		
1	Prevalence and Epitope Specificity of Non-Neutralizing Antibodies in Haemophilia A Patients without Inhibitors Using a Multiplex x-MAP Technology <i>Blood</i> , 2009 , 114, 3493-3493	2.2	