
Haiyong Gu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3185663/publications.pdf Version: 2024-02-01



HAIYONG GU

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Genetic variants of miRNA sequences and non–small cell lung cancer survival. Journal of Clinical Investigation, 2008, 118, 2600-8. | 8.2 | 485 |
| 2 | Replication study of PLCE1 and C20orf54 polymorphism and risk of esophageal cancer in a Chinese population. Molecular Biology Reports, 2012, 39, 9105-9111. | 2.3 | 59 |
| 3 | Exome Array Analysis Identifies Variants in SPOCD1 and BTN3A2 That Affect Risk for Gastric Cancer. Gastroenterology, 2017, 152, 2011-2021. | 1.3 | 58 |
| 4 | Surgical Therapy for Bilateral Multiple Primary Lung Cancer. Annals of Thoracic Surgery, 2016, 101, 1145-1152. | 1.3 | 51 |
| 5 | Association between the STK15 F31I Polymorphism and Cancer Susceptibility: A Meta-Analysis Involving 43,626 Subjects. PLoS ONE, 2013, 8, e82790. | 2.5 | 38 |
| 6 | A variant allele of ADH1B and ALDH2, is associated with the risk of esophageal cancer. Experimental and Therapeutic Medicine, 2012, 4, 135-140. | 1.8 | 25 |
| 7 | Methionine sulfoxide reductase A rs10903323 G/A polymorphism is associated with increased risk of coronary artery disease in a Chinese population. Clinical Biochemistry, 2013, 46, 1668-1672. | 1.9 | 25 |
| 8 | Programmed death-1 (PD-1) polymorphism is associated with gastric cardia adenocarcinoma. International Journal of Clinical and Experimental Medicine, 2015, 8, 8086-93. | 1.3 | 25 |
| 9 | Comparison of clinical features and survival between thymic carcinoma and thymic carcinoid patients. European Journal of Cardio-thoracic Surgery, 2017, 52, 33-38. | 1.4 | 22 |
| 10 | Vitamin D receptor gene polymorphisms and esophageal cancer risk in a Chinese population: a negative study. Medical Oncology, 2014, 31, 827. | 2.5 | 19 |
| 11 | Osteopontin plays important roles in pulmonary arterial hypertension induced by systemicâ€ŧoâ€pulmonary shunt. FASEB Journal, 2019, 33, 7236-7251. | 0.5 | 19 |
| 12 | Clinical outcomes of epidermal growth factor receptor tyrosine kinase inhibitors in recurrent adenosquamous carcinoma of the lung after resection. OncoTargets and Therapy, 2017, Volume 10, 239-245. | 2.0 | 18 |
| 13 | Impact of Solid Minor Histologic Subtype in Postsurgical Prognosis of Stage I Lung Adenocarcinoma. Annals of Thoracic Surgery, 2018, 105, 302-308. | 1.3 | 18 |
| 14 | Lack of Association between Cytotoxic T-lymphocyte Antigen 4 (CTLA-4) -1722T/C (rs733618) Polymorphism and Cancer Risk: From a Case-Control Study to a Meta-Analysis. PLoS ONE, 2014, 9, e94039. | 2.5 | 16 |
| 15 | Investigation of cyclin D1 rs9344 G>A polymorphism in colorectal cancer: a meta-analysis involving 13,642 subjects. OncoTargets and Therapy, 2016, Volume 9, 6641-6650. | 2.0 | 16 |
| 16 | Aurora-A V57I (rs1047972) Polymorphism and Cancer Susceptibility: A Meta-Analysis Involving 27,269 Subjects. PLoS ONE, 2014, 9, e90328. | 2.5 | 16 |
| 17 | TERT-CLPTM1L Rs401681 C>T Polymorphism Was Associated with a Decreased Risk of Esophageal Cancer in a Chinese Population. PLoS ONE, 2014, 9, e100667. | 2.5 | 16 |
| 18 | Hsa-mir-499 rs3746444 T/C Polymorphism is Associated with Increased Risk of Coronary Artery Disease in a Chinese Population. Acta Cardiologica Sinica, 2017, 33, 34-40. | 0.2 | 16 |

HAIYONG GU

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Interleukin-6 Receptor rs7529229 T/C Polymorphism Is Associated with Left Main Coronary Artery Disease Phenotype in a Chinese Population. International Journal of Molecular Sciences, 2014, 15, 5623-5633. | 4.1 | 14 |
| 20 | Programmed death-1 (PD-1) rs2227981 C > T polymorphism is associated with cancer susceptibility: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 22278-85. | 1.3 | 14 |
| 21 | Variant allele of CHEK2 is associated with a decreased risk of esophageal cancer lymph node metastasis in a Chinese population. Molecular Biology Reports, 2012, 39, 5977-5984. | 2.3 | 13 |
| 22 | RANK rs1805034 T>C Polymorphism Is Associated with Susceptibility of Esophageal Cancer in a Chinese Population. PLoS ONE, 2014, 9, e101705. | 2.5 | 13 |
| 23 | Clinical outcomes of patients with metachronous second primary lung adenocarcinomas. OncoTargets and Therapy, 2017, Volume 10, 295-302. | 2.0 | 13 |
| 24 | Should minimally invasive lung adenocarcinoma be transferred from stage IA1 to stage 0 in future updates of the TNM staging system?. Journal of Thoracic Disease, 2018, 10, 6247-6253. | 1.4 | 13 |
| 25 | Loss of FBP1 promotes proliferation, migration, and invasion by regulating fatty acid metabolism in esophageal squamous cell carcinoma. Aging, 2021, 13, 4986-4998. | 3.1 | 13 |
| 26 | Visceral pleural invasion predict a poor survival among lung adenocarcinoma patients with tumor size ≤3cm. Oncotarget, 2017, 8, 66576-66583. | 1.8 | 13 |
| 27 | Association of a Tandem Repeat Polymorphism in NFATc1 with Increased Risk of Perimembranous Ventricular Septal Defect in a Chinese Population. Biochemical Genetics, 2011, 49, 592-600. | 1.7 | 12 |
| 28 | Association of the interleukin-18 receptor 1 and interleukin-18 receptor accessory protein polymorphisms with the risk of esophageal cancer. Biomedical Reports, 2016, 4, 227-235. | 2.0 | 12 |
| 29 | Genetic Polymorphism of DNA Methyltransferase 3A rs1550117 A>G and Risk of Cancer: A Meta-analysis. Journal of Investigative Surgery, 2015, 28, 346-353. | 1.3 | 10 |
| 30 | Association of ALDH3B2 gene polymorphism and risk factors with susceptibility of esophageal squamous cell carcinoma in a Chinese population: a case-control study involving 2,358 subjects. Oncotarget, 2017, 8, 110153-110165. | 1.8 | 10 |
| 31 | p21 rs3176352 G>C and p73 rs1801173 C>T Polymorphisms Are Associated with an Increased Risk of Esophageal Cancer in a Chinese Population. PLoS ONE, 2014, 9, e96958. | 2.5 | 9 |
| 32 | Variant alleles of <i>VEGF</i> and risk of esophageal cancer and lymph node metastasis. Biomarkers, 2014, 19, 252-258. | 1.9 | 9 |
| 33 | Flap endonucleaseâ€1 rs174538 G>A polymorphisms are associated with the risk of esophageal cancer in a Chinese population. Thoracic Cancer, 2017, 8, 192-196. | 1.9 | 9 |
| 34 | Prognosis of limited resection versus lobectomy in elderly patients with invasive lung adenocarcinoma with tumor size less than or equal to 2 cm. Journal of Thoracic Disease, 2018, 10, 2231-2239. | 1.4 | 9 |
| 35 | Minimally invasive esophagectomy for esophageal squamous cell carcinoma—Shanghai Chest Hospital experience. Journal of Thoracic Disease, 2018, 10, 3800-3807. | 1.4 | 9 |
| 36 | Adjuvant therapy for pathological T3N0M0 esophageal squamous cell carcinoma. Journal of Thoracic Disease, 2019, 11, 2512-2522. | 1.4 | 9 |

Haiyong Gu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The value of enhanced CT scanning for predicting lymph node metastasis along the right recurrent laryngeal nerve in esophageal squamous cell carcinoma. Annals of Translational Medicine, 2020, 8, 1632-1632. | 1.7 | 9 |
| 38 | N-acetyltransferase 2 Polymorphisms and Risk of Esophageal Cancer in a Chinese Population. PLoS ONE, 2014, 9, e87783. | 2.5 | 8 |
| 39 | A Polymorphism in <i>Hepatocyte Nuclear Factor 1 Alpha,</i> rs7310409, Is Associated with Left Main Coronary Artery Disease. Biochemistry Research International, 2014, 2014, 1-7. | 3.3 | 8 |
| 40 | Common Variant in Glycoprotein la Increases Longâ€Term Adverse Events Risk After Coronary Artery Bypass Graft Surgery. Journal of the American Heart Association, 2016, 5, . | 3.7 | 7 |
| 41 | Long non oding <scp>RNA <i>CASC8</i></scp> polymorphisms are associated with the risk of esophageal cancer in a Chinese population. Thoracic Cancer, 2020, 11, 2852-2857. | 1.9 | 7 |
| 42 | Association between <i>microRNA-146a, -499a</i> and <i>-196a-2</i> SNPs and non-small cell lung cancer: a case–control study involving 2249 subjects. Bioscience Reports, 2021, 41, . | 2.4 | 7 |
| 43 | Association between the CD28 IVS3 +17T>C (rs3116496) polymorphism and cancer susceptibility: a meta-analysis involving 8,843 subjects. International Journal of Clinical and Experimental Medicine, 2015, 8, 17353-61. | 1.3 | 7 |
| 44 | Peroxisome proliferator-activated receptor gamma (PPARG) polymorphisms and breast cancer susceptibility: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 12226-38. | 1.3 | 6 |
| 45 | Genetic variations in MTHFR and gastric cardia adenocarcinoma susceptibility in the Chinese Han population. International Journal of Clinical and Experimental Medicine, 2015, 8, 18936-44. | 1.3 | 6 |
| 46 | Forkhead box A1 (<i>FOXA1</i>) tagging polymorphisms and esophageal cancer risk in a Chinese population: a fine-mapping study. Biomarkers, 2016, 21, 523-529. | 1.9 | 5 |
| 47 | Polymorphisms of VDR gene and risk of gastric cardiac adenocarcinoma in Chinese population. Oncotarget, 2017, 8, 45531-45543. | 1.8 | 5 |
| 48 | S100A14 rs11548103 G>A polymorphism is associated with a decreased risk of esophageal cancer in a Chinese population. Oncotarget, 2017, 8, 86917-86923. | 1.8 | 5 |
| 49 | Lack of association between cyclin D1 A870G (rs9344) polymorphism and esophageal squamous cell carcinoma risk: case-control study and meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 12685-95. | 1.3 | 4 |
| 50 | <i>PADI4</i> rs2240337 G>A polymorphism is associated with susceptibility of esophageal squamous cell carcinoma in a Chinese population. Oncotarget, 2017, 8, 93655-93671. | 1.8 | 3 |
| 51 | MiRNA-146a rs2910164 Confers a Susceptibility to Digestive System Cancer: A Meta-Analysis Involving 59,098 Subjects. Immunological Investigations, 2020, , 1-20. | 2.0 | 3 |
| 52 | Construction of a Nine-MicroRNA-Based Signature to Predict the Overall Survival of Esophageal Cancer Patients. Frontiers in Genetics, 2021, 12, 670405. | 2.3 | 3 |
| 53 | Association between Cytotoxic T-lymphocyte antigen 4 (CTLA-4) +49 G>A (rs231775) polymorphism and esophageal cancer: from a case-control study to a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 17664-73. | 1.3 | 3 |
| 54 | Variant TP53BP1 rs560191 G>C is associated with risk of gastric cardia adenocarcinoma in a Chinese Han population. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2015, 27, 156-62. | 2.2 | 2 |

HAIYONG GU

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Polymorphisms in the intercellular adhesion molecule 1 gene and cancer risk: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 11996-2008. | 1.3 | 2 |
| 56 | IGFBP3 polymorphisms and risk of esophageal cancer in a Chinese population. International Journal of Clinical and Experimental Medicine, 2015, 8, 17006-14. | 1.3 | 2 |
| 57 | Multidisciplinary team approach on a case of bronchopleural fistula after video-assisted thoracoscopic segmentectomy: a case report. Translational Cancer Research, 2020, 9, 4036-4042. | 1.0 | 1 |
| 58 | IL18 rs360719 A>G, IL18R1 rs13015714 G>T, IL18RAP rs917997 C>T and IL28B rs8099917 T>G polymorphisms and risk of gastric cardiac adenocarcinoma. Molecular and Clinical Oncology, 2017, 7, 1101-1106. | 1.0 | 0 |
| 59 | PS01.088: CERVICOSTERNOTOMY COMBINED WITH LAPAROSCOPY FOR RESECTION OF UPPER THORACIC ESOPHAGUS: AN INSTITUTIONAL EXPERIENCE. Ecological Management and Restoration, 2018, 31, 74-75. | 0.4 | Ο |
| 60 | Insulin receptor substrate-1 (IRS-1) rs1801278G>A polymorphism is associated with polycystic ovary syndrome susceptibility: a meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 17451-60. | 1.3 | 0 |