

# Haiyong Gu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3185663/publications.pdf>

Version: 2024-02-01

60  
papers

1,249  
citations

567144

15  
h-index

395590

33  
g-index

60  
all docs

60  
docs citations

60  
times ranked

1933  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between <i>microRNA-146a, -499a</i> and <i>-196a-2</i> SNPs and non-small cell lung cancer: a case-control study involving 2249 subjects. <i>Bioscience Reports</i> , 2021, 41, .	1.1	7
2	Construction of a Nine-MicroRNA-Based Signature to Predict the Overall Survival of Esophageal Cancer Patients. <i>Frontiers in Genetics</i> , 2021, 12, 670405.	1.1	3
3	Loss of FBP1 promotes proliferation, migration, and invasion by regulating fatty acid metabolism in esophageal squamous cell carcinoma. <i>Aging</i> , 2021, 13, 4986-4998.	1.4	13
4	Multidisciplinary team approach on a case of bronchopleural fistula after video-assisted thoroscopic segmentectomy: a case report. <i>Translational Cancer Research</i> , 2020, 9, 4036-4042.	0.4	1
5	Long non-coding RNA <i>CASC8</i> polymorphisms are associated with the risk of esophageal cancer in a Chinese population. <i>Thoracic Cancer</i> , 2020, 11, 2852-2857.	0.8	7
6	MiRNA-146a rs2910164 Confers a Susceptibility to Digestive System Cancer: A Meta-Analysis Involving 59,098 Subjects. <i>Immunological Investigations</i> , 2020, , 1-20.	1.0	3
7	The value of enhanced CT scanning for predicting lymph node metastasis along the right recurrent laryngeal nerve in esophageal squamous cell carcinoma. <i>Annals of Translational Medicine</i> , 2020, 8, 1632-1632.	0.7	9
8	Adjuvant therapy for pathological T3N0M0 esophageal squamous cell carcinoma. <i>Journal of Thoracic Disease</i> , 2019, 11, 2512-2522.	0.6	9
9	Osteopontin plays important roles in pulmonary arterial hypertension induced by systemic pulmonary shunt. <i>FASEB Journal</i> , 2019, 33, 7236-7251.	0.2	19
10	Impact of Solid Minor Histologic Subtype in Postsurgical Prognosis of Stage I Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2018, 105, 302-308.	0.7	18
11	Prognosis of limited resection versus lobectomy in elderly patients with invasive lung adenocarcinoma with tumor size less than or equal to 2 cm. <i>Journal of Thoracic Disease</i> , 2018, 10, 2231-2239.	0.6	9
12	Minimally invasive esophagectomy for esophageal squamous cell carcinoma—Shanghai Chest Hospital experience. <i>Journal of Thoracic Disease</i> , 2018, 10, 3800-3807.	0.6	9
13	Should minimally invasive lung adenocarcinoma be transferred from stage IA1 to stage 0 in future updates of the TNM staging system?. <i>Journal of Thoracic Disease</i> , 2018, 10, 6247-6253.	0.6	13
14	PS01.088: CERVICOSTERNOTOMY COMBINED WITH LAPAROSCOPY FOR RESECTION OF UPPER THORACIC ESOPHAGUS: AN INSTITUTIONAL EXPERIENCE. <i>Ecological Management and Restoration</i> , 2018, 31, 74-75.	0.2	0
15	Exome Array Analysis Identifies Variants in <i>SPOCD1</i> and <i>BTN3A2</i> That Affect Risk for Gastric Cancer. <i>Gastroenterology</i> , 2017, 152, 2011-2021.	0.6	58
16	Flap endonuclease rs174538 G>A polymorphisms are associated with the risk of esophageal cancer in a Chinese population. <i>Thoracic Cancer</i> , 2017, 8, 192-196.	0.8	9
17	Comparison of clinical features and survival between thymic carcinoma and thymic carcinoid patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 52, 33-38.	0.6	22
18	IL18 rs360719 A>G, IL18R1 rs13015714 G>T, IL18RAP rs917997 C>T and IL28B rs8099917 T>G polymorphisms and risk of gastric cardiac adenocarcinoma. <i>Molecular and Clinical Oncology</i> , 2017, 7, 1101-1106.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Clinical outcomes of epidermal growth factor receptor tyrosine kinase inhibitors in recurrent adenosquamous carcinoma of the lung after resection. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 239-245.	1.0	18
20	Clinical outcomes of patients with metachronous second primary lung adenocarcinomas. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 295-302.	1.0	13
21	<i>PADI4</i> rs2240337 G>A polymorphism is associated with susceptibility of esophageal squamous cell carcinoma in a Chinese population. <i>Oncotarget</i> , 2017, 8, 93655-93671.	0.8	3
22	Visceral pleural invasion predict a poor survival among lung adenocarcinoma patients with tumor size ≥ 3cm. <i>Oncotarget</i> , 2017, 8, 66576-66583.	0.8	13
23	Polymorphisms of VDR gene and risk of gastric cardiac adenocarcinoma in Chinese population. <i>Oncotarget</i> , 2017, 8, 45531-45543.	0.8	5
24	S100A14 rs11548103 G>A polymorphism is associated with a decreased risk of esophageal cancer in a Chinese population. <i>Oncotarget</i> , 2017, 8, 86917-86923.	0.8	5
25	Association of ALDH3B2 gene polymorphism and risk factors with susceptibility of esophageal squamous cell carcinoma in a Chinese population: a case-control study involving 2,358 subjects. <i>Oncotarget</i> , 2017, 8, 110153-110165.	0.8	10
26	Hsa-mir-499 rs3746444 T/C Polymorphism is Associated with Increased Risk of Coronary Artery Disease in a Chinese Population. <i>Acta Cardiologica Sinica</i> , 2017, 33, 34-40.	0.1	16
27	Investigation of cyclin D1 rs9344 G>A polymorphism in colorectal cancer: a meta-analysis involving 13,642 subjects. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6641-6650.	1.0	16
28	Association of the interleukin-18 receptor 1 and interleukin-18 receptor accessory protein polymorphisms with the risk of esophageal cancer. <i>Biomedical Reports</i> , 2016, 4, 227-235.	0.9	12
29	Forkhead box A1 ( <i>FOXA1</i> ) tagging polymorphisms and esophageal cancer risk in a Chinese population: a fine-mapping study. <i>Biomarkers</i> , 2016, 21, 523-529.	0.9	5
30	Common Variant in Glycoprotein Ia Increases Long-Term Adverse Events Risk After Coronary Artery Bypass Graft Surgery. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	7
31	Surgical Therapy for Bilateral Multiple Primary Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1145-1152.	0.7	51
32	Genetic Polymorphism of DNA Methyltransferase 3A rs1550117 A>G and Risk of Cancer: A Meta-analysis. <i>Journal of Investigative Surgery</i> , 2015, 28, 346-353.	0.6	10
33	Variant TP53BP1 rs560191 G>C is associated with risk of gastric cardia adenocarcinoma in a Chinese Han population. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2015, 27, 156-62.	0.7	2
34	Programmed death-1 (PD-1) polymorphism is associated with gastric cardia adenocarcinoma. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 8086-93.	1.3	25
35	Polymorphisms in the intercellular adhesion molecule 1 gene and cancer risk: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 11996-2008.	1.3	2
36	Peroxisome proliferator-activated receptor gamma (PPARG) polymorphisms and breast cancer susceptibility: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 12226-38.	1.3	6

#	ARTICLE	IF	CITATIONS
37	Lack of association between cyclin D1 A870G (rs9344) polymorphism and esophageal squamous cell carcinoma risk: case-control study and meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 12685-95.	1.3	4
38	IGFBP3 polymorphisms and risk of esophageal cancer in a Chinese population. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 17006-14.	1.3	2
39	Association between the CD28 IVS3 +17T>C (rs3116496) polymorphism and cancer susceptibility: a meta-analysis involving 8,843 subjects. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 17353-61.	1.3	7
40	Insulin receptor substrate-1 (IRS-1) rs1801278G>A polymorphism is associated with polycystic ovary syndrome susceptibility: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 17451-60.	1.3	0
41	Association between Cytotoxic T-lymphocyte antigen 4 (CTLA-4) +49 G>A (rs231775) polymorphism and esophageal cancer: from a case-control study to a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 17664-73.	1.3	3
42	Genetic variations in MTHFR and gastric cardia adenocarcinoma susceptibility in the Chinese Han population. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 18936-44.	1.3	6
43	Programmed death-1 (PD-1) rs2227981 C > T polymorphism is associated with cancer susceptibility: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 22278-85.	1.3	14
44	N-acetyltransferase 2 Polymorphisms and Risk of Esophageal Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e87783.	1.1	8
45	Lack of Association between Cytotoxic T-lymphocyte Antigen 4 (CTLA-4) -1722T/C (rs733618) Polymorphism and Cancer Risk: From a Case-Control Study to a Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e94039.	1.1	16
46	p21 rs3176352 G>C and p73 rs1801173 C>T Polymorphisms Are Associated with an Increased Risk of Esophageal Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e96958.	1.1	9
47	RANK rs1805034 T>C Polymorphism Is Associated with Susceptibility of Esophageal Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e101705.	1.1	13
48	Interleukin-6 Receptor rs7529229 T/C Polymorphism Is Associated with Left Main Coronary Artery Disease Phenotype in a Chinese Population. <i>International Journal of Molecular Sciences</i> , 2014, 15, 5623-5633.	1.8	14
49	A Polymorphism in Hepatocyte Nuclear Factor 1 Alpha, rs7310409, Is Associated with Left Main Coronary Artery Disease. <i>Biochemistry Research International</i> , 2014, 2014, 1-7.	1.5	8
50	Variant alleles of VEGF and risk of esophageal cancer and lymph node metastasis. <i>Biomarkers</i> , 2014, 19, 252-258.	0.9	9
51	Vitamin D receptor gene polymorphisms and esophageal cancer risk in a Chinese population: a negative study. <i>Medical Oncology</i> , 2014, 31, 827.	1.2	19
52	Aurora-A V57I (rs1047972) Polymorphism and Cancer Susceptibility: A Meta-Analysis Involving 27,269 Subjects. <i>PLoS ONE</i> , 2014, 9, e90328.	1.1	16
53	TERT-CLPTM1L Rs401681 C>T Polymorphism Was Associated with a Decreased Risk of Esophageal Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e100667.	1.1	16
54	Methionine sulfoxide reductase A rs10903323 G/A polymorphism is associated with increased risk of coronary artery disease in a Chinese population. <i>Clinical Biochemistry</i> , 2013, 46, 1668-1672.	0.8	25

#	ARTICLE	IF	CITATIONS
55	Association between the STK15 F311 Polymorphism and Cancer Susceptibility: A Meta-Analysis Involving 43,626 Subjects. PLoS ONE, 2013, 8, e82790.	1.1	38
56	A variant allele of ADH1B and ALDH2, is associated with the risk of esophageal cancer. Experimental and Therapeutic Medicine, 2012, 4, 135-140.	0.8	25
57	Variant allele of CHEK2 is associated with a decreased risk of esophageal cancer lymph node metastasis in a Chinese population. Molecular Biology Reports, 2012, 39, 5977-5984.	1.0	13
58	Replication study of PLCE1 and C20orf54 polymorphism and risk of esophageal cancer in a Chinese population. Molecular Biology Reports, 2012, 39, 9105-9111.	1.0	59
59	Association of a Tandem Repeat Polymorphism in NFATc1 with Increased Risk of Perimembranous Ventricular Septal Defect in a Chinese Population. Biochemical Genetics, 2011, 49, 592-600.	0.8	12
60	Genetic variants of miRNA sequences and non-“small cell lung cancer survival. Journal of Clinical Investigation, 2008, 118, 2600-8.	3.9	485