Lin-Lin Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3185952/publications.pdf

Version: 2024-02-01

1478505		1372567	
115	6	10	
citations	h-index	g-index	
19	19	155	
docs citations	times ranked	citing authors	
	citations 19	115 6 citations h-index 19 19	

#	Article	IF	CITATIONS
1	Multiple lines of evidence supports the two varieties of Halenia elliptica (Gentianaceae) as two species. Plant Diversity, 2022, 44, 290-299.	3.7	5
2	Phenotypic Selection in Halenia elliptica D. Don (Gentianaceae), an Alpine Biennial with Mixed Mating System. Plants, 2022, 11, 1488.	3.5	0
3	Polyploidization and sexual dimorphism of floral traits in a subdioecious population of <i>Dasiphora glabra</i> . Journal of Plant Ecology, 2021, 14, 229-240.	2.3	2
4	Pollinator individualâ€based networks reveal the specialized plant–pollinator mutualism in two biodiverse communities. Ecology and Evolution, 2021, 11, 17509-17518.	1.9	3
5	Development of Microsatellite Markers for a Dioecious Herpetospermum pedunculosum (Cucurbitaceae). Evolutionary Bioinformatics, 2020, 16, 117693432090826.	1.2	2
6	Processes on reproductive ecology of plant species in the Qinghai-Xizang Plateau and adjacent highlands. Chinese Journal of Plant Ecology, 2020, 44, 1-21.	0.6	4
7	A century of pollination success revealed by herbarium specimens of seed pods. New Phytologist, 2019, 224, 1512-1517.	7. 3	6
8	The coexistence of hermaphroditic and dioecious plants is associated with polyploidy and gender dimorphism in Dasiphora fruticosa. Plant Diversity, 2019, 41, 323-329.	3.7	2
9	Equipped for Migrations Across High Latitude Regions? Reduced Spur Length and Outcrossing Rate in a Biennial Halenia elliptica (Gentianaceae) With Mixed Mating System Along a Latitude Gradient. Frontiers in Genetics, 2018, 9, 223.	2.3	9
10	Intensified wind pollination mediated by pollen dimorphism after range expansion in an ambophilous biennial <i>Aconitum gymnandrum</i> . Ecology and Evolution, 2017, 7, 541-549.	1.9	15
11	Evaluation of pollinator effectiveness based on pollen deposition and seed production in a gynodieocious alpine plant, <i>Cyananthus delavayi</i> . Ecology and Evolution, 2017, 7, 8156-8160.	1.9	15
12	Are nectar guide colour changes a reliable signal to pollinators that enhances reproductive success?. Plant Ecology and Diversity, 2017, 10, 89-96.	2.4	14
13	High autonomous selfing capacity and low flower visitation rates in a subalpine population of Prunella vulgaris (Lamiaceae). Plant Ecology and Evolution, 2017, 150, 59-66.	0.7	9
14	Reproductive isolation is mediated by pollen incompatibility in sympatric populations of two Arnebia species. Ecology and Evolution, 2015, 5, 5838-5846.	1.9	6
15	Florivory Modulates the Seed Number-Seed Weight Relationship inHalenia elliptica(Gentianaceae). Scientific World Journal, The, 2015, 2015, 1-7.	2.1	3
16	Flower evolution of alpine forbs in the open top chambers (OTCs) from the Qinghai-Tibet Plateau. Scientific Reports, 2015, 5, 10254.	3.3	4
17	Sexual interference in two <i>Chamerion</i> species with contrasting modes of movement herkogamy. Journal of Systematics and Evolution, 2014, 52, 355-362.	3.1	8
18	Pollination Ecology of (i) Arnebia szechenyi (i) (Boraginaceae), a Chinese Endemic Perennial Characterized by Distyly and Heteromorphic Self-Incompatibility. Annales Botanici Fennici, 2014, 51, 297-304.	0.1	6

#	Article	lF	CITATIONS
19	Differences in floral traits and flower visitation rates in mating systems in Prunella vulgaris (Lamiaceae). Journal of Plant Ecology, 0, , .	2.3	2