## Sandra Van Dulmen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3186039/publications.pdf

Version: 2024-02-01

273 papers

9,128 citations

50 h-index 71685 **76** g-index

304 all docs

304 docs citations

304 times ranked

9660 citing authors

#	Article	IF	CITATIONS
1	Patient adherence to medical treatment: a review of reviews. BMC Health Services Research, 2007, 7, 55.	2.2	465
2	Coding patient emotional cues and concerns in medical consultations: The Verona coding definitions of emotional sequences (VR-CoDES). Patient Education and Counseling, 2011, 82, 141-148.	2.2	207
3	Online focus groups as a tool to collect data in hard-to-include populations: examples from paediatric oncology. BMC Medical Research Methodology, 2009, 9, 15.	3.1	171
4	Development of the Verona coding definitions of emotional sequences to code health providers' responses (VR-CoDES-P) to patient cues and concerns. Patient Education and Counseling, 2011, 82, 149-155.	2.2	165
5	Does Age Really Matter? Recall of Information Presented to Newly Referred Patients With Cancer. Journal of Clinical Oncology, 2008, 26, 5450-5457.	1.6	143
6	Compliance with momentary pain measurement using electronic diaries: A systematic review. European Journal of Pain, 2009, 13, 354-365.	2.8	140
7	A Smartphone-Based Intervention With Diaries and Therapist-Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e5.	4.3	134
8	Children's Contributions to Pediatric Outpatient Encounters. Pediatrics, 1998, 102, 563-568.	2.1	133
9	Behavioral and Mood Effects of <i>Snoezelen</i> Integrated into 24â€Hour Dementia Care. Journal of the American Geriatrics Society, 2005, 53, 24-33.	2.6	130
10	Interventions to improve recall of medical information in cancer patients: a systematic review of the literature. Psycho-Oncology, 2008, $17,857-868$ .	2.3	129
11	Young patients', parents', and survivors' communication preferences in paediatric oncology: Results of online focus groups. BMC Pediatrics, 2007, 7, 35.	1.7	124
12	Shifts in doctor-patient communication between 1986 and 2002: a study of videotaped General Practice consultations with hypertension patients. BMC Family Practice, 2006, 7, 62.	2.9	107
13	Tailored information about cancer risk and screening: A systematic review. Patient Education and Counseling, 2009, 77, 155-171.	2.2	105
14	The development and feasibility of a web-based intervention with diaries and situational feedback via smartphone to support self-management in patients with diabetes type 2. Diabetes Research and Clinical Practice, 2012, 97, 385-393.	2.8	104
15	Factors influencing intercultural doctor–patient communication: A realist review. Patient Education and Counseling, 2015, 98, 420-445.	2.2	102
16	Does training general practitioners to elicit patients' illness representations and action plans influence their communication as a whole?. Patient Education and Counseling, 2007, 66, 327-336.	2.2	101
17	Communication: the royal pathway to patient-centered medicine. Patient Education and Counseling, 2000, 39, 1-3.	2.2	98
18	Has patients' involvement in the decision-making process changed over time?. Health Expectations, 2006, 9, 333-342.	2.6	97

#	Article	IF	CITATIONS
19	Recall in Older Cancer Patients: Measuring Memory for Medical Information. Gerontologist, The, 2008, 48, 149-157.	3.9	96
20	Emotional and informational patient cues: The impact of nurses' responses on recall. Patient Education and Counseling, 2010, 79, 218-224.	2.2	95
21	Effects of snoezelen, integrated in 24h dementia care, on nurse–patient communication during morning care. Patient Education and Counseling, 2005, 58, 312-326.	2.2	89
22	Reducing patients' anxiety and uncertainty, and improving recall in bad news consultations Health Psychology, 2014, 33, 1382-1390.	1.6	89
23	Active listening in medical consultations: Development of the Active Listening Observation Scale (ALOS-global). Patient Education and Counseling, 2007, 68, 258-264.	2.2	86
24	Advantages of asynchronous online focus groups and face-to-face focus groups as perceived by child, adolescent and adult participants: a survey study. BMC Research Notes, 2014, 7, 756.	1.4	80
25	Consulting room computers and their effect on general practitioner-patient communication. Family Practice, 2010, 27, 644-651.	1.9	79
26	Shifts in doctor-patient communication during a series of outpatient consultations in non-insulin-dependent diabetes mellitus. Patient Education and Counseling, 1997, 30, 227-237.	2.2	78
27	Learning in context: Identifying gaps in research on the transfer of medical communication skills to the clinical workplace. Patient Education and Counseling, 2013, 90, 184-192.	2.2	78
28	Communication in context: new directions in communication research. Patient Education and Counseling, 2003, 50, 27-32.	2.2	76
29	Participation of chronic patients in medical consultations: patients' perceived efficacy, barriers and interest in support. Health Expectations, 2015, 18, 2375-2388.	2.6	75
30	Written online situational feedback via mobile phone to support self-management of chronic widespread pain: a usability study of a Web-based intervention. BMC Musculoskeletal Disorders, 2011, 12, 51.	1.9	74
31	Communicating with child patients in pediatric oncology consultations: a vignette study on child patients', parents', and survivors' communication preferences. Psycho-Oncology, 2011, 20, 269-277.	2.3	74
32	Residents' perceived barriers to communication skills learning: Comparing two medical working contexts in postgraduate training. Patient Education and Counseling, 2014, 95, 91-97.	2.2	74
33	Communication-related behavior change techniques used in face-to-face lifestyle interventions in primary care: A systematic review of the literature. Patient Education and Counseling, 2012, 89, 227-244.	2.2	73
34	The effect of patient–practitioner communication on pain: a systematic review. European Journal of Pain, 2016, 20, 675-688.	2.8	72
35	Furthering patient adherence: A position paper of the international expert forum on patient adherence based on an internet forum discussion. BMC Health Services Research, 2008, 8, 47.	2.2	71
36	A Smartphone-Based Intervention With Diaries and Therapist Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain. Part 2: 11-month Follow-up Results of a Randomized Trial. Journal of Medical Internet Research, 2013, 15, e72.	4.3	71

#	Article	IF	Citations
37	Cancer Genetic Counseling: Communication and Counselees' Post-Visit Satisfaction, Cognitions, Anxiety, and Needs Fulfillment. Journal of Genetic Counseling, 2007, 16, 85-96.	1.6	69
38	Initial cancer genetic counseling consultation: Change in counselees' cognitions and anxiety, and association with addressing their needs and preferences. American Journal of Medical Genetics, Part A, 2005, 137A, 27-35.	1.2	68
39	Active Involvement of End Users When Developing Web-Based Mental Health Interventions. Frontiers in Psychiatry, 2017, 8, 72.	2.6	67
40	Do gender-dyads have different communication patterns? A comparative study in Western-European general practices. Patient Education and Counseling, 2002, 48, 253-264.	2.2	66
41	Survival and psychosocial adjustment to stoma surgery and nonstoma bowel resection: A 4-year follow-up. Journal of Psychosomatic Research, 1997, 42, 235-244.	2.6	65
42	Specifying the effects of physician's communication on patients' outcomes: A randomised controlled trial. Patient Education and Counseling, 2017, 100, 1482-1489.	2.2	64
43	The impact of assessing simulated bad news consultations on medical students' stress response and communication performance. Psychoneuroendocrinology, 2007, 32, 943-950.	2.7	62
44	Patient risk profiles and practice variation in nonadherence to antidepressants, antihypertensives and oral hypoglycemics. BMC Health Services Research, 2007, 7, 51.	2.2	60
45	Communication in cancer genetic counselling: does it reflect counselees' previsit needs and preferences?. British Journal of Cancer, 2005, 92, 1671-1678.	6.4	58
46	Effects of communication skills training and a Question Prompt Sheet to improve communication with older cancer patients: A randomized controlled trial. Critical Reviews in Oncology/Hematology, 2011, 80, 145-159.	4.4	58
47	Intervening on cognitions and behavior in irritable bowel syndrome: A feasibility trial using PDAs. Journal of Psychosomatic Research, 2011, 70, 267-277.	2.6	57
48	QUOTE-geneca: development of a counselee-centered instrument to measure needs and preferences in genetic counseling for hereditary cancer. Psycho-Oncology, 2005, 14, 361-375.	2.3	56
49	Patient Education About Treatment in Cancer Care. Cancer Nursing, 2007, 30, 251-260.	1.5	56
50	Effectiveness of a group-based intervention to change medication beliefs and improve medication adherence in patients with rheumatoid arthritis: A randomized controlled trial. Patient Education and Counseling, 2014, 94, 356-361.	2.2	55
51	The effect of electronic monitoring feedback on medication adherence and clinical outcomes: A systematic review. PLoS ONE, 2017, 12, e0185453.	2.5	55
52	QUOTEchemo: A patient-centred instrument to measure quality of communication preceding chemotherapy treatment through the patient's eyes. European Journal of Cancer, 2009, 45, 2967-2976.	2.8	53
53	Effects of continuing paediatric education in interpersonal communication skills. European Journal of Pediatrics, 2000, 159, 489-495.	2.7	52
54	Chemotherapy and informationâ€seeking behaviour: characteristics of patients using massâ€media information sources. Psycho-Oncology, 2012, 21, 993-1002.	2.3	52

#	Article	IF	Citations
55	Gender Differences in Gynecologist Communication. Women and Health, 2000, 30, 49-61.	1.0	50
56	Older cancer patients' information and communication needs: What they want is what they get?. Patient Education and Counseling, 2013, 92, 388-397.	2.2	50
57	Effect of Interactive eHealth Interventions on Improving Medication Adherence in Adults With Long-Term Medication: Systematic Review. Journal of Medical Internet Research, 2021, 23, e18901.	4.3	50
58	Discussing patient's lifestyle choices in the consulting room: analysis of GP-patient consultations between 1975 and 2008. BMC Family Practice, 2010, 11, 87.	2.9	49
59	Exploring lifestyle counselling in routine primary care consultations: the professionals' role. Family Practice, 2013, 30, 332-340.	1.9	49
60	Perceived need to take medication is associated with medication non-adherence in patients with rheumatoid arthritis. Patient Preference and Adherence, 2014, 8, 1635.	1.8	46
61	How patients and family physicians communicate about persistent medically unexplained symptoms. A qualitative study of video-recorded consultations. Patient Education and Counseling, 2013, 90, 354-360.	2.2	44
62	Nursing assistants' behaviour during morning care: effects of the implementation of snoezelen, integrated in 24-hour dementia care. Journal of Advanced Nursing, 2006, 53, 656-668.	3.3	43
63	The perceived personal control (PPC) questionnaire as an outcome of genetic counseling: Reliability and validity of the instrument. American Journal of Medical Genetics, Part A, 2006, 140A, 843-850.	1.2	43
64	Role of self-efficacy and social support in short-term recovery after total hip replacement: a prospective cohort study. Health and Quality of Life Outcomes, 2017, 15, 68.	2.4	43
65	The implementation of snoezelen in psychogeriatric care: an evaluation through the eyes of caregivers. International Journal of Nursing Studies, 2004, 41, 397-409.	5.6	42
66	Communicative challenges in the home care of older persons – a qualitative exploration. Journal of Advanced Nursing, 2016, 72, 2435-2444.	3.3	42
67	The role of companions in aiding older cancer patients to recall medical information. Psycho-Oncology, 2010, 19, 170-179.	2.3	41
68	The effects of the implementation of snoezelen on the quality of working life in psychogeriatric care. International Psychogeriatrics, 2005, 17, 407-427.	1.0	40
69	What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. British Journal of General Practice, 2012, 62, e55-e63.	1.4	40
70	Active Patient Participation in the Development of an Online Intervention. JMIR Research Protocols, 2014, 3, e59.	1.0	40
71	The relationship between complaint-related cognitions in referred patients with irritable bowel syndrome and subsequent health care seeking behaviour in primary care. Family Practice, 1996, 13, 12-17.	1.9	39
72	EACH News. Patient Education and Counseling, 2004, 55, 149-152.	2,2	38

#	Article	IF	CITATIONS
73	The value of tailored communication for personâ€centred outcomes. Journal of Evaluation in Clinical Practice, 2011, 17, 381-383.	1.8	38
74	A pre-visit website with question prompt sheet for counselees facilitates communication in the first consultation for breast cancer genetic counseling: findings from a randomized controlled trial. Genetics in Medicine, 2012, 14, 535-542.	2.4	38
75	Encounters between medical specialists and patients with medically unexplained physical symptoms; influences of communication on patient outcomes and use of health care: a literature overview. Perspectives on Medical Education, 2022, 1, 192-206.	3.5	38
76	Barriers and facilitators to effective communication experienced by patients with malignant lymphoma at all stages after diagnosis. Psycho-Oncology, 2013, 22, 2807-2814.	2.3	38
77	Web-based, self-management enhancing interventions with e-diaries and personalized feedback for persons with chronic illness: A tale of three studies. Patient Education and Counseling, 2013, 93, 451-458.	2.2	38
78	Effects of videoâ€feedback on the communication, clinical competence and motivational interviewing skills of practice nurses: a preâ€ŧest posttest control group study. Journal of Advanced Nursing, 2014, 70, 2272-2283.	3.3	38
79	Exploring Residents' Communication Learning Process in the Workplace: A Five-Phase Model. PLoS ONE, 2015, 10, e0125958.	2.5	38
80	Communication and shared decision-making with patients with limited health literacy; helpful strategies, barriers and suggestions for improvement reported by hospital-based palliative care providers. PLoS ONE, 2020, 15, e0234926.	2.5	38
81	The Unexpected in Primary Care: A Multicenter Study on the Emergence of Unvoiced Patient Agenda. Annals of Family Medicine, 2004, 2, 534-540.	1.9	37
82	Observation of nurse–patient interaction in oncology: review of assessment instruments. Patient Education and Counseling, 2004, 54, 307-320.	2.2	36
83	Lifestyle counseling in hypertension-related visits – analysis of video-taped general practice visits. BMC Family Practice, 2008, 9, 58.	2.9	36
84	Relationship between medication beliefs, self-reported and refill adherence, and symptoms in patients with asthma using inhaled corticosteroids. Patient Preference and Adherence, 2014, 8, 83.	1.8	36
85	A cross-sectional study on person-centred communication in the care of older people: the COMHOME study protocol. BMJ Open, 2015, 5, e007864-e007864.	1.9	36
86	Evidence to inform education, training and supportive work environments for midwives involved in the care of women with female genital mutilation: A review of global experience. Midwifery, 2015, 31, 229-238.	2.3	36
87	Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. British Journal of General Practice, 2017, 67, e716-e723.	1.4	36
88	Doctors' perception of patients' cognitions and complaints in irritable bowel syndrome at an out-patient clinic. Journal of Psychosomatic Research, 1994, 38, 581-590.	2.6	35
89	Medically unexplained symptoms: the person, the symptoms and the dialogue. Family Practice, 2017, 34, cmw132.	1.9	35
90	Physician–patient communication in single-bedded versus four-bedded hospital rooms. Patient Education and Counseling, 2008, 73, 215-219.	2.2	34

#	Article	IF	CITATIONS
91	Longer-term influence of breast cancer genetic counseling on cognitions and distress: Smaller benefits for affected versus unaffected women. Patient Education and Counseling, 2011, 85, 425-431.	2.2	33
92	Identifying context factors explaining physician's low performance in communication assessment: an explorative study in general practice. BMC Family Practice, 2011, 12, 138.	2.9	33
93	Prenatal counseling for congenital anomaly tests: parental preferences and perceptions of midwife performance. Prenatal Diagnosis, 2013, 33, 341-353.	2.3	33
94	Older persons' worries expressed during home care visits: Exploring the content of cues and concerns identified by the Verona coding definitions of emotional sequences. Patient Education and Counseling, 2016, 99, 1955-1963.	2.2	33
95	Towards appropriate information provision for and decision-making with patients with limited health literacy in hospital-based palliative care in Western countries: a scoping review into available communication strategies and tools for healthcare providers. BMC Palliative Care, 2019, 18, 37.	1.8	33
96	A pre-visit tailored website enhances counselees' realistic expectations and knowledge and fulfils information needs for breast cancer genetic counselling. Familial Cancer, 2012, 11, 85-95.	1.9	32
97	Training Medical Specialists to Communicate Better with Patients with Medically Unexplained Physical Symptoms (MUPS). A Randomized, Controlled Trial. PLoS ONE, 2015, 10, e0138342.	2.5	32
98	Shared and individual medical appointments for children and adolescents with type 1 diabetes; differences in topics discussed? Patient Education and Counseling, 2010, 79, 351-355.	2.2	31
99	Tailoring the amount of treatment information to cancer patients' and survivors' preferences: Effects on patient-reported outcomes. Patient Education and Counseling, 2020, 103, 514-520.	2.2	31
100	Examining the content of weight, nutrition and physical activity advices provided by Dutch practice nurses in primary care: analysis of videotaped consultations. European Journal of Clinical Nutrition, 2014, 68, 50-56.	2.9	30
101	Sharing decisions during diagnostic consultations; an observational study in pediatric oncology. Patient Education and Counseling, 2016, 99, 61-67.	2.2	30
102	Tailoring communication in cancer genetic counseling through individual video-supported feedback: A controlled pretest–posttest design. Patient Education and Counseling, 2006, 60, 326-335.	2.2	29
103	Intercultural doctor-patient communication in daily outpatient care: relevant communication skills. Perspectives on Medical Education, 2022, 5, 268-275.	3.5	29
104	Web-enabled video-feedback: A method to reflect on the communication skills of experienced physicians. Patient Education and Counseling, 2011, 82, 335-340.	2.2	28
105	Barriers and facilitators to disease-modifying antirheumatic drug use in patients with inflammatory rheumatic diseases: a qualitative theory-based study. BMC Musculoskeletal Disorders, 2016, 17, 442.	1.9	28
106	Patient information and emotional needs across the hip osteoarthritis continuum: a qualitative study. BMC Health Services Research, 2016, 16, 88.	2.2	27
107	Patient participation during oncological encounters: Barriers and need for supportive interventions experienced by elderly cancer patients. Patient Education and Counseling, 2017, 100, 2262-2268.	2.2	27
108	The power of clinician-expressed empathy to increase information recall in advanced breast cancer care: an observational study in clinical care, exploring the mediating role of anxiety. Patient Education and Counseling, 2021, 104, 1109-1115.	2.2	27

#	Article	IF	CITATIONS
109	Efficacy of a Web-Based Self-Management Enhancing Program for Patients with Rheumatoid Arthritis: Explorative Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e12463.	4.3	27
110	Persisting improvement in complaint-related cognitions initiated during medical consultations in functional abdominal complaints. Psychological Medicine, 1997, 27, 725-729.	4.5	26
111	Pediatrician–parent–child communication: problem-related or not?. Patient Education and Counseling, 2004, 52, 61-68.	2.2	26
112	Raising positive expectations helps patients with minor ailments: A cross-sectional study. BMC Family Practice, 2008, 9, 38.	2.9	26
113	Patient anxiety in the medical encounter. Health Education, 2008, 108, 373-383.	0.9	26
114	The Feasibility and Effectiveness of Web-Based Advance Care Planning Programs: Scoping Review. Journal of Medical Internet Research, 2020, 22, e15578.	4.3	26
115	An Integrated Process and Outcome Evaluation of a Web-Based Communication Tool for Patients With Malignant Lymphoma: Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e206.	4.3	26
116	Diagnoses and visit length in complementary and mainstream medicine. BMC Complementary and Alternative Medicine, 2010, 10, 3.	3.7	25
117	Midwives' views on appropriate antenatal counselling for congenital anomaly tests: Do they match clients' preferences?. Midwifery, 2014, 30, 600-609.	2.3	25
118	Intercultural communication through the eyes of patients: experiences and preferences. International Journal of Medical Education, 2017, 8, 170-175.	1.2	25
119	Do Trained Practice Nurses Apply Motivational Interviewing Techniques in Primary Care Consultations?. Journal of Clinical Medicine Research, 2012, 4, 393-401.	1.2	25
120	Doctors' responses to patients' concerns; an exploration of communication sequences in gynaecology. Epidemiologia E Psichiatria Sociale, 2003, 12, 98-102.	0.9	24
121	Development of Eâ€Info Gene <sup>ca</sup> : A Website Providing Computerâ€Tailored Information and Question Prompt Prior to Breast Cancer Genetic Counseling. Journal of Genetic Counseling, 2009, 18, 326-338.	1.6	24
122	Motivational interviewing within the different stages of change: An analysis of practice nurse-patient consultations aimed at promoting a healthier lifestyle. Social Science and Medicine, 2013, 87, 60-67.	3.8	24
123	Psychosocial predictors of non-adherence to chronic medication: systematic review of longitudinal studies. Patient Preference and Adherence, 2014, 8, 519.	1.8	24
124	Use and Evaluation of an Individually Tailored Website for Counselees Prior to Breast Cancer Genetic Counseling. Journal of Cancer Education, 2011, 26, 670-681.	1.3	23
125	When patients take the initiative to audio-record a clinical consultation. Patient Education and Counseling, 2017, 100, 1552-1557.	2.2	23
126	Availability and effectiveness of decision aids for supporting shared decision making in patients with advanced colorectal and lung cancer: Results from a systematic review. European Journal of Cancer Care, 2019, 28, e13079.	1.5	23

#	Article	IF	CITATIONS
127	Patients' and Clinicians' Perceptions of Clinician-Expressed Empathy in Advanced Cancer Consultations and Associations with Patient Outcomes. Palliative Medicine Reports, 2020, 1, 76-83.	0.9	23
128	Interdisciplinary preoperative patient education in cardiac surgery. Patient Education and Counseling, 2003, 49, 105-114.	2.2	22
129	Follow-up effects of a tailored pre-counseling website with question prompt in breast cancer genetic counseling. Patient Education and Counseling, 2015, 98, 69-76.	2.2	22
130	Educating for ethical leadership through web-based coaching. Nursing Ethics, 2016, 23, 851-865.	3.4	22
131	Determinants of the quality of care relationships in long-term care - a systematic review. BMC Health Services Research, 2018, 18, 903.	2.2	22
132	The Use of Expectancy and Empathy When Communicating With Patients With Advanced Breast Cancer; an Observational Study of Clinician–Patient Consultations. Frontiers in Psychiatry, 2019, 10, 464.	2.6	22
133	Evaluation of a Web-Based Self-Management Program for Patients With Cardiovascular Disease: Explorative Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e17422.	4.3	22
134	Risk communication in completed series of breast cancer genetic counseling visits. Genetics in Medicine, 2006, 8, 688-696.	2.4	21
135	Shared medical appointments for children and adolescents with type I diabetes: perspectives and experiences of patients, parents, and health care providers. Adolescent Health, Medicine and Therapeutics, 2012, 3, 75.	0.9	21
136	Developing a digital communication training tool on information-provision in oncology: uncovering learning needs and training preferences. BMC Medical Education, 2018, 18, 220.	2.4	21
137	What makes them (not) talk about proper medication use with their patients? An analysis of the determinants of GP communication using reflective practice. International Journal of Person Centered Medicine, 2011, 1, 27-34.	0.2	21
138	Effects of gynaecological education on interpersonal communication skills. British Journal of Obstetrics and Gynaecology, 2001, 108, 485-491.	0.9	20
139	Quantifying positive communication: Doctor's language and patient anxiety in primary care consultations. Patient Education and Counseling, 2018, 101, 1577-1584.	2.2	20
140	An Online Tailored Self-Management Program for Patients With Rheumatoid Arthritis: A Developmental Study. JMIR Research Protocols, 2015, 4, e140.	1.0	20
141	Context factors in general practitioner - patient encounters and their impact on assessing communication skills - an exploratory study. BMC Family Practice, 2013, 14, 65.	2.9	19
142	Developing a digital training tool to support oncologists in the skill of information-provision: a user centred approach. BMC Medical Education, 2020, 20, 135.	2.4	19
143	Communication during gynecological out-patient encounters. Journal of Psychosomatic Obstetrics and Gynaecology, 1999, 20, 119-126.	2.1	18
144	General practitioners' responses to the initial presentation of medically unexplained symptoms: a quantitative analysis. BioPsychoSocial Medicine, 2008, 2, 22.	2.1	17

#	Article	IF	Citations
145	Development and content of a group-based intervention to improve medication adherence in non-adherent patients with rheumatoid arthritis. Patient Education and Counseling, 2012, 89, 143-151.	2.2	17
146	Post-graduate education for medical specialists focused on patients with medically unexplained physical symptoms; development of a communication skills training programme. Patient Education and Counseling, 2013, 92, 355-360.	2.2	17
147	Nonverbal communication and conversational contribution in breast cancer genetic counseling. Patient Education and Counseling, 2013, 93, 216-223.	2.2	17
148	Antenatal counselling for congenital anomaly tests: An exploratory video-observational study about client–midwife communication. Midwifery, 2015, 31, 37-46.	2.3	17
149	Does patient coaching make a difference in patient-physician communication during specialist consultations? A systematic review. Patient Education and Counseling, 2017, 100, 882-896.	2.2	17
150	Which difficulties do GPs experience in consultations with patients with unexplained symptoms: a qualitative study. BMC Family Practice, 2019, 20, 180.	2.9	17
151	Effects of a pre-visit educational website on information recall and needs fulfilment in breast cancer genetic counselling, a randomized controlled trial. Breast Cancer Research, 2012, 14, R37.	5.0	16
152	Shared Medical Appointments marginally enhance interaction between patients: An observational study on children and adolescents with type 1 diabetes. Patient Education and Counseling, 2013, 92, 418-425.	2.2	16
153	Context factors in consultations of general practitioner trainees and their impact on communication assessment in the authentic setting. Patient Education and Counseling, 2013, 93, 567-572.	2.2	16
154	Communication during counseling sessions about inhaled corticosteroids at the community pharmacy. Patient Preference and Adherence, 2016, Volume 10, 2239-2254.	1.8	16
155	ListeningTime; participatory development of a web-based preparatory communication tool for elderly cancer patients and their healthcare providers. Internet Interventions, 2017, 9, 51-56.	2.7	16
156	The European Association for Communication in Healthcare. Patient Education and Counseling, 2001, 43, 1-4.	2.2	15
157	Interdisciplinary preoperative patient education in cardiac surgery. Journal of Advanced Nursing, 2004, 47, 212-222.	3.3	15
158	Assessing non-specific symptoms in epidemiological studies: Development and validation of the Symptoms and Perceptions (SaP) questionnaire. International Journal of Hygiene and Environmental Health, 2016, 219, 53-65.	4.3	15
159	Self-Management Support Program for Patients With Cardiovascular Diseases: User-Centered Development of the Tailored, Web-Based Program Vascular View. JMIR Research Protocols, 2017, 6, e18.	1.0	15
160	Provider caring and structuring treatment information to improve cancer patients' recall: Does it help?. Patient Education and Counseling, 2020, 103, 55-62.	2.2	14
161	Linguistic and interactional aspects that characterize consultations about medically unexplained symptoms: A systematic review. Journal of Psychosomatic Research, 2020, 132, 109994.	2.6	14
162	Are patients' preferences regarding the place of treatment heard and addressed at the point of referral: an exploratory study based on observations of GP-patient consultations. BMC Family Practice, 2013, 14, 189.	2.9	13

#	Article	IF	CITATIONS
163	Introducing video recording in primary care midwifery for research purposes: Procedure, dataset, and use. Midwifery, 2015, 31, 95-102.	2.3	13
164	Cue-Responding Behaviors During Pharmacy Counseling Sessions With Patients With Asthma About Inhaled Corticosteroids: Potential Relations With Medication Beliefs and Self-Reported Adherence. Health Communication, 2016, 31, 1266-1275.	3.1	13
165	Referral to cancer genetic counseling: do migrant status and patients' educational background matter?. Journal of Community Genetics, 2017, 8, 303-310.	1.2	13
166	Listen: When words don't come easy. Patient Education and Counseling, 2017, 100, 1975-1978.	2.2	13
167	Instrumental and affective communication with patients with limited health literacy in the palliative phase of cancer or COPD. BMC Palliative Care, 2020, 19, 152.	1.8	13
168	Definition and Structure of Body-Relatedness from the Perspective of Patients with Severe Somatoform Disorder and Their Therapists. PLoS ONE, 2012, 7, e42534.	2.5	12
169	How do medical specialists value their own intercultural communication behaviour? A reflective practice study. BMC Medical Education, 2016, 16, 222.	2.4	12
170	Breast cancer genetic counseling among Dutch patients from Turkish and Moroccan descent: participation determinants and perspectives of patients and healthcare professionals. Journal of Community Genetics, 2017, 8, 97-108.	1.2	12
171	Self-management support in cardiovascular consultations by advanced practice nurses trained in motivational interviewing: An observational study. Patient Education and Counseling, 2020, 103, 159-164.	2.2	12
172	Do women and men use language differently in spoken face-to-face interaction? A scoping review. Review of Communication Research, 0, 9, 43-79.	0.0	12
173	PatientVOICE: Development of a Preparatory, Pre-Chemotherapy Online Communication Tool for Older Patients With Cancer. JMIR Research Protocols, 2017, 6, e85.	1.0	12
174	Concerns voiced by patients and GPs' responses during psychosocial visits in primary care: a historical cross-sectional study. BMC Family Practice, 2014, 15, 188.	2.9	11
175	How do trained raters take context factors into account when assessing GP trainee communication performance? An exploratory, qualitative study. Advances in Health Sciences Education, 2015, 20, 131-147.	3.3	11
176	Clients' psychosocial communication and midwives' verbal and nonverbal communication during prenatal counseling for anomaly screening. Patient Education and Counseling, 2016, 99, 85-91.	2.2	11
177	The use of supportive communication when responding to older people's emotional distress in home care – An observational study. BMC Nursing, 2017, 16, 24.	2.5	11
178	Shared decision-making in general practice: an observational study comparing 2007 with 2015. Family Practice, 2018, 36, 357-364.	1.9	11
179	<p>A nurse-based intervention for improving medication adherence in cardiovascular patients: an evaluation of a randomized controlled trial</p> . Patient Preference and Adherence, 2019, Volume 13, 837-852.	1.8	11
180	<p>Effects of a Proactive Interdisciplinary Self-Management (PRISMA) program on medication adherence in patients with type 2 diabetes in primary care: a randomized controlled trial</p> . Patient Preference and Adherence, 2019, Volume 13, 749-759.	1.8	11

#	Article	IF	CITATIONS
181	Evaluation and Implementation of ListeningTime: A Web-Based Preparatory Communication Tool for Elderly Patients With Cancer and Their Health Care Providers. JMIR Cancer, 2019, 5, e11556.	2.4	11
182	Mind your words: Oncologists' communication that potentially harms patients with advanced cancer: A survey on patient perspectives. Cancer, 2022, 128, 1133-1140.	4.1	11
183	Different perspectives of doctor and patient in communication. International Congress Series, 2002, 1241, 243-248.	0.2	10
184	Breast cancer genetic counselling referrals: how comparable are the findings between the UK and the Netherlands?. Journal of Community Genetics, 2011, 2, 233-247.	1.2	10
185	Cultural diversity: blind spot in medical curriculum documents, a document analysis. BMC Medical Education, 2014, 14, 176.	2.4	10
186	Quality of weight-loss counseling by Dutch practice nurses in primary care: an observational study. European Journal of Clinical Nutrition, 2015, 69, 73-78.	2.9	10
187	Practice nurses mental health provide space to patients to discuss unpleasant emotions. Journal of Psychiatric and Mental Health Nursing, 2016, 23, 77-85.	2.1	10
188	Analyzing Change Processes Resulting from a Smartphone Maintenance Intervention Based on Acceptance and Commitment Therapy for Women with Chronic Widespread Pain. International Journal of Behavioral Medicine, 2017, 24, 215-229.	1.7	10
189	Symptom management for medically unexplained symptoms in primary care: a qualitative study. British Journal of General Practice, 2019, 69, e254-e261.	1.4	10
190	Medically unexplained symptoms: time to and triggers for diagnosis in primary care consultations. British Journal of General Practice, 2020, 70, e86-e94.	1.4	10
191	The content and effectiveness of self-management support interventions for people at risk of pressure ulcers: A systematic review. International Journal of Nursing Studies, 2021, 122, 104014.	5.6	10
192	Effects of the Proactive Interdisciplinary Self-Management (PRISMA) Program on Online Care Platform Usage in Patients with Type 2 Diabetes in Primary Care: A Randomized Controlled Trial. Journal of Diabetes Research, 2020, 2020, 1-10.	2.3	10
193	Primary prevention of cardiovascular diseases: a cost study in family practices. BMC Family Practice, 2011, 12, 69.	2.9	9
194	The influence of dispositional optimism on postâ€visit anxiety and risk perception accuracy among breast cancer genetic counselees. Psycho-Oncology, 2013, 22, 2419-2427.	2.3	9
195	Does and should breast cancer genetic counselling include lifestyle advice?. Familial Cancer, 2014, 13, 35-44.	1.9	9
196	Migrant breast cancer patients and their participation in genetic counseling: results from a registry-based study. Familial Cancer, 2016, 15, 163-171.	1.9	9
197	Beliefs about inhaled corticosteroids: Comparison of community pharmacists, pharmacy technicians and patients with asthma. Journal of Asthma, 2016, 53, 1051-1058.	1.7	9
198	Lessons learned from participatory research to enhance client participation in long-term care research: a multiple case study. Research Involvement and Engagement, 2020, 6, 27.	2.9	9

#	Article	IF	CITATIONS
199	Physician Reimbursement and the Medical Encounter: An Observational Study in Dutch Pediatrics. Clinical Pediatrics, 2000, 39, 591-601.	0.8	8
200	Counselee participation in follow-up breast cancer genetic counselling visits and associations with achievement of the preferred role, cognitive outcomes, risk perception alignment and perceived personal control. Social Science and Medicine, 2014, 116, 178-186.	3.8	8
201	Communication at an online infertility expert forum: provider responses to patients' emotional and informational cues. Journal of Psychosomatic Obstetrics and Gynaecology, 2015, 36, 66-74.	2.1	8
202	Quantifying implicit uncertainty in primary care consultations: A systematic comparison of communication about medically explained versus unexplained symptoms. Patient Education and Counseling, 2019, 102, 2349-2352.	2.2	8
203	Building ground for didactics in a patient decision aid for hip osteoarthritis. Exploring patient-related barriers and facilitators towards shared decision-making. Patient Education and Counseling, 2020, 103, 1343-1350.	2.2	8
204	The use of implicit persuasion in decision-making about treatment for end-stage kidney disease. Peritoneal Dialysis International, 2022, 42, 377-386.	2.3	8
205	Examining Fidelity of Web-based Acceptance and Commitment Interventions for Women with Chronic Widespread Pain. International Journal of Person Centered Medicine, 2015, 4, 115-125.	0.2	8
206	Beliefs About the Causes of Health Complaints: A Study in Primary Care. Health Communication, 2009, 24, 346-350.	3.1	7
207	Ten years of EACH (European Association for Communication in Healthcare) and priorities for the next ten years. Patient Education and Counseling, 2011, 85, 1-3.	2.2	7
208	Midwives' perceptions of communication during videotaped counseling for prenatal anomaly tests: How do they relate to clients' perceptions and independent observations?. Patient Education and Counseling, 2015, 98, 588-597.	2.2	7
209	The impact of watching educational video clips on analogue patients' physiological arousal and information recall. Patient Education and Counseling, 2016, 99, 243-249.	2.2	7
210	Positive messages may reduce patient pain: A meta-analysis. European Journal of Integrative Medicine, 2017, 11, 31-38.	1.7	7
211	Effects of the Proactive interdisciplinary self-management (PRISMA) program on self-reported and clinical outcomes in type 2 diabetes: a pragmatic randomized controlled trial. BMC Endocrine Disorders, 2019, 19, 139.	2.2	7
212	The association between patients' expectations and experiences of taskâ€, affect―and therapyâ€oriented communication and their anxiety in medically unexplained symptoms consultations. Health Expectations, 2019, 22, 338-347.	2.6	7
213	Developing the International Association for Communication in Healthcare (EACH) to address current challenges of health communication. Patient Education and Counseling, 2019, 102, 1217-1221.	2.2	7
214	Systematic development of a training program for healthcare professionals to improve communication about breast cancer genetic counseling with low health literate patients. Familial Cancer, 2020, 19, 281-290.	1.9	7
215	Addressing challenges in information-provision: a qualitative study among oncologists and women with advanced breast cancer. BMC Palliative Care, 2021, 20, 142.	1.8	7
216	Feasibility and acceptability of follow-up for prostate cancer in primary care: a pilot study. BJGP Open, 2018, 2, bjgpopen18X101616.	1.8	7

#	Article	IF	CITATIONS
217	Patients' and health professionals' views on shared decisionâ€making in ageâ€related macular degeneration care: A qualitative study. Ophthalmic and Physiological Optics, 2022, 42, 1015-1022.	2.0	7
218	Moving forward to improve medication adherence. Patient Education and Counseling, 2010, 81, 145-146.	2.2	6
219	Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. Family Practice, 2020, 37, 124-130.	1.9	6
220	Determinants of the quality of care relationships in long-term careÂ- a participatory study. BMC Health Services Research, 2019, 19, 389.	2.2	6
221	Emotional communication with older people: A crossâ€sectional study of home care. Australian Journal of Cancer Nursing, 2019, 21, 382-389.	1.6	6
222	Setting goal and implementation intentions in consultations between practice nurses and patients with overweight or obesity in general practice. Public Health Nutrition, 2015, 18, 3051-3059.	2.2	5
223	Counselees' Expressed Level of Understanding of the Risk Estimate and Surveillance Recommendation are Not Associated with Breast Cancer Surveillance Adherence. Journal of Genetic Counseling, 2016, 25, 279-289.	1.6	5
224	Protocol for a participatory study for developing qualitative instruments measuring the quality of long-term care relationships. BMJ Open, 2018, 8, e022895.	1.9	5
225	Shifts in patients' question-asking behaviour between 2007 and 2016: An observational study of video-recorded general practice consultations. Patient Education and Counseling, 2020, 103, 1168-1175.	2.2	5
226	How to learn skilled communication in primary care MUS consultations: a focus group study. Scandinavian Journal of Primary Health Care, 2021, 39, 101-110.	1.5	5
227	How General Practitioners Raise Psychosocial Concerns as a Potential Cause of Medically Unexplained Symptoms: A Conversation Analysis. Health Communication, 2022, 37, 696-707.	3.1	5
228	Information needs of patients with chronic diseases and their relatives for web-based advance care planning: a qualitative interview study. BMC Palliative Care, 2021, 20, 77.	1.8	5
229	Effect of a health literacy training program for surgical oncologists and specialized nurses on disparities in referral to breast cancer genetic testing. Breast, 2021, 58, 80-87.	2.2	5
230	Development of a blended communication training program for managing medically unexplained symptoms in primary care using the intervention mapping approach. Patient Education and Counseling, 2022, 105, 1305-1316.	2.2	5
231	Effective Information Provision About the Side Effects of Treatment for Malignant Lymphoma: Protocol of a Randomized Controlled Trial Using Video Vignettes. JMIR Research Protocols, 2019, 8, e12453.	1.0	5
232	Communication about breast cancer genetic counseling with patients with limited health literacy or a migrant background: evaluation of a training program for healthcare professionals. Journal of Community Genetics, 2021, 12, 91-99.	1.2	5
233	Effects of a Proactive Interdisciplinary Self-Management Program on Patient Self-Efficacy and Participation During Practice Nurse Consultations: A Randomized Controlled Trial in Type 2 Diabetes. Journal of Clinical Medicine Research, 2020, 12, 79-89.	1.2	5
234	Communication in health care. Patient Education and Counseling, 1998, 34, S1-S4.	2.2	4

#	Article	IF	CITATIONS
235	Five years of EACH (European Association for Communication in Healthcare). Patient Education and Counseling, 2006, 62, 379-384.	2.2	4
236	Familiarity between patient and general practitioner does not influence the content of the consultation. BMC Family Practice, 2008, 9, 51.	2.9	4
237	Examining the effects of enhanced provider–patient communication on postoperative tonsillectomy pain: protocol of a randomised controlled trial performed by nurses in daily clinical care. BMJ Open, 2017, 7, e015505.	1.9	4
238	Patient coaching in specialist consultations. Which patients are interested in a coach and what communication barriers do they perceive?. Patient Education and Counseling, 2019, 102, 1520-1527.	2.2	4
239	Placebo Effects of Nurses' Communication alongside Standard Medical Care on Pain and Other Outcomes: A Randomized Controlled Trial in Clinical Tonsillectomy Care. Psychotherapy and Psychosomatics, 2020, 89, 56-58.	8.8	4
240	Patients' Evaluation of a Preparatory Online Communication Tool for Older Patients With Cancer Preceding Chemotherapy. Cancer Nursing, 2020, 43, E71-E78.	1.5	4
241	Shared Decision Making in Practice and the Perspectives of Health Care Professionals on Video-Recorded Consultations With Patients With Low Health Literacy in the Palliative Phase of Their Disease. MDM Policy and Practice, 2021, 6, 238146832110234.	0.9	4
242	Electronic Monitoring Feedback for Improving Medication Adherence and Clinical Outcomes in Early Rheumatoid Arthritis: A Randomized Clinical Trial. Patient Preference and Adherence, 2021, Volume 15, 1107-1119.	1.8	4
243	Unexplained versus explained symptoms: The difference is not in patients' language use. A quantitative analysis of linguistic markers. Journal of Psychosomatic Research, 2022, 152, 110667.	2.6	4
244	The effect of shared decision-making on recovery from non-chronic aspecific low back pain in primary care; a post-hoc analysis from the patient, physician and observer perspectives., 2022, 23, 22.		4
245	The consequences of task delegation for the process of care: Female patients seem to benefit more. Women and Health, 2016, 56, 194-207.	1.0	3
246	Communication during haematological consultations; patients' preferences and professionals' performances. Annals of Hematology, 2016, 95, 1177-1183.	1.8	3
247	Can we trust what parents tell us? A systematic review. Paediatric Respiratory Reviews, 2017, 24, 65-71.	1.8	3
248	Filling in memory gaps through emotional communication; promising pathways in caring for persons with dementia. Patient Education and Counseling, 2017, 100, 2121-2124.	2.2	3
249	To what degree do patients actively choose their healthcare provider at the point of referral by their GP? A video observation study. BMC Family Practice, 2019, 20, 166.	2.9	3
250	Qualitative instruments involving clients as co-researchers to assess and improve the quality of care relationships in long-term care: an evaluation of instruments to enhance client participation in quality research. BMJ Open, 2020, 10, e033034.	1.9	3
251	Emotional communication in home care: A comparison between Norway and Sweden. Patient Education and Counseling, 2020, 103, 1546-1553.	2.2	3
252	Are Health Care Professionals' Implicit and Explicit Attitudes Toward Conventional Diseaseâ€Modifying Antirheumatic Drugs Associated With Those of Their Patients?. Arthritis Care and Research, 2021, 73, 364-373.	3.4	3

#	Article	IF	Citations
253	Persuasive communication in medical decision-making during consultations with patients with limited health literacy in hospital-based palliative care. Patient Education and Counseling, 2022, 105, 1130-1137.	2.2	3
254	An mHealth Intervention for Persons with Diabetes Type 2 Based on Acceptance and Commitment Therapy Principles: Examining Treatment Fidelity. JMIR MHealth and UHealth, 2018, 6, e151.	3.7	3
255	Towards an open and effective dialogue on complementary medicine in oncology: protocol of patient participatory study ‰COMMON'. BMJ Open, 2021, 11, e053005.	1.9	3
256	Coding linguistic elements in clinical interactions: a step-by-step guide for analyzing communication form. BMC Medical Research Methodology, 2022, 22, .	3.1	3
257	Health literacy, information provision and satisfaction in advanced cancer consultations: two observational studies using level of education as a proxy. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002859.	1.6	2
258	Identification of Cardiovascular Patient Groups at Risk for Poor Medication Adherence. Journal of Cardiovascular Nursing, 2021, 36, 489-497.	1.1	2
259	A Serious Puzzle Game to Enhance Adherence to Antirheumatic Drugs in Patients With Rheumatoid Arthritis: Systematic Development Using Intervention Mapping. JMIR Serious Games, 2022, 10, e31570.	3.1	2
260	Affective communication with patients with limited health literacy in the palliative phase of COPD or lung cancer: Analysis of video-recorded consultations in outpatient care. PLoS ONE, 2022, 17, e0263433.	2.5	2
261	Editorial. Patient Education and Counseling, 2017, 100, 2075.	2.2	1
262	Automated Medical Reporting: From Multimodal Inputs to Medical Reports through Knowledge Graphs. , 2021, , .		1
263	Patient coaching in secondary care: healthcare professionals' views on target group, intervention and coach profile. International Journal for Quality in Health Care, 2021, 33, .	1.8	1
264	OPO005-HPRâ€Perceived Need to Take Medication is Associated with Medication Non-Adherence in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 61.2-61.	0.9	0
265	1121 CAPPA: Care for prostate cancer patients. European Journal of Cancer, 2015, 51, S170.	2.8	0
266	AB1092-HPRâ€Developing An Online Self-Management Program for Rheumatoid Arthritis Patients, Using Behavioral Change Techniques and Patients' Input. Annals of the Rheumatic Diseases, 2016, 75, 1305.2-1305.	0.9	0
267	Bringing patient-centered innovation to Patient Education & Counseling. Patient Education and Counseling, 2018, 101, 1883.	2.2	0
268	Title is missing!. , 2020, 15, e0234926.		0
269	Title is missing!. , 2020, 15, e0234926.		0
270	Title is missing!. , 2020, 15, e0234926.		0

#	Article	IF	CITATIONS
271	Title is missing!. , 2020, 15, e0234926.		0
272	The Influencing Contexts and Potential Mechanisms Behind the Use of Web-Based Self-management Support Interventions: Realistic Evaluation. JMIR Human Factors, 2022, 9, e34925.	2.0	0
273	Patient coaching: What do patients want? A mixed methods study in waiting rooms of outpatient clinics. PLoS ONE, 2022, 17, e0269677.	2.5	0