

# Sandra Van Dulmen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3186039/publications.pdf>

Version: 2024-02-01

273  
papers

9,128  
citations

38660

50  
h-index

71532

76  
g-index

304  
all docs

304  
docs citations

304  
times ranked

9660  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Encounters between medical specialists and patients with medically unexplained physical symptoms; influences of communication on patient outcomes and use of health care: a literature overview. <i>Perspectives on Medical Education</i> , 2022, 1, 192-206. | 1.8 | 38        |
| 2  | Intercultural doctor-patient communication in daily outpatient care: relevant communication skills. <i>Perspectives on Medical Education</i> , 2022, 5, 268-275.  | 1.8 | 29        |
| 3  | How General Practitioners Raise Psychosocial Concerns as a Potential Cause of Medically Unexplained Symptoms: A Conversation Analysis. <i>Health Communication</i> , 2022, 37, 696-707.   | 1.8 | 5         |
| 4  | The use of implicit persuasion in decision-making about treatment for end-stage kidney disease. <i>Peritoneal Dialysis International</i> , 2022, 42, 377-386.   | 1.1 | 8         |
| 5  | Persuasive communication in medical decision-making during consultations with patients with limited health literacy in hospital-based palliative care. <i>Patient Education and Counseling</i> , 2022, 105, 1130-1137.  | 1.0 | 3         |
| 6  | Development of a blended communication training program for managing medically unexplained symptoms in primary care using the intervention mapping approach. <i>Patient Education and Counseling</i> , 2022, 105, 1305-1316.                                  | 1.0 | 5         |
| 7  | A Serious Puzzle Game to Enhance Adherence to Antirheumatic Drugs in Patients With Rheumatoid Arthritis: Systematic Development Using Intervention Mapping. <i>JMIR Serious Games</i> , 2022, 10, e31570.   | 1.7 | 2         |
| 8  | Unexplained versus explained symptoms: The difference is not in patients' language use. A quantitative analysis of linguistic markers. <i>Journal of Psychosomatic Research</i> , 2022, 152, 110667.  | 1.2 | 4         |
| 9  | Mind your words: Oncologists' communication that potentially harms patients with advanced cancer: A survey on patient perspectives. <i>Cancer</i> , 2022, 128, 1133-1140.   | 2.0 | 11        |
| 10 | The effect of shared decision-making on recovery from non-chronic aspecific low back pain in primary care; a post-hoc analysis from the patient, physician and observer perspectives. , 2022, 23, 22.   |     | 4         |
| 11 | Affective communication with patients with limited health literacy in the palliative phase of COPD or lung cancer: Analysis of video-recorded consultations in outpatient care. <i>PLoS ONE</i> , 2022, 17, e0263433.   | 1.1 | 2         |
| 12 | The Influencing Contexts and Potential Mechanisms Behind the Use of Web-Based Self-management Support Interventions: Realistic Evaluation. <i>JMIR Human Factors</i> , 2022, 9, e34925.   | 1.0 | 0         |
| 13 | Patients' and health professionals' views on shared decision-making in age-related macular degeneration care: A qualitative study. <i>Ophthalmic and Physiological Optics</i> , 2022, 42, 1015-1022.  | 1.0 | 7         |
| 14 | Patient coaching: What do patients want? A mixed methods study in waiting rooms of outpatient clinics. <i>PLoS ONE</i> , 2022, 17, e0269677.  | 1.1 | 0         |
| 15 | Coding linguistic elements in clinical interactions: a step-by-step guide for analyzing communication form. <i>BMC Medical Research Methodology</i> , 2022, 22, .   | 1.4 | 3         |
| 16 | Are Health Care Professionals'™ Implicit and Explicit Attitudes Toward Conventional Disease-Modifying Antirheumatic Drugs Associated With Those of Their Patients?. <i>Arthritis Care and Research</i> , 2021, 73, 364-373.                                   | 1.5 | 3         |
| 17 | The power of clinician-expressed empathy to increase information recall in advanced breast cancer care: an observational study in clinical care, exploring the mediating role of anxiety. <i>Patient Education and Counseling</i> , 2021, 104, 1109-1115.     | 1.0 | 27        |
| 18 | How to learn skilled communication in primary care MUS consultations: a focus group study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 101-110.  | 0.6 | 5         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Shared Decision Making in Practice and the Perspectives of Health Care Professionals on Video-Recorded Consultations With Patients With Low Health Literacy in the Palliative Phase of Their Disease. <i>MDM Policy and Practice</i> , 2021, 6, 238146832110234. | 0.5 | 4         |
| 20 | Effect of Interactive eHealth Interventions on Improving Medication Adherence in Adults With Long-Term Medication: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e18901.  | 2.1 | 50        |
| 21 | Information needs of patients with chronic diseases and their relatives for web-based advance care planning: a qualitative interview study. <i>BMC Palliative Care</i> , 2021, 20, 77.   | 0.8 | 5         |
| 22 | Electronic Monitoring Feedback for Improving Medication Adherence and Clinical Outcomes in Early Rheumatoid Arthritis: A Randomized Clinical Trial. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 1107-1119.  | 0.8 | 4         |
| 23 | Health literacy, information provision and satisfaction in advanced cancer consultations: two observational studies using level of education as a proxy. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002859.                              | 0.8 | 2         |
| 24 | Effect of a health literacy training program for surgical oncologists and specialized nurses on disparities in referral to breast cancer genetic testing. <i>Breast</i> , 2021, 58, 80-87.   | 0.9 | 5         |
| 25 | Identification of Cardiovascular Patient Groups at Risk for Poor Medication Adherence. <i>Journal of Cardiovascular Nursing</i> , 2021, 36, 489-497.   | 0.6 | 2         |
| 26 | Addressing challenges in information-provision: a qualitative study among oncologists and women with advanced breast cancer. <i>BMC Palliative Care</i> , 2021, 20, 142.   | 0.8 | 7         |
| 27 | The content and effectiveness of self-management support interventions for people at risk of pressure ulcers: A systematic review. <i>International Journal of Nursing Studies</i> , 2021, 122, 104014.  | 2.5 | 10        |
| 28 | Automated Medical Reporting: From Multimodal Inputs to Medical Reports through Knowledge Graphs. , 2021, , .   |     | 1         |
| 29 | Patient coaching in secondary care: healthcare professionalsâ€™ views on target group, intervention and coach profile. <i>International Journal for Quality in Health Care</i> , 2021, 33, .   | 0.9 | 1         |
| 30 | Communication about breast cancer genetic counseling with patients with limited health literacy or a migrant background: evaluation of a training program for healthcare professionals. <i>Journal of Community Genetics</i> , 2021, 12, 91-99.                  | 0.5 | 5         |
| 31 | Towards an open and effective dialogue on complementary medicine in oncology: protocol of patient participatory study â€œCOMMONâ€™. <i>BMJ Open</i> , 2021, 11, e053005.   | 0.8 | 3         |
| 32 | Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. <i>Family Practice</i> , 2020, 37, 124-130.   | 0.8 | 6         |
| 33 | Tailoring the amount of treatment information to cancer patientsâ€™ and survivorsâ€™ preferences: Effects on patient-reported outcomes. <i>Patient Education and Counseling</i> , 2020, 103, 514-520.  | 1.0 | 31        |
| 34 | Self-management support in cardiovascular consultations by advanced practice nurses trained in motivational interviewing: An observational study. <i>Patient Education and Counseling</i> , 2020, 103, 159-164.  | 1.0 | 12        |
| 35 | Placebo Effects of Nursesâ€™ Communication alongside Standard Medical Care on Pain and Other Outcomes: A Randomized Controlled Trial in Clinical Tonsillectomy Care. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 56-58.                                  | 4.0 | 4         |
| 36 | Provider caring and structuring treatment information to improve cancer patientsâ€™ recall: Does it help?. <i>Patient Education and Counseling</i> , 2020, 103, 55-62.   | 1.0 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Patients' Evaluation of a Preparatory Online Communication Tool for Older Patients With Cancer Preceding Chemotherapy. <i>Cancer Nursing</i> , 2020, 43, E71-E78.  | 0.7 | 4         |
| 38 | Instrumental and affective communication with patients with limited health literacy in the palliative phase of cancer or COPD. <i>BMC Palliative Care</i> , 2020, 19, 152.   | 0.8 | 13        |
| 39 | Shifts in patients' question-asking behaviour between 2007 and 2016: An observational study of video-recorded general practice consultations. <i>Patient Education and Counseling</i> , 2020, 103, 1168-1175.  | 1.0 | 5         |
| 40 | Lessons learned from participatory research to enhance client participation in long-term care research: a multiple case study. <i>Research Involvement and Engagement</i> , 2020, 6, 27.   | 1.1 | 9         |
| 41 | Patients' and Clinicians' Perceptions of Clinician-Expressed Empathy in Advanced Cancer Consultations and Associations with Patient Outcomes. <i>Palliative Medicine Reports</i> , 2020, 1, 76-83.   | 0.4 | 23        |
| 42 | Qualitative instruments involving clients as co-researchers to assess and improve the quality of care relationships in long-term care: an evaluation of instruments to enhance client participation in quality research. <i>BMJ Open</i> , 2020, 10, e033034.      | 0.8 | 3         |
| 43 | Developing a digital training tool to support oncologists in the skill of information-provision: a user centred approach. <i>BMC Medical Education</i> , 2020, 20, 135.  | 1.0 | 19        |
| 44 | Communication and shared decision-making with patients with limited health literacy; helpful strategies, barriers and suggestions for improvement reported by hospital-based palliative care providers. <i>PLoS ONE</i> , 2020, 15, e0234926.                      | 1.1 | 38        |
| 45 | Linguistic and interactional aspects that characterize consultations about medically unexplained symptoms: A systematic review. <i>Journal of Psychosomatic Research</i> , 2020, 132, 109994.  | 1.2 | 14        |
| 46 | Emotional communication in home care: A comparison between Norway and Sweden. <i>Patient Education and Counseling</i> , 2020, 103, 1546-1553.  | 1.0 | 3         |
| 47 | Building ground for didactics in a patient decision aid for hip osteoarthritis. Exploring patient-related barriers and facilitators towards shared decision-making. <i>Patient Education and Counseling</i> , 2020, 103, 1343-1350.                                | 1.0 | 8         |
| 48 | Medically unexplained symptoms: time to and triggers for diagnosis in primary care consultations. <i>British Journal of General Practice</i> , 2020, 70, e86-e94.  | 0.7 | 10        |
| 49 | Systematic development of a training program for healthcare professionals to improve communication about breast cancer genetic counseling with low health literate patients. <i>Familial Cancer</i> , 2020, 19, 281-290.   | 0.9 | 7         |
| 50 | The Feasibility and Effectiveness of Web-Based Advance Care Planning Programs: Scoping Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e15578.   | 2.1 | 26        |
| 51 | Evaluation of a Web-Based Self-Management Program for Patients With Cardiovascular Disease: Explorative Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e17422.   | 2.1 | 22        |
| 52 | Effects of the Proactive Interdisciplinary Self-Management (PRISMA) Program on Online Care Platform Usage in Patients with Type 2 Diabetes in Primary Care: A Randomized Controlled Trial. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-10.                 | 1.0 | 10        |
| 53 | Effects of a Proactive Interdisciplinary Self-Management Program on Patient Self-Efficacy and Participation During Practice Nurse Consultations: A Randomized Controlled Trial in Type 2 Diabetes. <i>Journal of Clinical Medicine Research</i> , 2020, 12, 79-89. | 0.6 | 5         |
| 54 | Title is missing!. , 2020, 15, e0234926.   |     | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Title is missing!. , 2020, 15, e0234926.   |     | 0         |
| 56 | Title is missing!. , 2020, 15, e0234926.   |     | 0         |
| 57 | Title is missing!. , 2020, 15, e0234926.   |     | 0         |
| 58 | &lt;p&gt;A nurse-based intervention for improving medication adherence in cardiovascular patients: an evaluation of a randomized controlled trial&lt;/p&gt;. Patient Preference and Adherence, 2019, Volume 13, 837-852.   | 0.8 | 11        |
| 59 | Quantifying implicit uncertainty in primary care consultations: A systematic comparison of communication about medically explained versus unexplained symptoms. Patient Education and Counseling, 2019, 102, 2349-2352.  | 1.0 | 8         |
| 60 | The Use of Expectancy and Empathy When Communicating With Patients With Advanced Breast Cancer; an Observational Study of Clinicianâ€“Patient Consultations. Frontiers in Psychiatry, 2019, 10, 464.   | 1.3 | 22        |
| 61 | Determinants of the quality of care relationships in long-term careÂ– a participatory study. BMC Health Services Research, 2019, 19, 389.  | 0.9 | 6         |
| 62 | &lt;p&gt;Effects of a Proactive Interdisciplinary Self-Management (PRISMA) program on medication adherence in patients with type 2 diabetes in primary care: a randomized controlled trial&lt;/p&gt;. Patient Preference and Adherence, 2019, Volume 13, 749-759.                                    | 0.8 | 11        |
| 63 | Availability and effectiveness of decision aids for supporting shared decision making in patients with advanced colorectal and lung cancer: Results from a systematic review. European Journal of Cancer Care, 2019, 28, e13079.   | 0.7 | 23        |
| 64 | Towards appropriate information provision for and decision-making with patients with limited health literacy in hospital-based palliative care in Western countries: a scoping review into available communication strategies and tools for healthcare providers. BMC Palliative Care, 2019, 18, 37. | 0.8 | 33        |
| 65 | Patient coaching in specialist consultations. Which patients are interested in a coach and what communication barriers do they perceive?. Patient Education and Counseling, 2019, 102, 1520-1527.  | 1.0 | 4         |
| 66 | Symptom management for medically unexplained symptoms in primary care: a qualitative study. British Journal of General Practice, 2019, 69, e254-e261.  | 0.7 | 10        |
| 67 | Emotional communication with older people: A crossâ€“sectional study of home care. Australian Journal of Cancer Nursing, 2019, 21, 382-389.  | 0.8 | 6         |
| 68 | Effects of the Proactive interdisciplinary self-management (PRISMA) program on self-reported and clinical outcomes in type 2 diabetes: a pragmatic randomized controlled trial. BMC Endocrine Disorders, 2019, 19, 139.  | 0.9 | 7         |
| 69 | To what degree do patients actively choose their healthcare provider at the point of referral by their GP? A video observation study. BMC Family Practice, 2019, 20, 166.  | 2.9 | 3         |
| 70 | Which difficulties do GPs experience in consultations with patients with unexplained symptoms: a qualitative study. BMC Family Practice, 2019, 20, 180.  | 2.9 | 17        |
| 71 | The association between patientsâ€™ expectations and experiences of taskâ€, affectâ€“and therapyâ€“oriented communication and their anxiety in medically unexplained symptoms consultations. Health Expectations, 2019, 22, 338-347.   | 1.1 | 7         |
| 72 | Developing the International Association for Communication in Healthcare (EACH) to address current challenges of health communication. Patient Education and Counseling, 2019, 102, 1217-1221.   | 1.0 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Evaluation and Implementation of ListeningTime: A Web-Based Preparatory Communication Tool for Elderly Patients With Cancer and Their Health Care Providers. <i>JMIR Cancer</i> , 2019, 5, e11556.                                     | 0.9 | 11        |
| 74 | Effective Information Provision About the Side Effects of Treatment for Malignant Lymphoma: Protocol of a Randomized Controlled Trial Using Video Vignettes. <i>JMIR Research Protocols</i> , 2019, 8, e12453.                         | 0.5 | 5         |
| 75 | Efficacy of a Web-Based Self-Management Enhancing Program for Patients with Rheumatoid Arthritis: Explorative Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e12463.                             | 2.1 | 27        |
| 76 | Quantifying positive communication: Doctor's language and patient anxiety in primary care consultations. <i>Patient Education and Counseling</i> , 2018, 101, 1577-1584.   | 1.0 | 20        |
| 77 | Protocol for a participatory study for developing qualitative instruments measuring the quality of long-term care relationships. <i>BMJ Open</i> , 2018, 8, e022895.   | 0.8 | 5         |
| 78 | Determinants of the quality of care relationships in long-term care - a systematic review. <i>BMC Health Services Research</i> , 2018, 18, 903.  | 0.9 | 22        |
| 79 | Bringing patient-centered innovation to Patient Education & Counseling. <i>Patient Education and Counseling</i> , 2018, 101, 1883.   | 1.0 | 0         |
| 80 | Developing a digital communication training tool on information-provision in oncology: uncovering learning needs and training preferences. <i>BMC Medical Education</i> , 2018, 18, 220.   | 1.0 | 21        |
| 81 | Shared decision-making in general practice: an observational study comparing 2007 with 2015. <i>Family Practice</i> , 2018, 36, 357-364.   | 0.8 | 11        |
| 82 | Feasibility and acceptability of follow-up for prostate cancer in primary care: a pilot study. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101616.  | 0.9 | 7         |
| 83 | An mHealth Intervention for Persons with Diabetes Type 2 Based on Acceptance and Commitment Therapy Principles: Examining Treatment Fidelity. <i>JMIR MHealth and UHealth</i> , 2018, 6, e151.   | 1.8 | 3         |
| 84 | Breast cancer genetic counseling among Dutch patients from Turkish and Moroccan descent: participation determinants and perspectives of patients and healthcare professionals. <i>Journal of Community Genetics</i> , 2017, 8, 97-108. | 0.5 | 12        |
| 85 | Can we trust what parents tell us? A systematic review. <i>Paediatric Respiratory Reviews</i> , 2017, 24, 65-71.   | 1.2 | 3         |
| 86 | Medically unexplained symptoms: the person, the symptoms and the dialogue. <i>Family Practice</i> , 2017, 34, cmw132.  | 0.8 | 35        |
| 87 | Patient participation during oncological encounters: Barriers and need for supportive interventions experienced by elderly cancer patients. <i>Patient Education and Counseling</i> , 2017, 100, 2262-2268.                            | 1.0 | 27        |
| 88 | When patients take the initiative to audio-record a clinical consultation. <i>Patient Education and Counseling</i> , 2017, 100, 1552-1557.   | 1.0 | 23        |
| 89 | Specifying the effects of physician's communication on patients' outcomes: A randomised controlled trial. <i>Patient Education and Counseling</i> , 2017, 100, 1482-1489.  | 1.0 | 64        |
| 90 | Positive messages may reduce patient pain: A meta-analysis. <i>European Journal of Integrative Medicine</i> , 2017, 11, 31-38.   | 0.8 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Does patient coaching make a difference in patient-physician communication during specialist consultations? A systematic review. <i>Patient Education and Counseling</i> , 2017, 100, 882-896.  | 1.0 | 17        |
| 92  | Referral to cancer genetic counseling: do migrant status and patients' educational background matter?. <i>Journal of Community Genetics</i> , 2017, 8, 303-310.   | 0.5 | 13        |
| 93  | Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. <i>British Journal of General Practice</i> , 2017, 67, e716-e723.                               | 0.7 | 36        |
| 94  | ListeningTime; participatory development of a web-based preparatory communication tool for elderly cancer patients and their healthcare providers. <i>Internet Interventions</i> , 2017, 9, 51-56.  | 1.4 | 16        |
| 95  | Editorial. <i>Patient Education and Counseling</i> , 2017, 100, 2075.   | 1.0 | 1         |
| 96  | Examining the effects of enhanced provider-patient communication on postoperative tonsillectomy pain: protocol of a randomised controlled trial performed by nurses in daily clinical care. <i>BMJ Open</i> , 2017, 7, e015505.             | 0.8 | 4         |
| 97  | Filling in memory gaps through emotional communication; promising pathways in caring for persons with dementia. <i>Patient Education and Counseling</i> , 2017, 100, 2121-2124.   | 1.0 | 3         |
| 98  | The use of supportive communication when responding to older people's emotional distress in home care – An observational study. <i>BMC Nursing</i> , 2017, 16, 24.  | 0.9 | 11        |
| 99  | Role of self-efficacy and social support in short-term recovery after total hip replacement: a prospective cohort study. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 68.   | 1.0 | 43        |
| 100 | Listen: When words don't come easy. <i>Patient Education and Counseling</i> , 2017, 100, 1975-1978.   | 1.0 | 13        |
| 101 | Analyzing Change Processes Resulting from a Smartphone Maintenance Intervention Based on Acceptance and Commitment Therapy for Women with Chronic Widespread Pain. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 215-229. | 0.8 | 10        |
| 102 | Active Involvement of End Users When Developing Web-Based Mental Health Interventions. <i>Frontiers in Psychiatry</i> , 2017, 8, 72.  | 1.3 | 67        |
| 103 | The effect of electronic monitoring feedback on medication adherence and clinical outcomes: A systematic review. <i>PLoS ONE</i> , 2017, 12, e0185453.  | 1.1 | 55        |
| 104 | Intercultural communication through the eyes of patients: experiences and preferences. <i>International Journal of Medical Education</i> , 2017, 8, 170-175.  | 0.6 | 25        |
| 105 | Self-Management Support Program for Patients With Cardiovascular Diseases: User-Centered Development of the Tailored, Web-Based Program Vascular View. <i>JMIR Research Protocols</i> , 2017, 6, e18.                                       | 0.5 | 15        |
| 106 | PatientVOICE: Development of a Preparatory, Pre-Chemotherapy Online Communication Tool for Older Patients With Cancer. <i>JMIR Research Protocols</i> , 2017, 6, e85.   | 0.5 | 12        |
| 107 | Communication during counseling sessions about inhaled corticosteroids at the community pharmacy. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 2239-2254.   | 0.8 | 16        |
| 108 | Communicative challenges in the home care of older persons – a qualitative exploration. <i>Journal of Advanced Nursing</i> , 2016, 72, 2435-2444.   | 1.5 | 42        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Practice nurses mental health provide space to patients to discuss unpleasant emotions. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2016, 23, 77-85.  | 1.2 | 10        |
| 110 | The effect of patient-practitioner communication on pain: a systematic review. <i>European Journal of Pain</i> , 2016, 20, 675-688.   | 1.4 | 72        |
| 111 | AB1092-HPR...Developing An Online Self-Management Program for Rheumatoid Arthritis Patients, Using Behavioral Change Techniques and Patients' Input. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1305.2-1305.                             | 0.5 | 0         |
| 112 | How do medical specialists value their own intercultural communication behaviour? A reflective practice study. <i>BMC Medical Education</i> , 2016, 16, 222.  | 1.0 | 12        |
| 113 | The consequences of task delegation for the process of care: Female patients seem to benefit more. <i>Women and Health</i> , 2016, 56, 194-207.   | 0.4 | 3         |
| 114 | Older persons' worries expressed during home care visits: Exploring the content of cues and concerns identified by the Verona coding definitions of emotional sequences. <i>Patient Education and Counseling</i> , 2016, 99, 1955-1963.           | 1.0 | 33        |
| 115 | Barriers and facilitators to disease-modifying antirheumatic drug use in patients with inflammatory rheumatic diseases: a qualitative theory-based study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 442.                                   | 0.8 | 28        |
| 116 | Migrant breast cancer patients and their participation in genetic counseling: results from a registry-based study. <i>Familial Cancer</i> , 2016, 15, 163-171.  | 0.9 | 9         |
| 117 | Beliefs about inhaled corticosteroids: Comparison of community pharmacists, pharmacy technicians and patients with asthma. <i>Journal of Asthma</i> , 2016, 53, 1051-1058.  | 0.9 | 9         |
| 118 | Communication during haematological consultations; patients' preferences and professionals' performances. <i>Annals of Hematology</i> , 2016, 95, 1177-1183.  | 0.8 | 3         |
| 119 | Counselees' Expressed Level of Understanding of the Risk Estimate and Surveillance Recommendation are Not Associated with Breast Cancer Surveillance Adherence. <i>Journal of Genetic Counseling</i> , 2016, 25, 279-289.                         | 0.9 | 5         |
| 120 | Educating for ethical leadership through web-based coaching. <i>Nursing Ethics</i> , 2016, 23, 851-865.   | 1.8 | 22        |
| 121 | Patient information and emotional needs across the hip osteoarthritis continuum: a qualitative study. <i>BMC Health Services Research</i> , 2016, 16, 88.   | 0.9 | 27        |
| 122 | Cue-Responding Behaviors During Pharmacy Counseling Sessions With Patients With Asthma About Inhaled Corticosteroids: Potential Relations With Medication Beliefs and Self-Reported Adherence. <i>Health Communication</i> , 2016, 31, 1266-1275. | 1.8 | 13        |
| 123 | Clients' psychosocial communication and midwives' verbal and nonverbal communication during prenatal counseling for anomaly screening. <i>Patient Education and Counseling</i> , 2016, 99, 85-91.   | 1.0 | 11        |
| 124 | Sharing decisions during diagnostic consultations; an observational study in pediatric oncology. <i>Patient Education and Counseling</i> , 2016, 99, 61-67.   | 1.0 | 30        |
| 125 | The impact of watching educational video clips on analogue patients' physiological arousal and information recall. <i>Patient Education and Counseling</i> , 2016, 99, 243-249.   | 1.0 | 7         |
| 126 | Assessing non-specific symptoms in epidemiological studies: Development and validation of the Symptoms and Perceptions (SaP) questionnaire. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 53-65.                  | 2.1 | 15        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | An Integrated Process and Outcome Evaluation of a Web-Based Communication Tool for Patients With Malignant Lymphoma: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e206.                        | 2.1 | 26        |
| 128 | Setting goal and implementation intentions in consultations between practice nurses and patients with overweight or obesity in general practice. <i>Public Health Nutrition</i> , 2015, 18, 3051-3059.                                 | 1.1 | 5         |
| 129 | 1121 CAPPA: Care for prostate cancer patients. <i>European Journal of Cancer</i> , 2015, 51, S170.   | 1.3 | 0         |
| 130 | Exploring Residents' Communication Learning Process in the Workplace: A Five-Phase Model. <i>PLoS ONE</i> , 2015, 10, e0125958.  | 1.1 | 38        |
| 131 | Participation of chronic patients in medical consultations: patients' perceived efficacy, barriers and interest in support. <i>Health Expectations</i> , 2015, 18, 2375-2388.  | 1.1 | 75        |
| 132 | A cross-sectional study on person-centred communication in the care of older people: the COMHOME study protocol. <i>BMJ Open</i> , 2015, 5, e007864-e007864.   | 0.8 | 36        |
| 133 | Quality of weight-loss counseling by Dutch practice nurses in primary care: an observational study. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 73-78.   | 1.3 | 10        |
| 134 | Midwives' perceptions of communication during videotaped counseling for prenatal anomaly tests: How do they relate to clients' perceptions and independent observations?. <i>Patient Education and Counseling</i> , 2015, 98, 588-597. | 1.0 | 7         |
| 135 | Communication at an online infertility expert forum: provider responses to patients' emotional and informational cues. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2015, 36, 66-74.                                   | 1.1 | 8         |
| 136 | Factors influencing intercultural doctor-patient communication: A realist review. <i>Patient Education and Counseling</i> , 2015, 98, 420-445.   | 1.0 | 102       |
| 137 | Evidence to inform education, training and supportive work environments for midwives involved in the care of women with female genital mutilation: A review of global experience. <i>Midwifery</i> , 2015, 31, 229-238.                | 1.0 | 36        |
| 138 | Introducing video recording in primary care midwifery for research purposes: Procedure, dataset, and use. <i>Midwifery</i> , 2015, 31, 95-102.   | 1.0 | 13        |
| 139 | Follow-up effects of a tailored pre-counseling website with question prompt in breast cancer genetic counseling. <i>Patient Education and Counseling</i> , 2015, 98, 69-76.  | 1.0 | 22        |
| 140 | Antenatal counselling for congenital anomaly tests: An exploratory video-observational study about client-midwife communication. <i>Midwifery</i> , 2015, 31, 37-46.   | 1.0 | 17        |
| 141 | How do trained raters take context factors into account when assessing GP trainee communication performance? An exploratory, qualitative study. <i>Advances in Health Sciences Education</i> , 2015, 20, 131-147.                      | 1.7 | 11        |
| 142 | Training Medical Specialists to Communicate Better with Patients with Medically Unexplained Physical Symptoms (MUPS). A Randomized, Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0138342.  | 1.1 | 32        |
| 143 | An Online Tailored Self-Management Program for Patients With Rheumatoid Arthritis: A Developmental Study. <i>JMIR Research Protocols</i> , 2015, 4, e140.  | 0.5 | 20        |
| 144 | Examining Fidelity of Web-based Acceptance and Commitment Interventions for Women with Chronic Widespread Pain. <i>International Journal of Person Centered Medicine</i> , 2015, 4, 115-125.   | 0.2 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Perceived need to take medication is associated with medication non-adherence in patients with rheumatoid arthritis. <i>Patient Preference and Adherence</i> , 2014, 8, 1635.   | 0.8 | 46        |
| 146 | Psychosocial predictors of non-adherence to chronic medication: systematic review of longitudinal studies. <i>Patient Preference and Adherence</i> , 2014, 8, 519.  | 0.8 | 24        |
| 147 | Examining the content of weight, nutrition and physical activity advices provided by Dutch practice nurses in primary care: analysis of videotaped consultations. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 50-56.  | 1.3 | 30        |
| 148 | Counselor participation in follow-up breast cancer genetic counselling visits and associations with achievement of the preferred role, cognitive outcomes, risk perception alignment and perceived personal control. <i>Social Science and Medicine</i> , 2014, 116, 178-186. | 1.8 | 8         |
| 149 | Relationship between medication beliefs, self-reported and refill adherence, and symptoms in patients with asthma using inhaled corticosteroids. <i>Patient Preference and Adherence</i> , 2014, 8, 83.   | 0.8 | 36        |
| 150 | Effects of video feedback on the communication, clinical competence and motivational interviewing skills of practice nurses: a pretest posttest control group study. <i>Journal of Advanced Nursing</i> , 2014, 70, 2272-2283.  | 1.5 | 38        |
| 151 | Advantages of asynchronous online focus groups and face-to-face focus groups as perceived by child, adolescent and adult participants: a survey study. <i>BMC Research Notes</i> , 2014, 7, 756.  | 0.6 | 80        |
| 152 | Concerns voiced by patients and GPs' responses during psychosocial visits in primary care: a historical cross-sectional study. <i>BMC Family Practice</i> , 2014, 15, 188.  | 2.9 | 11        |
| 153 | Effectiveness of a group-based intervention to change medication beliefs and improve medication adherence in patients with rheumatoid arthritis: A randomized controlled trial. <i>Patient Education and Counseling</i> , 2014, 94, 356-361.                                  | 1.0 | 55        |
| 154 | Midwives' views on appropriate antenatal counselling for congenital anomaly tests: Do they match clients' preferences?. <i>Midwifery</i> , 2014, 30, 600-609.   | 1.0 | 25        |
| 155 | Does and should breast cancer genetic counselling include lifestyle advice?. <i>Familial Cancer</i> , 2014, 13, 35-44.  | 0.9 | 9         |
| 156 | Cultural diversity: blind spot in medical curriculum documents, a document analysis. <i>BMC Medical Education</i> , 2014, 14, 176.  | 1.0 | 10        |
| 157 | Residents' perceived barriers to communication skills learning: Comparing two medical working contexts in postgraduate training. <i>Patient Education and Counseling</i> , 2014, 95, 91-97.   | 1.0 | 74        |
| 158 | Reducing patients' anxiety and uncertainty, and improving recall in bad news consultations.. <i>Health Psychology</i> , 2014, 33, 1382-1390.  | 1.3 | 89        |
| 159 | OP0005-HPR...Perceived Need to Take Medication is Associated with Medication Non-Adherence in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 61.2-61.  | 0.5 | 0         |
| 160 | Active Patient Participation in the Development of an Online Intervention. <i>JMIR Research Protocols</i> , 2014, 3, e59.   | 0.5 | 40        |
| 161 | Learning in context: Identifying gaps in research on the transfer of medical communication skills to the clinical workplace. <i>Patient Education and Counseling</i> , 2013, 90, 184-192.   | 1.0 | 78        |
| 162 | Context factors in general practitioner - patient encounters and their impact on assessing communication skills - an exploratory study. <i>BMC Family Practice</i> , 2013, 14, 65.  | 2.9 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | How patients and family physicians communicate about persistent medically unexplained symptoms. A qualitative study of video-recorded consultations. <i>Patient Education and Counseling</i> , 2013, 90, 354-360.  | 1.0 | 44        |
| 164 | Are patients' preferences regarding the place of treatment heard and addressed at the point of referral: an exploratory study based on observations of GP-patient consultations. <i>BMC Family Practice</i> , 2013, 14, 189.   | 2.9 | 13        |
| 165 | Barriers and facilitators to effective communication experienced by patients with malignant lymphoma at all stages after diagnosis. <i>Psycho-Oncology</i> , 2013, 22, 2807-2814.  | 1.0 | 38        |
| 166 | Older cancer patients' information and communication needs: What they want is what they get?. <i>Patient Education and Counseling</i> , 2013, 92, 388-397.   | 1.0 | 50        |
| 167 | Web-based, self-management enhancing interventions with e-diaries and personalized feedback for persons with chronic illness: A tale of three studies. <i>Patient Education and Counseling</i> , 2013, 93, 451-458.  | 1.0 | 38        |
| 168 | Shared Medical Appointments marginally enhance interaction between patients: An observational study on children and adolescents with type 1 diabetes. <i>Patient Education and Counseling</i> , 2013, 92, 418-425.   | 1.0 | 16        |
| 169 | Context factors in consultations of general practitioner trainees and their impact on communication assessment in the authentic setting. <i>Patient Education and Counseling</i> , 2013, 93, 567-572.  | 1.0 | 16        |
| 170 | Post-graduate education for medical specialists focused on patients with medically unexplained physical symptoms; development of a communication skills training programme. <i>Patient Education and Counseling</i> , 2013, 92, 355-360.   | 1.0 | 17        |
| 171 | Motivational interviewing within the different stages of change: An analysis of practice nurse-patient consultations aimed at promoting a healthier lifestyle. <i>Social Science and Medicine</i> , 2013, 87, 60-67.   | 1.8 | 24        |
| 172 | Nonverbal communication and conversational contribution in breast cancer genetic counseling. <i>Patient Education and Counseling</i> , 2013, 93, 216-223.  | 1.0 | 17        |
| 173 | The influence of dispositional optimism on post-visit anxiety and risk perception accuracy among breast cancer genetic counsees. <i>Psycho-Oncology</i> , 2013, 22, 2419-2427.   | 1.0 | 9         |
| 174 | Exploring lifestyle counselling in routine primary care consultations: the professionals' role. <i>Family Practice</i> , 2013, 30, 332-340.  | 0.8 | 49        |
| 175 | Prenatal counseling for congenital anomaly tests: parental preferences and perceptions of midwife performance. <i>Prenatal Diagnosis</i> , 2013, 33, 341-353.  | 1.1 | 33        |
| 176 | A Smartphone-Based Intervention With Diaries and Therapist-Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e5.                               | 2.1 | 134       |
| 177 | A Smartphone-Based Intervention With Diaries and Therapist Feedback to Reduce Catastrophizing and Increase Functioning in Women With Chronic Widespread Pain. Part 2: 11-month Follow-up Results of a Randomized Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e72. | 2.1 | 71        |
| 178 | A pre-visit website with question prompt sheet for counsees facilitates communication in the first consultation for breast cancer genetic counseling: findings from a randomized controlled trial. <i>Genetics in Medicine</i> , 2012, 14, 535-542.                                  | 1.1 | 38        |
| 179 | What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. <i>British Journal of General Practice</i> , 2012, 62, e55-e63.  | 0.7 | 40        |
| 180 | Effects of a pre-visit educational website on information recall and needs fulfilment in breast cancer genetic counselling, a randomized controlled trial. <i>Breast Cancer Research</i> , 2012, 14, R37.  | 2.2 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | The development and feasibility of a web-based intervention with diaries and situational feedback via smartphone to support self-management in patients with diabetes type 2. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 385-393. | 1.1 | 104       |
| 182 | Communication-related behavior change techniques used in face-to-face lifestyle interventions in primary care: A systematic review of the literature. <i>Patient Education and Counseling</i> , 2012, 89, 227-244.                                | 1.0 | 73        |
| 183 | Development and content of a group-based intervention to improve medication adherence in non-adherent patients with rheumatoid arthritis. <i>Patient Education and Counseling</i> , 2012, 89, 143-151.  | 1.0 | 17        |
| 184 | Definition and Structure of Body-Relatedness from the Perspective of Patients with Severe Somatoform Disorder and Their Therapists. <i>PLoS ONE</i> , 2012, 7, e42534.  | 1.1 | 12        |
| 185 | Shared medical appointments for children and adolescents with type I diabetes: perspectives and experiences of patients, parents, and health care providers. <i>Adolescent Health, Medicine and Therapeutics</i> , 2012, 3, 75.                   | 0.7 | 21        |
| 186 | Chemotherapy and information-seeking behaviour: characteristics of patients using mass media information sources. <i>Psycho-Oncology</i> , 2012, 21, 993-1002.  | 1.0 | 52        |
| 187 | A pre-visit tailored website enhances counselees' realistic expectations and knowledge and fulfils information needs for breast cancer genetic counselling. <i>Familial Cancer</i> , 2012, 11, 85-95.   | 0.9 | 32        |
| 188 | Do Trained Practice Nurses Apply Motivational Interviewing Techniques in Primary Care Consultations?. <i>Journal of Clinical Medicine Research</i> , 2012, 4, 393-401.  | 0.6 | 25        |
| 189 | Intervening on cognitions and behavior in irritable bowel syndrome: A feasibility trial using PDAs. <i>Journal of Psychosomatic Research</i> , 2011, 70, 267-277.   | 1.2 | 57        |
| 190 | The value of tailored communication for person-centred outcomes. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 381-383.   | 0.9 | 38        |
| 191 | Longer-term influence of breast cancer genetic counseling on cognitions and distress: Smaller benefits for affected versus unaffected women. <i>Patient Education and Counseling</i> , 2011, 85, 425-431.   | 1.0 | 33        |
| 192 | Ten years of EACH (European Association for Communication in Healthcare) and priorities for the next ten years. <i>Patient Education and Counseling</i> , 2011, 85, 1-3.  | 1.0 | 7         |
| 193 | Effects of communication skills training and a Question Prompt Sheet to improve communication with older cancer patients: A randomized controlled trial. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 80, 145-159.                      | 2.0 | 58        |
| 194 | Breast cancer genetic counselling referrals: how comparable are the findings between the UK and the Netherlands?. <i>Journal of Community Genetics</i> , 2011, 2, 233-247.  | 0.5 | 10        |
| 195 | Use and Evaluation of an Individually Tailored Website for Counselees Prior to Breast Cancer Genetic Counseling. <i>Journal of Cancer Education</i> , 2011, 26, 670-681.  | 0.6 | 23        |
| 196 | Identifying context factors explaining physician's low performance in communication assessment: an explorative study in general practice. <i>BMC Family Practice</i> , 2011, 12, 138.   | 2.9 | 33        |
| 197 | Primary prevention of cardiovascular diseases: a cost study in family practices. <i>BMC Family Practice</i> , 2011, 12, 69.   | 2.9 | 9         |
| 198 | Written online situational feedback via mobile phone to support self-management of chronic widespread pain: a usability study of a Web-based intervention. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 51.                                   | 0.8 | 74        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Communicating with child patients in pediatric oncology consultations: a vignette study on child patients', parents', and survivors' communication preferences. <i>Psycho-Oncology</i> , 2011, 20, 269-277.                           | 1.0 | 74        |
| 200 | Web-enabled video-feedback: A method to reflect on the communication skills of experienced physicians. <i>Patient Education and Counseling</i> , 2011, 82, 335-340.   | 1.0 | 28        |
| 201 | Development of the Verona coding definitions of emotional sequences to code health providers'™ responses (VR-CoDES-P) to patient cues and concerns. <i>Patient Education and Counseling</i> , 2011, 82, 149-155.                      | 1.0 | 165       |
| 202 | Coding patient emotional cues and concerns in medical consultations: The Verona coding definitions of emotional sequences (VR-CoDES). <i>Patient Education and Counseling</i> , 2011, 82, 141-148.                                    | 1.0 | 207       |
| 203 | What makes them (not) talk about proper medication use with their patients? An analysis of the determinants of GP communication using reflective practice. <i>International Journal of Person Centered Medicine</i> , 2011, 1, 27-34. | 0.2 | 21        |
| 204 | Diagnoses and visit length in complementary and mainstream medicine. <i>BMC Complementary and Alternative Medicine</i> , 2010, 10, 3.   | 3.7 | 25        |
| 205 | Shared and individual medical appointments for children and adolescents with type 1 diabetes; differences in topics discussed?. <i>Patient Education and Counseling</i> , 2010, 79, 351-355.  | 1.0 | 31        |
| 206 | Emotional and informational patient cues: The impact of nurses'™ responses on recall. <i>Patient Education and Counseling</i> , 2010, 79, 218-224.  | 1.0 | 95        |
| 207 | Moving forward to improve medication adherence. <i>Patient Education and Counseling</i> , 2010, 81, 145-146.  | 1.0 | 6         |
| 208 | Discussing patient's lifestyle choices in the consulting room: analysis of GP-patient consultations between 1975 and 2008. <i>BMC Family Practice</i> , 2010, 11, 87.   | 2.9 | 49        |
| 209 | The role of companions in aiding older cancer patients to recall medical information. <i>Psycho-Oncology</i> , 2010, 19, 170-179.   | 1.0 | 41        |
| 210 | Consulting room computers and their effect on general practitioner-patient communication. <i>Family Practice</i> , 2010, 27, 644-651.   | 0.8 | 79        |
| 211 | Online focus groups as a tool to collect data in hard-to-include populations: examples from paediatric oncology. <i>BMC Medical Research Methodology</i> , 2009, 9, 15.   | 1.4 | 171       |
| 212 | Development of Eâ€Info Gene<sup>ca</sup>: A Website Providing Computerâ€Tailored Information and Question Prompt Prior to Breast Cancer Genetic Counseling. <i>Journal of Genetic Counseling</i> , 2009, 18, 326-338.                 | 0.9 | 24        |
| 213 | Tailored information about cancer risk and screening: A systematic review. <i>Patient Education and Counseling</i> , 2009, 77, 155-171.   | 1.0 | 105       |
| 214 | Compliance with momentary pain measurement using electronic diaries: A systematic review. <i>European Journal of Pain</i> , 2009, 13, 354-365.  | 1.4 | 140       |
| 215 | QUOTEchemo: A patient-centred instrument to measure quality of communication preceding chemotherapy treatment through the patientâ€™s eyes. <i>European Journal of Cancer</i> , 2009, 45, 2967-2976.                                  | 1.3 | 53        |
| 216 | Beliefs About the Causes of Health Complaints: A Study in Primary Care. <i>Health Communication</i> , 2009, 24, 346-350.  | 1.8 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Raising positive expectations helps patients with minor ailments: A cross-sectional study. BMC Family Practice, 2008, 9, 38.   | 2.9 | 26        |
| 218 | Familiarity between patient and general practitioner does not influence the content of the consultation. BMC Family Practice, 2008, 9, 51.   | 2.9 | 4         |
| 219 | Lifestyle counseling in hypertension-related visits – analysis of video-taped general practice visits. BMC Family Practice, 2008, 9, 58.   | 2.9 | 36        |
| 220 | General practitioners' responses to the initial presentation of medically unexplained symptoms: a quantitative analysis. BioPsychoSocial Medicine, 2008, 2, 22.                                  | 0.9 | 17        |
| 221 | Interventions to improve recall of medical information in cancer patients: a systematic review of the literature. Psycho-Oncology, 2008, 17, 857-868.  | 1.0 | 129       |
| 222 | Physician-patient communication in single-bedded versus four-bedded hospital rooms. Patient Education and Counseling, 2008, 73, 215-219.   | 1.0 | 34        |
| 223 | Furthering patient adherence: A position paper of the international expert forum on patient adherence based on an internet forum discussion. BMC Health Services Research, 2008, 8, 47.          | 0.9 | 71        |
| 224 | Recall in Older Cancer Patients: Measuring Memory for Medical Information. Gerontologist, The, 2008, 48, 149-157.  | 2.3 | 96        |
| 225 | Does Age Really Matter? Recall of Information Presented to Newly Referred Patients With Cancer. Journal of Clinical Oncology, 2008, 26, 5450-5457.   | 0.8 | 143       |
| 226 | Patient anxiety in the medical encounter. Health Education, 2008, 108, 373-383.  | 0.4 | 26        |
| 227 | Patient Education About Treatment in Cancer Care. Cancer Nursing, 2007, 30, 251-260.   | 0.7 | 56        |
| 228 | Does training general practitioners to elicit patients' illness representations and action plans influence their communication as a whole?. Patient Education and Counseling, 2007, 66, 327-336. | 1.0 | 101       |
| 229 | Active listening in medical consultations: Development of the Active Listening Observation Scale (ALOS-global). Patient Education and Counseling, 2007, 68, 258-264.                             | 1.0 | 86        |
| 230 | Young patients', parents', and survivors' communication preferences in paediatric oncology: Results of online focus groups. BMC Pediatrics, 2007, 7, 35.   | 0.7 | 124       |
| 231 | Patient risk profiles and practice variation in nonadherence to antidepressants, antihypertensives and oral hypoglycemics. BMC Health Services Research, 2007, 7, 51.                            | 0.9 | 60        |
| 232 | Patient adherence to medical treatment: a review of reviews. BMC Health Services Research, 2007, 7, 55.  | 0.9 | 465       |
| 233 | The impact of assessing simulated bad news consultations on medical students' stress response and communication performance. Psychoneuroendocrinology, 2007, 32, 943-950.                        | 1.3 | 62        |
| 234 | Cancer Genetic Counseling: Communication and Counselors' Post-Visit Satisfaction, Cognitions, Anxiety, and Needs Fulfillment. Journal of Genetic Counseling, 2007, 16, 85-96.                    | 0.9 | 69        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Risk communication in completed series of breast cancer genetic counseling visits. <i>Genetics in Medicine</i> , 2006, 8, 688-696.  | 1.1 | 21        |
| 236 | Shifts in doctor-patient communication between 1986 and 2002: a study of videotaped General Practice consultations with hypertension patients. <i>BMC Family Practice</i> , 2006, 7, 62.  | 2.9 | 107       |
| 237 | Has patients' involvement in the decision-making process changed over time?. <i>Health Expectations</i> , 2006, 9, 333-342.   | 1.1 | 97        |
| 238 | Nursing assistants' behaviour during morning care: effects of the implementation of snoezelen, integrated in 24-hour dementia care. <i>Journal of Advanced Nursing</i> , 2006, 53, 656-668.   | 1.5 | 43        |
| 239 | Tailoring communication in cancer genetic counseling through individual video-supported feedback: A controlled pretest-posttest design. <i>Patient Education and Counseling</i> , 2006, 60, 326-335.                                | 1.0 | 29        |
| 240 | Five years of EACH (European Association for Communication in Healthcare). <i>Patient Education and Counseling</i> , 2006, 62, 379-384.   | 1.0 | 4         |
| 241 | The perceived personal control (PPC) questionnaire as an outcome of genetic counseling: Reliability and validity of the instrument. <i>American Journal of Medical Genetics, Part A</i> , 2006, 140A, 843-850.                      | 0.7 | 43        |
| 242 | The effects of the implementation of snoezelen on the quality of working life in psychogeriatric care. <i>International Psychogeriatrics</i> , 2005, 17, 407-427.   | 0.6 | 40        |
| 243 | Communication in cancer genetic counselling: does it reflect counselees' previsit needs and preferences?. <i>British Journal of Cancer</i> , 2005, 92, 1671-1678.   | 2.9 | 58        |
| 244 | Behavioral and Mood Effects of Snoezelen Integrated into 24-Hour Dementia Care. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 24-33.  | 1.3 | 130       |
| 245 | Initial cancer genetic counseling consultation: Change in counselees' cognitions and anxiety, and association with addressing their needs and preferences. <i>American Journal of Medical Genetics, Part A</i> , 2005, 137A, 27-35. | 0.7 | 68        |
| 246 | Effects of snoezelen, integrated in 24h dementia care, on nurse-patient communication during morning care. <i>Patient Education and Counseling</i> , 2005, 58, 312-326.   | 1.0 | 89        |
| 247 | QUOTE-geneca: development of a counselee-centered instrument to measure needs and preferences in genetic counseling for hereditary cancer. <i>Psycho-Oncology</i> , 2005, 14, 361-375.  | 1.0 | 56        |
| 248 | The Unexpected in Primary Care: A Multicenter Study on the Emergence of Unvoiced Patient Agenda. <i>Annals of Family Medicine</i> , 2004, 2, 534-540.   | 0.9 | 37        |
| 249 | Interdisciplinary preoperative patient education in cardiac surgery. <i>Journal of Advanced Nursing</i> , 2004, 47, 212-222.  | 1.5 | 15        |
| 250 | The implementation of snoezelen in psychogeriatric care: an evaluation through the eyes of caregivers. <i>International Journal of Nursing Studies</i> , 2004, 41, 397-409.   | 2.5 | 42        |
| 251 | Observation of nurse-patient interaction in oncology: review of assessment instruments. <i>Patient Education and Counseling</i> , 2004, 54, 307-320.  | 1.0 | 36        |
| 252 | Pediatrician-parent-child communication: problem-related or not?. <i>Patient Education and Counseling</i> , 2004, 52, 61-68.  | 1.0 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | EACH News. Patient Education and Counseling, 2004, 55, 149-152.   | 1.0 | 38        |
| 254 | Interdisciplinary preoperative patient education in cardiac surgery. Patient Education and Counseling, 2003, 49, 105-114.   | 1.0 | 22        |
| 255 | Communication in context: new directions in communication research. Patient Education and Counseling, 2003, 50, 27-32.  | 1.0 | 76        |
| 256 | Doctors' responses to patients' concerns; an exploration of communication sequences in gynaecology. Epidemiologia E Psichiatria Sociale, 2003, 12, 98-102.                          | 1.0 | 24        |
| 257 | Different perspectives of doctor and patient in communication. International Congress Series, 2002, 1241, 243-248.  | 0.2 | 10        |
| 258 | Do gender-dyads have different communication patterns? A comparative study in Western-European general practices. Patient Education and Counseling, 2002, 48, 253-264.              | 1.0 | 66        |
| 259 | Effects of gynaecological education on interpersonal communication skills. British Journal of Obstetrics and Gynaecology, 2001, 108, 485-491.                                       | 0.9 | 20        |
| 260 | The European Association for Communication in Healthcare. Patient Education and Counseling, 2001, 43, 1-4.  | 1.0 | 15        |
| 261 | Communication: the royal pathway to patient-centered medicine. Patient Education and Counseling, 2000, 39, 1-3.   | 1.0 | 98        |
| 262 | Effects of continuing paediatric education in interpersonal communication skills. European Journal of Pediatrics, 2000, 159, 489-495.   | 1.3 | 52        |
| 263 | Physician Reimbursement and the Medical Encounter: An Observational Study in Dutch Pediatrics. Clinical Pediatrics, 2000, 39, 591-601.  | 0.4 | 8         |
| 264 | Gender Differences in Gynecologist Communication. Women and Health, 2000, 30, 49-61.  | 0.4 | 50        |
| 265 | Communication during gynecological out-patient encounters. Journal of Psychosomatic Obstetrics and Gynaecology, 1999, 20, 119-126.  | 1.1 | 18        |
| 266 | Communication in health care. Patient Education and Counseling, 1998, 34, S1-S4.  | 1.0 | 4         |
| 267 | Children's Contributions to Pediatric Outpatient Encounters. Pediatrics, 1998, 102, 563-568.  | 1.0 | 133       |
| 268 | Persisting improvement in complaint-related cognitions initiated during medical consultations in functional abdominal complaints. Psychological Medicine, 1997, 27, 725-729.        | 2.7 | 26        |
| 269 | Survival and psychosocial adjustment to stoma surgery and nonstoma bowel resection: A 4-year follow-up. Journal of Psychosomatic Research, 1997, 42, 235-244.                       | 1.2 | 65        |
| 270 | Shifts in doctor-patient communication during a series of outpatient consultations in non-insulin-dependent diabetes mellitus. Patient Education and Counseling, 1997, 30, 227-237. | 1.0 | 78        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | The relationship between complaint-related cognitions in referred patients with irritable bowel syndrome and subsequent health care seeking behaviour in primary care. <i>Family Practice</i> , 1996, 13, 12-17. | 0.8 | 39        |
| 272 | Doctors' perception of patients' cognitions and complaints in irritable bowel syndrome at an out-patient clinic. <i>Journal of Psychosomatic Research</i> , 1994, 38, 581-590.                                   | 1.2 | 35        |
| 273 | Do women and men use language differently in spoken face-to-face interaction? A scoping review. <i>Review of Communication Research</i> , 0, 9, 43-79.   | 0.0 | 12        |