

# Shiro Oka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3186175/publications.pdf>

Version: 2024-02-01

209  
papers

10,548  
citations

46984

47  
h-index

38368

95  
g-index

215  
all docs

215  
docs citations

215  
times ranked

6052  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2016 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 1-34.                                     | 1.0 | 1,187     |
| 2  | Japanese Society for Cancer of the Colon and Rectum (JSCCR) guidelines 2019 for the treatment of colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1-42.                                     | 1.0 | 1,123     |
| 3  | Advantage of endoscopic submucosal dissection compared with EMR for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2006, 64, 877-883.  | 0.5 | 650       |
| 4  | Endoscopic submucosal dissection for colorectal neoplasia: possibility of standardization. <i>Gastrointestinal Endoscopy</i> , 2007, 66, 100-107.   | 0.5 | 438       |
| 5  | Narrow-band imaging (NBI) magnifying endoscopic classification of colorectal tumors proposed by the Japan NBI Expert Team. <i>Digestive Endoscopy</i> , 2016, 28, 526-533.  | 1.3 | 410       |
| 6  | Clinicopathologic features and endoscopic treatment of superficially spreading colorectal neoplasms larger than 20 mm. <i>Gastrointestinal Endoscopy</i> , 2001, 54, 62-66.   | 0.5 | 347       |
| 7  | Colorectal endoscopic submucosal dissection: present status and future perspective, including its differentiation from endoscopic mucosal resection. <i>Journal of Gastroenterology</i> , 2008, 43, 641-651.                | 2.3 | 245       |
| 8  | Local Recurrence After Endoscopic Resection for Large Colorectal Neoplasia: A Multicenter Prospective Study in Japan. <i>American Journal of Gastroenterology</i> , 2015, 110, 697-707.                                     | 0.2 | 244       |
| 9  | Automatic detection of erosions and ulcerations in wireless capsule endoscopy images based on a deep convolutional neural network. <i>Gastrointestinal Endoscopy</i> , 2019, 89, 357-363.e2.                                | 0.5 | 217       |
| 10 | Outcome of endoscopic submucosal dissection for colorectal tumors accompanied by fibrosis. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 1329-1337.   | 0.6 | 214       |
| 11 | Magnifying endoscopy with narrow band imaging for diagnosis of colorectal tumors. <i>Gastrointestinal Endoscopy</i> , 2007, 65, 988-995.  | 0.5 | 194       |
| 12 | Clinical outcomes of endoscopic submucosal dissection and endoscopic mucosal resection for laterally spreading tumors larger than 20 mm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 734-740. | 1.4 | 174       |
| 13 | Management of T1 colorectal carcinoma with special reference to criteria for curative endoscopic resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1057-1062.                            | 1.4 | 164       |
| 14 | Predictors of incomplete resection and perforation associated with endoscopic submucosal dissection for colorectal tumors. <i>Gastrointestinal Endoscopy</i> , 2014, 79, 427-435.   | 0.5 | 134       |
| 15 | CURRENT STATUS IN THE OCCURRENCE OF POSTOPERATIVE BLEEDING, PERFORATION AND RESIDUAL/LOCAL RECURRENCE DURING COLONOSCOPIC TREATMENT IN JAPAN. <i>Digestive Endoscopy</i> , 2010, 22, 376-380.                               | 1.3 | 132       |
| 16 | Automatic detection and classification of protruding lesions in wireless capsule endoscopy images based on a deep convolutional neural network. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 144-151.e1.                   | 0.5 | 124       |
| 17 | Clinical impact and characteristics of the narrow-band imaging magnifying endoscopic classification of colorectal tumors proposed by the Japan NBI Expert Team. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 816-821.      | 0.5 | 123       |
| 18 | Artificial intelligence using a convolutional neural network for automatic detection of small bowel angioectasia in capsule endoscopy images. <i>Digestive Endoscopy</i> , 2020, 32, 382-390.                               | 1.3 | 114       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | CURRENT STATUS AND FUTURE PERSPECTIVES OF ENDOSCOPIC SUBMUCOSAL DISSECTION FOR COLORECTAL TUMORS. <i>Digestive Endoscopy</i> , 2012, 24, 73-79.   | 1.3 | 113       |
| 20 | Computer-aided system for predicting the histology of colorectal tumors by using narrow-band imaging magnifying colonoscopy (with video). <i>Gastrointestinal Endoscopy</i> , 2012, 75, 179-185.  | 0.5 | 103       |
| 21 | Comparison of detectability of small-bowel lesions between capsule endoscopy and double-balloon endoscopy for patients with suspected small-bowel disease. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 857-865.                           | 0.5 | 96        |
| 22 | Validation study for development of the Japan NBI Expert Team classification of colorectal lesions. <i>Digestive Endoscopy</i> , 2018, 30, 642-651.   | 1.3 | 93        |
| 23 | RISK FACTORS FOR BLEEDING AFTER ENDOSCOPIC SUBMUCOSAL DISSECTION OF GASTRIC EPITHELIAL NEOPLASM. <i>Digestive Endoscopy</i> , 2011, 23, 290-295.  | 1.3 | 85        |
| 24 | Clinicopathologic and endoscopic features of colorectal serrated adenoma: differences between polypoid and superficial types. <i>Gastrointestinal Endoscopy</i> , 2004, 59, 213-219.  | 0.5 | 82        |
| 25 | Warning for unprincipled colorectal endoscopic submucosal dissection: Accurate diagnosis and reasonable treatment strategy. <i>Digestive Endoscopy</i> , 2013, 25, 107-116.   | 1.3 | 79        |
| 26 | Automatic detection of blood content in capsule endoscopy images based on a deep convolutional neural network. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1196-1200.   | 1.4 | 77        |
| 27 | Improved visibility of lesions of the small intestine via capsule endoscopy with computed virtual chromoendoscopy. <i>Gastrointestinal Endoscopy</i> , 2011, 73, 299-306.   | 0.5 | 76        |
| 28 | Risk factors for delayed bleeding after endoscopic submucosal dissection for colorectal neoplasms. <i>International Journal of Colorectal Disease</i> , 2014, 29, 877-882.  | 1.0 | 74        |
| 29 | Clinical usefulness of a deep learning-based system as the first screening on small-bowel capsule endoscopy reading. <i>Digestive Endoscopy</i> , 2020, 32, 585-591.  | 1.3 | 74        |
| 30 | THERAPEUTIC STRATEGY FOR COLORECTAL LATERALLY SPREADING TUMOR. <i>Digestive Endoscopy</i> , 2009, 21, S43-6.  | 1.3 | 73        |
| 31 | Long-term outcomes after treatment for T1 colorectal carcinoma: a multicenter retrospective cohort study of Hiroshima GI Endoscopy Research Group. <i>Journal of Gastroenterology</i> , 2017, 52, 1169-1179.                                | 2.3 | 69        |
| 32 | Long-term outcomes after endoscopic submucosal dissection for superficial colorectal tumors. <i>Gastrointestinal Endoscopy</i> , 2017, 85, 546-553.   | 0.5 | 69        |
| 33 | Clinical significance of type V pit pattern subclassification in determining the depth of invasion of colorectal neoplasms. <i>World Journal of Gastroenterology</i> , 2008, 14, 211.   | 1.4 | 68        |
| 34 | Major predictors and management of small-bowel angioectasia. <i>BMC Gastroenterology</i> , 2015, 15, 108.   | 0.8 | 64        |
| 35 | Risk factors for esophageal stenosis after entire circumferential endoscopic submucosal dissection for superficial esophageal squamous cell carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4049-4056. | 1.3 | 64        |
| 36 | Continued use of low-dose aspirin does not increase the risk of bleeding during or after endoscopic submucosal dissection for early gastric cancer. <i>Gastric Cancer</i> , 2014, 17, 489-496.  | 2.7 | 61        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Linked Color Imaging Focused on Neoplasm Detection in the Upper Gastrointestinal Tract. <i>Annals of Internal Medicine</i> , 2021, 174, 18-24.  | 2.0 | 61        |
| 38 | Evaluation and validation of computed virtual chromoendoscopy in early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 1052-1058.   | 0.5 | 60        |
| 39 | Clinical outcomes of endoscopic submucosal dissection for superficial Barrett's adenocarcinoma. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 239-245.  | 0.5 | 56        |
| 40 | Diagnostic performance of Japan NBI Expert Team classification for differentiation among noninvasive, superficially invasive, and deeply invasive colorectal neoplasia. <i>Gastrointestinal Endoscopy</i> , 2017, 86, 700-709.    | 0.5 | 56        |
| 41 | Clinical outcomes of endoscopic submucosal dissection for colorectal tumors: a large multicenter retrospective study from the Hiroshima GI Endoscopy Research Group. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 714-722.       | 0.5 | 56        |
| 42 | Characterization of colorectal tumors using narrow-band imaging magnification: combined diagnosis with both pit pattern and microvessel features. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 1084-1092.          | 0.6 | 55        |
| 43 | Improved detectability of small-bowel lesions via capsule endoscopy with computed virtual chromoendoscopy: A pilot study. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 1133-1137.                                  | 0.6 | 53        |
| 44 | Lymphatic Vessel Density at the Site of Deepest Penetration as a Predictor of Lymph Node Metastasis in Submucosal Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2007, 50, 13-21.                                   | 0.7 | 52        |
| 45 | Characteristic Epithelium with Low-grade Atypia Appears on the Surface of Gastric Cancer after Successful <i>Helicobacter pylori</i> Eradication Therapy. <i>Helicobacter</i> , 2014, 19, 289-295.                                | 1.6 | 52        |
| 46 | Evaluation of the visibility of early gastric cancer using linked color imaging and blue laser imaging. <i>BMC Gastroenterology</i> , 2017, 17, 150.  | 0.8 | 52        |
| 47 | Clinical validity of the expanded criteria for endoscopic resection of undifferentiated-type early gastric cancer based on long-term outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 639-647. | 1.3 | 49        |
| 48 | Condition of muscularis mucosae is a risk factor for lymph node metastasis in T1 colorectal carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 1269-1276.                                       | 1.3 | 46        |
| 49 | Evidence-based clinical practice guidelines for management of colorectal polyps. <i>Journal of Gastroenterology</i> , 2021, 56, 323-335.  | 2.3 | 46        |
| 50 | USEFULNESS AND SAFETY OF SB KNIFE JR IN ENDOSCOPIC SUBMUCOSAL DISSECTION FOR COLORECTAL TUMORS. <i>Digestive Endoscopy</i> , 2012, 24, 90-95.   | 1.3 | 42        |
| 51 | Outcome of endoscopic submucosal dissection for gastric neoplasm in relationship to endoscopic classification of submucosal fibrosis. <i>Gastric Cancer</i> , 2013, 16, 404-410.  | 2.7 | 42        |
| 52 | Endoscopic Submucosal Dissection as Total Excisional Biopsy for Clinical T1 Colorectal Carcinoma. <i>Digestion</i> , 2015, 91, 64-69.   | 1.2 | 42        |
| 53 | Automatic detection of various abnormalities in capsule endoscopy videos by a deep learning-based system: a multicenter study. <i>Gastrointestinal Endoscopy</i> , 2021, 93, 165-173.e1.  | 0.5 | 42        |
| 54 | Effectiveness of polaprezinc for low-dose aspirin-induced small-bowel mucosal injuries as evaluated by capsule endoscopy: a pilot randomized controlled study. <i>BMC Gastroenterology</i> , 2013, 13, 108.                       | 0.8 | 41        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Preceding endoscopic submucosal dissection for T1 colorectal carcinoma does not affect the prognosis of patients who underwent additional surgery: a large multicenter propensity score-matched analysis. <i>Journal of Gastroenterology</i> , 2019, 54, 897-906. | 2.3 | 41        |
| 56 | Clinical usefulness of classification by transabdominal ultrasonography for detection of small-bowel stricture. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1041-1047.  | 0.6 | 40        |
| 57 | Advanced Method for Evaluation of Gastric Cancer Risk By Serum Markers: Determination of True Low-Risk Subjects for Gastric Neoplasm. <i>Helicobacter</i> , 2014, 19, 1-8.  | 1.6 | 40        |
| 58 | Risk analysis of submucosal invasive rectal carcinomas for lymph node metastasis to expand indication criteria for endoscopic resection. <i>Digestive Endoscopy</i> , 2013, 25, 21-25.  | 1.3 | 38        |
| 59 | Long-term outcomes after treatment for T1 colorectal carcinoma. <i>International Journal of Colorectal Disease</i> , 2016, 31, 571-578.   | 1.0 | 38        |
| 60 | Towards safer and appropriate application of endoscopic submucosal dissection for T1 colorectal carcinoma as total excisional biopsy: Future perspectives. <i>Digestive Endoscopy</i> , 2015, 27, 216-222.  | 1.3 | 37        |
| 61 | Evaluation of the clinical efficacy of colon capsule endoscopy in the detection of lesions of the colon: prospective, multicenter, open study. <i>Gastrointestinal Endoscopy</i> , 2015, 82, 861-869.   | 0.5 | 36        |
| 62 | Diagnostic yield of capsule endoscopy vs. double-balloon endoscopy for patients who have undergone total enteroscopy with obscure gastrointestinal bleeding. <i>Hepato-Gastroenterology</i> , 2012, 59, 955-9.  | 0.5 | 35        |
| 63 | Clinical validity of endoscopic submucosal dissection for submucosal invasive gastric cancer: a single-center study. <i>Gastric Cancer</i> , 2012, 15, 97-105.  | 2.7 | 34        |
| 64 | Long-term prognosis after endoscopic submucosal dissection for early gastric cancer in super-elderly patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4321-4329.   | 1.3 | 34        |
| 65 | Taking Warfarin with Heparin Replacement and Direct Oral Anticoagulant Is a Risk Factor for Bleeding after Endoscopic Submucosal Dissection for Early Gastric Cancer. <i>Digestion</i> , 2018, 97, 240-249.   | 1.2 | 34        |
| 66 | Japanese Society for Cancer of the Colon and Rectum (JSCCR) Guidelines 2016 for the Clinical Practice of Hereditary Colorectal Cancer (Translated Version). <i>Journal of the Anus, Rectum and Colon</i> , 2018, 2, S1-S51.                                       | 0.4 | 32        |
| 67 | Risk of bleeding after endoscopic submucosal dissection for colorectal tumors in patients with continued use of low-dose aspirin. <i>Journal of Gastroenterology</i> , 2015, 50, 1041-1046.   | 2.3 | 31        |
| 68 | Small Bowel Abnormalities in Patients with Compensated Liver Cirrhosis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1390-1396.   | 1.1 | 30        |
| 69 | Endoscopic submucosal dissection for anorectal tumor with hemorrhoids close to the dentate line: a multicenter study of Hiroshima GI Endoscopy Study Group. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4425-4431.                  | 1.3 | 30        |
| 70 | Different risk factors between early and late cancer recurrences in patients without additional surgery after noncurative endoscopic submucosal dissection for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2019, 89, 950-960.                       | 0.5 | 30        |
| 71 | Long-Term Outcomes after Endoscopic Submucosal Dissection for Ulcerative Colitis-Associated Dysplasia. <i>Digestion</i> , 2021, 102, 205-215.   | 1.2 | 29        |
| 72 | Polidocanol injection therapy for small-bowel hemangioma by using double-balloon endoscopy. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 163-167.  | 0.5 | 28        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | <i>ADH1B</i> and <i>ALDH2</i> are associated with metachronous <i>SCC</i> after endoscopic submucosal dissection of esophageal squamous cell carcinoma. <i>Cancer Medicine</i> , 2016, 5, 1397-1404.                                  | 1.3 | 27        |
| 74 | Clinical usefulness of magnifying endoscopy for non-ampullary duodenal tumors. <i>Endoscopy International Open</i> , 2017, 05, E297-E302.   | 0.9 | 27        |
| 75 | Role of tumor-associated macrophages at the invasive front in human colorectal cancer progression. <i>Cancer Science</i> , 2021, 112, 2692-2704.  | 1.7 | 26        |
| 76 | Outcome of patients who have undergone total enteroscopy for obscure gastrointestinal bleeding. <i>World Journal of Gastroenterology</i> , 2012, 18, 666.   | 1.4 | 26        |
| 77 | CLINICAL USEFULNESS OF NARROW BAND IMAGING MAGNIFYING CLASSIFICATION FOR COLORECTAL TUMORS BASED ON BOTH SURFACE PATTERN AND MICROVESSEL FEATURES. <i>Digestive Endoscopy</i> , 2011, 23, 101-105.                                    | 1.3 | 25        |
| 78 | Risk factors for vertical incomplete resection in endoscopic submucosal dissection as total excisional biopsy for submucosal invasive colorectal carcinoma. <i>International Journal of Colorectal Disease</i> , 2013, 28, 1247-1256. | 1.0 | 25        |
| 79 | Endoscopic submucosal dissection for residual early gastric cancer after endoscopic submucosal dissection. <i>Gastrointestinal Endoscopy</i> , 2013, 77, 298-302.   | 0.5 | 25        |
| 80 | Clinical impact of dual red imaging in colorectal endoscopic submucosal dissection: a pilot study. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 679-683.  | 1.4 | 25        |
| 81 | Long-term outcomes after treatment for pedunculated-type T1 colorectal carcinoma: a multicenter retrospective cohort study. <i>Journal of Gastroenterology</i> , 2016, 51, 702-710.   | 2.3 | 25        |
| 82 | Endoscopic features and management of diminutive colorectal submucosal invasive carcinoma. <i>Digestive Endoscopy</i> , 2014, 26, 78-83.  | 1.3 | 23        |
| 83 | Major predictors of portal hypertensive enteropathy in patients with liver cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 124-130.  | 1.4 | 23        |
| 84 | Clinical usefulness of endocytoscopy in the remission stage of ulcerative colitis: a pilot study. <i>Journal of Gastroenterology</i> , 2015, 50, 1087-1093.   | 2.3 | 23        |
| 85 | Clinical usefulness of narrow band imaging magnifying colonoscopy for assessing ulcerative colitis-associated cancer/dysplasia. <i>Endoscopy International Open</i> , 2016, 04, E1183-E1187.  | 0.9 | 23        |
| 86 | Age Affects Clinical Management after Noncurative Endoscopic Submucosal Dissection for Early Gastric Cancer. <i>Digestive Diseases</i> , 2019, 37, 423-433.   | 0.8 | 23        |
| 87 | Clinical Usefulness of Dual Red Imaging in Gastric Endoscopic Submucosal Dissection: A Pilot Study. <i>Clinical Endoscopy</i> , 2020, 53, 54-59.  | 0.6 | 23        |
| 88 | Predicting the absence of lymph node metastasis of submucosal invasive gastric cancer: Expansion of the criteria for curative endoscopic resection. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 1480-1487.            | 0.6 | 22        |
| 89 | Is It Possible to Discriminate Between Neoplastic and Nonneoplastic Lesions in Ulcerative Colitis by Magnifying Colonoscopy?. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 508-513.   | 0.9 | 22        |
| 90 | Significance of non-alcoholic fatty liver disease in Crohn's disease: A retrospective cohort study. <i>Hepatology Research</i> , 2017, 47, 872-881.   | 1.8 | 22        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Recurrence Patterns and Outcomes of Salvage Surgery in Cases of Non-Curative Endoscopic Submucosal Dissection without Additional Radical Surgery for Early Gastric Cancer. <i>Digestion</i> , 2019, 99, 52-58.  | 1.2 | 22        |
| 92  | Involvement of non-Helicobacter pylori helicobacter infections in Helicobacter pylori-negative gastric MALT lymphoma pathogenesis and efficacy of eradication therapy. <i>Gastric Cancer</i> , 2021, 24, 937-945.                                     | 2.7 | 22        |
| 93  | Detection of Nonpolypoid Colorectal Neoplasia Using Magnifying Endoscopy in Colonic Inflammatory Bowel Disease. <i>Gastrointestinal Endoscopy Clinics of North America</i> , 2014, 24, 405-417.   | 0.6 | 21        |
| 94  | Feasibility of a novel colonoscope with extra-wide angle of view: a clinical study. <i>Endoscopy</i> , 2015, 47, 444-448.   | 1.0 | 21        |
| 95  | Real-world learning curve analysis of colorectal endoscopic submucosal dissection: a large multicenter study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 3344-3351.  | 1.3 | 21        |
| 96  | Use of anticoagulants increases risk of bleeding after colorectal endoscopic submucosal dissection. <i>Endoscopy International Open</i> , 2018, 06, E857-E864.  | 0.9 | 20        |
| 97  | Serum amyloid A is a better predictive biomarker of mucosal healing than C-reactive protein in ulcerative colitis in clinical remission. <i>BMC Gastroenterology</i> , 2020, 20, 85.  | 0.8 | 20        |
| 98  | KNACK AND PRACTICAL TECHNIQUE OF COLONOSCOPIC TREATMENT FOCUSED ON ENDOSCOPIC MUCOSAL RESECTION USING SNARE. <i>Digestive Endoscopy</i> , 2009, 21, S38-42.   | 1.3 | 19        |
| 99  | Comparison of Small-Bowel Mucosal Injury between Low-Dose Aspirin and Non-Aspirin Non-Steroidal Anti-Inflammatory Drugs: A Capsule Endoscopy Study. <i>Digestion</i> , 2014, 89, 225-231.   | 1.2 | 19        |
| 100 | Is smallâ€bowel capsule endoscopy effective for diagnosis of esophagogastric lesions related to portal hypertension?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 511-516.  | 1.4 | 19        |
| 101 | Third-Generation Capsule Endoscopy Outperforms Second-Generation Based on the Detectability of Esophageal Varices. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-6.   | 0.7 | 19        |
| 102 | Efficacy of autofluorescence imaging for flat neoplasm detection: a multicenter randomized controlled trial (A-FLATÂtrial). <i>Gastrointestinal Endoscopy</i> , 2019, 89, 460-469.  | 0.5 | 19        |
| 103 | Dual Red Imaging Maintains Clear Visibility During Colorectal Endoscopic Submucosal Dissection. <i>Digestive Diseases and Sciences</i> , 2019, 64, 224-231.   | 1.1 | 19        |
| 104 | Useful condition of chromoendoscopy with indigo carmine and acetic acid for identifying a demarcation line prior to endoscopic submucosal dissection for early gastric cancer. <i>BMC Gastroenterology</i> , 2016, 16, 72.                            | 0.8 | 18        |
| 105 | Clinical usefulness of a single-use splinting tube for poor endoscope operability in deep colonic endoscopic submucosal dissection. <i>Endoscopy International Open</i> , 2016, 04, E614-E617.  | 0.9 | 18        |
| 106 | Clinical Usefulness of the VS Classification System Using Magnifying Endoscopy with Blue Laser Imaging for Early Gastric Cancer. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-6.   | 0.7 | 18        |
| 107 | Clinical significance of endoscopic ultrasonography in diagnosing invasion depth of early gastric cancer prior to endoscopic submucosal dissection. <i>Gastric Cancer</i> , 2021, 24, 145-155.  | 2.7 | 18        |
| 108 | Is Occult Obscure Gastrointestinal Bleeding a Definite Indication for Capsule Endoscopy? A Retrospective Analysis of Diagnostic Yield in Patients with Occult versus Overt Bleeding. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-7. | 0.7 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Associations between drugs and smallâ€bowel mucosal bleeding: Multicenter capsuleâ€endoscopy study. <i>Digestive Endoscopy</i> , 2018, 30, 79-89.   | 1.3 | 17        |
| 110 | Clinical impact of surveillance colonoscopy using magnification without diminutive polyp removal. <i>Digestive Endoscopy</i> , 2017, 29, 773-781.   | 1.3 | 14        |
| 111 | Endoscopic hemostasis for spurting duodenal bleeding using dual red imaging. <i>Digestive Endoscopy</i> , 2017, 29, 816-817.  | 1.3 | 14        |
| 112 | Endoscopic management of colorectal tumors less than 10Âmm in size: Current status and future perspectives in Japan from a questionnaire survey. <i>Digestive Endoscopy</i> , 2018, 30, 36-40.  | 1.3 | 14        |
| 113 | Clinical significance of immunohistochemical lymphovascular evaluation to determine additional surgery after endoscopic submucosal dissection for colorectal T1 carcinoma. <i>International Journal of Colorectal Disease</i> , 2021, 36, 949-958.                      | 1.0 | 14        |
| 114 | Improved visibility of colorectal flat tumors using imageâ€enhanced endoscopy. <i>Digestive Endoscopy</i> , 2015, 27, 35-39.  | 1.3 | 13        |
| 115 | Clinical usefulness of the S-O clip during colorectal endoscopic submucosal dissection in difficult-to-access submucosal layer. <i>Endoscopy International Open</i> , 2020, 08, E437-E444.  | 0.9 | 13        |
| 116 | Usefulness of linked color imaging in the early detection of superficial esophageal squamous cell carcinomas. <i>Esophagus</i> , 2021, 18, 118-124.   | 1.0 | 13        |
| 117 | Simultaneous shape and cameraâ€projector parameter estimation for 3D endoscopic system using CNNâ€based gridâ€oneshot scan. <i>Healthcare Technology Letters</i> , 2019, 6, 249-254.  | 1.9 | 13        |
| 118 | A water-soluble extract from culture medium of <i>Ganoderma lucidum</i> mycelia suppresses the development of colorectal adenomas. <i>Hiroshima Journal of Medical Sciences</i> , 2010, 59, 1-6.  | 0.1 | 13        |
| 119 | Management of occult obscure gastrointestinal bleeding patients based on long-term outcomes. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 175628481878740.   | 1.4 | 12        |
| 120 | Is Additional Surgery Always Sufficient for Preventing Recurrence After Endoscopic Submucosal Dissection with Curability C-2 for Early Gastric Cancer?. <i>Annals of Surgical Oncology</i> , 2019, 26, 3636-3643.   | 0.7 | 12        |
| 121 | Construction of a risk model for the development of metachronous squamous cell carcinoma after endoscopic resection of esophageal squamous cell carcinoma. <i>Esophagus</i> , 2019, 16, 141-146.  | 1.0 | 12        |
| 122 | Early Squamous Cell Carcinoma of the Anal Canal Resected by Endoscopic Submucosal Dissection. <i>Case Reports in Gastroenterology</i> , 2015, 9, 120-125.   | 0.3 | 11        |
| 123 | Long-term outcomes after non-curative endoscopic submucosal dissection for early gastric cancer according to hospital volumes in Japan: a multicenter propensity-matched analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 4078-4088. | 1.3 | 11        |
| 124 | Clinical outcomes of endoscopic resection for superficial non-ampullary duodenal tumors. <i>Endoscopy International Open</i> , 2020, 08, E354-E359.   | 0.9 | 11        |
| 125 | Salvage endoscopic submucosal dissection for local residual/recurrent colorectal tumor after endoscopic resection: Large multicenter 10â€year study. <i>Digestive Endoscopy</i> , 2021, 33, 608-615.  | 1.3 | 11        |
| 126 | Potential of <i>Helicobacter pylori</i> uninfected signet ring cell carcinoma to invade the submucosal layer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1955-1962.  | 1.4 | 10        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Endoscopic diagnosis and treatment of ulcerative colitis-associated neoplasia. <i>Digestive Endoscopy</i> , 2019, 31, 26-30.  | 1.3 | 10        |
| 128 | Clinical Utility of Emergency Capsule Endoscopy for Diagnosing the Source and Nature of Ongoing Overt Obscure Gastrointestinal Bleeding. <i>Gastroenterology Research and Practice</i> , 2019, 2019, 1-6.                         | 0.7 | 10        |
| 129 | Characteristics of colorectal neuroendocrine tumors in patients prospectively enrolled in a Japanese multicenter study: a first report from the C-NET STUDY. <i>Journal of Gastroenterology</i> , 2022, 57, 547-558.              | 2.3 | 10        |
| 130 | Factors for conversion risk of colorectal endoscopic submucosal dissection: a multicenter study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 5698-5709.   | 1.3 | 10        |
| 131 | Diagnosis of sessile serrated adenomas/polyps using endocytoscopy (with videos). <i>Digestive Endoscopy</i> , 2016, 28, 43-48.  | 1.3 | 9         |
| 132 | Clinical usefulness of transabdominal ultrasonography prior to patency capsule for suspected small-bowel strictures. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 281-287.   | 0.6 | 9         |
| 133 | Challenges associated with the pathological diagnosis of colorectal tumors less than 10Åmm in size. <i>Digestive Endoscopy</i> , 2018, 30, 41-44.   | 1.3 | 9         |
| 134 | Clinical and genomic characteristics of mucosal signet-ring cell carcinoma in <i>Helicobacter pylori</i> -uninfected stomach. <i>BMC Gastroenterology</i> , 2020, 20, 243.  | 0.8 | 9         |
| 135 | Efficacy and safety of oral sulfate solution for bowel preparation in Japanese patients undergoing colonoscopy: Noninferiority-based, randomized, controlled study. <i>Digestive Endoscopy</i> , 2021, 33, 1131-1138.             | 1.3 | 9         |
| 136 | Clinical outcomes of endoscopic resection for rectal neuroendocrine tumors: Advantages of endoscopic submucosal resection with a ligation device compared to conventional EMR and ESD. <i>DEN Open</i> , 2022, 2, e35.            | 0.5 | 9         |
| 137 | Investigation of endoscopic findings in nine cases of <i>Helicobacter suis</i> -infected gastritis complicated by gastric mucosa-associated lymphoid tissue lymphoma. <i>Helicobacter</i> , 2022, 27, e12887.                     | 1.6 | 9         |
| 138 | Comparison of the diagnostic performance of NBI, Laser-BLI and LED-BLI: a randomized controlled noninferiority trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 7577-7587.                        | 1.3 | 9         |
| 139 | Characteristics of Metachronous Gastric Tumors after Endoscopic Submucosal Dissection for Gastric Intraepithelial Neoplasms. <i>Gastroenterology Research and Practice</i> , 2014, 2014, 1-6.                                     | 0.7 | 8         |
| 140 | Clinical significance and validity of the subclassification for colorectal laterally spreading tumor granular type. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 973-979.                            | 1.4 | 8         |
| 141 | Mouse model of proximal colon-specific tumorigenesis driven by microsatellite instability-induced Cre-mediated inactivation of <i>Apc</i> and activation of <i>Kras</i> . <i>Journal of Gastroenterology</i> , 2016, 51, 447-457. | 2.3 | 8         |
| 142 | Indications for Small-bowel Capsule Endoscopy in Patients with Chronic Abdominal Pain. <i>Internal Medicine</i> , 2017, 56, 1453-1457.  | 0.3 | 8         |
| 143 | Diagnostic Yield of Colon Capsule Endoscopy in Detection of Superficial Colorectal Lesions. <i>Digestion</i> , 2020, 101, 262-269.  | 1.2 | 8         |
| 144 | Predictors of invasive cancer of large laterally spreading colorectal tumors: A multicenter study in Japan. <i>JGH Open</i> , 2020, 4, 83-89.   | 0.7 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Indications and outcomes of colorectal hybrid endoscopic submucosal dissection: a large multicenter 10-year study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 1894-1902.      | 1.3 | 8         |
| 146 | Safety and efficacy of the endoscopic delivery of capsule endoscopes in adult and pediatric patients: Multicenter Japanese study (AdvanCEâ€ study). <i>Digestive Endoscopy</i> , 2022, 34, 543-552.          | 1.3 | 8         |
| 147 | Diagnostic ability of linked color imaging in ultraslim endoscopy to identify neoplastic lesions in the upper gastrointestinal tract. <i>Endoscopy International Open</i> , 2022, 10, E88-E95.               | 0.9 | 8         |
| 148 | The utility of a novel colonoscope with retroflexion for colorectal endoscopic submucosal dissection. <i>Endoscopy International Open</i> , 2019, 07, E130-E137.   | 0.9 | 7         |
| 149 | Novel ultrathin double-balloon endoscopy for the diagnosis of small-bowel diseases: a multicenter nonrandomized study. <i>Endoscopy</i> , 2020, 53, 802-814.   | 1.0 | 7         |
| 150 | Genomic Characterization of Non-Invasive Differentiated-Type Gastric Cancer in the Japanese Population. <i>Cancers</i> , 2020, 12, 510.  | 1.7 | 7         |
| 151 | Differences in K-ras and mitochondrial DNA mutations and microsatellite instability between colorectal cancers of Vietnamese and Japanese patients. <i>BMC Gastroenterology</i> , 2014, 14, 203.             | 0.8 | 6         |
| 152 | Predictive Factors of Portal Hypertensive Enteropathy Exacerbation in Patients with Liver Cirrhosis: A Capsule Endoscopy Study. <i>Digestion</i> , 2018, 98, 33-40.  | 1.2 | 6         |
| 153 | Long-term prognosis after treatment for T1 carcinoma of laterally spreading tumors: a multicenter retrospective study. <i>International Journal of Colorectal Disease</i> , 2019, 34, 481-490.               | 1.0 | 6         |
| 154 | Development of multi-class computer-aided diagnostic systems using the NICE/JNET classifications for colorectal lesions. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 104-110.  | 1.4 | 6         |
| 155 | Proton pump inhibitor therapy did not increase the prevalence of small-bowel injury: A propensity-matched analysis. <i>PLoS ONE</i> , 2017, 12, e0182586.  | 1.1 | 6         |
| 156 | Endoscopic diagnosis of colorectal serrated lesions: Current status and future perspectives based on the results of a questionnaire survey. <i>Digestive Endoscopy</i> , 2016, 28, 35-42.                    | 1.3 | 5         |
| 157 | Polyglycolic acid sheet application for intractable acute hemorrhagic rectal ulcer. <i>Digestive Endoscopy</i> , 2016, 28, 689-689.  | 1.3 | 5         |
| 158 | Standardization of endoscopic resection for colorectal tumors larger than 10mm in diameter. <i>Digestive Endoscopy</i> , 2017, 29, 40-44.  | 1.3 | 5         |
| 159 | Clinicopathologic and endoscopic features of early-stage colorectal serrated adenocarcinoma. <i>BMC Gastroenterology</i> , 2017, 17, 158.  | 0.8 | 5         |
| 160 | Long-term prognosis after endoscopic submucosal dissection for colorectal tumors in patients aged over 80 years. <i>BMC Gastroenterology</i> , 2021, 21, 324.  | 0.8 | 5         |
| 161 | Clinical usefulness of linked color imaging for evaluation of endoscopic activity and prediction of relapse in ulcerative colitis. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1053-1061. | 1.0 | 5         |
| 162 | Removal of a sewing needle penetrating the wall of the third portion of the duodenum by double-balloon endoscopy. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 79-81.                              | 0.4 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Clinical significance of smallâ€bowel villous edema in patients with liver cirrhosis: A capsule endoscopy study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 825-830.  | 1.4 | 4         |
| 164 | Primary Signet Ring Cell Carcinoma of Rectum Diagnosed by Boring Biopsy in Combination with Endoscopic Mucosal Resection. <i>Case Reports in Medicine</i> , 2018, 2018, 1-5.   | 0.3 | 4         |
| 165 | Short-term outcomes of endoscopic submucosal dissection for superficial cecal tumors: a comparison between extension and nonextension into the appendiceal orifice. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 175628481877279.   | 1.4 | 4         |
| 166 | Exacerbation of Portal Hypertensive Enteropathy after Endoscopic Injection Sclerotherapy for Esophageal Varices. <i>Digestion</i> , 2021, 102, 188-196.  | 1.2 | 4         |
| 167 | Experience with Balloon Dilatation in Crohnâ€™s and Non-Crohnâ€™s Benign Small-Bowel Strictures: Is There a Difference?. <i>Gastroenterology Research and Practice</i> , 2019, 2019, 1-8.  | 0.7 | 4         |
| 168 | Can surveillance colonoscopy be discontinued in an elderly population with diminutive polyps?. <i>Journal of the Anus, Rectum and Colon</i> , 2019, 3, 128-135.  | 0.4 | 4         |
| 169 | Effectiveness of salvage radiotherapy for superficial esophageal Cancer after non-curative endoscopic resection. <i>Radiation Oncology</i> , 2020, 15, 133.  | 1.2 | 4         |
| 170 | Efficacy of singleâ€balloon overtube for endoscopic submucosal dissection in the proximal colon: A propensity scoreâ€matched analysis. <i>DEN Open</i> , 2022, 2, e58.   | 0.5 | 4         |
| 171 | Advanced diagnostic endoscopy in the lower gastrointestinal tract: A review of JGES core sessions. <i>Digestive Endoscopy</i> , 2018, 30, 192-197.   | 1.3 | 3         |
| 172 | The Clinical Usefulness of the PillCam Progress Indicator for Route Selection in Double Balloon Endoscopy. <i>Internal Medicine</i> , 2019, 58, 1375-1381.   | 0.3 | 3         |
| 173 | Clinical Features and Genomic Characterization of Post-Colonoscopy Colorectal Cancer. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00246.   | 1.3 | 3         |
| 174 | Genomic analysis for the prediction of prognosis in small-bowel cancer. <i>PLoS ONE</i> , 2021, 16, e0241454.  | 1.1 | 3         |
| 175 | Temporal changes and risk factors for esophageal stenosis after salvage radiotherapy in superficial esophageal cancer following non-curative endoscopic submucosal dissection. <i>Radiotherapy and Oncology</i> , 2022, 166, 65-70.                | 0.3 | 3         |
| 176 | Efficacy and safety comparison of scissor-type knives with needle-type knives for colorectal endoscopic submucosal dissection: a post-hoc propensity scoreâ€matched analysis (with videos). <i>Gastrointestinal Endoscopy</i> , 2022, 96, 108-117. | 0.5 | 3         |
| 177 | Predictive factors for the progression of primary localized stage small-bowel follicular lymphoma. <i>Journal of Gastroenterology</i> , 2022, 57, 667-675.   | 2.3 | 3         |
| 178 | Prevention and management of spouting bleeding during endoscopic submucosal dissection for large subpedunculatedâ€type colonic tumor. <i>Digestive Endoscopy</i> , 2018, 30, 128-129.  | 1.3 | 2         |
| 179 | A case of primary malignant melanoma of the esophagus with a widely expanded surface area. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 424-428.  | 0.4 | 2         |
| 180 | Early-stage serrated adenocarcinomas are divided into several molecularly distinct subtypes. <i>PLoS ONE</i> , 2019, 14, e0211477.   | 1.1 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Use of a new traction device to expose the base of a pedunculated appendiceal polyp. <i>VideoGIE</i> , 2021, 6, 38-40.  | 0.3 | 2         |
| 182 | Characteristics and Treatment Outcomes of Small-bowel Angioectasia in Systemic Sclerosis Patients: A Retrospective Observational Study. <i>Internal Medicine</i> , 2022, 61, 615-622.   | 0.3 | 2         |
| 183 | Preceding endoscopic submucosal dissection in submucosal invasive gastric cancer patients does not impact clinical outcomes. <i>Scientific Reports</i> , 2021, 11, 990.   | 1.6 | 2         |
| 184 | Vertical tumor margin of endoscopic resection for T1 colorectal carcinoma affects the prognosis of patients undergoing additional surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 5970-5978.                         | 1.3 | 2         |
| 185 | Clinicopathological characteristics of colorectal serrated polyposis syndrome (SPS): results of a multicenter study by the SPS Study Group in Japan. <i>Journal of Gastroenterology</i> , 2022, 57, 300-308.  | 2.3 | 2         |
| 186 | Case of gel immersion endoscopy: Efficacy of identification and achieving hemostasis for diverticular hemorrhage in the sigmoid colon. <i>Digestive Endoscopy</i> , 2022, , .   | 1.3 | 2         |
| 187 | Promoting mechanism of serum amyloid a family expression in mouse intestinal epithelial cells. <i>PLoS ONE</i> , 2022, 17, e0264836.  | 1.1 | 2         |
| 188 | Diagnostic yield of proximal jejunal lesions with third-generation capsule endoscopy. <i>DEN Open</i> , 2023, 3, .  | 0.5 | 2         |
| 189 | Cheilitis granulomatosa as an early manifestation of Crohn's disease. <i>Clinical Journal of Gastroenterology</i> , 2009, 2, 190-193.   | 0.4 | 1         |
| 190 | Pedunculated-type T1 colorectal carcinoma with lung carcinoma metastasis at the deepest invasive portion. <i>Clinical Journal of Gastroenterology</i> , 2016, 9, 208-214.   | 0.4 | 1         |
| 191 | Mesalazine-induced enteritis causing refractory diarrhea. <i>Digestive Endoscopy</i> , 2017, 29, 128-129.   | 1.3 | 1         |
| 192 | Case of small intestinal bacterial overgrowth carried out by capsule and double-balloon endoscopy. <i>Digestive Endoscopy</i> , 2018, 30, 674-674.  | 1.3 | 1         |
| 193 | A Questionnaire Survey on the Sequence of Events Prior to Undergoing Colonoscopy: The Influence of the Behavioral Response after a Fecal Occult Blood Test on the Early Detection of Colorectal Cancer. <i>Internal Medicine</i> , 2019, 58, 1541-1547. | 0.3 | 1         |
| 194 | Rectal Lymphoid Follicle Aphthous Lesions Frequently Progress to Ulcerative Colitis with Proximal Extension. <i>Internal Medicine</i> , 2019, 58, 625-631.  | 0.3 | 1         |
| 195 | Hybrid ESD. , 2020, , 87-91.  |     | 1         |
| 196 | Precutting EMR. , 2020, , 73-76.  |     | 1         |
| 197 | Provisional Clinical Opinions (PCOs) Recommended by the Surgical Treatment Working Group for Vulnerable Elderly Patients in Colorectal Cancer: Clinical Questions with Answers. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2021, 74, 401-412.         | 0.1 | 1         |
| 198 | Effect of educational lecture on the diagnostic accuracy of Japan NBI Expert Team classification for colorectal lesions. <i>BMC Gastroenterology</i> , 2021, 21, 110.   | 0.8 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Clinical usefulness of combination therapy with polidocanol injection and argon plasma coagulation for gastric antral vascular ectasia. <i>JGH Open</i> , 2021, 5, 465-469.   | 0.7 | 1         |
| 200 | Provisional Clinical Opinions (PCOs) Recommended by the Surgical Treatment Working Group for Vulnerable Elderly Patients in Colorectal Cancer: General Remarks on Surgical Treatment. <i>Nihon Daicho Komonbyo Gakkai Zasshi</i> , 2021, 74, 391-400.   | 0.1 | 1         |
| 201 | Serum Gastrin and Pepsinogen Levels after Administration of Acid Secretion Inhibitors for Ulcers due to Endoscopic Submucosal Dissection in Patients with Early Gastric Cancer. <i>Gastroenterology Research and Practice</i> , 2022, 2022, 1-8.        | 0.7 | 1         |
| 202 | Risk of Bleeding after Colorectal Endoscopic Resection in Patients with Continued Warfarin Use Compared to Heparin Replacement: A Propensity Score Matching Analysis. <i>Gastroenterology Research and Practice</i> , 2021, 2021, 1-11.                 | 0.7 | 1         |
| 203 | Response:. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 875.   | 0.5 | 0         |
| 204 | Clinicopathologic characteristics and management of minute esophageal lesions diagnosed by narrow-band imaging endoscopy. <i>Endoscopy International Open</i> , 2016, 04, E927-E932.  | 0.9 | 0         |
| 205 | Investigation of each histological type in undifferentiated early gastric cancer and validity of diagnosis of the disease range. <i>Gastric Cancer</i> , 2016, 19, 1149-1150.   | 2.7 | 0         |
| 206 | Capsule endoscopy findings reflect the gastrointestinal conditions of patients with systemic sclerosis. <i>Scientific Reports</i> , 2021, 11, 20163.  | 1.6 | 0         |
| 207 | Simultaneous estimation of projector and camera poses for multiple oneshot scan using pixel-wise correspondences estimated by U-Nets and GCN. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 0, , 1-9. | 1.3 | 0         |
| 208 | Endoscopic sinusotomy using the small-ceramic-tip-insulated electrosurgical knife for chronic pouch sinus after ileal pouch anal anastomosis in ulcerative colitis: a case report. <i>Endoscopy</i> , 2022, , .   | 1.0 | 0         |
| 209 | Endoscopic Delivery Method Using a Retrieval Net for Patients with Small-Bowel Capsule Endoscopy Stagnation in the Stomach. <i>Gastroenterology Research and Practice</i> , 2021, 2021, 1-7.  | 0.7 | 0         |