

Devid Maniglio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3187062/devid-maniglio-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

1,923
citations

26
h-index

41
g-index

84
ext. papers

2,174
ext. citations

4.6
avg. IF

4.7
L-index

#	Paper	IF	Citations
81	BioMIPs: molecularly imprinted silk fibroin nanoparticles to recognize the iron regulating hormone hepcidin.. <i>Mikrochimica Acta</i> , 2022 , 189, 66	5.8	1
80	Photo-enzymatic dityrosine crosslinking for bioprinting. <i>Polymer</i> , 2022 , 124941	3.9	1
79	A genipin crosslinked silk fibroin monolith by compression molding with recovering mechanical properties in physiological conditions. <i>Cell Reports Physical Science</i> , 2021 , 2, 100605	6.1	1
78	Amphiphilic copolymers in biomedical applications: Synthesis routes and property control. <i>Materials Science and Engineering C</i> , 2021 , 123, 111952	8.3	12
77	Molecularly Imprinted Silk Fibroin Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 31431-31439	3.3	1439
76	Plasma-Assisted Deposition of Silk Fibroin on Different Surfaces. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100324	4.6	3
75	Imaging the Morphological Structure of Silk Fibroin Constructs through Fluorescence Energy Transfer and Confocal Microscopy. <i>Electronic Materials</i> , 2021 , 2, 186-197	0.8	0
74	On the effect of the node and building orientation on the fatigue behavior of L-PBF Ti6Al4V lattice structure sub-unit elements. <i>Material Design and Processing Communications</i> , 2021 , 3, e258	0.9	1
73	A novel and selective silk fibroin fragmentation method. <i>Soft Matter</i> , 2021 , 17, 6863-6872	3.6	1
72	Testing Surgical Face Masks in an Emergency Context: The Experience of Italian Laboratories during the COVID-19 Pandemic Crisis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	9
71	Rhamnolipid coating reduces microbial biofilm formation on titanium implants: an in vitro study. <i>BMC Oral Health</i> , 2021 , 21, 49	3.7	5
70	Additively manufactured Ti-6Al-4V thin struts via laser powder bed fusion: Effect of building orientation on geometrical accuracy and mechanical properties. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 119, 104495	4.1	10
69	On the Effect of Soft Molecularly Imprinted Nanoparticles Receptors Combined to Nanoplasmonic Probes for Biomedical Applications.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 801489	5.8	2
68	Deformable molecularly imprinted nanogels permit sensitivity-gain in plasmonic sensing. <i>Biosensors and Bioelectronics</i> , 2020 , 156, 112126	11.8	13
67	Alginate Hydrogels: A Tool for 3D Cell Encapsulation, Tissue Engineering, and Biofabrication. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1250, 49-61	3.6	5
66	Preliminary evaluation of the production of non-carrier added Ag as core of a therapeutic radiopharmaceutical in the framework of ISOLPHARM_Ag experiment. <i>Applied Radiation and Isotopes</i> , 2020 , 164, 109258	1.7	2
65	Ultrasound-Assisted Hydroxyapatite-Decorated Breath-Figure Polymer-Derived Ceramic Coatings for Ti6Al4V Substrates. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 50772-50783	9.5	2

64	Spider (<i>Linothele megatheloides</i>) and silkworm (<i>Bombyx mori</i>) silks: Comparative physical and biological evaluation. <i>Materials Science and Engineering C</i> , 2020 , 107, 110197	8.3	13
63	Inhibitory Effects of Lipopeptides and Glycolipids on spp. Dual-Species Biofilms. <i>Frontiers in Microbiology</i> , 2020 , 11, 545654	5.7	11
62	Coaxial PCL/PEG-thiol-ene microfiber with tunable physico-chemical properties for regenerative scaffolds. <i>Biomaterials Science</i> , 2019 , 7, 3640-3651	7.4	10
61	A Thermal-Reflow-Based Low-Temperature, High-Pressure Sintering of Lyophilized Silk Fibroin for the Fast Fabrication of Biosubstrates. <i>Advanced Functional Materials</i> , 2019 , 29, 1901134	15.6	21
60	Dental Implants with Anti-Biofilm Properties: A Pilot Study for Developing a New Sericin-Based Coating. <i>Materials</i> , 2019 , 12,	3.5	10
59	Medical-Grade Silicone Coated with Rhamnolipid R89 Is Effective against spp. Biofilms. <i>Molecules</i> , 2019 , 24,	4.8	20
58	Preparation and Statistical Characterization of Tunable Porous Sponge Scaffolds using UV Cross-linking of Methacrylate-Modified Silk Fibroin. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 6374-6388	5.5	26
57	Breath Figures decorated silicon oxinitride ceramic surfaces with controlled Si ions release for enhanced osteoinduction. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019 , 107, 1284-1294	3.5	3
56	Silk fibroin porous scaffolds by NO foaming. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2018 , 29, 491-506	3.5	25
55	A comparative study of the refractive index of silk protein thin films towards biomaterial based optical devices. <i>Optical Materials</i> , 2018 , 78, 407-414	3.3	37
54	Sodium oleate induced rapid gelation of silk fibroin. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2018 , 29, 1219-1231	3.5	4
53	Breath figures decorated silica-based ceramic surfaces with tunable geometry from UV cross-linkable polysiloxane precursor. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 1320-1326	6	12
52	Effect of Cryopreservation on Cell-Laden Hydrogels: Comparison of Different Cryoprotectants. <i>Tissue Engineering - Part C: Methods</i> , 2018 , 24, 20-31	2.9	18
51	Inhibition of <i>Candida albicans</i> biofilm by lipopeptide AC7 coated medical-grade silicone in combination with farnesol. <i>AIMS Bioengineering</i> , 2018 , 5, 192-208	3.4	15
50	Soluble collagen dissolution and assembling in pressurized carbon dioxide water solutions. <i>EXPRESS Polymer Letters</i> , 2018 , 12, 159-170	3.4	3
49	Theranostic gold-magnetite hybrid nanoparticles for MRI-guided radiosensitization. <i>Nanotechnology</i> , 2018 , 29, 315101	3.4	11
48	Fabrication of Nanoscale Patternable Films of Silk Fibroin Using Benign Solvents. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700110	3.9	25
47	Gold nanoparticles 1D array as mechanochromic strain sensor. <i>Materials Chemistry and Physics</i> , 2017 , 192, 94-99	4.4	23

46	From honeycomb- to microsphere-patterned surfaces of poly(lactic acid) and a starch-poly(lactic acid) blend via the breath figure method. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2017 , 15, e31-e42	1.8	6
45	Hydrophobic Coatings by Thiol-Ene Click Functionalization of Silsesquioxanes with Tunable Architecture. <i>Materials</i> , 2017 , 10,	3.5	3
44	Oleic acid surfactant in polycaprolactone/hydroxyapatite-composites for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 1076-82	3.5	10
43	Processing and characterization of diatom nanoparticles and microparticles as potential source of silicon for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2016 , 59, 471-479	8.3	32
42	Development of pH-sensitive self-nanoemulsifying drug delivery systems for acid-labile lipophilic drugs. <i>Chemistry and Physics of Lipids</i> , 2016 , 196, 81-8	3.7	6
41	Silk Hydrogels of Tunable Structure and Viscoelastic Properties Using Different Chronological Orders of Genipin and Physical Cross-Linking. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 12099-108	9.5	48
40	Assessing the impact of electrohydrodynamic jetting on encapsulated cell viability, proliferation, and ability to self-assemble in three-dimensional structures. <i>Tissue Engineering - Part C: Methods</i> , 2015 , 21, 631-8	2.9	15
39	An electrohydrodynamic bioprinter for alginate hydrogels containing living cells. <i>Tissue Engineering - Part C: Methods</i> , 2015 , 21, 123-32	2.9	56
38	Design and optimization of self-nanoemulsifying formulations for lipophilic drugs. <i>Nanotechnology</i> , 2015 , 26, 125102	3.4	15
37	A combined method for bilayered vascular graft fabrication. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 96	4.5	9
36	A New Cells-Compatible Microfluidic Device for Single Channel Recordings. <i>Electroanalysis</i> , 2014 , 26, 1653-1659	3	3
35	Modulating the release of drugs from alginate matrices with the addition of gelatin microbeads. <i>Journal of Bioactive and Compatible Polymers</i> , 2014 , 29, 193-207	2	5
34	Functional role of scaffold geometries as a template for physiological ECM formation: evaluation of collagen 3D assembly. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013 , 7, 161-8	4.4	13
33	Microencapsulation of cells in alginate through an electrohydrodynamic process. <i>Journal of Bioactive and Compatible Polymers</i> , 2013 , 28, 413-425	2	41
32	Hydroxyapatite nanorods: soft-template synthesis, characterization and preliminary in vitro tests. <i>Journal of Biomaterials Applications</i> , 2013 , 28, 49-61	2.9	28
31	Polyelectrolytes-coated gold nanoparticles detection by PEDOT:PSS electrochemical transistors. <i>Organic Electronics</i> , 2012 , 13, 1716-1721	3.5	3
30	Fabrication and characterizations of crosslinked porous polymer films with varying chemical compositions. <i>Polymer</i> , 2012 , 53, 3749-3755	3.9	20
29	Blood compatibility of polymers derived from natural materials. <i>Journal of Bioactive and Compatible Polymers</i> , 2012 , 27, 295-312	2	25

28	Luminescent graphene quantum dots from oxidized multi-walled carbon nanotubes. <i>Materials Chemistry and Physics</i> , 2012 , 137, 12-16	4.4	42
27	One-step process to create porous structures in cross-linked polymer films via breath-figure formations during in situ cross-linking reactions. <i>Polymer</i> , 2011 , 52, 5102-5106	3.9	26
26	Microfabrication of PDLLA scaffolds. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2011 , 5, 569-77	4.4	15
25	Biohybrid nanofiber constructs with anisotropic biomechanical properties. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2011 , 96, 276-86	3.5	47
24	Carbon coatings for cardiovascular applications: physico-chemical properties and blood compatibility. <i>Journal of Biomaterials Applications</i> , 2010 , 25, 57-74	2.9	12
23	Electrodeposition of Silk Fibroin on Metal Substrates. <i>Journal of Bioactive and Compatible Polymers</i> , 2010 , 25, 441-454	2	27
22	Characterization of thiol-functionalized carbon nanotubes on gold surfaces. <i>Surface Science</i> , 2010 , 604, 1414-1419	1.8	20
21	Comparative methods for the evaluation of protein adsorption. <i>Macromolecular Bioscience</i> , 2009 , 9, 661-70	3.9	6
20	Silk fibroin processing and thrombogenic responses. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009 , 20, 1875-97	3.5	47
19	Surface properties and blood compatibility of commercially available diamond-like carbon coatings for cardiovascular devices. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 90, 338-49	3.5	30
18	Genipin-modified silk-fibroin nanometric nets. <i>Macromolecular Bioscience</i> , 2008 , 8, 766-74	5.5	59
17	Folding and assembly of fibroin driven by an AC electric field: effects on film properties. <i>Macromolecular Bioscience</i> , 2008 , 8, 827-35	5.5	29
16	Quantitative analysis of protein adsorption via atomic force microscopy and surface plasmon resonance. <i>Macromolecular Bioscience</i> , 2008 , 8, 1126-34	5.5	28
15	Molecular connectivity methods for the characterization of surface energetics of liquids and polymers. <i>Journal of Colloid and Interface Science</i> , 2006 , 296, 292-308	9.3	11
14	Surface Treatment 2006 , 541-551		2
13	Surface properties of silk fibroin films and their interaction with fibroblasts. <i>Macromolecular Bioscience</i> , 2005 , 5, 1175-83	5.5	86
12	The solid surface free energy calculation. I. In defense of the multicomponent approach. <i>Journal of Colloid and Interface Science</i> , 2004 , 271, 434-53	9.3	166
11	Role of chemical interactions in bacterial adhesion to polymer surfaces. <i>Biomaterials</i> , 2004 , 25, 2029-37	15.6	150

10	The solid surface free energy calculation; II. The limits of the Zisman and of the "equation-of-state" approaches. <i>Journal of Colloid and Interface Science</i> , 2004 , 271, 454-72	9.3	78
9	The application of the contact angle in monument protection: new materials and methods. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004 , 241, 299-312	5.1	40
8	Effects on interfacial properties and cell adhesion of surface modification by pectic hairy regions. <i>Biomacromolecules</i> , 2004 , 5, 2094-104	6.9	68
7	Recent theoretical and experimental advancements in the application of van Oss-Chaudhury-Good acid-base theory to the analysis of polymer surfaces I. General aspects. <i>Journal of Adhesion Science and Technology</i> , 2003 , 17, 1477-1505	2	44
6	Recent theoretical and experimental advancements in the application of the van Oss-Chaudhury-Good acid-base theory to the analysis of polymer surfaces II. Some peculiar cases. <i>Journal of Adhesion Science and Technology</i> , 2003 , 17, 1425-1456	2	35
5	A new experimental method to analyse the dewetting properties of polymer surfaces and cationic surfactants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 206, 125-133	5.1	1
4	The determination of a stable-equilibrium contact angle on heterogeneous and rough surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 206, 47-67	5.1	97
3	An Experimental Procedure to Obtain the Equilibrium Contact Angle from the Wilhelmy Method. <i>Oil and Gas Science and Technology</i> , 2001 , 56, 9-22	1.9	56
2	Bioreactor type and operating conditions influence cell response to polymeric material properties		2
1	Atmospheric Plasma-Assisted Deposition and Patterning of Natural Polymers. <i>Advanced Materials Interfaces</i> , 2200454	4.6	2